

Т

VENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

HEQU	NOINE	SEM:			
71	9F	CU	n	1	

Þρ	ιGE	ं	3	ं	
		1			

ADDRESS CORRESPONDENCE TO ATTENTION OF:

MICHAEL AUSTIN

RFO	Q COPY	
YPE	NAME/ADDRESS	HERE

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201
304-472-1750

SHIP VIA DATE PRINTED TERMS OF SALE F.O.B. FREIGHT TERMS 08/14/2008 BID OPENING DATE: 09/03/2008 BID OPENING TIME 01:30PM CAT NO. LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT 0001 EΑ 765-66 DEMOUNTABLE ABRASIVE & CHEMICAL SPREADER OPEN END CONTRACT TO PROVIDE 2.3 CUBIC YARD STRUCK CAPACITY DEMOUNTABLE ABRASIVE & CHEMICAL SPREADER (SELF CONTAINED) PER THE ATTACHED SPECIFICATIONS. THERE WILL BE A MANDATORY PRE-BID CONFERENCE AT THE STATE CAPITOL COMPLEX, BUILDING 15, CONFERENCE ROOM, AT 10:00 AM ON 08/28/08. FAILURE TO ATTEND THE PRE-BID CONFERENCE WILL RESULT IN BID DISQUALIFICATION. QUESTIONS: WRITTEN QUESTIONS MUST BE RECEIVED BY CLOSE OF BUSINESS (5:00 PM EST) ON FRIDAY, 08/22/08. SEND YOUR QUESTIONS TO: PURCHASING DIVISION ATTENTION MICHAEL AUSTIN 2019 WASHINGTON ST. E. CHARLESTON, WV 25305 QUESTIONS MAY BE SENT VIA FAX, EMAIL, OR REGULAR MAIL. E-MAIL: MICHAEL.D.AUSTINOWV.GOV FAX: 304-558-4115 IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402. EXHIBIT 2 LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1) SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE DATE TITLE ADDRESS CHANGES TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia
- 2. The State may accept or reject in part, or in whole, any bid
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee
- 5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160 103) and will be disclosing Protected Health Information (45 CFR §160 103) to the vendor.
- 15. WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in case of discrepancy
- 5. All quotations are considered FO.B. destination unless alternate shipping terms are clearly identified in the quotation.
- **6. BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



NOOZE

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER 709EC001

PAC	àΕ
	2

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN

304-558-2402

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

DATE PRINTED	TERMS OF SALE SHIP	VIA	F.O.B.	FREIGHTTERMS
08/14/2008				
BID OPENING DATE: 0 9	/03/2008	BID O	PENING TIME	01:30PM
LINE QUANTIT	Y UOP CAT ITEMNU		UNIT PRICE	AMOUNT
NECESSAR ORIGINAL NOT EXCE TIME" TH ANY REAS	UNTIL SUCH "REASONABLE Y TO OBTAIN A NEW CONTE CONTRACT. THE "REASON ED TWELVE (12) MONTHS. E VENDOR MAY TERMINATE ON UPON GIVING THE DIRE 30) DAYS WRITTEN NOTICE	RACT OR R NABLE TIM DURING THIS CON ECTOR OF	ENEW THE E" PERIOD SHA! THIS "REASONA! TRACT FOR	_L
CONTRACT	PECIFIC PROVISIONS ARE DOCUMENT, THE TERMS, CIN ARE FIRM FOR THE LIF	CONDITIONS	S, AND PRICING	}
WRITTEN (SUBMITTEI DAYS PRIC BE IN ACC ORIGINAL	THIS CONTRACT MAY BE CONSENT OF THE SPENDING TO THE DIRECTOR OF PURITY OF THE EXPIRATION DATE OF THE TERMS CONTRACT AND SHALL BE PERIODS.	UNIT AND URCHASING ATE. SUCH AND CONI	D VENDOR, THIRTY (30) H RENEWAL SHAL DITIONS OF THE	.L.
RIGHT TO NOTICE TO SUPPLIED	FION: THE DIRECTOR OF CANCEL THIS CONTRACT IN THE VENDOR IF THE COME ARE OF AN INFERIOR QUARTER SPECIFICATIONS OF THE	MMEDIATEL MODITIES LITY OR I	Y UPON WRITTE AND/OR SERVIC OO NOT CONFORM	N ES
AUTHORIZE MARKET, W ESTIMATE, DIATE DEL (INCLUDIN	ET CLAUSE: THE DIRECT A SPENDING UNIT TO PU IITHOUT THE FILING OF A ITEMS SPECIFIED ON TH IVERY IN EMERGENCIES D IG BUT NOT LIMITED TO D INTICIPATED INCREASE IN	RCHASE ON REQUISIT IS CONTRA UE TO UNF ELAYS IN	N THE OPEN TION OR COST ACT FOR IMME- TORESEEN CAUSE TRANSPORTATIO	S
QUANTITIE APPROXIMA	S: QUANTITIES LISTED TIONS ONLY, BASED ON E	STIMATES	SUPPLIES BY T	н
IGNATURE		EHMS AND CONDIT	IONS DAT	F
ITLE				
IILE	FEIN		ADDRESS CHANG	ES TO BE NOTED ABOVE



プロロス回く

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

709EC001

RFO NUMBER

ADDRESS CORRESPONDENCE TO ATTENTION OF:

MICHAEL AUSTIN 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201 304-472-1750

DATE PRINTED		TER	TERMS OF SALE S		SHIP	VIA	100000	F.O.B,		FREIGHT TERMS
08/14/2	2008									
BID OPENING DATE:		09/03/	2008	.		BID	OPI	ENING TIME	0	1:30PM
LINE	QUAN		UOP	CAT NO:	ITEM NU			UNIT PRICE		TNUOMA
					IT IS UNI ER THE QI			ND AGREED	THAT	
								CONTRACT,		
					HAN THE			-		
F W Q A B W	VRITTEN FOR CON VV-35 N OF THE VND ENC USE RETU VARDED	N EQUI 1MODIT 1UST B DEPAR CUMBRA JRNED TO TH	PMENT IES C E SEN TMENT NCE, TO TH E VEN VALID	CONT OVERE T TO OF A ONE C E SPE DOR A UNLE	RACT ORDED BY THIS THE PURCH DMINISTRA OPY OF TH NDING UNI S AUTHORI SS APPROV	ER (FORM CONTRA ASING D TION. E PURCH T AND O ZATION	NCT DIV AFI ASE DNE FOF	TER APPROV E ORDER WI COPY FOR- R SHIPMENT	5) GINAL AL LL	
F C O	OR BAN	IKRUPT IULL AI	CY PR	OTECT	ION, THIS	CONTRA	CT	TRACTOR FI IS AUTOMA ITHOUT FUR	TI-	
E	XHIBIT	6								
T C O S M I R	ONTAIN RIGINA UCH PR OVEMEN S BASE AW MAT	TE OF PROVI	WEST ISION IRATI DJUST THE CI THE "I S AND	VIRG S FOR ON OF MENT OMMOD PASS OR L	INIA WILL PRICE AE THE CONT COVERS BO ITY PRICE THROUGH" ABOR, WHI	JUSTMEN RACT, P TH UPWA , AND T INCREAS CH MAKE ADJUST	TS ROV RD HAT E O UP MEN	BIDS THAT PRIOR TO /IDED THAT AND DOWNW ADJUSTME OR DECREAS ALL OR A ITS ARE TO	THE ARD NT E OF	
SIGNĀTURĒ				OLD RDV	LINE SIDE FURT	TELEPHONE	VIII C	/1 1 0	DATE	
TITLE		FEII	N					ADDDECC	HANGES	TO BE NOTED ABOVE
**************************************								ADDRESS C	HANGES	TO BE NOTED ABOVE



VENDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

709EC001

PA	GE	ij	ं	_	
		4			

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

SH+P TO

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 304-4

DATE PRINTED	TERMS OF SALE SHIP	VIA	F.O.B.	FREIGHT TERMS
08/14/2008				
BID OPENING DATE: 09/0:	3/2008	BID O	PENING TIME 01	::30PM
LINE QUANTITY	UOP CAT ITEM NE	JMBER	UNIT PRICE	AMOUNT
ALL PRICE A A MANNER AC GOVERNMENTA PUBLISHED F SHOULD BE F PURCHASING DATE OF THE PRICE ADJUS ACCEPT THE ACCORDINGLY AND CANCEL EXHIBIT 10 ADDENDUM AC ADDENDUM(S)	KNOWLEDGEMENT KNOWLEDGE RECEIPT OF AND HAVE MADE THE NLANS AND/OR SPECIFIC .'S:	MUST BE S ECTOR PUR RAL MARKE EQUESTS F BY THE DI ADVANCE THE VEN NG DIVISI D AMEND T IMENT IN ISITION NO ESTHE FOLI RECESSARY	UBSTANTIATED IN CHASING, E.G. T INCREASE, OR AND INCREASE RECTOR OF OF THE EFFECTIVE DOR REQUESTS A ON MAY EITHER HE CONTRACT ITS ENTIRETY O.:	
	SEE REVERSE SIDE FOR TI	ERMS AND CONDI	TIONS	
IGNATURE		TELEPHONE	DATE	
ITLE	FEIN		ADDRESS CHANGES	



>HZDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

709EC001

ŀ	AG	E	
		5	

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

SH-P TO

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV

26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHTTERMS
08/14/2008				
BID OPENING DATE:	09/03/2008	BID OF	PENING TIME 01	:30PM
LINE C	QUANTITY UOP CAT	ITEM NUMBER	UNITPRICE	AMOUNT
	, ,	URE TO CONFIRM THE		
REPR ORAL AND INFO	ESENTATION MADE OF DISCUSSION HELD E ANY STATE PERSONNE RMATION ISSUED IN	DERSTAND THAT ANY ASSUMED TO BE MAI BETWEEN VENDOR'S RE L IS NOT BINDING. WRITING AND ADDED OFFICIAL ADDENDUM	DE DURING ANY EPRESENTATIVES ONLY THE TO THE	
		SIGN	NATURE	
		COMF	PANY	
		DATE	 E	
REV.	11/96			
	VENDOR PR	EFERENCE CERTIFICA	ATE	
PREF	ERENCE IN ACCORDAN	ICATION* IS HEREBY CE WITH WEST VIRGI Y TO CONSTRUCTION	INIA CODE,	
	APPLICATION IS MAD ON CHECKED:	E FOR 2.5% PREFERE	ENCE FOR THE	
· •	RESIDED CONTINUOUS	IVIDUAL RESIDENT V LY IN WEST VIRGINI PRECEDING THE DATE	IA FOR FOUR	
i	SEERE	VERSE SIDE FOR TERMS AND CONDIT	TIONS	
SIGNATURE	, , , , , , , , , , , , , , , , , , ,	TELEPHONE	DATE	
TITLE	FEIN		ADDRESS CHANGES	TO BE NOTED ABOVE



VENDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation 709FC00

709EC001

	Ρ	Α	G	Ξ	ं	ं	2	
				6				

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

DATE PRIN	ITED	TERMS OF SAL	E	SHIP V	l A	F)	O.B.	FREIGHT TERMS
08/14/	/2008							
BID OPENING DATE	09	/03/2008			BID	OPENING	TIME 0	1:30PM
LINE	QUANTIT	Y UOP	CAT NO.	ITEM NUM			TPRICE	AMOUNT
	CERTIFIC	ATION; OR						
		DDER IS A						
}		IDENT VENI						
[WEST VID	OR PRINC	LPAL PL	ACE UP .	ROSINES	S CONTIN	UUUUSLY I	N
	THE DATE	GINIA FOR OF THIS	FUUK (.4) YEAK: Catton:	OD OV.	TAIFLY P	RECEDING	
	INTEREST	OF BIDDE	D IC DE	CALLUN;	OK OUA	UF IHE	OMMEKSHI	Ρ[
ļ	PARTNERS	HIP, ASSO	TATTION	I UB CUDI	POPATION	N DECIDE Tudiation	IAL, Int vendo	
	WHO HAS	MAINTAINE	TTS H	FADOUAR'	TERS OR	PRINCIP	NI DIVCE	
		ESS CONTI						
	YEARS IM	MEDIATELY	PRECED	ING THE	DATE OF	FTHIS		
		ATION; OR						
	() BII	DDER IS A	CORPOR.	ATION NO	ONRESID	ENT VEND	OR	
	WHICH HAS	S AN AFFIL	IATE O	R SUBSII	DIARY W	HICH EMP	LOYS	
1	A MINIMU	M OF DNE H	UNDRED	STATE F	RESIDEN	TS AND W	HICH	
	HAS MAIN	TAINED ITS	HEAQU.	ARTERS (OR PRINC	CIPAL PL	ACE OF	
	BUSINESS	WITHIN WE	ST VIR	GINIA CO	UOUNITAK	JSLY FOR	THE	
	CERTIFICA	YEARS IMM	IEDTALLE	LY PRECE	DING T	HE DATE	OF THIS	
	CERITTLE	AIIUN.						
	B. APPLI	ICATION IS	MADE	EOD 2 69	, DDEEE	DENCE CO	D TUE	
	REASON CH		MADE	FUK 2.5%	· FREFER	KENCE FU	KIHE	
	() BII	DDER IS A	RESIDE	NT VENDO	R WHO	ERTIFIF	S THAT.	
	DURING TH	IE LIFE OF	THE CO	ONTRACT,	ON AVE	RAGE AT	LEAST	
	75% OF TH	IE EMPLOYE	ES WORL	KING ON	THE PRO	JECT BE	ING BID	
	ARE RESID	DENTS OF W	EST VI	RGINIA W	IHO HAVE	RESIDE	D IN	[
	THE STATE	E CONTINUO	USLY FO	OR THE T	WO YEAR	RS IMMED	IATELY	
		S SUBMISSI	ON OF	THIS BID);			
	OR							
ļ		DER IS A						
		OF ONE HUN						
	MUTCH WYT Munkedine	NT VENDOR	O DEVE	AN AFFIL	TALE UR	SUBSID	LARY	
	miten MAI	NTAINS IT	S HEAD!	WUAK I EKS	טא און	NCIPAL I	PLACE	
			SEE REVERS	E SIDE FOR TER	RMS AND CONE	DITIONS		
SIGNATURE			· 	TI	LEPHONE		DATE	
TITLE		FEIN				ADDI	TERROLLANOTE	TO DE NOTED ADDITION
						AUDI	RESS CHANGES	S TO BE NOTED ABOVE



RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER 709EC001

FREIGHT TERMS

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 **BRUSHY FORK ROAD**

304-472-1750

と思えりの氏 BUCKHANNON, WV 26201 SHIP VIA DATE PRINTED TERMS OF SALE F.O.B.

08/14/	2008								
BID OPENING DATE:		09/03/	2008			BID	OPENING	TIME (1:30PM
LINE	AUD	VTITY	UOP	CAT NO:	ITEM NUN	BER.	UN	NT PRICE	AMOUNT
							ļ		
1	1			t l	T VIRGINI		1		
1	l .				ESIDENTS		1	_	
					CONTRACT R BIDDERS				
					ARE RESI				
					E STATE C		i .		,
1			ı ,		EDING SUB		L		'
	ILAKS	111111111111111111111111111111111111111	W F F 1	IKLO	LDING 30B	1113310N	01 1111	3 BID.	
	RIDDER	UNDER	STAND	SIF	THE SECRE	TARY OF	TAX &	REVENUE	
f I	ľ		,		ER RECEIV		1		
			1		MEET THE		1		
					ARY MAY O	-	1		
	PURCHA	SING T	o: (A) RE	SCIND THE	CONTRA	CT OR P	URCHASE	
	ORDER	ISSUED	; OR	(B) A	SSESS A P	ENALTY	AGAINST	SUCH	
	BIDDER	IN AN	AMOU	NT NO	T TO EXCE	ED 5% 0	F THE B	ID AMOUNT	7
	AND TH	AT SUC	H PEN	ALTY	WILL BE P	AID TO	THE CON	TRACTING	
l l			;	F	M ANY UNP	AID BAL	ANCE ON	THE	
	CONTRA	CT OR	PURCH	ASE 0	RDER.				
I I		•		1	CERTIFICA	,			
i I				,	Y REQUEST				
l		1		1	D AUTHORI				
1			II		CLOSE TO				
; ;			1		INFORMAT:				
					QUIRED BUS DOES NOT (1
I I				L	ER INFORMA	1			.
			1		FIDENTIAL	t t	CEMED D	1 105 187	`
ľ	0011111201	JIONEN			IDENTIAL				
ļ	UNDER I	PENALT	Y OF	LAW F	OR FALSE S	SWEARIN	G (WEST	VIRGINIA	.
					EREBY CER				
1 1			- 1		D ACCURATI				
					ISSUED TO				;
	CONTAI	NED WI	THIN	THIS	CERTIFICA	TE CHAN	GES DUR	ING THE	
					BIDDER WI				į
ļ	PURCHAS	SING D	IVISI	NI NO	WRITING :	IMMEDIA	TELY.		
				SEEREV	ERSE SIDE FOR TE	RMS AND CON	IDITIONS		
SIGNATURE			<u> 200-980-200-00-00-00-00</u>	<u> </u>	Control of the contro	TELEPHONE		DATE	
TITLE		FEI	N					DBESS OUT NO	S TO BE NOTED ABOVE
		1					AU	UNESS CHANGE	S TO BE NOTED ABOVE



グロスロの形

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

Request for REONUMBER Quotation 709E CO.0.1

709EC001

3E :	97
8	
	<u> </u>

ADDRESS CORRESPONDENCE TO ATTENTION OF:

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

DATE PRIN	ITED	TER	MS OF SA	LE	SHIF	VIA	F.O.B.	FREIGHT TERMS
08/14/								
BID OPENING DATE	. 09	0/03/2	2008			BID	OPENING TIME	01:30PM
LINE	QUANTII		UOP	CAT NO.	ITEM:N	UMBER	UNIT PRICE	AMOUNT
				BIDDE	R:	~ 		
				DATE:		~	} 	
				SIGNE	D:			
				TITLE				
	IN EITHE ARE ENTI	R "A" TLED 5% PR	OR TO R	"B", ECEIV	OR BOTH	"A" AND May requ	CONSIDERATION(S "B" WHICH YOU EST UP TO THE "B".	
		1		тои				
	A SIGNED	BID	MUST	BE S	UBMITTED	TO:		
	PUR		NG D	F ADM IVISI	INISTRAT: ON	ION		
					TREET, E/ 5305-0130			
	THE BID S	SHOUL LOPE	D COI OR TI	NTAIN HE BI	THIS INF	ORMATION BE CON	N ON THE FACE O SIDERED:	F
,	SEALED B	ID						
	BUYER:			ose os	33	EDMC AND SO	NitrioNic	
IGNATURE				.oec.ncv	ENOS OIUE FUR	TELEPHONE	DITIONS DAT	E
ITLE	·	FEIN						
		FEIN					ADDRESS CHANG	ES TO BE NOTED ABOVE



ADOUZE

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

709EC001

PΑ	G	E		
		9	}	

ADDRESS CORRESPONDENCE TO ATTENTION OF:

MICHAEL AUSTIN

304-558-2402 DIVISION OF HIGHWAYS

SH P TO

EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 304-

DATE PRIN	TED	TE	RMS OF SAI	E	SHI	VIA.	F.O.B	L.	FREIGHT TERMS
08/14/	2008					· · · · · · · · · · · · · · · · · · ·			
BID OPENING DATE		09/03/	/2008		1.	BID	OPENING T	TMF 01	:30PM
LINE	OUAN	ilia i se mieros	UOP	CAT	ITEMN	UMBER	UNITP		AMOUNT
				NO.					
1				1					
Ì									
	RFQ. N	0.:			709E	C001			
1]		
	BID OP	ENING	DATE:		09/0	3/2008			
	}								
	BID OP	ENING	TIME:		1:30	PM			
<u> </u>			 				į]
			•						
{			L						
{	PLEASE	PROVI	DE A	FAX N	UMBER IN	CASE IT	IS NECES	SARY	
	ID CON	IACI Y	OU RE	GARDI	NG YOUR	BID:			
	CONTAC:	T DEDC	ON CD	LEACE	PRINT C	LEADL V.			
	CONTAC	I FERS	DIN (F	LEASE	FRINI C	LEARLTJ:			
	ļ 								
	[
							•		
			·						
	****	THIS	IS T	HE EN	D OF RFQ	709EC	001 ****	* TOTAL:	
				j	-				
				Ì					
				1					
			} }	ĺ					
				1					
				į					
				-					
ļ									
		j	}	1					·
				f					
ļ									
ļ		}		}					
}		ļ							
				SEEREV	ERSE SIDE FOR	TERMS AND CON	IDITIONS		
SIGNATURE		<u>anandara (10) (10) (10)</u>	<u> </u>	<u></u>		TELEPHONE		DATE	
TITLE		lee	TAN			1			
nieg.		FE	:NN				ADDRE	SS CHANGES	TO BE NOTED ABOVE

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

PROCUREMENT SPECIFICATIONS NO. 011-1-H

2.3 CUBIC YARD STRUCK CAPACITY DEMOUNTABLE ABRASIVE AND CHEMICAL SPREADER (SELF CONTAINTED)

1.0 PURPOSE

It is the purpose of these specifications to describe a 2.3 Cubic Yard Struck Capacity Demountable Abrasive and Chemical Spreader (Self Contained) (hereinafter referred to as a "spreader" or a "unit") to be purchased for use by the West Virginia Division of Highways (DOH) on an Open End Contract basis.

2.0 BIDDING PROCEDURES

The current purchasing procedures regarding bidding as established by the Department of Administration, Purchasing Division, shall apply. Failure to submit the "Request for Quotation" forms, complete in its entirety and according to directions indicated, may subject the bidder to disqualification. Each bid submitted shall also be accompanied by a Bidder's Evaluation Report completed in detail. Addendums in order, along with exception sheets, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THE BIDDER'S EVALUATION REPORT, COMPLETE IN ITS ENTIRETY, MAY RESULT IN AUTOMATIC DISQUALIFICATION.

3.0 SPECIFICATIONS

The specifications named herein, mandatory and non-mandatory, establish the acceptable level of quality only and are not intended to reflect a preference or favor any particular brand or vendor.

3.1 EXCEPTIONS TO NON-MANDATORY SPECIFICATIONS

Exception to a non-mandatory unit specification may be made by the bidder, providing the exception is not available from the manufacturer. Any such exception must be noted on the bidder's evaluation report and should be accompanied by supporting documentation/literature from the manufacturer. Any exception must be indicated on a separate attachment to the bidder's evaluation report and labeled as "Exception to Specifications". The state reserves the right to determine whether the stated exception does or does not reduce the quality and performance of the unit. Failure to provide information for any exceptions may be grounds for rejection of the bid. The state reserves the right to waive minor irregularities in bids or specifications in accordance with §148-1-4(f) of the WV Legislative Rules and Regulations.

3.2 MANDATORY SPECIFICATIONS

All specifications preceded by "shall, will, and/or must" or are stated as a "minimum and/or maximum" are mandatory as stated in Purchasing Divisions Policies and Procedures. Any bid failing to meet any mandatory item shall be immediately disqualified. Failure to respond in the appropriate evaluation section may also be grounds for immediate disqualification at the discretion of the State.

A mandatory pre-bid conference is scheduled for this equipment purchase as stated in the RFQ. Vendors having products with variations or exceptions in specified mandatory items are expected to address any such variations or exceptions during the pre-bid conference. The State shall review and consider any such variation or exception, and may at its sole discretion, issue an addendum to change mandatory specifications deemed to be in the State's best interest. Bids from any vendor failing to attend the mandatory pre-bid shall be disqualified. Bids containing any variation or exception to a mandatory specification that was not addressed during the pre-bid conference and accepted by the issuance of an Addendum shall be disqualified

4.0 REPRESENTATIVE UNIT FOR TEST

The successful vendor must (if specified) provide DOH one (1) completed representative unit to be observed and evaluated on each order to insure compliance with specification. If requested, the time period for testing and evaluation shall be seven (7) working days following receipt of the unit. DOH will incur no obligation for deterioration of surfaces, finishes, seals, and mechanical or electrical parts on the unit resulting from operation and testing within the limits of these specifications; nor will DOH incur obligation for damage to the unit resulting from failure to meet specifications when due care and attention is given by DOH and testing is done within the limits of these specifications. Failure of the pilot unit to satisfactorily meet specifications as bid shall be cause for cancellation of the purchase order, and return of the delivered unit along with all associated equipment to the vendor at the vendor's expense.

4.1 CONDITION OF UNIT(S) UPON DELIVERY

All units must arrive at the prescribed delivery point having been completely preserviced with oil, lubricants, and coolant. All prescribed precautions pertaining to first operations and break-in of the unit are to be posted conspicuously on the unit for ready observance by the operator.

4.2 DELIVERY

Delivery point of the completely assembled representative unit will be the DOH, Equipment Division, Route 33 at Brushy Fork Road, Buckhannon, West Virginia (26201).

The vendor is responsible for guaranteeing delivery of the completed units within the time specified and agreed to by the State. Delivery is preferred within 45 days after receipt of purchase agreement. The vendor is responsible for establishing and coordinating delivery terms with allied manufacturers or suppliers. Delivery terms shall be stated in the bid and the State reserves the right to accept or negotiate such terms. Failure to reach an agreement may result in rejection of the bid. The successful bidder shall provide their manufacturer's confirmation of the order to the WVDOH

A completed pilot model for inspection must be provided within 60 calendar days after receipt of the purchase agreement by the successful vendor.

Delivery is an integral part of this specification and failure to comply will be cause to initiate a D.O.T. Administrative Form WV-82, Vendor Performance Form. The WV-82 Form will provide a means of officially notifying the Purchasing Division and the vendor of unsatisfactory performance; such as late deliveries, poor service, inadequate parts supplies, etc.

The decision to initiate subject Form will be at the sole discretion of the D.O.H. Commissioner's established Equipment Review Board

Issuance of the WV-82 Vendor Complaint Form on unsatisfactory delivery against any vendor will be cause to refuse to consider similar items from those vendors on future Request For Quotations.

(NOTE: Delivery time could be altered due to labor strikes, severe inclement weather conditions, etc.)

- 5.0 AWARD CRITERIA
- DOH will recommend the award in accordance with the RFQ evaluation criteria described in the requisition. The award shall be made to the lowest unit cost vendor that meets or exceeds the specifications.

Prices for the units shall be in quantities of 1-10, 11-20, 21-50, and 51 and over. However, for evaluation purposes, we will use quantities 1-10. DOH reserves the right to place multiple orders in any quantity.

- 6.0 SPECIFICATIONS AND GUIDELINES GENERAL
- 6.1 IDENTIFICATION OF THE UNIT BEING PROPOSED

The bidder must identify the unit by manufacturer, model, series, and year of manufacture, in the bid to enable identification by DOH in the manufacturer's specifications of the proposed unit. The bidder will submit complete descriptive literature of the proposed unit, to establish that the bid is the manufacturer's most current model, including latest engineering improvements, which have been, or will imminently be, regularly advertised and sold on the open market. The unit specified herein and

offered to be manufactured after January 1, 2008 and be clearly identified and marked with date of manufacture.

OPERATING AND SERVICE MANUALS AND PARTS LISTS
An operator's manual must be included with each unit upon delivery. A "line sheet" (if applicable) and Equipment Preventative Maintenance Questionnaire (as shown in X6.2 of the Bidder's Evaluation Report) must be with pilot unit upon delivery. In addition, there must be 12 service, shop, or maintenance manuals; ten (10) to be distributed to the Districts and two (2) for the Equipment Division. Also,

there must be 14 parts manuals; ten (10) to be distributed to the Districts and four (4) for Equipment Division use. CD ROM is preferred in lieu of parts manuals.

* NOTE: MANUALS SHALL BE DELIVERED UPON COMPLETION OF DELIVERY OF TOTAL UNITS. FAILURE TO DO SO WILL DELAY PAYMENT.

6.3 TRAINING:

Manufacturers and/or dealers will be required to stage a thorough seminar on the subjects of Preventative Maintenance, Operator and Mechanic Training. In order to keep the operators and mechanics updated, the successful vendor shall conduct training with each purchase order against this open end contract. Training is preferred within 2 working days after delivery of the pilot unit on the individual purchase order.

Manufacturers and/or dealers shall be required to furnish the Training Academy with one (1) Operator's Manual to be shipped direct to WVDOH Training Academy, Post Office Box 610, Buckhannon, West Virginia 26201 prior to delivery of the pilot.

The seminar to be held at the W. Va. Division of Highways, Equipment Division, Buckhannon, West Virginia.

6.4 PREVENTIVE MAINTENANCE AND OPERATOR PROCEDURES:

Manufacturers and/or dealers will be required to submit to the Equipment Division, in addition to the operating and service manuals, booklets and pamphlets explaining the Preventive Maintenance and Operator Procedures to be used by the operators of this equipment, and must include such things as daily prestart inspection procedure, service schedule, and routine maintenance required, safety precautions, etc.

The successful vendor shall furnish all training aids; i.e., videos, projectors, etc. required in conducting the training.

6.5 WARRANTY AND SERVICE POLICY

The Manufacturers warranty or service policy is to apply to the unit. Such warranty or service policy is to be recognized at any authorized unit dealer, representing manufacturer of proposed unit throughout the State of West Virginia. The applicable warranty or service policy will not be contingent upon obtaining routine service, lubrication, and servicing of the unit from factory authorized agencies. It will be the responsibility of the bidder to have available labor to repair or replace any defective replacement parts, components and materials, and to have available those replacement parts, components, and/or materials found to be defective during the terms of the warranty period. The bidder should state the labor rates, locations where parts will be stocked, availability of parts, and discounts offered for parts, when terms of the warranty offer a pro-rated cost for parts and labor. In addition, the successful bidder should offer field work to repair or replace defective parts, components, and materials found to be defective during the terms of the warranty and should provide mechanic's travel rates, mileage charges, field mechanic rates, and any surcharge for miscellaneous items, if applicable, for field work during the warranty period. Submit to Division of Highways

A mandatory minimum two (2) year bumper to bumper basic parts and labor warranty excluding abuse and normal wear items is required for this unit.

THE "WARRANTY AND SERVICE POLICY QUESTIONNAIRE" ATTACHED IN THE BIDDER'S EVALUATION REPORT MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURER PRIOR TO DELIVERY OF THE PILOT MODEL. (SEE SECTION X6.5 OF BIDDER'S EVALUATION REPORT).

6.6 EVALUATION COMMITTEE REQUIREMENTS

Detailed component specifications, product literature, component models, required for specification compliance determination by the Evaluation Committee should be provided with each bid. Any information supplied that is contrary to/or conflicting with the specifications and/or attached Bidders Evaluation Report may be sufficient cause for rejection of bid.

6.7 UNSPECIFIED ACCESSORIES & FEATURES

All parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, must be furnished with each unit and required to conform to strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry.

All parts and accessories advertised and regularly supplied as standard shall be included, except those which would represent duplication of these specified, and except those which, by specification, are not to be furnished. All standard safety features, required by Federal and State Law, shall be included.

- 7.0 SPECIFICATIONS OF THE QUOTED UNIT ARE AS FOLLOWS:
- 7.1 Spreaders offered shall be of the heavy-duty, self-contained, hopper type.
- 7.2 Spreaders shall consist of a steel body, feeder conveyor, spinner disc, power drive, and all components necessary to make a complete operating unit.
- 7.3 The spreader shall be capable of uniformly spreading sand, cinders, salt, calcium chloride, or other mixtures up to a width of 20 feet.
- 7.4 Body:
- 7.4.1 The body is to be of all-welded 304 stainless steel construction.

7.4.2	The struck capacity 2.3 cubic yards minimum						
7.4.3	Hopper length to be 8 feet.						
7.4.4	Overall height to be approximately 34 inches						
7.4.5	Inside width to be 54 inches (approximate)						
7.4.6	The body sides to slope at approximately 45° pitch to insure free flow of materials to he conveyor.						
7.4.7	The body sides and end-gates to be constructed of minimum twelve (12) gauge 304 stainless steel and 12 gauge full-weld sills.						
74.8	Top of the body to be angle formed for additional support.						
7.4.9	Cross support stiffeners; one (1) at balance point with "lift eye" to be provided						
7.4.10	A protected inverted V conveyor shield to be made of 304 stainless steel and allow for vertical height adjustment						
7.4.11	All necessary hardware to be stainless steel.						
7.5 Co	nveyor:						
75.1	The conveyor to be located in bottom of hopper capable of engaging material along its full length, and moving material to the rear adjustable metering gate.						
7.5.2	To be chain bar flight type self-cleaning consisting of two (2) heat treated all steel pintle-type parallel chains with cross bars on 9" centers made of 1/4 " x 1 " steel.						
7.5.3	Overall width of chain conveyor shall not be less than 12 inches.						
7.5.4	Chain driven by approximately 6-tooth drop forged steel sprockets and approximately 1 1/4" alloy steel shaft mounted in anti-friction sealed bearings						
7.5.5	Conveyor to have adjustment provisions for at least 3" lateral takeup						
7.5.6	The material composition of the adjustment mechanism shall be rust proof or rust resistant.						
757	Gear case to have approximately 20:1 reduction consisting of a hardened and polished worm; driving a cast bronze worm gear						
75 .8	Approximate feedgate opening to be no less than 4" high x 8" wide and of the detented adjustable type to be located at the body rear in order to adjust flow of material to the spinner.						

- 7.6 Distributor Spinner Assembly:
- 7.6.1 The distributor disc to be of urethane material and approximately 13" in diameter and equipped with four (4) fins designed to obtain a controlled spread of 4 feet to 20 feet.
- Material is to be directed from conveyor end to distributor disc by means of an adjustable material flow enclosed chute equipped with a sealed bearing which supports the distributor disc driveshaft.
- 7.6.3 An 18 inch chute and 26 inch below the mounting surface spinner extension shall be provided.
- 7.6.4 The spinner assembly to be manufactured from 304 stainless steel.
- 7.7 Baffles:
- Baffles to be provided to control direction and width of spread. To have four (4) baffle sections
- Baffle sections to be easily adjusted to desired position, from full down to horizontal, without use of tools
- 7.8 Power Drive and Controls:
- 7.8.1 Auxiliary engine drive will be mounted on rear and shall power both the conveyor and distributor spinner assembly.
- Engine to be air cooled four (4) cycle, 10.5 HP minimum industrial/commercial type with positive gear driven internal lubrication and integral fuel pump.
- 7.8.3 Throttle to be electronically controlled from "in cab" controls.
- 7.8.4 Engine shall have manufacturer's heavy duty electric clutch with "in cab" control.
- 7.8.5 Twelve (12) volt electric starter-alternator with control panel for "in cab" starting and stopping of engine to be provided.
- 7.8.6 Engine to be fully enclosed and provide easy access for service.
- 7.8.7 Manufacturers heavy duty 12 volt battery and battery case to be provided
- 7.8.8 Additional two (2) gallon fuel tank to be provided.
- 7.9 Screen Over Hopper:
- A flat screen with approximately 3/8" rod x 2 " openings to be provided to prevent oversize material from entering hopper during filling.

- 7.9.2 Mounting: Manufacturers heaviest duty chain with turn buckle or load binders hold-downs to be provided with all necessary mounting hardware for proposed model.
- 7.10 Paint: All metal that is not 304 stainless shall have the mill scale removed and the surface chemically cleaned in preparation of rust preventative primer and manufacturers standard top coat paint. All painting shall be in conjunction with good commercial practice.
- 7.11 Vendor must certify that spreader offered will comply with "Occupational Safety and Health Act of 1970" and subsequent amendments.

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT NO. 011-1-H

2.3 CUBIC YARD STRUCK CAPACITY DEMOUNTABLE ABRASIVE AND CHEMICAL SPREADER (SELF CONTAINED)

NOTE TO BIDDER: Procurement Specification No. 011-1-H, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with a summary of exception as a separate attachment, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

	Reference Requisition No :		
	Bidder's Name:		
	Address:		
	Telephone Number:		
	Years Bidder has been registered to do business with the State of	West Virginia:	YRS
	Years Company has been an authorized dealer for proposed unit:		YRS
X3.2	Have you complied with all mandatory specifications?	YESNO	
	DELIVERY: Delivery date of completed representative unit:	Calendar Days After Receipt of Purchase Agreeme	nt
X4 2.2	Delivery date of balance of completed units:	Calendar Days After Receipt of Purchase Agreer	nent
	NOTE: Vendor should type Bidder's Evaluation Report	Ŭ	
	Bidder's Evaluation Report available for download on www.state.wv.us/admin/purchase	Purchasing's Web site at	

X5.0	AWARD CRITERIA;			
X5.1	Prices for units:	1-10	per	unit
		11-20	per 1	unit
		21-50	per ı	unit
		51 and over	per t	unit
	SPECIFICATIONS - GENERAL Manufacturer, model, series, and date of manuf	acture of proposed unit:		
	Is descriptive literature, fully describing proposed	unit attached to your bid?	YES	NO
	If not, why?			
X6.2	Will the required number of service manuals, a Equipment Division at Buckhannon upon comp	oletion of delivery of total	units?	
			VFC	NO
	Will the required Equipment Preventive Maint		YES	

EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPT	IION:			MA	AKE:	
M	ODEL:		YEAR:			T:
ENGINE:	MAKE:		MODEL:		FUEL TYPE:	
	COOLING SYSTE					-
BELTS:	DESCRIPTION:			PARI NUM	IBERS:	
GVW:		AXLE CAPAC	IIY: FRONI:			REAR:
TIRES:	FRONT MAKE &	SIZE:	· · · · · · · · · · · · · · · · · · ·			
	REAR MAKE & S					
DIMENSIO						LENGTH;
VENDOR C	CONTACT PERSON	:			PHONE:	
PARTS:						
BATTERY	MAKE:		MODEL:		CCA:	
TOP OR SII	DE POST:		DIMENSIONS	: LENGTH_	WIDTH	HEIGHT_
SPAKK PLU	JGS OK FUEL INJE	CIORS MAKE:		PART #		
FUEL PUM	P OR INJECTION P	UMP MAKE:		MODEL:		
ALTERNA:	IOR MAKE:			FAXI#.		
STARTER	VIARE:			PAR1 #:		
TO AND MA	ARGER MAKE:	MODE	· · · · · · · · · · · · · · · · · · ·	PAR1 #:	1770000	L:
HYDRAUL	IC PUMP MAKE: _	MODE	.L:	MODEL:	_ AUTO/MANUA	L:
	MAKE					
OIL			ENGI	NE		
AIR INNER	· · · · · · · · · · · · · · · · · · ·			SMISSION		
AIR OUTER			POWE	R STEERING		
FUEL PRIM			HYDR	AULIC		
FUEL SECC	NDARY		DIFFE	RENTIALS		
COOLANT			BRAK			
HYDRAULI	IC		COOL			
OTHER			OTHE	R		

X6.3	TRAINING:									
	Will training seminar be conducted on Preventive Maintenance, Operator		lechanic Tr NO	aining						
	Will you conduct training with each purchase order against this open		ontract? _YES	NO						
	Will training be conducted within 2 working days from the delivery of the purchase order?		unit on the _YES							
	If NO, explain time frame									
	Will an Operator's Manual be furnished directly to Training Acader delivery of the pilot?		or to the _YES	NO						
X6.4	If you are the successful vendor, will you furnish all training aids, i.e in conducting the training? YESNO	., video	s, projecto	ors, required						
X6.4.1	Will all manuals, booklets, etc. explaining preventive maintenance service schedule be delivered with each unit? If NO, explain		rator proce _YES	edures, and _NO						
X65	WARRANTY AND SERVICE POLICY									
	Will the warranty and service you provide comply with all areas as stated YESN		tion 6.5 of	specifications						
	Is warranty literature attached?	_YES_	NO							
	Is a minimum two (2) year bumper to bumper basic parts and labor and normal wear items included? Describe:		nty excludi NO	ing abuse						

X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY AND SUBMITTED WITH YOUR BID. (If additional lines are needed, make copies of form.)

1. De	efine the terms of the st	andard warranty	y If not offered, so state (Atta	ach copy)
2. De	efine warranty service t ufacturer's representation	o be performed ve facility List	at DOH facilities and warranty name and location of manufac	service to be performed at turer's representative.
3. Lis		ventories that ar	e within the State of West Virg	rinia Also, list availability levels, if
4. Du	aring the term of warrar	nty, list the guar	antee discount to manufacturer	's published list price for parts that
	_			
\mathbf{A}_{\cdot} \mathbf{B}_{\cdot}	Terms: Net 30 Terms: Net 60	Manufacturer	s published list price less:s published list price less:	% discount
C.	Terms: Net 90	Manufacturer'	s published list price less:	% discount
5. Du High	ring the term of warran	ity, will all man	ufacturers or engineering impro	ovements be submitted to Division ofNO
6. Du	ring the term of warran	ty, list the guara	anteed rates charged for repair	to the unit.
A.	Shop Rate	\$	per mechanic hour	
В.,	Travel Time Charge	\$	per mechanic hour	
	(Specify if one-way)		; port to port	_
C .	Mileage Charge	\$	per vehicle mile	
	(Specify if one-way	Ψ	; port to port	-
D.	Field Mechanic Rate	\$	per mechanic hour	
E	Specify period of tim	e that prices are	in effect:	
F.	Surcharge for miscell	aneous items:	%	

X6.6	EVALUATION COMMITT	EE REQUIREM	ENIS				
	Is all component specification Committee bid determination		iture, component m				
X6.7	Will all parts, equipment, a specified herein, but which and conform in strength, q advertised and provided to	are necessary to uality of materia	o provide a compl al, and quality of v eneral by the unit	ete unit, be workmansh	furnishe ip to tho	d with the unit se which are	
X6.7.1	Are all parts and accessorie those which may be duplicated to be furnished?				se by spe	ecification are n	
X6.7.2	Are all standard safety feat	ures that are re	_	l and State s		of law included?	i
X7.0	SPECIFICATIONS OF THE The bidder should complete unit to the specifications. Sh the basis that such feature is discretion as to whether the b	the following schould the bidder on the offered by the	nedule in order for texcept a requirement of the manufacturer. The	nt, then such he Division	exceptio will have	on may be only or the sole	
	Manufacturer:		Model:				
X7.1	Are spreaders offered the h	eavy duty, self	contained, hopper	type? _	YE	SNO	
X7.2	Does spreader consist of a scomponents necessary to m			er disc, pow		, and all YESN	Ο
X7.3	Is the unit capable of unifor up to a width of 20 feet?	rmly spreading	sand, cinders, salt	·		or other mixture SNO	S
X7.4	Body:						
X7.4.1	Is the body all-welded 30	4 stainless steel	construction?	YES	NO		
X7.4.2	Capacity Struck:	Cu	bic Yards				
X743	Hopper length: F	eet Inche	es				

X7 4 4	Overall height: Feet Inches			
X7.4.5	Inside width:FeetInches			
X7.4.6	Are body sides sloped at approximately 45° pitch to insure free flowYES			conveyor?
X7.4.7	Gauge of steel body sides and end-gates is gauge 304 constructed of gauge steel and fully welded	stainles _YES _	s steel and NO	support sills
X747.1	Body end-gates are constructed of gauge 304 stainless stee	el.		
X7.,4,8	Is top of body angle formed for additional support		YES	_NO
X7.4.9	Are cross supports provided with one (1) at balance point with "lift e from truck bed?	•	easy remov NO	al of unit
X7.4.10	Is there a protective inverted V conveyor shield made of 304 stainles height adjustment		nd allows t	for vertical
X7411	Is all necessary hardware stainless steel	_YES_	NO	
X7.5 C	onveyor:			
X7.5.1	Is the conveyor located in bottom of hopper and capable of engaging and moving material to rear adjustable metering gate?			
X7.5.2	Is conveyor of chain bar flight construction self-cleaning consisting of pintle-type parallel chains with cross bars on nine inch (9") centers	of two (2	?) heat trea YES	ted all steel
	Specify cross bar dimensions inches x inches			
X7.5.3	Overall width of chain conveyor:	_ inche	s	
X7.5.4	Is chain driven by approximately 6-tooth drop forged steel sprocket?		YES	_NO
	And approximately 1 1/4" alloy shaft mounted in anti-friction sealed	bearing	s YI	ES NO
	If not, specify:			
X7.5.5	Does forward end of conveyor have adjustment provisions for at leasYES _		_	
X7.5.6	Is material composition of adjustment mechanism rust proof?		_YES	NO
X757	Does the reduction gear box provide a 20:1 ratio?	YES _	NO	
X7.5.8	Feedgate opening height and width: inches high x inch	ies wide		

½3 .6 Di	stributor Spinner Assembly:				
X761	Distributor disc material	Disc diameter	ľ	inches	
X7.6.1.1	Number of fins:; constructed of				
X76.12	Are fins designed to obtain a controlled spread of mat	erial from 4 fee		et?	
X7.6.2	Is material directed from conveyor end to distributor of enclosed chute?		of an adju		erial flow
X7.6.3	Is an 18 inch chute and 26 inch below the mounting	g surface spin		sion provi YES	
X7.6.4	Is the spinner assembly manufactured from 304 stainle	ess steel?	_ YES	NO	
X7.7 Ba	iffles:				
X771	Are baffles provided to control direction and width of	spread?	_YES	NO	
X7.7.1.1	Are there four (4) sections		_YES	NO	
X772	Are sections easily adjusted from the full down to the	horizontal posi		out use of	tools?
X78 Po	wer Drive:	115	NO		
X7.8.1	Is auxiliary engine mounted at rear of unit to power assembly?	er both convey	_	ox and sp YES	
X7.8.2	Specify engine manufacturer:			_	
	Is it air cooled four (4) cycle YESN	10			
	HP: industrial/commercial type with p integral fuel pump	ositive gear di YES			cation and
X7.8.3	Is throttle electrically controlled with "in cab" controls	s?	_YES	NO	
X7.8.4	Is clutch manufacturer's heavy duty electric control	olled with "in e		trols?	
X785	Is 12 volt electric starter-alternator with control panel	for "in cab" sta		• •	provided?
X7.8.6	Is engine fully enclosed and provisions made for easy	access for serv)	
X7.8.7	Are manufacturers heavy duty 12 volt battery and batt	ery case provid	led?	YES	_NO
X'7.,8.,8	Is there an additional two (2) gallon fuel tank provided 8	1	YES	NO	

Is flat screen with approximately 3/8 inch x 2 inch openings provided to prevent oversiz from entering hopper during loading? X7.9.2 Are manufacturers heavy duty binders/hold-downs provided with all necessary mounting for proposed model X7.10 Describe manufacturers method of metal preparation and paint procedures: VES	X/9 3	creen Over Hopper:			
X7.10 Describe manufacturers method of metal preparation and paint procedures: X7.11 Does unit offered meet or exceed "Occupational Safety and Health Act of 1970" and su	X7.9.1				
X7.11 Does unit offered meet or exceed "Occupational Safety and Health Act of 1970" and su	X7.9.2		binders/hold-downs provided		_
T . A	X7.10	Describe manufacturers method (of metal preparation and pa	aint procedures:	
T . A	-				
T . A	_				
T . A	_				
T . A	_				
<u> </u>	K7.11 I	oes unit offered meet or exceed 'mendments?	"Occupational Safety and F		_

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

West Virginia Code §21-1D-5 provides that: Any solicitation for a public improvement construction contract shall require each vendor that submits a bid for the work to submit at the same time an affidavit that the vendor has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. A public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and is in compliance with the requirements as stated.

Vendor's Name:	
Authorized Signature:	Date:

Purchasing Affidavit (Revised 07/01/08)