



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 BPH90123

PAGE
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF
 ROBERTA WAGNER
 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - TRAUMA & EMERGENCY CARE
 SYSTEM - NOROP CENTER
 190 HART FIELD ROAD
 MORGANTOWN, WV
 26505 304-285-3332

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/13/2009				

BID OPENING DATE: 04/22/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	64	EA		906-29		
CONNECTOR, ANDREW P/N 252DE, NON-TUNABLE, FLANGE TYPE CPR137G FOR EW52 WAVEGUIDE.						
0002	10	EA		906-29		
CONNECTOR, ANDREW P/N 163DE, NON-TUNABLE, FLANGE TYPE CPR137G FOR EW63 WAVEGUIDE.						
0003	14	EA		906-29		
CONNECTOR, ANDREW P/N 190DE, NON-TUNABLE, FLANGE TYPE CPR90G FOR STANDARD EW90-107, 10.7 - 11.7 GHZ.						
0004	15	EA		906-29		
DEHYDRATOR, WALL SHELF, ANDREW P/N AE01A-D1306-003, FOR MT-050 DEHYDRATOR, P/N: AE01A-D1306-003.						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
14. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
15. **WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT:** If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in case of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
BPH90123

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
ROBERTA WAGNER 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - TRAUMA & EMERGENCY CARE
 SYSTEM - NOROP CENTER
 190 HART FIELD ROAD
 MORGANTOWN, WV
 26505 304-285-3332

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/13/2009				

BID OPENING DATE: 04/22/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0005	15	EA		906-29		
DEHYDRATOR, ANDREW P/N MT050-81015, 115 VAC 60 HZ, LP ALARM, PRESSURE FACTORY SET AT 5 PSI, SINGLE LINE INSTALL KIT INCLUDED.						
0006	1	EA		906-29		
DISH 4 FT., ANDREW VALULINE VHLP4-11-6GR, HIGH PERFORMANCE, ANTENNA FOR 10.7-11.7 GHZ, CAT A, WITH SINGLE POL FEED CPR90G, GRAY WITH GRAY RADOME, FLASH, STANDARD PACK.						
0007	2	EA		906-29		
DISH 6 FT., ANDREW HP6-107-P1A, HIGH PERFORMANCE ANTENNA FOR 10.5-11.7 GHZ CAT A, SINGLE POL, CPR90G, GRAY WITH WHITE TEGLAR RADOME, FLASH, GLOBAL STANDARD PACK - 1 PC REFLECTOR.						
0008	1	EA		906-29		
DISH 6 FT., ANDREW HP6-59, HIGH PERFORMANCE						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
BPH90123

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
ROBERTA WAGNER 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - TRAUMA & EMERGENCY CARE
 SYSTEM - NOROP CENTER
 190 HART FIELD ROAD
 MORGANTOWN, WV
 26505 304-285-3332

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/13/2009				

BID OPENING DATE: 04/22/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0009	21	EA		906-29		
ANTENNA FOR 5.925-6.425 GHZ, CAT A SINGLE POL., CPR137G GRAY WITH WHITE TEGLAR RADOME, FLASH, GLOBAL STANDARD PACK - 1 PC REFLECTOR.						
DISH 6 FT., ANDREW PAR6-59-PXA, STANDARD ANTENNA FOR 5.925-6.425 GHZ, CAT A, WITH SINGLE POL., CPR137G, GRAY WITH GRAY MOLDED RADOME, FLASH, GLOBAL STANDARD PACK - 1 PC REFLECTOR.						
0010	5	EA		906-29		
DISH 6 FT., ANDREW PAR6-65-PXA, STANDARD ANTENNA FOR 6.425-7.125 GHZ, CAT A, SINGLE POL., CPR137G, GRAY WITH GRAY MOLDED RADOME, FLASH, GLOBAL STANDARD PACK - 1 PC REFLECTOR.						
0011	3	EA		906-29		
DISH 6 FT., ANDREW VALULINE, VHLP6-11-6GR, HIGH PERFORMANCE ANTENNA FOR 10.7-11.7 GHZ, CAT A, SINGLE POL, CPR90G, GRAY WITH GRAY RADOME, FLASH, STANDARD PACK						

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
BPH90123

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF
ROBERTA WAGNER 904-558-0067

VENDOR	RFQ COPY
	TYPE NAME/ADDRESS HERE

SHIP TO	HEALTH AND HUMAN RESOURCES BPH - TRAUMA & EMERGENCY CARE SYSTEM - NOROP CENTER 190 HART FIELD ROAD MORGANTOWN, WV 26505 304-285-3332
---------	---

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/13/2009				

BID OPENING DATE: 04/22/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0012	1	EA		906-29		
DISH 8 FT., ANDREW HP8-107-P1A, HIGH PERFORMANCE ANTENNA FOR 10.7-11.7 GHZ, CAT A, SINGLE POL, CPR90G, GRAY WITH WHITE TEGLAR RADOME, FLASH, GLOBAL STANDARD PACK - 1 PC REFLECTOR.						
0013	10	EA		906-29		
DISH 8 FT., ANDREW PAR8-59-PXA, STANDARD ANTENNA FOR 5.925-6.425 GHZ, CAT A SINGLE POL., CPR137G, GRAY WITH GRAY MOLDED RADOME, FLASH, GLOBAL STANDARD PACK - 1 PC REFLECTOR.						
0014	148	EA		906-29		
GROUNDING KIT, ANDREW 241088-4, 24" LEAD, WITH 2-HOLE FACTORY ATTACHED LUG FOR 1-5/8" COAXIAL CABLE, EW52, AND EW63 HELIAX WAVEGUIDE.						
0015	28	EA		906-29		
GROUNDING KIT, ANDREW 204989-2, 24" CABLE WITH						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER:
 BPH90123

PAGE:
 5

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 ROBERTA WAGNER
 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - TRAUMA & EMERGENCY CARE
 SYSTEM - NOROP CENTER
 190 HART FIELD ROAD
 MORGANTOWN, WV
 26505 304-285-3332

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/13/2009				

BID OPENING DATE: 04/22/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0016	32	EA		906-29		
1-HOLE FACTORY ATTACHED LUG FOR 7/8" COAXIAL AND EW85, EW90, EW127A, AND EW132 WAVEGUIDE HELIAX.						
HANGERS, ANDREW EWSH-63, SNAP-IN HANGER KIT OF 10, FOR EW63 HELIAX WAVEGUIDE.						
0017	41	EA		906-29		
HANGERS, ANDREW EWSH-90, SNAP-IN HANGER KIT OF 10, FOR EW90 HELIAX WAVEGUIDE.						
0018	4	EA		906-29		
HANGERS, ANDREW 42396A-8, STAINLESS STEEL, HANGER KIT OF 10, FOR EW52 HELIAX WAVEGUIDE.						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
BPH90123

PAGE
6

ADDRESS CORRESPONDENCE TO ATTENTION OF
ROBERTA WAGNER 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - TRAUMA & EMERGENCY CARE
 SYSTEM - NOROP CENTER
 190 HART FIELD ROAD
 MORGANTOWN, WV
 26505 304-285-3332

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/13/2009				

BID OPENING DATE: 04/22/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0019	190	EA		906-29		
HANGERS, ANDREW EWSH-52, SNAP-IN HANGER KIT OF 10, FOR EW52 HELIAX WAVEGUIDE.						
0020	38	EA		906-29		
HOISTING GRIP, ANDREW 24312-A, STANDARD, FOR 1 5/8" CABLE AND EW52, AND EW63 ELLIPTICAL WAVEGUIDES.						
0021	7	EA		906-29		
HOISTING GRIP, ANDREW 29958, STANDARD, FOR EW85, EW90, EW127A, AND EW132 ELLIPTICAL WAVEGUIDES.						
0022	2	EA		906-29		
LINE MONITOR, ANDREW MH-8B-001, EIGHT LINES 3-8 PSI INCLUDES TWO INSTALLATION KITS AEO1K-CO331.						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
BPH90123

PAGE
7

ADDRESS CORRESPONDENCE TO ATTENTION OF
ROBERTA WAGNER 304-558-0067

RFQ COPY

TYPE NAME/ADDRESS HERE

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - TRAUMA & EMERGENCY CARE
 SYSTEM - NOROP CENTER
 190 HART FIELD ROAD
 MORGANTOWN, WV
 26505 304-285-3332

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
03/13/2009				

BID OPENING DATE: 04/22/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0023	13	EA		906-29		
LINE MONITOR, ANDREW MH-4B-001, FOUR LINES 3-8 PSI						
INCLUDES INSTALLATION KIT AEO1K-C0331.						
0024	3	EA		906-29		
MANIFOLD, ANDREW P/N 6600D-6, SIX OUTLET GAS						
MANIFOLD WITH GAUGE AND SHUTOFF VALVE INCLUDES 3/8 TUBE INSTALLATION.						
0025	12	EA		906-29		
MANIFOLD, ANDREW P/N 6600D-4, FOUR OUTLET GAS						
MANIFOLD WITH GAUGE AND SHUTOFF VALVE INCLUDES 3/8 TUBE INSTALLATION.						
0026	7	EA		906-29		
PRESSURE WINDOW, ANDREW 55001-90, FOR USE WITH						
FLANGE TYPE CPR90G.						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
BPH90123

PAGE
8

ADDRESS CORRESPONDENCE TO ATTENTION OF
ROBERTA WAGNER 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - TRAUMA & EMERGENCY CARE
 SYSTEM - NOROP CENTER
 190 HART FIELD ROAD
 MORGANTOWN, WV
 26505 304-285-3332

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
03/13/2009				

BID OPENING DATE: 04/22/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0027	35	EA		906-29		
PRESSURE WINDOW, ANDREW 55001-137, 5.925 - 7.125 GHZ, FOR USE WITH FLANGE TYPE CPR137G.						
0028	5	EA		906-29		
STRUT KIT, ANDREW 520570-1, ADJUSTABLE INBOARD OPTIONAL SIDE STRUT FOR 4' AND 6' MICROWAVE ANTENNAS.						
0029	11	EA		906-29		
STRUT KIT, ANDREW 520570-3, OUTBOARD STRUT KIT FOR 8' - 12' MICROWAVE ANTENNAS, INCLUDES U-JOINT & HARDWARE FOR ATTACHMENT TO REFLECTOR STRUT BRACKET, STRUT COLLAR ASSEMBLY INCLUDED, PIPE IS SCHEDULE 80 AND 10.5 FT.						
0030	7	EA		906-29		
TWIST-FLEX, 35", ANDREW F090PC0360CS, WR90 10.7-11.7 GHZ, SIZE EIA WR90, CONNECTORS CPR90G EA, END.						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 BPH90123

PAGE
 9

ADDRESS CORRESPONDENCE TO ATTENTION OF
 ROBERTA WAGNER
 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - TRAUMA & EMERGENCY CARE
 SYSTEM - NOROP CENTER
 190 HART FIELD ROAD
 MORGANTOWN, WV
 26505 304-285-3332

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/13/2009				

BID OPENING DATE: 04/22/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0031	37	EA		906-29		
TWIST-FLEX, 36", ANDREW F137PC0360CB, 5.85-8.200 GHZ						
SIZE EIA WR137, FLANGE TYPE CPR137G EA. END.						
0032	3,715	FT		906-29		
WAVEGUIDE, MAIN PATH, ANDREW EW52, HELIAX ELLIPTICAL						
WAVEGUIDE, STANDARD TYPE EW52, 5.60 - 6.425 GHZ.						
0033	909	FT		906-29		
WAVEGUIDE, MAIN PATH, ANDREW EW63, HELIAX ELLIPTICAL						
WAVEGUIDE, STANDARD TYPE EW63, 5.925-7.125 GHZ.						
0034	730	FT		906-29		
WAVEGUIDE, MAIN PATH, ANDREW EW90, HELIAX ELLIPTICAL						
WAVEGUIDE, STANDARD TYPE EW90, 10.2 - 11.7 GHZ.						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
BPH90123

PAGE
10

ADDRESS CORRESPONDENCE TO ATTENTION OF
ROBERTA WAGNER 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - TRAUMA & EMERGENCY CARE
 SYSTEM - NOROP CENTER
 190 HART FIELD ROAD
 MORGANTOWN, WV
 26505 304-285-3332

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
03/13/2009				

BID OPENING DATE: 04/22/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0035	26	EA		906-29 RADOME, 6FT., STANDARD MOUNT, ANDREW P/N R6E.		
0036	10	EA		906-29 RADOME, 8FT., STANDARD MOLDED, ANDREW P/N R8F.		
0037	1	EA		906-29 STEP-TWIST, 90-DEGREE, CPR137G, ANDREW P/N 65230-137 FOR 6.425-7.125 GHZ.		
0038	1,960	FT		906-29 WAVEGUIDE, DIVERSITY PATH, ANDREW EW52, HELIAX ELLIPITCAL WAVEGUIDE, STANDARD TYPE EW52, 5.60-6.425 GHZ.		

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 BPH90123

PAGE
 11

ADDRESS CORRESPONDENCE TO ATTENTION OF
 ROBERTA WAGNER
 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - TRAUMA & EMERGENCY CARE
 SYSTEM - NOROP CENTER
 190 HART FIELD ROAD
 MORGANTOWN, WV
 26505 304-285-3332

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
03/13/2009				

BID OPENING DATE: 04/22/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0039	450	FT		906-29		
WAVEGUIDE, DIVERSITY PATH, ANDREW EW90, HELIAX ELLIPTICAL WAVEGUIDE, STANDARD TYPE EW90, 10.2 - 11.7 GHZ. THE WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES (DHHR), STATE TRAUMA AND EMERGENCY CARE SYSTEM (STECs) DESIRES TO PURCHASE THE FOLLOWING COMMUNICATIONS SYSTEM HARDWARE INCLUDING MICROWAVE ANTENNAS AND TRANSMISSION LINES, AND OTHER PARTS AND ACCESSORIES FOR THE STATEWIDE MEDICAL COMMAND COMMUNICATIONS SYSTEMS. VENDOR MUST MEET THE FOLLOWING SPECIFICATIONS: CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN. BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER. INQUIRIES: WRITTEN QUESTIONS SHALL BE ACCEPTED THROUGH CLOSE OF BUSINESS ON 4/6/2009. QUESTIONS MAY BE SENT VIA USPS, FAX, COURIER OR E-MAIL. IN ORDER TO ASSURE NO						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 BPH90123

PAGE
 12

ADDRESS CORRESPONDENCE TO ATTENTION OF
 ROBERTA WAGNER
 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - TRAUMA & EMERGENCY CARE
 SYSTEM - NOROP CENTER
 190 HART FIELD ROAD
 MORGANTOWN, WV
 26505 304-285-3332

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/13/2009				

BID OPENING DATE: 04/22/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>VENDOR RECEIVES AN UNFAIR ADVANTAGE, NO SUBSTANTIVE QUESTIONS WILL BE ANSWERED ORALLY. IF POSSIBLE, E-MAIL QUESTIONS ARE PREFERRED. ADDRESS INQUIRIES TO:</p> <p>ROBERTA WAGNER DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25311</p> <p>FAX: 304-558-4115 E-MAIL: ROBERTA.A.WAGNER@WV.GOV</p> <p>THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.</p> <p style="text-align: center;">NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p style="text-align: center;">DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
-----------	-----------	------

TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
-------	------	-----------------------------------

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 BPH90123

PAGE
 13

ADDRESS CORRESPONDENCE TO ATTENTION OF
 ROBERTA WAGNER
 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - TRAUMA & EMERGENCY CARE
 SYSTEM - NOROP CENTER
 190 HART FIELD ROAD
 MORGANTOWN, WV
 26505 304-285-3332

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/13/2009				

BID OPENING DATE: 04/22/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 PLEASE NOTE: A CONVENIENCE COPY WOULD BE APPRECIATED. THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEALED BID BUYER:-----RW/FILE 22----- RFQ. NO.:-----BPH90123----- BID OPENING DATE:-----4/22/2009----- BID OPENING TIME:-----1:30 PM----- PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: ----- CONTACT PERSON (PLEASE PRINT CLEARLY): -----						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER:
 BPH90123

PAGE:
 14

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 ROBERTA WAGNER
 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - TRAUMA & EMERGENCY CARE
 SYSTEM - NOROP CENTER
 190 HART FIELD ROAD
 MORGANTOWN, WV
 26505 304-285-3332

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/13/2009				

BID OPENING DATE: 04/22/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
***** THIS IS THE END OF RFQ BPH90123 ***** TOTAL: _____						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

Specifications

The West Virginia Department of Health and Human Resources (DHHR), State Trauma and Emergency Care System (STECS) desires to purchase the following communications system hardware including microwave antennas and transmission lines, and other parts and accessories for the Statewide Medical Command communications system. Vendor must meet the following specifications:

1. Vendor quoted amounts shall include freight and shipping costs F.O.B. to destination to any West Virginia location. Specifically, no additional charges should be quoted for shipping.
2. Vendor must complete the entire price list quote sheet for each path and shall package and label each path prior to shipping.
3. Each path must be shipped complete. No partial shipment of a specific path will be accepted.
4. Vendor must insure delivery of all equipment within eight (8) weeks of order date.
5. All dishes and transmission line must be Andrews "or equal" to assure match with existing system.
6. Vendor must provide at least 48 hours notice to STECS of shipment dates.
7. Payment will be made once all order/path's are received at the address specified by State Medical Command Communications Director.
8. All parts must be compatible with Andrews part numbers with no deviations, or equal.

Phase 10 MW Antenna Parts Summary Sheet

Qty	Unit	Part Number	Description	Quoted Price/Unit	Quoted Price Total
NOTE: ALL PARTS MUST BE COMPATIBLE WITH ANDREWS PART NUMBERS WITH NO DEVIATIONS, OR EQUAL.					
1	Ea	262DE	Connector, Andrew P/N (252DE) non-tunable, Flange Type CPR137G for EW63 waveguide (or equal)	\$	-
2	Ea	163DE	Connector, Andrew P/N (163DE) non-tunable, Flange Type CPR137G for EW63 waveguide (or equal)	\$	-
3	Ea	190DE	Connector, Andrew P/N (190DE) non-tunable, Flange Type CPR90G for standard EW90-107, 10.7 - 11.7 GHz (or equal)	\$	-
4	Ea	AE01A-D1306-003	Dehydrator, Andrew P/N (AE01A-D1306-003) for MT-050 dehydrator (or equal)	\$	-
5	Ea	MT050-81015	Dehydrator, Andrew P/N (MT050-81015) 115 Vac 60 Hz, LP alarm, Pressure factory set at 5 psi, single line install kit incl (or equal)	\$	-
6	Ea	VHLP4-11-6GR	Dish 4 ft, Andrew VailLine (VHLP4-11-6GR) high performance antenna for 10.7-11.7 GHz, Cat A, with single pole feed, CPR90G, Gray With Gray Radome, Flash, Standard Pack (or equal)	\$	-
7	Ea	HP6-107-P1A	Dish 6 ft, Andrew (HP6-107) high performance antenna for 10.5-11.7 GHz Cat A, single pole, CPR90G, Gray With White Teglar Radome, Flash, Global Standard Pack - 1 PC Reflector (or equal)	\$	-
8	Ea	HP6-59	Dish 6 ft, Andrew (HP6-59) high performance antenna for 5.925-6.425 GHz, Cat A single pole, CPR137G, Gray With White Teglar Radome, Flash, Global Standard Pack - 1 PC Reflector (or equal)	\$	-
9	Ea	PAR6-59-PXA	Dish 6 ft, Andrew (PAR6-59) standard antenna for 5.925-6.425 GHz, Cat A, with single pole, CPR137G, Gray With Gray Molded Radome, Flash, Global Standard Pack - 1 PC Reflector (or equal)	\$	-
10	Ea	PAR6-65-PXA	Dish 6 ft, Andrew (PAR6-65) standard antenna for 6.425-7.125 GHz, Cat A, single pole, CPR137G, Gray With Gray Molded Radome, Flash, Global Standard Pack - 1 PC Reflector (or equal)	\$	-
11	Ea	VHLP6-11-6GR	Dish 6 ft, Andrew VailLine (VHLP6-11) high performance antenna for 10.7-11.7 GHz, Cat A, single pole, CPR90G, Gray With Gray Radome, Flash, Standard Pack (or equal)	\$	-
12	Ea	HP8-107-P1A	Dish 8 ft, Andrew (HP8-107) high performance antenna for 10.7-11.7 GHz, Cat A, single pole, CPR90G, Gray With White Teglar Radome, Flash, Global Standard Pack - 1 PC Reflector (or equal)	\$	-
13	Ea	PAR8-59-PXA	Dish 8 ft, Andrew (PAR8-59) standard antenna for 5.925-6.425 GHz, Cat A single pole, CPR137G, Gray With Gray Molded Radome, Flash, Global Standard Pack - 1 PC Reflector (or equal)	\$	-
14	Kit	241088-4	Grounding kit, Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1.5/8" coaxial cable, EW52, and EW63 Heliax waveguide (or equal)	\$	-
15	Kit	204989-2	Grounding kit, Andrew (204989-2), 24" cable with 1-hole factory attached lug for 7/8" coaxial and EW85, EW90, EW127A, and EW132 waveguide HELIAX (or equal)	\$	-
16	Pkg	EWSH-63	Hangers, Andrew (EWSH-63) Snap-in hanger kit of 10, for EW63 Heliax waveguide (or equal)	\$	-
17	Pkg	EWSH-90	Hangers, Andrew (EWSH-90) Snap-in hanger kit of 10, for EW90 Heliax waveguide (or equal)	\$	-
18	Pkg	42396A-8	Hangers, Andrew (42396A-8) Stainless steel, hanger kit of 10, for EW52 Heliax waveguide (or equal)	\$	-
19	Pkg	EWSH-52	Hangers, Andrew (EWSH-52) Snap-in hanger kit of 10, for EW52 Heliax waveguide (or equal)	\$	-
20	Ea	24312-A	Hoisting Grip, Andrew (24312-A) Standard, for 1.5/8" cable and EW52, and EW63 elliptical waveguides (or equal)	\$	-
21	Ea	29958	Hoisting Grip, Andrew (29958) Standard, for EW85, EW90, EW127A, and EW132 elliptical waveguides (or equal)	\$	-
22	Kit	MH-8B-001	Line Monitor, Andrew, Eight Lines 3-8 Psi Includes Two Installation Kits AEO1K-C0331 (or equal)	\$	-
23	Kit	MH-4B-001	Line Monitor, Andrew, Four Lines 3-8 Psi Includes Installation Kit AEO1K-C0331 (or equal)	\$	-
24	Ea	6600D-6 (or equal)	Manifold, Andrew P/N 6600D-6, Six outlet gas manifold with gauge and shutoff valve includes 3/8 tube installation	\$	-
25	Ea	6600D-4 (or equal)	Manifold, Andrew P/N 6600D-4, Four outlet gas manifold with gauge and shutoff valve includes 3/8 tube installation	\$	-
26	Ea	55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR90G (or equal)	\$	-
27	Ea	520570-1	Strut Kit, Andrew (520570-1) Adjustable Inboard optional side strut for 4' and 6' microwave antennas (or equal)	\$	-
29	Ea	520570-3	Strut Kit, Andrew (520570-3) Adjustable Strut Kit for 8' - 12' microwave antennas, includes U-joint & hardware for attachment to reflector strut bracket. Strut collar assembly included. Pipe is schedule 80 and 10.5 ft. (or equal)	\$	-
30	Ea	F090PC0360CS	Twist-Flex, 35", Andrew (F090PC0360CS) WR90 10.7-11.7 GHz, Size EIA WR90, Connectors CPR90G ea end (or equal)	\$	-
31	Ea	F137PC0360CB	Twist-Flex, 36", Andrew (F137PC0360CB) 5.85-8.200 GHz, Size EIA WR137, Flange Type CPR137G ea end (or equal)	\$	-

Summary

Printed: 02/10/2009 11:06

Phase 10 MW Antenna Parts Summary Sheet

32	3715	F1	EW52	Waveguide, Main Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz (or equal)	OR		\$	-	
33	909	F1	EW63	Waveguide, Main Path, Andrew (EW63) Helix elliptical waveguide, Standard Type EW63, 5.925 - 7.125 GHz " "	" "		\$	-	
34	730	F1	EW90	Waveguide, Main Path, Andrew (EW90) Helix elliptical waveguide, Standard Type EW90, 10.2 - 11.7 GHz (or equal)	(or equal)		\$	-	
35	26	Ea	R6E	Radome, 6ft, Standard Molded, Andrew P/N R6E			\$	-	
36	10	Ea	R8F	Radome, 8ft, Standard Molded, Andrew P/N R8F			\$	-	
37	1	Ea	65230-137 U6	Step-Twist, 90-degree, CPR137G, Andrew P/N 65230-137 For 6.425-7.125 GHz (or equal)	(or equal)		\$	-	
38	1960	F1	EW52	Waveguide, Diversity Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz (or equal)	OR		\$	-	
39	450	F1	EW90	Waveguide, Diversity Path, Andrew (EW90) Helix elliptical waveguide, Standard Type EW90, 10.2 - 11.7 GHz " "	" "		\$	-	
TOTAL								\$	-

ORDER/Path Name ROM-KEY

Qty	Unit	Part Number	Description	Quoted Price/Unit	Quoted Price Total
4	Ea	252DE	Connector, Andrew P/N (252DE) non-tunable, Flange Type CPR137G for EW52 waveguide	\$ -	-
2	Ea	PAR6-59-PXA	Dish 6 ft. Andrew (PAR6-59) standard antenna for 5.925-6.425 GHz, Cat A, with single pol., CPR137G, Gray With Gray	\$ -	-
8	Kit	241088-4	Grounding kit Andrew (241088-4) 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EW52, and EW63	\$ -	-
9	Pkg	EMSH-52	Hangers, Andrew (EMSH-52) Snap-in hanger kit of 10, for EW52 Helix waveguide	\$ -	-
2	Ea	24312-A	Hoisting Grip, Andrew (24312-A) Standard, for 1-5/8" cable and EW52, and EW63 elliptical waveguides	\$ -	-
2	Ea	55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$ -	-
2	Ea	F137PC0360CB	Twist-Flex, 36" Andrew (F137PC0360CB) 5.85-8.200 GHz, Size EIA WR137 Flange Type CPR137G ea end	\$ -	-
150	Ft	EW52	Waveguide, Main Path Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$ -	-
2	Ea	R6E	Radome, 6ft, Standard Molded, Andrew P/N R6E	\$ -	-
120	Ft	EW52	Waveguide, Diversity Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$ -	-
Path Total				\$ -	-

ORDER/Path Name KEY-ROOM

Qty	Unit	Part Number	Description	Quoted Price/Unit	Quoted Price Total
4	Ea	252DE	Connector, Andrew P/N (252DE) non-tunable, Flange Type CPR137G for EW52 waveguide	\$	-
1	Ea	AE01A-D1306-003	Dehydrator wall shelf Andrew P/N (AE01A-D1306-003) for MT-050 dehydrator	\$	-
1	Ea	MT050-81015	Dehydrator, Andrew P/N (MT050-81015) 115 Vac 60 Hz, LP alarm, Pressure factory set at 5 psi, single line install kit incl	\$	-
2	Ea	PAR6-59-PXA	Dist 5 ft, Andrew (PAR6-59) standard antenna for 5.925-6.425 GHz, Cat A, with single pol., CPR137G, Gray With Gray	\$	-
8	Kit	241088-4	Grounding kit Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EW52, and EW63	\$	-
9	Pkg	EW5H-52	Hangers, Andrew (EW5H-52) Snap-in hanger kit of 10, for EW52 Heliax waveguide	\$	-
2	Ea	24312-A	Hoisting Grip, Andrew (24312-A) Standard, for 1-5/8" cable and EW52, and EW63 elliptical waveguides	\$	-
1	Kit	MH-4B-001	Line Monitor, Andrew, Four Lines 3-8 Psi Includes Installation Kit AE01K-C0331 no bid	\$	-
1	Ea	6600D-4	Manifold, Andrew P/N 6600D-4, Four outlet gas manifold with gauge and shutoff valve includes 3/8 tube installation kit	\$	-
2	Ea	55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$	-
2	Ea	F137PC0360CB	Twist Flex, 36", Andrew (F137PC0360CB) 5.85-6.200 GHz, Size EIA WR137, Flange Type CPR137G ea end	\$	-
150	Fl	EW52	Waveguide, Main Path, Andrew (EW52) Heliax elliptical waveguide, Standard Type EW52, 5.80 - 6.425 GHz	\$	-
2	Ea	R6E	Radome, 6ft, Standard Molded, Andrew P/N R6E	\$	-
120	Fl	EW52	Waveguide, Diversity Path, Andrew (EW52) Heliax elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$	-
Path Total				\$	-

ORDER/Path Name WVWG-CAR

Qty	Unit Part Number	Description	Quoted Price/Unit	Quoted Price Total
4	Ea 252DE	Connector, Andrew P/N (252DE) non-tunable, Flange Type CPR137G for EW52 waveguide	\$ -	-
1	Ea AE01A-D1306-003	Dehydrator wall shell Andrew P/N (AE01A-D1306-003) for MT-050 dehydrator	\$ -	-
1	Ea MT050-81015	Dehydrator, Andrew P/N (MT050-81015) 115 Vac 60 Hz LP alarm, Pressure factory set at 5 psi, single line install kit incl	\$ -	-
2	Ea PAR6-59-PXA	Dish 6 ft, Andrew (PAR6-59) standard antenna for 5.925-6.425 GHz, Cat A, with single pol., CPR137G, Gray With Gray	\$ -	-
8	Kit 241088-4	Grounding kit, Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EW52, and EW63	\$ -	-
9	Pkg EWSH-52	Hangers, Andrew (EWSH-52) Snap-in hanger kit of 10, for EW52 Helix waveguide	\$ -	-
2	Ea 24312-A	Hoisting Grip, Andrew (24312-A) Standard, for 1-5/8" cable and EW52, and EW63 elliptical waveguides	\$ -	-
1	Kit MH-4B-001	Line Monitor, Andrew, Four Lines 3-8 Psi; Includes Installation Kit AE01K-C0331 no bid	\$ -	-
1	Ea 6600D-4	Manifold, Andrew P/N 6600D-4, Four outlet gas manifold with gauge and shutoff valve Includes 3/8 tube installation kit	\$ -	-
2	Ea 55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$ -	-
2	Ea F137/PC0360CB	Twist-Flex, 36", Andrew (F137/PC0360CB) 5.85-8.200 GHz, Size EIA WR137, Flange Type CPR137G ea end	\$ -	-
150	Fl EW52	Waveguide, Main Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$ -	-
2	Ea R6E	Radome, 6ft, Standard Molded, Andrew P/N R6E	\$ -	-
120	Fl EW52	Waveguide, Diversity Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$ -	-
Path Total			\$ -	-

ORDER/Path Name CAR-WMG

Qty	Unit	Part Number	Description	Quoted Price/Unit	Quoted Price Total
4	Ea	252DE	Connector, Andrew P/N (252DE) non-tunable, Flange Type CPR137G for EW52 waveguide	\$	-
1	Ea	AE01A-D1306-003	Dehydrator wall shelf, Andrew P/N (AE01A-D1306-003) for MT-050 dehydrator	\$	-
1	Ea	MT050-81015	Dehydrator, Andrew P/N (MT050-81015) 115 Vac 60 Hz, LP alarm, Pressure factory set at 5 psi, single line install kit incl	\$	-
2	Ea	PAR6-59-PXA	Dish 5 ft, Andrew (PAR6-59) standard antenna for 5.925-6.425 GHz, Cat A, with single pol, CPR137G, Gray With Gray	\$	-
8	Kit	241088-4	Grounding kit, Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EW52, and EW63	\$	-
9	Pkg	EW5H-52	Hangers, Andrew (EW5H-52) Snap-in hanger kit of 10, for EW52 Helix waveguide	\$	-
2	Ea	24312-A	Hoisting Grip, Andrew (24312-A) Standard, for 1-5/8" cable and EW52, and EW63 elliptical waveguides	\$	-
1	Kit	MH-4B-001	Line Monitor, Andrew, Four Lines 3-8 Psi Includes Installation Kit AE01K-C0331 no bid	\$	-
1	Ea	6600D-4	Manifold, Andrew P/N 6600D-4, Four outlet gas manifold with gauge and shutoff valve includes 3/8 tube installation kit	\$	-
2	Ea	55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$	-
2	Ea	F137PC0360CB	Twist-Flex 36" Andrew (F137PC0360CB) 5.85-6.200 GHz, Size EIA WR137, Flange Type CPR137G ea end	\$	-
150	Fl	EW52	Waveguide, Main Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$	-
2	Ea	R6E	Radome, 6ft, Standard Mated, Andrew P/N R6E	\$	-
120	Fl	EW62	Waveguide, Diversity Path, Andrew (EW62) Helix elliptical waveguide, Standard Type EW62, 5.60 - 6.425 GHz	\$	-
Path Total				\$	-

ORDER/Path Name KOP-LIC

Qty	Unit	Part Number	Description	Quoted Price/Unit	Quoted Price Total
2	Ea	252DE	Connector, Andrew P/N 1252DE non-lunable, Flange Type CPR137G for EW52 waveguide	\$	-
1	Ea	HP8-59	Dish 6 ft, Andrew (HP8-59) high performance antenna for 5.925-6.425 GHz, Cat A single pol., CPR137G, Gray With	\$	-
4	Kit	241088-4	Grounding kit, Andrew (241088-4) 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EW52, and EW63	\$	-
4	Pkg	42396A-8	Hangers, Andrew (42396A-8) Stainless steel, hangar kit of 10, for EW52 Helix waveguide	\$	-
1	Ea	24312-A	Hoisting Grip, Andrew (24312-A) Standard, for 1-5/8" cable and EW52, and EW63 elliptical waveguides	\$	-
1	Ea	55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$	-
1	Ea	F137PC0360CB	Twist-Flex, 36", Andrew (F137PC0360CB) 5.85-8.200 GHz, Size EIA WR137, Flange Type CPR137G ea end	\$	-
110	Ft	EW52	Waveguide, Main Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$	-
Path Total				\$	-

ORDER/Path Name LIC-KOP

Qty	Unit	Part Number	Description	Quoted Price/Unit	Quoted Price Total
2	Ea	262DE	Connector, Andrew P/N (252DE) non-tunable, Flange Type CPR137G for EW52 waveguide	\$ -	-
1	Ea	AE01A-D1306-003	Dehydrator wall shelf Andrew P/N (AE01A-D1306-003) for MT-050 dehydrator	\$ -	-
1	Ea	MT050-81015	Dehydrator, Andrew P/N (MT050-81015) 115 Vac 60 Hz, LP alarm, Pressure factory set at 5 psi, single line install kit incl	\$ -	-
1	Ea	PAR6-59-PXA	Dish 6 ft, Andrew (PAR6-59) standard antenna for 5.925-6.425 GHz, Cat A, with single pol, CPR137G, Gray With Gray	\$ -	-
4	Kit	241088-4	Grounding kit, Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EW52, and EW63	\$ -	-
3	Pkg	EW5H-52	Hangers, Andrew (EW5H-52) Snap-in hanger kit of 10, for EW52 Heliax waveguide	\$ -	-
1	Ea	24312-A	Hoisting Grip, Andrew (24312-A) Standard, for 1-5/8" cable and EW52, and EW63 elliptical waveguides	\$ -	-
1	Kit	MH-4B-001	Line Monitor, Andrew, Four Lines 3-8 Psi Includes Installation Kit AE01K-C0331 no bid	\$ -	-
1	Ea	6600D-4	Manifold, Andrew P/N 6600D-4, Four outlet gas manifold with gauge and shutoff valve includes 3/8 tube installation kit	\$ -	-
1	Ea	55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$ -	-
1	Ea	F137PC03600CB	Twist-Flex, 36" Andrew (F137PC03600CB) 5.85-8.200 GHz, Size EIA WR137, Flange Type CPR137G ea and	\$ -	-
80	Ft	EW52	Waveguide, Main Path, Andrew (EW52) Heliax elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$ -	-
1	Ea	R6E	Radome, 6ft, Standard Molded, Andrew P/N R6E	\$ -	-
Path Total				\$ -	-

LICK KNOB to KOPPERSTON

Printed: 01/23/2009 08:44

ORDER/Path Name MAL-GAU

Qty	Unit	Part Number	Description	Quoted Price/Unit	Quoted Price Total
2	Ea	252DE	Connector, Andrew P/N (252DE) non-tunable, Flange Type CPR137G for EW52 waveguide	\$ -	-
1	Ea	PAR8-59-PXA	Dish 8 ft, Andrew (PAR8-59) standard antenna for 5.925-6.425 GHz, Cat A single pol, CPR137G, Gray With Gray	\$ -	-
4	Kit	241088-4	Grounding kit, Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EW52, and EW63	\$ -	-
5	Pkg	EWSH-52	Hangers, Andrew (EWSH-52) Snap-in hanger kit of 10, for EW52 Helix waveguide	\$ -	-
1	Ea	24312-A	Hoisting Gnp, Andrew (24312-A) Standard, for 1-5/8" cable and EW52, and EW63 elliptical waveguides	\$ -	-
1	Ea	55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$ -	-
1	Ea	520570-3	Strut Kit, Andrew (520570-3) Outboard Strut Kit for 8" - 12" microwave antennas, includes U-joint & hardware for	\$ -	-
1	Ea	F137PC0360CB	Twist-Flex, 36", Andrew (F137PC0360CB) 5.85-8.200 GHz, Size EIA WR137, Flange Type CPR137G ea end	\$ -	-
130	F1	EW52	Waveguide, Main Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$ -	-
1	Ea	R8F	Radome, 8ft, Standard Molded, Andrew P/N R8F	\$ -	-
Path Total				\$ -	-

ORDER/Path Name GAU-MAL

Qty	Unit Part Number	Description	Quoted Price/Unit	Quoted Price Total
2	Ea 252DE	Connector Andrew P/N (252DE) non-tunable, Flange Type CPR137G for EW52 waveguide	\$	-
1	Ea AE01A-D1306-003	Dehydrator wall shelf Andrew P/N (AE01A-D1306-003) for MT-050 dehydrator	\$	-
1	Ea MT050-81015	Dehydrator, Andrew P/N (MT050-81015) 115 Vac 60 Hz, LP alarm, Pressure factory set at 5 psi, single line install kit incl	\$	-
1	Ea PAR8-59-PXA	Dish 8 ft, Andrew (PAR8-59) standard antenna for 5.925-6.425 GHz, Cat A single pol, CPR137G, Gray With Gray	\$	-
4	Kit 241088-4	Grounding kit, Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EW52, and EW63	\$	-
5	Pkg EWSH-52	Hangers, Andrew (EWSH-52) Snap-in hanger kit of 10, for EW52 Helix waveguide	\$	-
1	Ea 24312-A	Hoisting Grip, Andrew (24312-A) Standard, for 1-5/8" cable and EW52, and EW63 elliptical waveguides	\$	-
1	Kit MH-4B-001	Line Monitor, Andrew, Four Lines 3-8 Psi Includes Installation Kit AE01K-C0331 no bid	\$	-
1	Ea 6600D-4	Manifold, Andrew P/N 6600D-4, Four outlet gas manifold with gauge and shutoff valve includes 3/8 tube installation kit	\$	-
1	Ea 55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$	-
1	Ea 520570-3	Strut Kit, Andrew (520570-3) Outboard Strut Kit for 8" - 12" microwave antennas, includes U-joint & hardware for	\$	-
1	Ea F137PC0360CB	Twist-Flex, 36", Andrew (F137PC0360CB) 5.85-6.200 GHz, Size EIA WR137, Flange Type CPR137G ea end	\$	-
130	F1 EW52	Waveguide, Main Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$	-
1	Ea R8F	Radome, 8ft, Standard Molded, Andrew P/N R8F	\$	-
Path Total			\$	-

ORDER/Path Name WAY-DUN

Qty	Unit	Rotary Park	Description	Quoted Price/Unit	Quoted Price Total
2	Ea	252DE	Connector, Andrew P/N (252DE) non-tunable, Flange Type CPR137G for EWS2 waveguide	\$	-
1	Ea	PAR8-59-PXA	Dish 8 ft, Andrew (PAR8-59) standard antenna for 5.925-6.425 GHz, Cat A single pol, CPR137G, Gray With Gray	\$	-
4	Kit	241088-4	Grounding kit, Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EWS2, and EW63	\$	-
8	Kit	EW5H-52	Hangers, Andrew (EW5H-52) Snap-in hanger kit of 10, for EWS2 Helix waveguide	\$	-
2	Ea	24312-A	Hoisting Grip, Andrew (24312-A) Standard, for 1-5/8" cable and EWS2, and EW63 elliptical waveguides	\$	-
1	Ea	55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$	-
1	Ea	520570-3	Strut Kit, Andrew (520570-3) Outboard Strut Kit for 8 - 12" microwave antennas, includes U-joint & hardware for	\$	-
1	Ea	F137PC0360CB	Twist-Flex, 36", Andrew (F137PC0360CB) 5.85-8.200 GHz, Size EIA WR137, Flange Type CPR137G ea and	\$	-
225	Ft	EW52	Waveguide, Main Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$	-
1	Ea	R8F	Radome, 8ft, Standard Molded, Andrew P/N R8F	Path Total	\$

ORDER/Path Name DUN-WAY

Qty	Unit	Rotary Park	Description	Quoted Price/Unit	Quoted Price Total
2	Ea	252DE	Connector, Andrew P/N (252DE) non-tunable, Flange Type CPR137G for EWS2 waveguide	\$	-
1	Ea	AE01A-D1306-003	Dehydrator wall shelf Andrew P/N (AE01A-D1306-003) for MT-050 dehydrator	\$	-
1	Ea	MT050-81015	Dehydrator Andrew P/N (MT050-81015) 115 Vac 60 Hz, LP alarm, Pressure factory set at 5 psi, single line install kit incl	\$	-
1	Ea	PAR8-59-PXA	Dish 8 ft, Andrew (PAR8-59) standard antenna for 5.925-6.425 GHz, Cat A single pol., CPR137G, Gray With Gray	\$	-
4	Kit	241088-4	Grounding kit, Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EWS2, and EWS3	\$	-
7	Pkg	EWSH-52	Hangers, Andrew (EWSH-52) Snap-in hangar kit of 10, for EWS2 Heliax waveguide	\$	-
2	Ea	24312-A	Hoisting Grp, Andrew (24312-A) Standard, for 1-5/8" cable and EWS2, and EWS3 elliptical waveguides	\$	-
1	Kit	MH-4B-001	Line Monitor, Andrew, Four Lines 3-8 Psi includes installation Kit AE01K-C0331 no bid	\$	-
1	Ea	6800D-4	Manifold, Andrew P/N 6800D-4, Four outlet gas manifold with gauge and shutoff valve includes 3/8 tube installation kit	\$	-
1	Ea	55001-137	Pressure window, Andrew (55001-137) 5.925 - 7125 GHz, for use with flange type CPR137G	\$	-
1	Ea	520570-3	Strut Kit, Andrew (520570-3) Outboard Strut Kit for 8 - 12" microwave antennas, includes U-joint & hardware for	\$	-
1	Ea	F137PC0360CB	Twist-Flex, 36", Andrew (F137PC0360CB) 5.85-8.200 GHz, Size EIA WR137, Flange Type CPR137G ea end	\$	-
205	F1	EWS2	Waveguide, Main Path, Andrew (EWS2) Heliax elliptical waveguide, Standard Type EWS2, 5.60 - 6.425 GHz	\$	-
1	Ea	R8F	Radome, 8ft, Standard Molded, Andrew P/N R8F	\$	-
Path Total				\$	-

DUNLOW to WAYNE

Printed: 01/23/2009 09:44

ORDER/Path Name **DUN-WAR**

Qty	Unit	ROTARY PARK	Description	Quoted Price/Unit	Quoted Price Total
4	Ea	252DE	Connector, Andrew P/N (252DE) non-tunable, Flange Type CPR137G for EW52 waveguide	\$	-
1	Ea	PAR8-59-PXA	Dish 6 ft, Andrew (PAR8-59) standard antenna for 5.925-6.425 GHz, Cat A, with single pol., CPR137G, Gray With Gray	\$	-
1	Ea	PAR8-59-PXA	Dish 8 ft, Andrew (PAR8-59) standard antenna for 5.925-6.425 GHz, Cat A single pol., CPR137G, Gray With Gray	\$	-
8	Kit	241088-4	Grounding kit, Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EW52, and EW63	\$	-
16	Pkg	EW5H-52	Hangers, Andrew (EW5H-52) Snap-in hanger kit of 10, for EW52 Helix waveguide	\$	-
2	Ea	24312-A	Hoisting Grip, Andrew (24312-A) Standard, for 1-5/8" cable and EW52, and EW63 elliptical waveguides	\$	-
2	Ea	55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$	-
1	Ea	520570-3	Strut Kit, Andrew (520570-3) Outboard Strut Kit for 8" - 12" microwave antennas, includes U-joint & hardware for	\$	-
2	Ea	F137PC0360C8	Twist-Flex, 36" Andrew (F137PC0360C8) 5.85-8.200 GHz, Size EIA WR137, Flange Type CPR137G ea end	\$	-
250	Ft	EW52	Waveguide, Main Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$	-
1	Ea	R8E	Radome 6ft, Standard Molded, Andrew P/N R8E	\$	-
1	Ea	R8F	Radome 8ft, Standard Molded, Andrew P/N R8F	\$	-
210	Ft	EW52	Waveguide, Diversity Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	Path Total	\$

ORDER/Path Name WAR-DUN

Qty	Unit	Rotary Park	Description	Quoted Price/Unit	Quoted Price Total
4	Ea	252DE	Connector Andrew P/N (252DE) non-tunable, Flange Type CPR137G for EW52 waveguide	\$	-
1	Ea	AE01A-D1306-003	Dehydrator wall shelf Andrew P/N (AE01A-D1306-003) for MT-050 dehydrator	\$	-
1	Ea	MT050-81015	Dehydrator, Andrew P/N (MT050-81015) 115 Vac 60 Hz, LP alarm. Pressure factory set at 5 psi, single line install kit incl	\$	-
1	Ea	PAR6-59-PXA	Dish 6 ft. Andrew (PAR6-59) standard antenna for 5.925-6.425 GHz, Cat A, with single pol., CPR137G, Gray With Gray	\$	-
1	Ea	PAR8-59-PXA	Dish 8 ft. Andrew (PAR8-59) standard antenna for 5.925-6.425 GHz, Cat A single pol., CPR137G, Gray With Gray	\$	-
8	Kit	241088-4	Grounding kit, Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EW52, and EW63	\$	-
13	Pkg	EMSH-52	Hangers, Andrew (EMSH-52) Snap-in hangar kit of 10, for EW52 Heliax waveguide	\$	-
1	Kit	MH-4B-001	Line Monitor, Andrew, Four Lines 3-8 Psi Includes Installation Kit AE01K-C0331 no bid	\$	-
1	Ea	6600D-4	Manifold, Andrew P/N 6600D-4, Four outlet gas manifold with gauge and shutoff valve includes 3/8 tube installation kit	\$	-
2	Ea	55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$	-
1	Ea	520570-3	Strut Kit, Andrew (520570-3) Outboard Strut Kit for 8' - 12' microwave antennas, includes U-joint & hardware for	\$	-
2	Ea	F137PC0360C8	Twist-Flex, 36" Andrew (F137PC0360C8) 5.85-8.200 GHz, Size EIA WR137, Flange Type CPR137G ea end	\$	-
210	F1	EW52	Waveguide, Main Path, Andrew (EW52) Heliax elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$	-
1	Ea	R8E	Radome, 6ft, Standard Molded, Andrew P/N R8E	\$	-
1	Ea	R8F	Radome, 8ft, Standard Molded, Andrew P/N R8F	\$	-
180	F1	EW52	Waveguide, Diversity Path, Andrew (EW52) Heliax elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$	-
Path Total				\$	-

ORDER/Path Name WAR-HOR

Qty	Unit	Description	Quoted Price/Unit	Quoted Price Total
2	Ea	252DE Connector, Andrew P/N (252DE) non-tunable, Flange Type CPR137G for EW52 waveguide	\$	-
1	Ea	PAR8-59-PXA Dish 8 ft. Andrew (PAR8-59) standard antenna for 5.925-6.425 GHz, Cat A single pol., CPR137G, Gray With Gray	\$	-
4	Kit	241088-4 Grounding kit, Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EW52, and EW63	\$	-
1	Pkg	EWSH-52 Hangers, Andrew (EWSH-52) Snap-in hanger kit of 10, for EW52 Helix waveguide	\$	-
1	Ea	24312-A Hoisting Grip, Andrew (24312-A) Standard, for 1-5/8" cable and EW52, and EW63 elliptical waveguides	\$	-
1	Ea	55001-137 Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$	-
1	Ea	520570-3 Strut Kit, Andrew (520570-3) Outboard Strut Kit for 8' - 12' microwave antennas, includes U-joint & hardware for	\$	-
1	Ea	F137PC0360CB Twist-Flex, 36", Andrew (F137PC0360CB) 5.85-8.200 GHz, Size EIA WR137, Flange Type CPR137G ea end	\$	-
120	Ft	EW52 Waveguide, Main Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$	-
1	Ea	R8F Radome, 8ft, Standard Molded, Andrew P/N R8F	\$	-
Path Total			\$	-

ORDER/Path Name HOR-WAR

Qty	Unit	Rotary Park	Description	Quoted Price/Unit	Quoted Price Total
2	Ea	252DE	Connector, Andrew P/N (252DE) non-lunabe, Flange Type CPR137G for EWS2 waveguide	\$	-
1	Ea	AE01A-D1306-003	Dehydrator wall shelf Andrew P/N (AE01A-D1306-003) for MT-050 dehydrator	\$	-
1	Ea	MT050-81015	Dehydrator, Andrew P/N (MT050-81015) 115 Vac 60 Hz, LP alarm, Pressure factory set at 5 psi, single line install kit incl	\$	-
1	Ea	PAR8-59-PXA	Dish 8 ft, Andrew (PAR8-59) standard antenna for 5.925-6.425 GHz, Cat A single pol., CPR137G, Gray With Gray	\$	-
4	Kit	241088-4	Grounding kit, Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EWS2, and EWS3	\$	-
4	Pkg	EWSH-52	Hangers, Andrew (EWSH-52) Snap-in hanger kit of 10, for EWS2 Helix waveguide	\$	-
1	Ea	24312-A	Hoisting Grip, Andrew (24312-A) Standard, for 1-5/8" cable and EWS2, and EWS3 elliptical waveguides	\$	-
1	Kil	MH-4B-001	Line Monitor, Andrew, Four Lines 3-8 Psi Includes Installation Kit AE01K-C0331 no bid	\$	-
1	Ea	6600D-4	Manifold, Andrew P/N 6600D-4, Four outlet gas manifold with gauge and shutoff valve Includes 3/8 tube installation kit	\$	-
1	Ea	55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$	-
1	Ea	520570-3	Strut Kit, Andrew (520570-3) Outboard Strut Kit for 8" - 12" microwave antennas, includes U-joint & hardware for	\$	-
1	Ea	F137PC0360CB	Twist-Flex, 36", Andrew (F137PC0360CB) 5.85-8.200 GHz, Size EIA WR137, Flange Type CPR137G ea end	\$	-
120	Ft	EWS2	Waveguide, Main Path, Andrew (EWS2) Helix elliptical waveguide, Standard Type EWS2, 5.60 - 6.425 GHz	\$	-
1	Ea	R8F	Radome, 8ft, Standard Molded, Andrew P/N R8F	\$	-
				Path Total	\$

ORDER/Path Name COL-BUC

Qty	Unit	ROTARY PARK	Description	Quoted Price/Unit	Quoted Price Total
2	Ea	163DE	Connector, Andrew P/N (163DE) non-tunable, Flange Type CPR137G for EW63 waveguide	\$ -	-
1	Ea	AED1A-D1306-003	Dehydrator wall shelf Andrew P/N (AED1A-D1306-003) for MT-050 dehydrator	\$ -	-
1	Ea	MT050-81015	Dehydrator, Andrew P/N (MT050-81015) 115 Vac 60 Hz, LP alarm, Pressure factory set at 5 psi, single line install kit incl	\$ -	-
1	Ea	PAR6-65-PXA	Dish 6 ft, Andrew (PAR6-65) standard antenna for 6.425-7.125 GHz, Cat A, single pol., CPR137G, Gray With Gray	\$ -	-
4	Kit	241088-4	Grounding kit, Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EW52, and EW63	\$ -	-
5	Pkg	EW5H-63	Hangers, Andrew (EW5H-63) Snap-In hanger kit of 10, for EW63 Helix waveguide	\$ -	-
1	Ea	24312-A	Hoisting Grip, Andrew (24312-A) Standard, for 1-5/8" cable and EW52, and EW63 elliptical waveguides	\$ -	-
1	Kit	MH-4B-001	Line Monitor, Andrew, Four Lines 3-8 Psi Includes Installation Kit AED01K-C0331 no bid	\$ -	-
1	Ea	6600D-6	Manifold, Andrew P/N 6600D-6, Six outlet gas manifold with gauge and shutoff valve includes 3/8 tube installation kit	\$ -	-
1	Ea	6600D-6	Pressure window, Andrew (6600D-6), Six outlet gas manifold with gauge and shutoff valve includes 3/8 tube installation kit	\$ -	-
1	Ea	55001-137	Twist-Flex, 35", Andrew (F137PC0360CB) 5.66-8.200 GHz, Size EIA WFR137, Flange Type CPR137G ea end	\$ -	-
130	F1	EW63	Waveguide, Main Path, Andrew (EW63) Helix elliptical waveguide, Standard Type EW63, 5.925 - 7.125 GHz	\$ -	-
1	Ea	R6E	Radome, 6ft, Standard Molded, Andrew P/N R6E	\$ -	-
Path Total				\$ -	-

ORDER/Path Name BUC-COAL

Qty	Unit	Path Name	Description	Quoted Price/Unit	Quoted Price Total
1	Ea	85230-137 U6	Step-Twst, 90-degree, CFR137G Andrew PIN 85230-137 For 6.425-7.125 GHz		
Path Total				\$	\$

BUCK KNOB to COAL MOUNTAIN

Printed: 01/23/2009 08:44

ORDER/Path Name CAB-WHE

Qty	Unit	Rotary Park	Description	Quoted Price/Unit	Quoted Price Total
2	Ea	190DE	Connector, Andrew P/N (190DE) non-tunable, Flange Type CPR90G for standard EW90-107, 10.7 - 11.7 GHz	\$ -	-
1	Ea	AE01A-D1306-003	Dehydrator wall shelf Andrew P/N (AE01A-D1306-003) for MT-050 dehydrator	\$ -	-
1	Ea	MT050-81015	Dehydrator, Andrew P/N (MT050-81015) 115 Vac 60 Hz, LP alarm, Pressure factory set at 5 psi, single line install kit incl	\$ -	-
1	Ea	VHLP6-11-6GR	Dish 6 ft, Andrew VailLine (VHLP6-11) high performance antenna for 10.7 - 11.7 GHz, Cat A, single pol, CPR90G, Gray	\$ -	-
4	Kit	204989-2	Grounding kit, Andrew (202989-2), 24" cable with 1-hole factory attached lug for 7/8" coaxial and EW85, EW90, EW127A,	\$ -	-
7	Kit	EWSH-90	Hangers, Andrew (EWSH-90) Snap-in hanger kit of 10, for EW90 Helix waveguide	\$ -	-
1	Kit	MH-4B-001	Line Monitor, Andrew, Four Lines 3-8 Psi Includes Installation Kit AE01K-C0331 no bid	\$ -	-
1	Ea	6800D-4	Manifold, Andrew P/N 6800D-4, Four outlet gas manifold with gauge and shutoff valve includes 3/8 tube installation kit	\$ -	-
1	Ea	55001-90	Pressure window, Andrew (55001-90) for use with flange type CPR90G	\$ -	-
1	Ea	520570-1	Strut Kit, Andrew (520570-1) Adjustable Inboard optional side strut for 4' and 6' microwave antennas	\$ -	-
1	Ea	F090PC0360CS	Twist-Flex, 35" Andrew (F090PC0360CS) WR90 10.7-11.7 GHz, Size EIA-WR90, Connectors CPR90G ea end	\$ -	-
190	Ft	EW90	Waveguide, Main Path, Andrew (EW90) Helix elliptical waveguide, Standard Type EW90, 10.2 - 11.7 GHz	Path Total	\$ -

ORDER/Path Name MOU-CAB

Qty	Unit	Rotary Park	Description	Quoted Price/Unit	Quoted Price Total
2	Ea	163DE	Connector, Andrew P/N (163DE) non-tunable, Flange Type CPR137G for EW63 waveguide	\$	-
1	Ea	PAR6-65-PXA	Dish 6 ft, Andrew (PAR6-65) standard antenna for 6.425-7.125 GHz, Cat A, single pol, CPR137G, Gray With Gray	\$	-
4	Kit	241088-4	Grounding kit, Andrew (241088-4), 24" lead with 2-hole factory attached lug for 1-5/8" coaxial cable, EW52, and EW63	\$	-
7	Pkg	EWSH-63	Hangers, Andrew (EWSH-63) Snap-in hanger kit of 10, for EW63 Helix waveguide	\$	-
1	Ea	24312-A	Hoisting Grip, Andrew (24312-A) Standard, for 1-5/8" cable and EW52, and EW63 elliptical waveguides	\$	-
1	Ea	55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$	-
1	Ea	F137PC0360CB	Twist-Flex, 36", Andrew (F137PC0360CB) 5.85-8.200 GHz, Size EIA WR137, Flange Type CPR137G ea end	\$	-
197	F1	EW63	Waveguide, Main Path, Andrew (EW63) Helix elliptical waveguide, Standard Type EW63, 5.925 - 7.125 GHz	\$	-
1	Ea	R6E	Radome, 6ft, Standard Molded, Andrew P/N R6E	\$	-
Path Total				\$	\$

MOUNDSVILLE to CABELAS

Printed: 01/23/2009 08:44

ORDER/Path Name CAB-MOU

Qty	Unit	Rotary Park	Description	Quoted Price/Unit	Quoted Price Total
2	Ea	163DE	Connector, Andrew P/N (163DE) non-tunable, Flange Type CPR137G for EW63 waveguide	\$ -	-
1	Ea	PAR6-65-PXA	Dish 6 ft, Andrew (PAR6-65) standard antenna for 6.425-7.125 GHz, Cat A, single pol., CPR137G, Gray With Gray	\$ -	-
4	Kil	241088-4	Grounding kit, Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EW52, and EW63	\$ -	-
7	Pkg	EWSH-63	Hangers, Andrew (EWSH-63) Snap-in hanger kit of 10, for EW63 Helix waveguide	\$ -	-
1	Ea	24312-A	Hoisting Grip, Andrew (24312-A) Standard, for 1-5/8" cable and EW52, and EW63 elliptical waveguides	\$ -	-
1	Ea	55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$ -	-
1	Ea	F137PC0360CB	Twist-Flex, 36", Andrew (F137PC0360CB) 5.85-8.200 GHz, Size EIA WR137, Flange Type CPR137G, ea end	\$ -	-
197	Ft	EW63	Waveguide, Main Path, Andrew (EW63) Helix elliptical waveguide, Standard Type EW63, 5.925 - 7.125 GHz	\$ -	-
1	Ea	R6E	Radome, 6ft, Standard Molded, Andrew P/N R6E	\$ -	-
Path Total				\$ -	-

ORDER/Path Name CAB-WES

Qty	Unit	Rotary Park	Description	Quoted Price/Unit	Quoted Price Total
2	Ea	163DE	Connector Andrew P/N (163DE) non-tunable, Flange Type CPR137G for EW63 waveguide	\$	-
1	Ea	PAR6-65-PXA	Dish 6 ft. Andrew (PAR6-65) standard antenna for 6.425-7.125 GHz, Cat A, single pol., CPR137G, Gray with Gray	\$	-
4	Kil	241088-4	Grounding kit, Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EW52, and EW63	\$	-
7	Pkg	EW5H-63	Hangers, Andrew (EW5H-63) Strap-in hanger kit of 10, for EW63 Heliax waveguide	\$	-
1	Ea	24312-A	Hoisting Grip, Andrew (24312-A) Standard, for 1-5/8" cable and EW52, and EW63 elliptical waveguides	\$	-
1	Ea	55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$	-
1	Ea	F137PC0360CB	Twist-Flex, 36" Andrew (F137PC0360CB) 5.85-8.200 GHz, Size EIA WR137, Flange Type CPR137G ea end	\$	-
205	Ft	EW63	Waveguide, Main Path, Andrew (EW63) Heliax elliptical waveguide, Standard Type EW63, 5.925 - 7.125 GHz	\$	-
1	Ea	R6E	Radome, 6ft, Standard Molded, Andrew P/N R6E	\$	-
Path Total				\$	-

ORDER/Path Name WES-CAB

Qty	Unit	Rotary Park	Description	Quoted Price/Unit	Quoted Price Total
2	Ea	163DE	Connector, Andrew P/N (163DE) non-tunable, Flange Type CPR137G for EW63 waveguide	\$	-
1	Ea	AE01A-D1306-003	Dehydrator wall shelf Andrew P/N (AE01A-D1306-003) for MT-050 dehydrator	\$	-
1	Ea	MT050-81015	Dehydrator, Andrew P/N (MT050-81015), 1.15 Vac 60 Hz, LP alarm, Pressure factory set at 5 psi, single line install kit incl	\$	-
1	Ea	PAR6-65-PXA	Dish 6 ft, Andrew (PAR6-65) standard antenna for 6.425-7.125 GHz, Cat A, single pol., CPR137G, Gray With Gray	\$	-
4	Kit	241088-4	Grounding kit, Andrew (241088-4), 24" lead with 2-hole factory attached lug for 1-5/8" coaxial cable, EW62, and EW63	\$	-
6	PKG	EW5H-63	Hangers, Andrew (EW5H-63) Snap-in hanger kit of 10, for EW63 Helix waveguide	\$	-
1	Ea	24312-A	Hoisting Grip, Andrew (24312-A) Standard, for 1-5/8" cable and EW62, and EW63 elliptical waveguides	\$	-
1	Kit	MH-4B-001	Line Monitor, Andrew, Four Lines 3-8 Psi. Includes installation kit AE01K-C0331 no bid	\$	-
1	Ea	6600D-4	Manifold, Andrew P/N 6600D-4, Four outlet gas manifold with gauge and shutoff valve includes 3/8 tube installation kit	\$	-
1	Ea	55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$	-
1	Ea	F137PC0360CB	Waveguide, 36", Andrew (F137PC0360CB) 5.85-6.200 GHz, Size EIA WFR137, Flange Type CPR137G ea end	\$	-
180	F1	EW63	Waveguide, main Path, Andrew (EW63) Helix elliptical waveguide, Standard Type EW63, 5.925 - 7.125 GHz	\$	-
1	Ea	R6E	Radome, 6ft, Standard Molded, Andrew P/N R6E	\$	-
Path Total				\$	-

ORDER/Path Name CON-WEB

Qty	Unit	Rotary Park	Description	Quoted Price/Unit	Quoted Price Total
4	Ea	252DE	Connector, Andrew P/N (252DE) non-tunable, Flange Type CPR137G for EW52 waveguide	\$	-
1	Ea	AE01A-D1306-003	Dehydrator wall shelf Andrew P/N (AE01A-D1306-003) for MT-050 dehydrator	\$	-
1	Ea	MT050-81015	Dehydrator, Andrew P/N (MT050-81015) 115 Vac 60 Hz, LP alarm, Pressure factory set at 5 psi, single line install kit incl	\$	-
1	Ea	PAR6-59-PXA	Dish 6 ft, Andrew (PAR6-59) standard antenna for 5.925-6.425 GHz, Cat A, with single pol, CPR137G, Gray With Gray	\$	-
1	Ea	PAR8-59-PXA	Dish 8 ft, Andrew (PAR8-59) standard antenna for 5.925-6.425 GHz, Cat A single pol, CPR137G, Gray With Gray	\$	-
8	Kit	241088-4	Crounding kit, Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EW52, and EW63	\$	-
23	Pkg	EMSH-52	Hangers, Andrew (EMSH-52) Snap-in hanger kit of 10, for EW52 Hellax waveguide	\$	-
4	Ea	24312-A	Hoisting Grp, Andrew (24312-A) Standard, for 1-5/8" cable and EW52, and EW63 elliptical waveguides	\$	-
1	Kit	MH-8B-001	Line Monitor, Andrew, Eight Lines 3-8 Psi Includes Two Installation Kits AE01K-C0831no bnd	\$	-
1	Ea	6600D-6	Manifold, Andrew P/N 6600D-6, Six outlet gas manifold with gauge and stuff valve includes 3/8 tube installation kit	\$	-
2	Ea	520570-3	Pressure window, Andrew (520570-3) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$	-
1	Ea	F137PC0360CB	Strut Kit, Andrew (F137PC0360CB) 5.85-8.200 GHz, Size SIA WRR137, Flange Type CPR137G ea end	\$	-
2	Ea	EW52	Twist-Flex, 36", Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.80 - 6.425 GHz	\$	-
1	Ea	R6E	Waveguide, Main Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.80 - 6.425 GHz	\$	-
1	Ea	R8F	Radome, 8ft, Standard Molded, Andrew P/N R8F	\$	-
320	Fl	EW52	Waveguide, Diversity Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	Path Total	\$

ORDER/Path Name WEB-CON

Qty	Unit	Rotary Park	Description	Quoted Price/Unit	Quoted Price Total
4	Ea	252DE	Connector, Andrew P/N (252DE) non-tunable, Flange Type CPR137G for EWS2 waveguide	\$ -	-
1	Ea	AE01A-D1306-003	Dehydrator wall shelf Andrew P/N (AE01A-D1306-003) for MT-050 dehydrator	\$ -	-
1	Ea	MT050-81015	Dehydrator, Andrew P/N (MT050-81015) 115 Vac 60 Hz, LP alarm, Pressure factory set at 5 psi, single line install kit incl	\$ -	-
1	Ea	PAR6-59-PXA	Dish 6 ft, Andrew (PAR6-59) standard antenna for 5.925-6.425 GHz, Cat A, with single pol., CPR137G, Gray With Gray	\$ -	-
1	Ea	PAR8-59-PXA	Dish 8 ft, Andrew (PAR8-59) standard antenna for 5.925-6.425 GHz, Cat A single pol., CPR137G, Gray With Gray	\$ -	-
8	Kit	241088-4	Grounding kit, Andrew (241088-4); 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EWS2 and EW63	\$ -	-
13	Pkg	EMSH-52	Hangers, Andrew (EMSH-52) Snap-in hanger kit of 10, for EWS2 Helix waveguide	\$ -	-
2	Ea	24312-A	Hoisting Grip, Andrew (24312-A) Standard, for 1-5/8" cable and EWS2, and EW63 elliptical waveguides	\$ -	-
1	Kit	MH-4B-001	Line Monitor, Andrew, Four Lines 3-8 Psi Includes Installation Kit AE01K-C0331 no bid	\$ -	-
1	Ea	6600D-4	Manifold, Andrew P/N 6600D-4, Four outlet gas manifold with gauge and shutoff valve includes 3/8 tube installation kit	\$ -	-
2	Ea	55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$ -	-
1	Ea	520570-3	Strut Kit, Andrew (520570-3) Outboard Strut Kit for 8 - 12" microwave antennas, includes U-joint & hardware for	\$ -	-
2	Ea	F137PC0360CB	Twist-Flex, 36", Andrew (F137PC0360CB) 5.85-8.200 GHz, Size EJA WR137, Flange Type CPR137G ea end	\$ -	-
205	Ft	EWS2	Waveguide, Main Path, Andrew (EWS2) Helix elliptical waveguide, Standard Type EWS2, 5.60 - 6.425 GHz	\$ -	-
1	Ea	R6E	Radome, 6ft, Standard Molded, Andrew P/N R6E	\$ -	-
1	Ea	R8F	Radome, 8ft, Standard Molded, Andrew P/N R8F	\$ -	-
175	Ft	EWS2	Waveguide, Diversity Path, Andrew (EWS2) Helix elliptical waveguide, Standard Type EWS2, 5.60 - 6.425 GHz	\$ -	-
				Path Total	\$ -

ORDER/Path Name CLE-MAL

Qty	Unit	Rotary Park	Description	Quoted Price/Unit	Quoted Price Total
4	Ea	252DE	Connector Andrew P/N (252DE) non-tunable, Flange Type CPR137G for EW52 waveguide	\$	-
1	Ea	AE01A-D1306-003	Dehydrator wall shelf Andrew P/N (AE01A-D1306-003) for MT-050 dehydrator	\$	-
1	Ea	MT050-81015	Dehydrator, Andrew P/N (MT050-81015) 115 Vac 60 Hz, LP alarm, Pressure factory set at 5 psi, single line install kit incl	\$	-
2	Ea	PAR6-59-PXA	Dish 6 ft, Andrew (PAR6-59) standard antenna for 5.925-6.425 GHz, Cat A, with single pol. CPR137G, Gray with Gray	\$	-
8	Kit	241088-4	Grounding kit Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EW52, and EW63	\$	-
13	Pkg	EW5H-52	Hangers, Andrew (EW5H-52) Snap-in hanger kit of 10, for EW52 Helix waveguide	\$	-
2	Ea	24312-A	Hoisting Grip, Andrew (24312-A) Standard, for 1-5/8" cable and EW52, and EW63 elliptical waveguides	\$	-
1	Kit	IMH-4B-001	Line Monitor, Andrew, Four Lines 3-8 Psi Includes Installation Kit AE01K-C0331 no bid	\$	-
1	Ea	6600D-4	Manifold, Andrew P/N 6600D-4, Four outlet gas manifold with gauge and shut-off valve includes 3/8 tube installation kit	\$	-
2	Ea	55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$	-
2	Ea	F137PC0360CB	Twist-Flex, 36", Andrew (F137PC0360CB) 5.85-6.200 GHz, Size EJA WR137, Flange Type CPR137G ea end	\$	-
205	Fl	EW52	Waveguide, Main Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$	-
2	Ea	R6E	Radome, 6ft, Standard Model, Andrew P/N R6E	\$	-
175	Fl	EW52	Waveguide, Diversity Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$	-
Path Total				\$	-

ORDER/Path Name CLE-FLO

Qty	Unit	ROTARY PARK	Description	Quoted Price/Unit	Quoted Price Total
4	Ea	252DE	Connector, Andrew P/N (252DE) non-tunable, Flange Type CPR137G for EW52 waveguide	\$	-
2	Ea	PAR6-59-PXA	Dish 6 ft, Andrew (PAR6-59) standard antenna for 5.925-6.425 GHz, Cat A, with single pol., CPR137G, Gray With Gray	\$	-
B	Kit	241088-4	Grounding kit, Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EW52, and EW63	\$	-
15	Pkg	EW5H-52	Hangers, Andrew (EW5H-52) Snap-in hanger kit of 10, for EW52 Helix waveguide	\$	-
3	Ea	29958	Hoisting Grip, Andrew (29958) Standard, for EW85, EW90, EW127A, and EW132 elliptical waveguides	\$	-
2	Ea	55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$	-
2	Ea	F137PC0360CB	Twist-Flax, 36", Andrew (F137PC0360CB) 5.85-8.200 GHz, Size EIA WR137, Flange Type CPR137G ea end	\$	-
234	Ft	EW52	Waveguide, Main Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$	-
2	Ea	R6E	Radome, 6ft, Standard Molded, Andrew P/N R6E	\$	-
204	Ft.	EW52	Waveguide, Diversity Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$	-
Path Total				\$	-

ORDER/Path Name MAL-GAR

Qty	Unit	ROTARY PARK	Description	Quoted Price/Unit	Quoted Price Total
4	Ea	190DE	Connector, Andrew PIN (190DE) non-tunable, Flange Type CPR90G for standard EW90-107, 10.7 - 11.7 GHz	\$	-
1	Ea	HP6-107-P1A	Dish 6 ft. Andrew (HP6-107) high performance antenna for 10.5-11.7 GHz Cat A, single pol., CPR90G, Gray With White	\$	-
1	Ea	VHL P6-11-8GR	Dish 6 ft. Andrew Valuline (VHL P6-11) high performance antenna for 10.7-11.7 GHz, Cat A, single pol., CPR90G, Gray	\$	-
8	Kit	204989-2	Grounding kit, Andrew (202989-2), 24" cable with 1-hole factory attached lug for 7/8" coaxial and EW85, EW90, EW127A	\$	-
11	Pkg	EWMSH-90	Hangers, Andrew (EWMSH-90) Snap-in hanger kit of 10, for EW90 Helix waveguide	\$	-
2	Ea	29958	Hoisting Grip, Andrew (29958) Standard, for EW85, EW90, EW127A, and EW132 elliptical waveguides	\$	-
2	Ea	55001-90	Pressure window, Andrew (55001-90) for use with flange type CPR90G	\$	-
2	Ea	520570-1	Strut Kit, Andrew (520570-1) Adjustable Inboard optional side strut for 4' and 6' microwave antennas	\$	-
2	Ea	F090PC0360CS	Twist-Flex, 35", Andrew (F090PC0360CS) WR90 10.7-11.7 GHz, Size EIA WR90, Connectors CPR90G ea end	\$	-
170	Ft	EW90	Waveguide, Main Path Andrew (EW90) Helix elliptical waveguide, Standard Type EW90, 10.2 - 11.7 GHz	\$	-
140	Ft	EW90	Waveguide, Diversity Path, Andrew (EW90) Helix elliptical waveguide, Standard Type EW90, 10.2 - 11.7 GHz	\$	-
Path Total				\$	-

ORDER/Path Name GAR-MAL

Qty	Unit	Rotary Park	Description	Quoted Price/Unit	Quoted Price Total
4	Ea	190DE	Connector, Andrew P/N (190DE) non-tunable, Flange Type CPR90G for standard EW90-107, 10.7 - 11.7 GHz	\$	-
1	Ea	HP6-107-P1A	Dish 6 ft, Andrew (HP6-107) high performance antenna for 10.5-11.7 GHz Cat A, single pol., CPR90G, Gray With White	\$	-
1	Ea	VHL P6-11-6GR	Dish 6 ft, Andrew Valuline (VHL P6-11) high performance antenna for 10.7 - 11.7 GHz, Cat A, single pol., CPR90G, Gray	\$	-
8	Kit	204989-2	Grounding kit, Andrew (202989-2), 24" cable with 1-hole factory attached lug for 7/8" coaxial and EW85, EW90, EW127A.	\$	-
10	Pkg	EWSH-90	Hangars, Andrew (EWSH-90) Snap-in hangar kit of 10, for EW90 Helix waveguide	\$	-
2	Ea	29958	Hoisting Grip, Andrew (29958) Standard, for EW85, EW90, EW127A, and EW132 elliptical waveguides	\$	-
2	Ea	55001-90	Pressure window, Andrew (55001-90) for use with flange type CPR90G	\$	-
2	Ea	520570-1	Strut Kit, Andrew (520570-1) Adjustable Inboard optional side strut for 4' and 6' microwave antennas	\$	-
2	Ea	F090PC0360CS	Twist-Flex, 35", Andrew (F090PC0360CS) WR90 10.7-11.7 GHz, Size EIA WR90, Connectors CPR90G ea end	\$	-
165	Fl	EW90	Waveguide, Main Path, Andrew (EW90) Helix elliptical waveguide, Standard Type EW90, 10.2 - 11.7 GHz	\$	-
135	Fl	EW90	Waveguide, Diversity Path, Andrew (EW90) Helix elliptical waveguide, Standard Type EW90, 10.2 - 11.7 GHz	\$	-
Path Total				\$	\$

ORDER/Path Name COL-BAR

Qty	Unit	Rotary Park	Description	Quoted Price/Unit	Quoted Price Total
4	Ea	252DE	Connector, Andrew P/N (252DE) non-tunable, Flange Type CPR137G for EW52 waveguide	\$	-
2	Ea	PAR6-59-PXA	Dish 6 ft, Andrew (PAR6-59) standard antenna for 5.925-6.425 GHz, Cal A, with single pol., CPR137G, Gray With Gray	\$	-
8	Kit	241088-4	Grounding kit, Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EW52, and EW63	\$	-
15	Pkg	EW5H-52	Hangers, Andrew (EW5H-52) Snap-in hanger kit of 10, for EW52 Helix waveguide	\$	-
3	Ea	24312-A	Hoisting Grip, Andrew (24312-A) Standard, for 1-5/8" cable and EW52, and EW63 elliptical waveguides	\$	-
2	Ea	F137PC0360CB	Twist-Flex, 36", Andrew (F137PC0360CB) 5.85-8.200 GHz, Size EIA WR137, Flange Type CPR137G ea end	\$	-
246	Pt	EW52	Waveguide, Main Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$	-
2	Ea	R6E	Radome, 6ft, Standard Molded, Andrew P/N R6E	\$	-
216	Ft	EW52	Waveguide, Diversity Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$	-
Path Total				\$	\$

ORDER/Path Name COL-GAR

Qty	Unit	Rotary Park	Description	Quoted Price/Unit	Quoted Price Total
4	Ea	190DE	Connector, Andrew P/N (190DE) non-lunable, Flange Type CPR90G for standard EW90-107, 10.7 - 11.7 GHz	\$	-
1	Ea	AE01A-D1306-003	Dehydrator wall shelf Andrew P/N (AE01A-D1306-003) for MT-050 dehydrator	\$	-
1	Ea	MT050-81015	Dehydrator, Andrew P/N (MT050-81015) 115 Vac 60 Hz, LP alarm, Pressure factory set at 5 psi, single line install kit incl	\$	-
1	Ea	VHLPA-11-6GR	Dish 4 ft, Andrew Valuline (VHLPA-11-6GR) high performance antenna for 10.7-11.7 GHz, Cat A, with single pol feed,	\$	-
1	Ea	HP8-107-P1A	Dish 8 ft, Andrew (HP8-107) high performance antenna for 10.7-11.7 GHz, Cat A, single pol., CPR90G, Gray With White	\$	-
8	Kit	204989-2	Grounding kit, Andrew (202989-2), 24" cable with 1-hole factory attached lug for 7/8" coaxial and EW85, EW90, EW127A,	\$	-
13	Pkg	EWSH-90	Hangers, Andrew (EWSH-90) Snap-in hanger kit of 10, for EW90 Heliax waveguide	\$	-
1	Kit	MH-8B-001	Line Monitor, Andrew, Eight Lines 3-8 Psi includes Two Installation Kits AE01K-C033 1no bid	\$	-
1	Ea	6600D-6	Manifold, Andrew P/N 6600D-6, Six outlet gas manifold with gauge and shutoff valve includes 3/8 tube installation kit	\$	-
2	Ea	55001-90	Pressure window, Andrew (55001-90) for use with flange type CPR90G	\$	-
1	Ea	520570-3	Strut Kit, Andrew (520570-3) Outboard Strut Kit for 8' - 12' microwave antennas, includes U-joint & hardware for	\$	-
2	Ea	F090PC0380CS	Twist-Flex, 35", Andrew (F090PC0380CS) WR90 10.7-11.7 GHz, Size E/A WR90, Connectors CPR90G, ea end	\$	-
205	Fl	EW90	Waveguide, Main Path, Andrew (EW90) Heliax elliptical waveguide, Standard Type EW90, 10.2 - 11.7 GHz	\$	-
175	Fl	EW90	Waveguide, Diversity Path, Andrew (EW90) Heliax elliptical waveguide, Standard Type EW90, 10.2 - 11.7 GHz	\$	-
Path Total				\$	-

ORDER/Path Name HGR-SAN

Qty	Unit	Rotary Part	Description	Quoted Price/Unit	Quoted Price Total
2	Ea	252DE	Connector, Andrew PIN (252DE) non-tunable, Flange Type CPR137G for EWS2 waveguide	\$	-
1	Ea	PAR6-59-PXA	Dish 5 ft, Andrew (PAR6-59) standard antenna for 5.925-6.425 GHz, Cat A, with single pol., CPR137G, Gray With Gray	\$	-
4	Kit	241088-4	Grounding kit, Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EWS2, and EWS3	\$	-
5	Pkg	EWSH-52	Hangers, Andrew (EWSH-52) Snap-in hanger kit of 10, for EWS2 Helix waveguide	\$	-
1	Ea	24312-A	Hoisting Grip, Andrew (24312-A) Standard, for 1-5/8" cable and EWS2, and EWS3 elliptical waveguides	\$	-
1	Ea	55001-137	Pressure window, Andrew (55001-137) 5.925 - 7.125 GHz, for use with flange type CPR137G	\$	-
1	Ea	F137PC0360CB	Twist-Flex 36", Andrew (F137PC0360CB) 5.85-8.200 GHz, Size EIA WR137, Flange Type CPR137G ea end	\$	-
140	Ft	EWS2	Waveguide, Main Path, Andrew (EWS2) Helix elliptical waveguide, Standard Type EWS2, 5.60 - 6.425 GHz	\$	-
1	Ea	R8E	Radome, 6ft, Standard Molded, Andrew PIN R8E	\$	-
Path Total				\$	\$

ORDER/Path Name SAN-HGR

Qty	Unit	Rotary Park	Description	Quoted Price/Unit	Quoted Price Total
2	Ea	262DE	Connector, Andrew P/N (262DE) non-tunable, Flange Type CPR137G for EW52 waveguide	\$	-
1	Ea	PAR6-59-PXA	Dish 6 ft, Andrew (PAR6-59) standard antenna for 5.925-6.425 GHz, Cat A, with single pol., CPR137G, Gray with Gray	\$	-
4	Kit	241088-4	Grounding kit, Andrew (241088-4), 24" lead, with 2-hole factory attached lug for 1-5/8" coaxial cable, EW52, and EW63	\$	-
5	Pkg	EWSH-52	Hangers, Andrew (EWSH-52) Snap-in hanger kit of 10, for EW52 Hellax waveguide	\$	-
1	Ea	24312-A	Pressure window, Andrew (24312-A) Standard, for 1-5/8" cable and EW52, and EW63 elliptical waveguides	\$	-
1	Ea	55901-137	Twist-Flex, 36", Andrew (55901-137) 5.925 - 7.125 GHz, for use with flange type CPR137G ea end	\$	-
1	Ea	F137PC0360CB	Waveguide, Main Path, Andrew (EW52) Helix elliptical waveguide, Standard Type EW52, 5.60 - 6.425 GHz	\$	-
155	Ft	EW52	Radome, 6ft, Standard Molded, Andrew P/N R6E	\$	-
1	Ea	R6E			
Path Total				\$	-

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the **West Virginia Code**. The vendor **must** make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the **West Virginia Code** and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the **West Virginia Code** may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.

Under penalty of law for false swearing (**West Virginia Code §61-5-3**), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name: _____

Authorized Signature: _____ Date: _____

State of West Virginia**VENDOR PREFERENCE CERTIFICATE**

Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1. Application is made for 2.5% resident vendor preference for the reason checked:

- ____ Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
- ____ Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
- ____ Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,

2. Application is made for 2.5% resident vendor preference for the reason checked:

- ____ Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,

3. Application is made for 2.5% resident vendor preference for the reason checked:

- ____ Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,

4. Application is made for 5% resident vendor preference for the reason checked:

- ____ Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,

5. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:

- ____ Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,

6. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:

- ____ Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: _____ Signed: _____

Date: _____ Title: _____

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.