

VENDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

### Request for Quotation

DNR209115

PAC	ЭE :	ं
	1	

ADDRESS CORRESPONDENCE TO ATTENTION OF

FRANK WHITTAKER 304-558-2316

	٠.		
٠			
٠.			
¢			
		4	
1			
í			
¢			
¢			
c			
ŀ			
K			
i			

DIVISION OF NATURAL RESOURCES BERWIND LAKE WMA ATTN: PARK SUPERINTENDENT POST OFFICE BOX 38 WARRIORMINE, WV

24894 875-4663

DATE PRIN	TED	TER	MS OF SAL		SHIP	ΊΑ		FOB		FREIGHT TERMS
04/09/										
BID OPENING DATE:	E-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	05/07/	2009			BID	OPEN	IING TIME	01	:30PM
LINE	QUA	лттү	UOP	CAT NO	ITEM NUM	/BER		UNITPRICE		AMOUNT
0001			LS		650-38					
0001		1	LJ		050-30					
	PLAYGR		QUIPM	ENT (	NOT OTHER	WISE CL	ASSI	FIED)		***************************************
	THE WE	ST VTR	GTNTA	PURC	HASING DI	VISTON.	FOR	THE ACE	NCV.	
					SION OF N					
				I	AYGROUND		I .			
	LAKE W	MA.								
	A MAND	ATOBY		ID CO	NFERENCE	LITII DE	DEL	D ON 04	(33 (00	
				}	LAKE WMA					
					E-BID MEE					
	1				NDIVIDUAL		\$			
	THAN O	NE FIR	M AT	THE M	EETING.					
		0.4.1 0.11					ļ			
					Y BE SUBM PURCHASI					
					AIL AT FR					
					QUESTION					
					S WILL BE					
	AFTER									
	DANKDII	DTCV.	T 14 T	ue ev	ENT THE V	- NDOD (C	ONTO			
	1				ION, THIS		1		LES	
					AND TERMI				IER	
	ORDER.			ŕ				_ , , , , , , , ,		
					ICATIONS F QUALITY				.ISH	
					PREFERENC					
	PARTIC	ULAR B	RAND	OR VE				RE BIDDI	NG	·
					TATE AND				,,,,	
					CATIONS.			PROVIDE		
		mayween and a second					``			
	I ************************************			SEE RE	ERSE SIDE FOR TO		NDITION	S.		
SIGNATURE						TELEPHONE			DATE	
TITLE		FE	IN					ADDRESS (	CHANGES	TO BE NOTED ABOVE



**VENDOR** 

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

DNR209115

PA	GE		
	-	,	

ADDRESS CORRESPONDENCE TO ATTENTION OF

FRANK WHITTAKER 304-558-2316

1000	
00001	
Ĭ.	
o.	
P 1	
900 I	
0	

DIVISION OF NATURAL RESOURCES
BERWIND LAKE WMA
ATTN: PARK SUPERINTENDENT
POST OFFICE BOX 38
WARRIORMINE, WV

24894 875-4663

DATE PRINT		III III ER	MS OF SAL	E	SHIP V	IA		F.O.B		FREIGHT TERMS
04/09/ BID OPENING DATE:										
DID OPENING DATE.		05/07/	2009	0.0000000000000000000000000000000000000		BID	OPENIN	<u>IG TIME</u>	01	:30PM
LINE	QUAN	NTITY	UOP	CAT. NO.	ITEM NUN	1BER		UNIT PRICE		AMOUNT
			<u> </u>	and a factor of the second of the				paragramento a profesione de la registrata.		
	TNEODM	ΛΤΤΩΝ	EUB V	NIV AI	TERNATES	MAV RE	CDUINL	S EUD		
	REJECT				THE STAT					,
			į j		ARITIES I				ากมร	
l :			: :		TION 148-					
1			1 1	1	ULES AND					
				NOT						
	A SIGN	ED BID	MUST	BE S	UBMITTED	TO:				
,			1 1		INISTRATI	ON				
		URCHAS	} ;	IVISI	ON					
		UILDIN				***				
					TREET, EA	SI				
	L	HAKLES	IUN,	WV Z	5305-0130					
										·
	THE BI	D SHOU	LD CO	NTAIN	THIS INF	ORMATIO	N ON T	HE FACE	OF	
	THE EN	VELOPE	OR T	HE BI	D MAY NOT	BE CON	SIDERE	D:		
		,								
	SEALED	BID								
	D11VED.									
	BUYER:				44					
	RFQ. N	n .			DNR20911	<b>5</b>				
	1. Q • 14	0			DAKEGSII	ر				
	BID OP	ENING	DATE:		05/07/09					
			<b>`</b>		32.3.,3,					
	BID OP	ENING	TIME:		1:30 PM					
				ĺ						
i i			: ;		UMBER IN		IS NE	CESSARY		
	IO CON	TACT Y	UU RE	GARDI	NG YOUR B	TD:				
				SEE RE)	VERSE SIDE FOR TH	RMS AND CO	NDITIONS			
SIGNATURE	and the second second second second					TELEPHONE			DATE	
TITLE			in .							



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

RFC	NUM	BER	(2)()	9010	(1989)
DN	R20	91	1	5	

∷PA	GE		
	3	3	

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER 304-558-2316

	22.1
0.00	900 L
	1
- 1	
	1.1
11.1	
	251
. 3	A : 1
	3 - L
	201
	- 1
	1 : I
1.50	
100	

RFQ COPY
TYPE NAME/ADDRESS HERE

DIVISION OF NATURAL RESOURCES
BERWIND LAKE WMA
ATTN: PARK SUPERINTENDENT
POST OFFICE BOX 38
WARRIORMINE, WV
24894
875-4663

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
04/09/2009				
BID OPENING DATE: 0	5/07/2009	BID	DPENING TIME 01	:30PM
LINE QUANT	TITY UOP CAT	ITEM NUMBER	UNIT PRICE	AMOUNT
CONTACT	T PERSON (PLEAS	SE PRINT CLEARLY):		
****	THIS IS THE I	END OF RFQ DNR2091	l15 ***** TOTAL:	
		REVERSE SIDE FOR TERMS AND CON	NIPI/NIA	
SIGNATURE	) I C	TELEPHONE	DITIONS DATE	
TITLE	FEIN .			TO BE NOTED ABOVE

### WVDNR209115

# Berwind Lake Wildlife Management Area Playground Specifications

To supply playground equipment to offer play activities for children ages two (2) to twelve (12) at Berwind Lake Wildlife Management Area, Warriormine West Virginia. Playground equipment will be purchased for three (3) separate areas in the park. Park personnel will install all playground equipment. The award may be split if it is in the best interest of the West Virginia Division of Natural Resources. All items must be F.O.B. Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.

### **POOL AREA PLAYGROUND**

Miracle tarantula climber, Model #4561, or equal. Climber must have a horizontal top ring of two rails with rungs; have four vertical support legs attached to the ring's inner rail; and have four vertical climber ladder assemblies attached to the ring's outer rail.

Miracle, 630° typhoon slide, Model #65759, or equal. Slide must be freestanding with a spiral one-piece open bed-way; have an enclosed platform a minimum of 9'4" in height; and have pvc-coated steel steps with handrails.

Miracle chipper squirrel "C" spring rider model #918, or equal. Rider must be freestanding and must allow for a traditional rocking horse type movement utilizing a flat strip style spring that has been formed into a "C" shape. Rider must have a footrest with an aluminum enamel finish and footrest caps with nickel chrome and the finish mounting frame must have a galvanized finish

Miracle pokey the snail "C" spring rider, Model #963, or equal. Rider must be freestanding and must allow for a traditional rocking horse type movement utilizing a flat strip style spring that has been formed into a "C" shape. Rider must have a footrest with an aluminum enamel finish and footrest caps with nickel chrome and the finish mounting frame must have a galvanized finish.

Miracle 5" OD arch tire swing complete model #714852, or equal. Swing frame must have two end arches; have a header; have clamps which assemble to form a swing frame; have swivel and tire assemblies attached to the frame by pvc-coated chains. Arch assembly must be constructed of a minimum of 5" tube; and tire assembly must swing to and fro and must rotate 360°.

Miracle 5" OD arch 2 bay swing frame 4 seats REQ MC, Model #7148524, or equal. Frame must have two end arches and one center arch; have an OD top rail to form a 2-bay swing frame; be constructed of a minimum of 5" tube.

### WVDNR209115

# Berwind Lake Wildlife Management Area Playground Specifications

Miracle the whirl (merry-go-round), Model #303, or equal. Whirl must have four u-shaped handrails atop a deck assembly that spins on a center hub; and have a speed governing device that is concealed and activated by centrifugal force.

### **ENTRANCE AREA PLAYGROUND**

Miracle, peak climber, Model #4582a2, or equal. Freestanding climber must have a center post and ground-mounted inclined rails that contain a series of welded "U" loops on undersides.

Miracle 405° typhoon slide, Model #65749, or equal. Slide must be freestanding with a spiral one-piece open bed way; have a enclose platform a minimum of 6' 3" in height; and have pvc coated steel steps with handrails.

Miracle twin rider, Model #6081, or equal. Rider must accommodate two children; have twin coin springs for four way rock and teeter; have a steel frame with aluminum seats; have a steel hand and floor rest; and have a Perma-guard finish. Each spring must have two spirals lock plats for attachment to the support arm and mounting frame.

### OFFICE AREA PLAYGROUND

Miracle swing part slash proof seat with clevis, Model #284, or equal. Seat must be a flexible flat single strap with end attachment points and have a galvanized steel clip a minimum of 3" wide triangle at end of each seat.

Miracle swing part tot seat 360° with clevis model #299, or equal. Seat must be flexible and fabricated into a configuration of a wide strap under and through the bottom, a wide strap around the top and have two interconnecting straps at the front and rear of the sear for complete enclosure of a small child.

Miracle OD arch one bay swing frame with two (2) s/p seats MC, Model #7148522s, or equal. Swing frame must have two end arches with OD top rail to form a single bay swing frame; and frame must be constructed of a minimum of 5"tube.

# ITEMS FOR ALL THREE PLAYGROUNDS

Engineered wood fiber or equal. Material must be recently harvested and debarked; free of chemical treatments and additives; free of soil, twigs, leaves and other contaminates.

### WVDNR209115

# Berwind Lake Wildlife Management Area Playground Specifications

All playground equipment and engineered wood fiber must meet the following requirements:

- Compliance with U.S. Consumer Product Safety Commission, Handbook for Public Playground Safety.
- Compliance with ASTM Standard F 1487.
- Compliance with Architectural and Transportation Barriers Compliance Board, Americans with Disabilities Act (ADA) Accessibility Guidelines for Buildings and Facilities; Play Areas.

Vendors must submit the following attachments:

- Complete manufacturer's parts specifications and warranties.
- Layout drawing to scale of the proposed play structure or equipment.
- ASTM and CPSC Statement of Compliance

### Warranties:

 All equipment and engineered wood fiber must be guaranteed to be free of defects in workmanship and material for a minimum of one year from date of acceptance. However, if manufacturer warranty periods are longer than the required minimum one year warranty, those warranties shall apply.

All playground equipment must include tamper proof fasteners to prevent theft and destruction.

Color scheme of equipment must be coordinated with Berwind Lake Wildlife Management Area. Color of items will be selected from manufacturer's standard colors.

A mandatory pre-bid conference will be held on April ?, 2009, at Berwind Lake Wildlife Management Area Headquarters at ?. A failure to attend the mandatory pre-bid conference will result in bid disqualification. An individual may not represent more than one firm at the pre-bid conference.

Tarantula Climber

456-1
Tarantula Climber


Rev. D




# **Product Specifications**


MIRACLE Freestanding Typhoon Slides - Platform Heights of 6'-3", 9'-4" & 12'


Freestanding Typhoon Slide, 360°, 6'-3" Platform



Freestanding Typhoon Slide, 405°, 6'-3" Platform










MIRACLE: "C" Spring Riders - Rodeo Rocky, Cleo Lion, Chipper Squirrel, Sammy Seal,
Moto-Cross, Frog. Schnozz Wump, Elephant, Jet Interceptor & ATV


901

917

"Rodeo Rocky" "C" Spring Rider

"Cleo Lion" "C" Spring Rider








918

"Chipper Squirrel" "C" Spring Rider


919









# "C" Spring Riders







# MIRACLE "C" Spring Riders





January 20, 2009

Rev. C

"C" Spring Riders


Hoppy & Pokey

962

Hoppy "C" Spring Rider

963

Pokey "C" Spring Rider







Kids' Choice®

# Arch Tire Swing and Arch Tire Swing Extension

# Arch Tire Swing (2) End Arches, (1) Header & (1) Tire Swing Assembly form (1) Complete Bay (1) Extension Arch, (1) Header & (1) Tire Swing Assembly form (1) Additional Bay



Kids' Choice®

# **Arch Swing Frames & Arch Swing Frame Extensions**


714-852-2 & 714-852-2X

714.852-114 8 714-852-2144

714-852-1HX & 714-852-2HHX

### **Arch Swing Frame\***

(2) End Arches & (1) Header form (1) Bay for (2) Seats



### Arch Swing Frame Extension\*

- (1) Extension Arch & (1) Header form (1) additional Bay for
- (2) additional Seats



\* Specifications for Model #s 714-852-2 and 714-852-2X encompass Model #s 714-852-4 and 714-852-6.


714.852.2 % 714.852.2X

714-852-1H & 714-852-2HH

714-052-147 & 714-652-2141X


# Arch Swing Frame for Therapeutic Swing Seat

(2) End Arches & (1) Header form (1) Bay for (1) Therapeutic Swing Seat



# Arch Swing Frame for Therapeutic Swing Seats

(2) End Arches & (1) Header form (1) Bay for (2) additional Therapeutic Swing Seats





Kids' Choice®

# **Arch Swing Frames & Arch Swing Frame Extensions**

774-852-28 8 714-852-28


714-952-141 & 714-852-2HH 714-852-1HX & 714-852-2HHX


### **Arch Swing Frame Extension for** Therapeutic Swing Seat

- (1) Extension Arch & (1) Header form (1) additional Bay for
- (1) additional Therapeutic Swing Seat



(1) Extension Arch & (1) Header form (1) additional Bay for (2) additional Therapeutic Swing Seats





April 5, 2004


Rev. A



MIRACLE RECREATION EQUIPMENT COMPANY Whirl with Governor

303


Whirl




October 2, 2007


Rev. A

MIRACLE Peak Climber with Handrails - 2-Way, 3-Way & 4-Way & Add-ons





# Peak Climber with Handrail - 2-Way, 3-Way & 4-Way; Climber Add-Ons





6'-3" Platform

# Product Specifications


Freestanding Typhoon Slides - Platform Heights of 6'-3", 9'-4" & 12'


.


Freestanding Typhoon Slide, 360°,

65-748 and 65-749

Freestanding Typhoon Slide, 405°, 6'-3" Platform











Twin Rider, Model # 6081



Produce Produce Swing Seats





Rev. D



# **Product Specifications**

Kids' Choice®

# **Arch Swing Frames & Arch Swing Frame Extensions**


714-852-2 & 714-852-2X

714-852-114 & 714-852-21414

714.852.1HX & 714.852.2HHX

### Arch Swing Frame\*

(2) End Arches & (1) Header form (1) Bay for (2) Seats



### Arch Swing Frame Extension\*

- (1) Extension Arch & (1) Header form (1) additional Bay for
- (2) additional Seats



\* Specifications for Model #s 714-852-2 and 714-852-2X encompass Model #s 714-852-4 and 714-852-6.


774-652-23 774-652-23

714-852-1H & 714-852-2HH

714-852-11-12 & 714-852-211-13


### Arch Swing Frame for Therapeutic Swing Seat

(2) End Arches & (1) Header form (1) Bay for (1) Therapeutic Swing Seat



## Arch Swing Frame for Therapeutic **Swing Seats**

(2) End Arches & (1) Header form (1) Bay for (2) additional Therapeutic Swing Seats





Kids' Choice®

# **Arch Swing Frames & Arch Swing Frame Extensions**


714-852-2 8 714-852-2X

714-852-18 8 714-852-2586


714-852-1HX & 714-852-2HHX

### Arch Swing Frame Extension for Therapeutic Swing Seat

- (1) Extension Arch & (1) Header form (1) additional Bay for
- (1) additional Therapeutic Swing Seat



- (1) Extension Arch & (1) Header form (1) additional Bay for
- (2) additional Therapeutic Swing Seats





# WVDNR209115 Berwind Lake Wildlife Management Area PLAYGROUND EQUIPMENT SHEET

Please complete the below information concerning the brand(s) of equipment being bid in relation to this project. If bidding "or equal" brands, please attach manufacturer's literature documenting that it meets the mandatory requirements stated in the specifications. Vendors should note the areas of the provided manufacturer's literature that adheres to the mandatory requirements outlined in the Request For Proposal.

Item No.	Equipment	Manufacturer	Model
1	Pool Area Playground Miracle		
	tarantula climber, Model #4561,		
	or equal.		
2	Pool Area Playground Miracle,		
	630° degree typhoon slide,		
	Model #65749, or equal.		
3	Pool Area Playground Miracle		
	chipper squirrel "C" spring rider		
	model #918, or equal.		
4	Pool Area Playground Miracle		
	pokey the snail "C" spring rider,		
	Model #963, or equal.		
5	Pool Area Playground Miracle 5"		
	OD arch tire swing complete		
	model #714852, or equal.		
6	Pool Area Playground Miracle 5"		
	OD arch 2 bay swing frame 4		
	seats REQ MC, Model		
	#7148524, or equal.		
7	Pool Area Playground Miracle		
	the whirl (merry-go-round),		
	Model #303, or equal.		
8	Entrance Area Playground		,
	Miracle, peak climber, Model		
	#4582a2, or equal.		
9	Entrance Area Playground		
	Miracle, 405° degree typhoon		
	slide, Model #65749, or equal.		
10	Entrance Area Playground		
	Miracle twin rider, Model #6081,		1
	or equal.		

# WVDNR209115 Berwind Lake Wildlife Management Area PLAYGROUND EQUIPMENT SHEET

Item No.	Equipment	Manufacturer	Model
11	Office Area Playground Miracle swing part slash proof seat with clevis, Model #284, or equal.		
12	Office Area Playground Miracle swing part tot seat 360° with clevis model #299, or equal.		·
13	Office Area Playground Miracle OD arch one bay swing frame with two (2) s/p seats MC, Model #7148522s, or equal.		
14	Engineered wood fiber or equal.	·	

PRICING SHEET

### **Unit Price** Item No. Quantity Description Amount Pool Area Playground Miracle tarantula climber, Model #4561, or equal. Pool Area Playground Miracle, 2 1 630° degree typhoon slide, Model #65749, or equal. 3 1 Pool Area Playground Miracle chipper squirrel "C" spring rider model #918, or equal. Pool Area Playground Miracle 1 4 pokey the snail "C" spring rider, Model #963, or equal. Pool Area Playground Miracle 1 5 5" OD arch tire swing complete model #714852, or equal. Pool Area Playground Miracle 6 1 5" OD arch 2 bay swing frame 4 seats REQ MC, Model #7148524, or equal. 7 1 Pool Area Playground Miracle the whirl (merry-go-round), Model #303, or equal. 1 Entrance Area Playground 8 Miracle, peak climber, Model #4582a2, or equal. Entrance Area Playground 9 1 Miracle, 405° degree typhoon slide, Model #65749, or equal. 10 1 Entrance Area Playground Miracle twin rider, Model #6081, or equal. Office Area Playground Miracle 4 11 swing part slash proof seat with clevis, Model #284, or equal. 2 Office Area Playground Miracle 12 swing part tot seat 360° with clevis model #299, or equal.

Item No.	Quantity	Description	<b>Unit Price</b>	Amount
13		Office Area Playground Miracle		
		OD arch one bay swing frame		
		with two (2) s/p seats MC,		
		Model #7148522s, or equal.		
14	5,800 sq. ft.	Engineered wood fiber or equal.		
		TOTAL		

^	$\sim$
٠,	×
<i>L</i>	C)

REO N	1

### STATE OF WEST VIRGINIA Purchasing Division

# **PURCHASING AFFIDAVIT**

### VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

# PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. The vendor must make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

### ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

### LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

### CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/ noticeConfidentiality.pdf.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name:	
Authorized Signature:	Date:
,	

# State of West Virginia

# **VENDOR PREFERENCE CERTIFICATE**

Certification and application\* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1.	Application is made for 2.5% resident vendor preference for the reason checked:  Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2.	Application is made for 2.5% resident vendor preference for the reason checked:  Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4.	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
require agains or ded	understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the ments for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency acted from any unpaid balance on the contract or purchase order.
authori	mission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and zes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid uired business taxes, provided that such information does not contain the amounts of taxes paid nor any other information d by the Tax Commissioner to be confidential.
and ac	penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true curate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate es during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.
Bidde	: Signed:
Date:	Title:
*Check	any combination of preference consideration(s) indicated above, which you are entitled to receive.