

ENDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

EHS90078

PA	GE	
	1	

ADDRESS CORRESPONDENCE TO ATTENTION OF:

ROBERTA WAGNER 3<u>04-558-0067</u>

HEALTH AND HUMAN RESOURCES BPH ENVIRO HLTH SERVICES CAPITOL AND WASHINGTON STREETS 1 DAVIS SQUARE, SUITE 200 CHARLESTON, WV 25301-1798 304-558-2981

FREIGHT TERMS SHIP VIA DATE PRINTED TERMS OF SALE F.O.B, 11/13/2008 BID OPENING DATE: 11/26/2008 BID OPENING TIME 01:30PM LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT ADDENDUM NO. 1 1. QUESTIONS AND ANSWERS ATTACHED. 2. ADDENDUM ACKNOWLEDGEMENT IS ATTACHED. THIS DOCUMENT SHOULD BE SIGNED AND RETURNED WITH YOUR RFI. EXHIBIT 10 REQUISITION NO.: EHS90078 ADDENDUM ACKNOWLEDGEMENT I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC. ADDENDUM NO. 'S: NO. 1 NO. 2 NO.3NO. 4 NO. 5 MENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE DATE TITLE ADDRESS CHANGES TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee
- 5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30
- 6. Payment may only be made after the delivery and acceptance of goods or services
- 7. Interest may be paid for late payment in accordance with the West Virginia Code
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract
- 12. Any reference to automatic renewal is hereby deleted The Contract may be renewed only upon mutual written agreement of the parties
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160 103) and will be disclosing Protected Health Information (45 CFR §160 103) to the vendor
- 15. WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications specifications must be clearly indicated by the bidder Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications. Any deviation from the
- 3. Complete all sections of the quotation form
- 4. Unit prices shall prevail in case of discrepancy
- 5. All quotations are considered FOB destination unless alternate shipping terms are clearly identified in the
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O Box 50130, Charleston, WV 25305-0130



NENDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER	
`	
EHS90078	

PAGE	
2	

ROBERTA WAGNER

	HEALTH BPH EN	AND	HUMAN	RES	OURC	ES	
ì	BPH EN	VIRO	HLTH	SERV	ICES	;	
	CAPITO	L ANI) WASH	INGT	ON S	TREE	TS
	1 DAVI	S SQU	JARE,	SUIT:	E 20	0	
	1 DAVI CHARLE	STON,	WV				
			_				

ADDRESS CORRESPONDENCE TO ATTENTION OF

25301-1798 304-558-2981 DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS 11/13/2008 BID OPENING DATE: 11/26/2008 BID OPENING TIME CAT NO LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING. SIGNATURE COMPANY DATE

SEE REVERSE SIDE FOR TEAMS AND CONDITIONS

SIGNATURE

TITLE

FEN

ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



VEXDOR

DATE PRINTED

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

TERMS OF SALE

Request for Quotation

SHIP VIA

R	QNU	MBE	3	
F	EHS	900	78	

P	AGE	
	3	

FREIGHT TERMS

ADDRESS CORRESPONDENCE TO ATTENTION OF

ROBERTA WAGNER

RFQ COPY TYPE NAME/ADDRESS HERE

HEALTH AND HUMAN RESOURCES
BPH ENVIRO HLTH SERVICES
CAPITOL AND WASHINGTON STREETS
1 DAVIS SQUARE, SUITE 200
CHARLESTON, WV
25301-1798 304-558-2981

11/13/ BID OPENING DATE	2008						<u></u>		
LINE	QUAN	11/26/ VIITY	2008 UOP	CAT NO.	ITEM	BLD NUMBER	OP 	PENING TIME 01 UNIT PRICE	30 PM AMOUNT
0001	RFI FOI	1	JB . ON		220-34 OPMENT (OF DATA E	ХC	HANGE NODE	
	*****	THIS	IS T	HE EN	OF RF	Q EHS90	07	8 ***** TOTAL:	
		4 77 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7							
		- 17 m 20 m 2							
SIGNATURE		FE	IN.	SEE REV	ERSE SIDE FO	R TERMS AND CONTELEPHONE	NDIT	DATE	TO DE NOTED ADOVE
								AUDRESS CHANGES	TO BE NOTED ABOVE

STATE OF WEST VIRGINIA

Page of	Pages	Requisition / P O EHS90078	No.:
File: RW22	Acct. No	:	
Spending Uni		wironmental Health	Sondoon

Vendor:			Penaing Or NDHHR/B		nmental Health Services
item No.	Quantity	Description		Unit Price	Amount
	1	Response to vendor questions as follows: Vendor Question #1: The top of the form says "Request for Quote", the langual throughout say "Request for Information", but it almost selike a "Request for Proposal" is expected. Could you clark whether this is an RFI, RFQ or RFP? We're not exactly on whether vendors are expected to provide a price quote, a proposal, or provide information. OEHS Response to Vendor Question #1: This is a Request for Information (RFO). Vendors are expected provide information only, no price quotes.	eems ify on ertain a full		
	iii O V s d v V r r c C t t r r c V If C	Vendor Question #2: If this is an RFI, we aren't clear on what information WV-Clexpecting. For example, the RFI/RFQ says, "Vendors into in this RFI need to be able to respond to questions and prinformation on the following: - Setting up and configuring 2.0 software. "What information in particular is WV-OEHS looking for in regards to setting up and configuring Node 2 software2. Similarly, when the RFI states "Data flows from OEHS' SDWIS/State to EPA and WVGISTC", what inform OEHS looking for? DEHS Response to Vendor Question #2 DEHS is looking for general technical information from a vendor's perspective about what is involved and/or require setup and configure node software. In OEHS' case, the neoftware is known as Node 2.0. In addition to needing information about setting up and configuring node software prendor's perspective about what is involved and/or require rendor's perspective about what is involved and/or require lata flows from OEHS' SDWIS/State software to U.S. EPA WVGISTC. OEHS will use information it receives from versesponding to this RFI to assist it in developing Request for Quotation (RFQ) specifications. OEHS does not have the exchaincal knowledge necessary to develop specifications agarding nodes and data flows on its own. Jendor Question #3: This is an RFI, will a separate RFQ be issued separately? EHS Response to Vendor Question #3: This is an RFI, will a separately at a later date.	erested rovide Node Node S 2.0 m nation is ed to ode e, m a ed to be A and ndors or		

STATE OF WEST VIRGINIA

Page of		Requisition / P.O. No.: EHS90078
File: RW22	Acct. No.:	
Spending Unit:	Office of Env	ironmental Health Services

Vendor:		P.O Date:	Spending Ui WVDHHR/E		mental Health Services
Item No.	Quantity			Unit Price	Amount
i		Vendor Question #4: Does WV DHHR have existing hardware and commerce software to host the production and supporting versions Node? Or will these costs need to be considered by the respondent?	s of the		
		OEHS Response to Vendor Questions #4: WV currently has hardware for a Node deployment. So needed, would need to be considered.	ftware, if		
		Vendor Question #5: Will WV continue to maintain both Node 1.0 and 2.0?			
		OEHS Response to Vendor Question #5: WV was unsuccessful in deploying Node 1.0, thus Node "no-issue".	e 1.0 is a		
		Vendor Question #6: Is there an existing SDWIS data system that WV DHHR integrate with the new nodes? Or will an existing system modification or re-development under this scope of worl the current SDWIS system integrate with current Node technologies?	n require		
		OEHS Response to Vendor Question #6: The current system is believed to be compatible, and we integrate with Node 2.0.	e hope to		
3		Vendor Question #7: Does WV anticipate including the eDWR data flow in this as part of meeting EPA reporting requirements?	s project		
		OEHS Response to Vendor Question #7: Yes.			
	į	Vendor Question #8: The RFI specifies Oracle Internet Application Server as target application server. This implies use of the Java J2 server Oracle Application Server as the deployment targother Java application servers be considered?	EE		
	Î	OEHS Response to Vendor Question #8: No, with the exception of possibly Apache Tomcat.			
		Vendor Question #9: Does WV currently flow any GIS data to EPA?			
		DEHS Response to Vendor Question #9: No, not currently.			

STATE OF WEST VIRGINIA

Page · of _	Pages	Requisition / P O EHS90078	No.:
File: RW22	Acct. No.:		
Spending Unit:	Office of En	vironmental Health	Senicos

Vendor: _	<u></u>		Spending Ur WVDHHR/B		nental Health Services
Item No	. Quanti	ty Description		Unit Price	Amount
	1	Vendor Question #10: Please specify the size and amount of GIS data expecte flowed to EPA?	ed to be		
	***************************************	OEHS Response to Vendor Question #10: WV Does not anticipate a regular flow of GIS data to EP regular flow to our WVU partner is anticipated. We curre them data four times a year on CD-ROM.	PA A ently send		
		Vendor Question #11: The RFI identifies creating a CROMERR compliant flow only be for the SDWIS data flow and has any effort been moving towards CROMERR compliance such as the development of the CROMERR Checklist or the submiss development of the CROMERR Compliance Plan to EPA changes required for CROMERR compliance need to be developed under this project which may include changes WV core SDWIS system?	o put into sion / A? Will all		
		OEHS Response to Vendor Question 11: WV is currently planning to implement the EPA develope State, which is CROMERR compliant. WV wishes to dep to laboratories via the NODE, therefore, the application the developed for the NODE must be compatible with Lab to The checklist is 90% completed by using this software pr	loy this hat is State		
		Vendor Question #12: The RFI states that WV is looking for the development of front end that will query the node for data and return to Woperators in WV. Can you specify the type of information amount that the operators will need?	/V PWS		
		OEHS Response to Vendor Question #12: Operators typically call in and request information on test amount of CEH (Continuing Education Hours) they have, other personal type information. WV wishes to allow oper query only their information via the Node.	and		
		Vendor Question #13: Why is there no Vendor Conference? It would be helpful more about the federal requirements to satisfy the propos system development.	to learn ed		
		OEHS Response to Vendor Question #13: A conference call is scheduled for December 2, 2008, at 1 OEHS and MIS staff will be on hand to answer vendor que Vendors interested in participating in this conference call r contact Charles Robinette at (304) 558-6714 or Walter Ive (304) 558-6715 by 3:00 p.m. on Monday, November 24, 2 register. Participation in this conference call is not manda	estions. need to ey at 008 to		

STATE OF WEST VIRGINIA

Page	_ of	_ Pag	es	Requisition / P O EHS90078	No.:		
File: RW22		Acct	No:		÷.		
Spending Unit: WVDHHR/BPH/Office of Environmental Health Services							

Vendor:			WVDHHR/BPH/Office of Environmental Health Services			
Item No.	Quantity	Description		Unit Price	Amount	
		Vendor Question #14: How can a vendor get information on the interface file/system described in the RF1? OEHS Response to Vendor Question #14: OEHS does not have a current interface. Once this RFI is				
		complete, OEHS hopes to have gathered enough informative RFQ specifications, and the successful vendor will dan interface.	ation to			
		Vendor Question #15: Is there any preliminary conceptual design for the propose system or some form of description?	ed			
		OEHS Response to Vendor Question #15: OEHS has limited ideas about the conceptual design for the proposed system but hopes to gain information about it the this RFI.	he rough			
		Vendor Question #16: Are vendors allowed to speak with the agency represental prior to the bid open date?	tives			
		OEHS Response to Vendor Question #16: Please refer to OEHS' response to vendor question #13				
		Vendor Question #17 The subject RFI is somewhat lacking in detail as to what V Virginia is asking for. Page 4 states "Vendors interested in RFI need to be able to respond to questions and provide information on the following:" However, no questions appet the RFI, and there are no requirements for responding to the Perhaps I'm missing the final page? My copy of the RFI, w received in the mail, ends with the glossary of terms, and response format or requirements are listed. Under "Instructions for bidders," Item #1 says bidders are to use the quotation forms provided, but this isn't an RFQ, so no price asked for nor is it possible to give West Virginia a price give lack of scope in this request.	this ear in he RFI. hich I no the			
		OEHS Response to Vendor Question #17: Please refer to OEHS' response to vendor question #2				
, for						
