

PODVEA

RFO COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

## Request for Quotation

RFQ.	MUN	BEH		
GSD	09	64	21	

PAC	ìΕ	
	1	

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

øπ−¤ HO

DEPARTMENT OF ADMINISTRATION GENERAL SERVICES DIVISION JOBSITE SEE SPECIFICATIONS

304-558-2317

DATE PRINTED TERMS OF SALE SHIP VIA FOB. FREIGHT TERMS 10/22/2008 BID OPENING DATE: 11/25/2008 **BID OPENING TIME** 01:30PM CAT LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT 0001 LS 968-32 1 DEMOLITION/ABATEMENT CASS GRADE SCHOOL REQUEST FOR QUOTATION THE WEST VIRGINIA PURCHASING DIVISION FOR THE AGENCY. THE WEST VIRGINIA DIVISION OF GENERAL SERVICES, IS SOLICITING BIDS TO PROVIDE THE AGENCY WITH ALL LABOR AND MATERIALS FOR THE DEMOLITION AND ABATEMENT OF THE FORMER CASS GRADE SCHOOL LOCATED IN CASS SCENIC RAILROAD STATE PARK IN CASS, WEST VIRGINIA PER THE ATTACHED SPECIFICATIONS. A MANDATORY PRE-BID MEETING WILL BE HELD ON FRIDAY, NOVEMBER 7, 2008 AT 1:00 PM ON SITE. VENDORS ARE ASKED TO MEET AGENCY REPRESENATIVES IN THE PARKING LOT OF THE TRAIN DEPOT AT CASS SCENIC RAILROAD. GENERAL/PRIME CONTRACTORS WISHING TO SUBMIT A BID FOR THIS PROJECT MUST ATTEND THIS MEETING. SUBCONTRACTORS AND MATERIAL SUPPLIERS ARE WELCOME TO ATTEND; HOWEVER, ATTENDANCE IS NOT MANDATORY. GENERAL/PRIME CONTRACTOR FAILING TO ATTEND THIS MEETING WILL BE DISQUALIFIED FROM BIDDING ON THIS PROJECT. ONE PERSON MAY REPRESENT MORE THAN ONE VENDOR. TECHNICAL QUESTIONS CONCERNING THIS PROJECT MUST BE SUBMITTED IN WRITING TO KRISTA FERRELL IN THE WEST VIRGINIA PURCHASING DIVISION VIA FAX AT 304-558-4115 OR VIA EMAIL AT KRISTALS.FERRELLOWV.GOV. DEADLINE FOR ALL TECHNICAL QUESTIONS IS WEDNESDAY, NOVEMBER 12, 2008 AT THE CLOSE OF BUSINESS. ALL TECHNICAL QUESTION SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE DATE TITLE FEIN ADDRESS CHANGES TO BE NOTED ABOVE

## GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15. WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

#### **INSTRUCTIONS TO BIDDERS**

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in case of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- **6. BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



MODSMA

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

RFO NUMBER
GSD096421

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

RFQ COPY TYPE NAME/ADDRESS HERE

ωH—¤ +0

DEPARTMENT OF ADMINISTRATION GENERAL SERVICES DIVISION JOBSITE SEE SPECIFICATIONS

DATE:PRINTED TE	ERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
10/22/2008   BID OPENING DATE: 11/25	/2008	PID	PENING TIME O	1:30PM
LINE QUANTITY	LIGE CAT IT	EM NUMBER	UNIT PRICE	AMOUNT
	NO NO			
RECEIVED, I THE DEADLIN	F ANY, WILL BE AN	NSWERED BY A	ADDENDUM AFTER	
VENDOR MAY ARE NOT CON	ONCERNING THE ACT SUBMIT A BID TO SIDERED TO BE TEC D AT ANY TIME PRI AT.	THE STATE OF CHNICAL QUES	WEST VIRGINIA STIONS AND MAY	
EXHIBIT 5				
TION FOR A REQUIRES EA SUBMIT AT T THE BID. T SIGNED AND VENDOR'S CO CHAPTER 21 MIT THE SIG	IA CODE 21-1D-5 FOUBLIC IMPROVEMENT OF THE WEST VIRGING AFILED FOR THE CONTROL OF THE WEST VIRGING AFISQUALIFICATION (	NT CONSTRUCT UBMITS A BID AFFIDAVIT OF HASING AFFID HE BID AS EV E PROVISIONS INIA CODE. FFIDAVIT WIT	TION CONTRACT  FOR THE WORK TO  COMPLIANCE WIT  DAVIT MUST BE  TIDENCE OF THE  SOF ARTICLE 1D,  FAILURE TO SUB-	O H
WITHIN 30 C IS RECEIVED	ROCEED: THIS CON ALENDAR DAYS AFTE . THE AGENCY WINT TO THE SUCCESSFUL	ER THE NOTIC LL ISSUE A W	E TO PROCEED	
RIGHT TO CA NOTICE TO T SUPPLIED AR	N: THE DIRECTOR NCEL THIS CONTRAC HE VENDOR IF THE E OF AN INFERIOR ECIFICATIONS OF	CT IMMEDIATE MATERIALS O QUALITY OR	ELY UPON WRITTEN DR WORKMANSHIP DO NOT CONFORM	
i i	THE CONTRACTOR (OF THE U.S. DEPAR	RTMENT OF LA	ABOR MINIMUM WAG	
SIGNATURE	SEE REVERSE SIDE	FOR TERMS AND CONI	DITIONS DATE	
TITLE	FEIN			
,,,,	₹ Namer ♥		ADDRESS CHANGE	S TO BE NOTED ABOVE



VEZDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

## Request for Quotation

RFQ N	IUMB	ER ::	
 GSD	<u>09</u>	642	1

<b>P</b>	AGE:	
	7	

ADDRESS CORRESPONDENCE TO ATTENTION OF:

KRISTA FERRELL 304-558-2596

ØH-P TO

DEPARTMENT OF ADMINISTRATION
GENERAL SERVICES DIVISION
JOBSITE
SEE SPECIFICATIONS

304-558-2317

ADDRESS CHANGES TO BE NOTED ABOVE

DATE PRINTED TERMS OF SALE SHIP VIA FOB FREIGHT TERMS 10/22/2008 BID OPENING DATE: 11/25/2008 **BID OPENING TIME** 01:30PM CAT NO LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT RATES AS ESTABLISHED FOR POCAHONTAS COUNTY, PURSUANT TO WEST VIRGINIA CODE 21-5A, ET, SEQ. (PREVAILING WAGE RATES APPLY TO THIS PROJECT) ANY REFERENCES MADE TO ARBITRATION OR ARBITRATION: INTEREST FOR PAYMENTS DUE (EXCEPT FOR ANY INTEREST REQUIRED BY STATE LAW) CONTAINED IN THIS CONTRACT OR IN ANY AMERICAN INSTITUTE OF ARCHITECTS DOCUMENTS PERTAINING TO THIS CONTRACT ARE HEREBY DELETED. WORKERS' COMPENSATION: VENDOR IS REQUIRED TO PROVIDE A CERTIFICATE FROM WORKERS' COMPENSATION IF SUCCESSFUL ALL OF THE ITEMS CHECKED BELOW WILL BE A REQUIREMENT OF THIS CONTRACT: SUCCESSFUL VENDOR SHALL FURNISH PROOF (XX) INSURANCE: OF COMMERCIAL GENERAL LIABILITY INSURANCE PRIOR TO ISSUANCE OF CONTRACT. UNLESS OTHERWISE SPECIFIED IN THE BID DOCUMENTS, THE MINIMUM AMOUNT OF INSURANCE COVERAGE REQUIRED IS 1,000,000.00 ) BUILDERS RISK INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF BUILDERS RISK - ALL RISK INSURANCE IN AN AMOUNT EQUAL TO 100% OF THE AMOUNT OF THE CONTRACT. (XX) BONDS: | FIVE PERCENT (5%) OF THE TOTAL AMOUNT OF THE BID PAYABLE TO THE STATE OF WEST VIRGINIA, SHALL BE SUBMITTED WITH EACH BID AS A BID BOND. THE SUCCESSFUL BIDDER SHALL ALSO FURNISH A PERFORMANCE BOND AND LABOR MATERIAL BOND FOR 100% OF THE AMOUNT OF THE CONTRACT. BONDS MAY BE PROVIDED IN THE FORM OF A CERTIFIED CHECK. IRREVOCABLE LETTER OF CREDIT, OR BOND FURNISHED BY A SOLVENT SURETY COMPANY AUTHORIZED TO DO BUSINESS IN THE STATE OF WEST VIRGINIA. A LETTER OF CREDIT SUBMITTED IN LIEU OF A BOND WILL ONLY BE ALLOWED FOR PROJECTS SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE DATE TITLE



VENDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER GSD096421

ADDRESS CORRESPONDENCE TO ATTENTION OF::

304-558-2596

KRISTA FERRELL

DEPARTMENT OF ADMINISTRATION GENERAL SERVICES DIVISION JOBSITE SEE SPECIFICATIONS

304-558-2317

RFQ COPY TYPE NAME/ADDRESS HERE

10/22/			WS OF SAL		STILL			4.0	FREGRETERIUS
BID OPENING DATE:		11/25/	2008			BID	0P	ENING TIME	01:30PM
LINE	QUAI	NTITY	UOP	CAT NO	ITEM NUM	/BER		UNIT PRICE	AMOUNT
							3838		
	HNDED	e100 0	n n	DEDON	וומ מח ואוא	CTMECC	CII	ECKS ARE NOT	
	L						1	PERFORMANCE	2222
	:				ERIAL BON		1	TER ORINGE	
	-			ı					-
	i .						1	AINTENANCE BO	ND
					YSTEM WIL	L BE A	RE	QUIREMENT OF	·
	THE SU	CCESSF	UL VE	NDOR.					
	REV. 1	1/00					1		
	KEA. I	1/00							
								•	
	EXHIBI	T 7							
	1		MINUM	, GLA	SS & STEE	L IN PU	BL	IC WORKS	
	PROJEC	TS							
	TN ACC	UBDVNC	E WTT	H MEG	T VIDCINI	v code	5	19-1 ET.,	
								ECONSTRUCTION	
1								ENANCE OF	<b>'</b>
	PUBLIC	WORKS	, WHE	RE TH	E COST IS	MORE T	НΑ	N \$50,000 AND	
								T OF STEEL IS	
	1		1				¥ "	000 POUNDS OF	1
								T ONLY ALUMIN	
								UNITED STATE MENT PURCHASE	
								L BE MADE OF	<b>b</b>
								S THE COST OF	
								THAN 10,000	
	POUNDS	OF ST	EEL A	RE US	ED IN PUB	LIC WOR	ΚS	PROJECTS.	
								ODUCTS MAY BE	
		UNREAS						ODUCTS IS FOU ONABLE IF IT	
			1 8					R FOREIGN MAD	
								SS OR STEEL	-
								"SUBSTANTIAL	
		************	200000000000000000000000000000000000000	- See Brown	/ERSE SIDE FOR TI	000 AND 200	NESOFI	raki c	
SIGNATURE				NLE DE		TELEPHONE	(YLAFT)	DA DA	E
TITLE		l-r	in				······ F		4
ii: LE		[PE	F19 A					ADDRESS CHANG	SES TO BE NOTED ABOVE



VENDOR

TITLE

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

# Request for Quotation

GSD096421

PAG	a Elemen
	5

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

DEPARTMENT OF ADMINISTRATION GENERAL SERVICES DIVISION JOBSITE

SEE SPECIFICATIONS

304-558-2317

ADDRESS CHANGES TO BE NOTED ABOVE

0H-P +0

DATE PRINTED	TERMS OF SALE	SHIP VIA	O.B. FREIGHT TERMS
10/22/2008			
D OPENING DATE:	11/25/2008	BID OPENING	TIME 01:30PM
LINE QU	ANTITY UOP CAT.	ITEM NUMBER UI	IT PRICE AMOUNT
LABOR	SURPLUS AREA" AS	DEFINED BY THE UNITED	STATES
		REIGN PRODUCTS MAY BE	
		TS ARE 30% OR MORE HIG	
	THAN THE FOREIGN	₹	
,			***************************************
IF, P	RIOR TO THE AWARD	OF A CONTRACT UNDER TH	E ABOVE
		G OFFICER OF THE SPEND	
		XISTS A BID FOR LIKE F	
1		L THAT IS REASONABLE A	1
	3 1 1	ESTIC PRODUCTS, THE SF	1
3	1 1 1	WRITING, A REEVALUATIO	
		BID FOR SUCH DOMESTIC	
		TE IN THEIR BID IF THE NUM, GLASS OR STEEL.	Y ARE
SULL	TING TORLIGH ALONI	NON, GLASS OR STEEL.	
REV.	3/88		
,			
EXHIB	IT 9		
	1 1 1	CKNOWLEDGEMENT OF CONS	TRUCTION
PROJE	CT ADDENDA		
·			
		AND/OR AGENCY SHALL BE	
		NG SCHEDULE IN ISSUING DENDA FOR STATE AGENCI	
CUNSTI	RUCITON PROSECT AD	DENDA FOR STATE AGENCY	E2:
(1)	THE ARCHITECT/ENGT	NEER SHALL PREPARE THE	ADDENDUM
		ES THAT HAVE PROCURED	
1	( I I	THE PROJECT. THE ADDE	
		RDED TO THE BUYER IN T	
		HE ARCHITECT/ENGINEER	
		NDUM TO THE STATE AGEN	CY FOR
WHICH	THE CONTRACT IS I	SSUED.	
	THE BILVED OUT .	AD THE ADDENSING TO	
(2)	THE BUYER SHALL SE	ND THE ADDENDUM TO ALL	
<u> </u>	SEEREVE	RSE SIDE FOR TERMS AND CONDITIONS	<u> </u>
NATURE		TELEPHONE	DATE

FEIN



NOCZEK

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

## Request for Quotation

RFQ NUMBER GSD096421

ADDRESS CORRESPONDENCE TO ATTENTION OF: KRISTA FERRELL

304-558-2596

þ

DEPARTMENT OF ADMINISTRATION GENERAL SERVICES DIVISION JOBSITE SEE SPECIFICATIONS

304-558-2317

10/22	/2008					
NING DATE		25/2008		BID	OPENING TIME	01:30PM
INE	QUANTITY		CAT IT	EM NUMBER	UNITPRICE	AMOUNT
			INO			
	TUTEBEATE	D DARTTE	4115	IE OE O O A D V		
	i	1 1	111		EXTEND THE BID	
		ŧ 1			RECEIVED BY THE	
	OPENING D		EN (14)	JAYS PRIUK	TO THE BID	
	OLENTIAG D	A 1 E   .				
	(3) ALL	ADDENDA SI	IOUID BE I	FORMALLY AC	KNOWLEDGED BY A	1
	BIDDERS		TTED TO		TE PURCHASING	-
	DIVISION.	1			GULATIONS	
	THAT APP	1 1			G DOCUMENT	
	1	} I	l l		NT. THE ONLY	1
	l I	3 1	l l		IS ISSUED FOR T	HE
	SOLE PURP	OSE OF CHA	ANGING A	BID OPENING	TIME AND/OR	
	DATE.				***	
			erra-		***************************************	
	REV. 11/9	6	***************************************			
		1				
	EXHIBIT 1				***************************************	
	EVHIPILI	0	****			
	ADDENDUM	ACKNOWLED	SEMENT			
	1002110011					
	I HEREBY	ACKNOWLED	SE RECEIP	T OF THE FO	LLOWING CHECKED	
	ADDENDUM (	S) AND HAY	/E MADE TI	HE NECESSAF	RY REVISIONS TO	
	MY PROPOS	AL, PLANS	AND/OR SI	PECIFICATION	ON, ETC.	
					***************************************	
	ADDENDUM	NDS :				
	NO. 1	110				
	110. 1	• • • • •				
	ND. 2					
	-					
	NO. 3			•		
	NO. 4	• •••• •			***	
	NO. 5	• •••• •	• • • • •			
	ı	<u> </u>	SEE REVERSE SIDI	FOR TERMS AND CO	DIDITIONS	,
E		<u> </u>		TELEPHONE	DAT	E



3002m<

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

GSD096421

1	PΑ	Ģ	
			_

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

%H-P 70

DEPARTMENT OF ADMINISTRATION
GENERAL SERVICES DIVISION
JOBSITE
SEE SPECIFICATIONS

DATE PRINT	ED	TER	MS OF SAL	<b>E</b>	SHIP	VIA	E CONTRACTOR	Ø B	FREIGHTTERMS
10/22/	2008	120000000000000000000000000000000000000							
BID OPENING DATE:		11/25/	2008			BID	OPENING	TIME (	1:30PM
LINE	QUA	NTITY	UOP	CAT NO.	ITEMNI		Barata (1886) (1886) (1886)	IT PRICE	AMQUNT
			! I		URE TO C SE FOR R		ł-	IPT OF TH	IE
	REPRES ORAL D AND AN INFORM	ENTATI DISCUSS NY STAT NATION	ON MA ION H E PER ISSUE	DE OR ELD B SONNE D IN	DERSTAND ASSUMED ETWEEN V L IS NOT WRITING FFICIAL	TO BE M ENDOR'S BINDING AND ADDE	ADE DUR REPRESEI . ONLY D TO THI	ING ANY NTATIVES THE E	
						sı	GNATURE	DING.	
	 REV. 1	1/96	• • • •	• • • • •	• • • • • •	DA	TE		
			CO	NTRAC	TORS LIC	ENSE			
	PERSON STATE LICENS LICENS MADE B CAPITO	S DESIMUST BEING BOSE. APSY CONT	RING E LIC ARD I PLICA ACTIN LEX,	TO PE ENSED S EMP TIONS G THE BUILD	OWERED T FOR A C	NTRACTIN EST VIRG O ISSUE ONTRACTO RGINIA D OOM 319,	G WORK INIA CONTHE CONTRS LICENIUSION	IN THIS NTRACTORS TRACTORS NSE MAY I OF LABOR	BE
	PROSPE		BIDDE	R TO	DE 21-11 INCLUDE R BID.			Υ	
				SEE RE	ERSE SIDE FOR	Parantrian establishmen i segui establish	NDITIONS		
SIGNATURE						TELEPHONE		DATE	
TITLE			IN			1	AD	DRESS CHANG	ES TO BE NOTED ABOVE



**ADDOR** 

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for REQNUMBER Quotation GSD096421

GSD096421

	GF
400 (400)	
	_

ADDRES	SCORRES	PONDENCE	TOATTEN	TION OF
				***************************************

KRISTA FERRELL 304-558-2596

SH-P TO

DEPARTMENT OF ADMINISTRATION GENERAL SERVICES DIVISION JOBSITE SEE SPECIFICATIONS

DATE PRIN	reo:::::::	TER	MS OF SAL	F. William	SHI	PVIA		F.	O.B		FREIGHT TERMS
10/22/											
BID OPENING DATE:	actacon reconsens	11/25/	2008	la anno ann ann an	***************************************	BID	OPE	NING	TIME	01	:30PM
LINE	NAUD	YTITY	UOP	CAT NO:	ITEM	IUMBER		UNI	TPRICE		AMOUNT
Financial characteristic de la ministra de la minis	BIDDER	то со	MPLET	E:							
	CONTRA	CTORS	NAME:	•••						• • • •	
	CONTRA	CTORS	LICEN	SE NO	.:	• • • • • • •				• • • •	
		F THEI	R CON	TRACT	ORS LICE	REQUIRE ENSE PRI					
				AP	PLICABLE	LAW					
	AND RE THE "R	GULATI EQUEST ON IS	ONS, FOR THE S	AND T QUOTA	HE INFOR TION" IS	PURCHAS RMATION   SSUED BY GOVERN	PROV	IDED PURC	IN		
	ANY OT	HER SO ERS TH BED IN	URCE, E INF	VERB ORMAT	AL OR WE ION PROV	PECIFICA RITTEN, P VIDED FROM APH IS V	HIC DM T	H CON	NTRADI DURCES	CTS	
	FOR BA	NKRUPT	CY PR	OTECT	ION, THI	VENDOR/ S CONTR ERMINATE	ACT	IS AU	TAMOT	I -	
	REV. 1	/2005									
	A SIGN	ED BID	MUST		TICE UBMITTEE	) то:					
SIGNATURE				SEE RE	/ERSE SIDE FOR	TERMS AND CO	ONDITIC	)NS		DATE	
TITLE		FE	IN	•		<u> </u>	***************************************	ADI	ORESS CH	ANGES	TO BE NOTED ABOVE



MODOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

∞∞ <b>8</b>	FQN	UMB	ER	99888988
G	SD	096	642	1

PA	GE
	9

	ंं		Αl	DI	RE.	SS	Ç	O۶	H	E:	SP.	QΝ	IDE	N	JΕ	TC	Α	H	ΞN	H	ΟN	O	F
_	-	_	_		_		-	-															

KRISTA FERRELL 304-558-2596

8H-P TO

DEPARTMENT OF ADMINISTRATION
GENERAL SERVICES DIVISION
JOBSITE
SEE SPECIFICATIONS

DATE PRINT	ED T	ERMS OF SALE	SHIP VIA	FO	8.	FREIGHT TERMS
10/22/2008						
BID OPENING DATE:	11/25	/2008	BII	OPENING T	TIME 01	:30PM
LINE	QUANTITY	UOP CAT.	ITEM NUMBER	UNITE	PRICE	AMOUNT
	PURCHA BUILDI 2019 W	SING DIVISING 15	TREET, EAST			·
M.	THE ENVELOP		THIS INFORMATI D MAY NOT BE CO		FACE OF	
Ì	SEALED BID BUYER:	THE PARTY OF THE P	KRISTA FERRELL-	-FILE 21		
j	REQ. NO.:		GSD096421			
	BID OPENING	DATE:	NOVEMBER 25, 20	008		
j	BID OPENING	TIME:	1:30 PM			
			UMBER IN CASE ING YOUR BID:	IT IS NECES	SSARY	
		T OR TYPE N	AME OF PERSON T	CONTACT	- <del></del> -	
	ac ac ac ac				u- vana wana juma liyan	
I		SEERE	I VERSE SIDE FOR TERMS AND G	CONDITIONS		
SIGNATURE	en personale anticologica de la fate de la f		TELEPHONE		DATE	
TITLE		FEIN		ADDD	EGG CUANCEC	TO BE NOTED ABOVE

# Request for Quotations #GSD096421 Demolition and Abatement of Former Cass Grade School

#### Cass Scenic Rail Road State Park

P.O. Box 107, WV Route 66 Cass, WV 24927

Location:

West Virginia State Capitol Complex

**Building Six** 

1900 Kanawha Boulevard, East Charleston, West Virginia 25305

For:

State of West Virginia

General Services Division

1900 Kanawha Boulevard, East

Charleston, West Virginia 25305

All inquiries for specification clarification shall be addressed to:

Krista Ferrell, Senior Buyer

**Purchasing Division** 

P.O. Box 50130

Charleston, West Virginia 25305-0130

Fax: (304) 558-4115

Krista.s.ferrell@wv.gov Phone: (304) 558-2596

#### PRE-BID MEETING

A mandatory pre-bid meeting for this project is scheduled for Friday, November 7, 2008 at 1:00pm EST at the site. Prospective bidders should meet agency representatives in the parking lot of the train depot at Cass Scenic Railroad. Discussion of these specifications will be followed by a walk-through tour of the jobsite. No information provided at this meeting in contradiction or addition to the specifications herein shall be binding without the issuance of a formal addendum. All questions of a technical nature should be submitted in writing to the Senior Buyer, above.

#### I. PURPOSE:

The Purchasing Division is soliciting bids for Abatement and Demolition of former Cass Grade School Cass, WV.

The Contractor will be responsible to provide all equipment, material, labor and associated expenses to remove the materials according to the requirements of West Virginia Department of Environmental Protection and Department of Health and Human Resources Asbestos Compliance Division.

#### II. SCOPE OF WORK:

Demolish existing North wing of structure using wet methods, leaving the block structure (Gym) in place. It is recommended to knock down the North wing structure wall by wall, folding it in on itself to minimize excess breakage of ACM

Any material from gym that comes off with the demo of the North wing shall be treated as ACM. A yard hydrant will be available for use as a water source.

Load out ACM debris using wet methods from North wing and existing debris pile from South wing & Jr. High into trucks lined with 6mil poly and tarped so debris and dust cannot be released during transport. Placard each truck as it is being loaded. The placard should read" <u>Danger</u>, <u>Asbestos Dust Hazard</u>, <u>Cancer & Lung Disease Hazard Authorized personnel Only"</u> Haul to an EPA approved land fill for disposal. There is approximately **4,000 cubic yards of contaminated debris**. Crawlspaces are present under the North wing. Crawl spaces under south wing and Jr. High are covered by debris pile.

After demo and load out is complete, contractor is to remove contaminated soil from the site under and around where the debris piles were located, to a depth of 5 +/- inches. Approximately 131 cubic yards of contaminated soil and load into trucks lined with 6 mil poly, tarped and placarded and dispose of in an EPA approved land fill. All building foundations shall remain in place. Any areas under the debris pile that could hold contaminated water shall be pumped out and filtered. No re-seeding or re-grading of the regulated site is required. However, contractor shall install silt fence or straw bales to prevent sediment from leaving the site.

Contractor shall employ an independent third party air monitor to take area samples as the work is being performed for the duration of the project. Contractor shall keep a daily log of demo activities and all land fill waste manifests which a copy of shall be given to the DNR project manager on a daily basis and GSD Environmental Coordinator at project completion. An Asbestos inspection report and drawings of the area to be abated and demolished will be made available to qualified bidders.

#### III. MANDATORY REQUIREMENTS:

- Business must be licensed in the State of West Virginia permitting the entity to engage in an asbestos project.
- Provide summary of all incidents in which Bidder's firm was cited for noncompliance with West Virginia DHHR regulations within the past 24-months. Provide what corrective action was taken.

- All work must be done per industry standards for techniques and materials.
- All work is to be performed by personnel with minimum current Class I Asbestos Worker Certification, and under the supervision of an experienced Class II Asbestos Supervisor.
- Vendor is responsible at the vendor's expense for ensuring that all employees working on State property have passed a criminal background check for security purposes.
- All work must be performed in accordance with all applicable federal, state and local building codes and regulations and all applicable asbestos regulations.
- Vendor will maintain storage of all on-site material and equipment in approved locked job box or other storage method approved by the State of West Virginia. The State project manager will approve location of site.
- Vendor will provide all labor, safety equipment, portable lighting, hoses, tools and other devices or equipment necessary to complete work in a safe and efficient manner.
- Vendor will be responsible to barricade areas of work to maintain the safety of the public; and to perform all work and procedures as required by DHHR.
- Vendor will perform other related work as appropriate to insure compliance with all
  regulations, as well as any additional measures needed to insure there is no asbestos
  exposure to those working in or near stated areas in the future.
- Vendor will be responsible for any damages from fiber release occurring during this
  work, negligence, or accidents caused as a result of employee involvement in this
  project.
- All property, private or public, which is disturbed or affected by services provided, will
  be restored to a condition equal to or better than existed prior to the commencement of
  work.
- Such restoration shall include, but not be limited to, re-grading and seeding of areas where grass was planted and growing.
- Vendor, upon completion, will provide a final report including description of work in all locations, clearance report, waste manifest signed by landfill representative, and all other documents related to this project.
- Vendor must have a minimum of five years experience in asbestos abatement and provide information of any violations within the past 24 months and corrective action taken.
- Demolition must be conducted by a certified demolition / Asbestos Abatement Contractor for Class I work.

- Heavy equipment operation & demolition must be presumed to render Asbestos containing material non-intact. Therefore, the operator of a backhoe, cat, track hoe, or other mechanized equipment must be a certified asbestos worker or supervisor.
- In all instances, workers shall use equipment specifically designed to protect from asbestos exposures during demolition and handling debris, especially respirators approved by OSHA.
- Contaminated water runoff must be controlled & filtered. Heavy equipment must be decontaminated prior to leaving the regulated area.

#### IV. HOLD HARMLESS

To the fullest extent permitted by law, the vendor agrees to defend, pay in behalf of, and holds harmless the State of West Virginia, its elected and appointed officials, employees and volunteers and others working in behalf of the State of West Virginia, against any claims, demands, suits, loss, including all costs connected therewith, for any damages which may be asserted, claimed or recovered against or from the Vendor, by reason of personal injury, including bodily injury and death; and/or property damage, including loss of use thereof, which arises out of or is any way connected or associated with this contract.

#### V. INDEMNIFICATION

The Contractor shall hold the State of West Virginia harmless from and indemnify it against all liability, including attorney's fee, which may arise from and accrue directly from the performance of the work or any obligation of the Contractor or failure of the Contractor to perform any work or obligation provided for in the agreement.

#### VI. PAYMENT TERMS

A. Upon completion of work, and before final payment, contractor shall deliver a Project Manual that includes all applicable compliance documentation, clearly describing work completed and other items as outlined in these specifications. Project manual shall be delivered to the designated project manager prior to final payment.

- **B.** Final payment shall be paid upon final completion of all requirements specified within this document.
- C. Monthly progress payments will be allowed based on work completed according to a presubmitted and approved schedule of values. Ten percent (10%) retainage will be held until final payment is approved. The billing period is specified as the first day of the month to the last day of the month until completion.
- D. Invoices should be submitted to:

WV Department of Administration General Services Division Attn: Jon Trout 1900 Kanawha Boulevard East Building One, Room MB60 Charleston, WV 25305

#### VII. WARRANTIES

All workmanship and materials shall be warranted for a minimum of one (1) year from final acceptance unless manufacturer's standard approved warranty is greater.

#### VIII. INQUIRIES

Questions regarding the purchasing process should be submitted in writing to Krista Ferrell, Senior Buyer, as above.

#### IX. CANCELLATION

The Director of Purchasing reserves the right to cancel this Contract immediately upon written notice to the vendor if the materials or workmanship supplied are of an inferior quality or do not conform with the specifications of the Bid and Contract herein.

#### X. ARBITRATION

Any references made to arbitration or interest for payments due (except for any interest required by State law) contained in this Contract or in any American Institute of Architect's documents pertaining to this Contract are hereby deleted.

#### XI. WORKER'S COMPENSATION

Compliance is required with all rules and regulations of the West Virginia Compensation Commission.

#### XII. INSURANCE REQUIREMENTS

Successful vendor shall furnish proof of coverage of Commercial General Liability Insurance prior to issuance of a Contract. Unless otherwise specified in the bid documents, the minimum amount of insurance coverage required is \$1,000,000. Liability insurance coverage will be considered as primary and not as excess insurance. The vendor will provide thirty (30) clays written notice to the State of West Virginia by registered mail prior to any modification, cancellation, non-renewal or other change in coverage. The policies must be effective prior to the commencement of work and must remain in force until termination of work under this contract. In the event of interruption of coverage for any reason, all work under the contract will cease and will not resume until coverage has been restored.

If at any time during the term of this contract or any extension thereof, any required policies of insurance should expire, or are canceled, it will be the responsibility of the Contractor to furnish to the State of West Virginia a Certificate of Insurance indicating renewal or an acceptable replacement of the expiring policy prior to the expiration or cancellation date so that there will be no lapse in any coverage. State of West Virginia will be named as an additional insured.

#### XIII. PREVAILING WAGES

The vendor must use the applicable counties prevailing wage rates. The schedules can be found on the State of West Virginia website http://www.West Virginiasos.com

#### XIV. LIQUIDATED DAMAGES

The State of West Virginia will suffer financial loss if jobs are not Substantially Complete within the specified Contract Time. For each calendar day of delay in achieving Substantial Completion, the Contractor shall be liable for and shall pay the Owner \$250.00 per day, not as a penalty, but as liquidated damages. For each calendar day of delay in achieving Final Completion the Contractor shall be liable for and shall pay half of the amount of liquidated damages stated above, plus any and all additional fees of the Architect and the Architect's consultants that may accrue. Allowances may be made for delays due to shortages of materials and/or energy resources, subject to proof by documentation, and also for delays due to strikes or other delays beyond the control of the Contractor. All delays and any claim for extension of the Contract Time must be

properly documented in accordance with the Contract Documents by the contractor.

#### XV. BONDS

A Bid Bond, in the amount of five percent (5%) of the total cost of the three bid scenarios, is required with submission of the bid. The successful bidder shall also furnish a performance bond and labor/material bond for one hundred (100%) percent of the amount of the contract. Bonds may be provided in the form of a certified check, irrevocable letter of credit, or bond furnished by a solvent surety company authorized to do business in the state of West Virginia. A letter of credit submitted in lieu of a performance and labor/material bond will only be allowed for release orders under \$100,000. Personal or business checks are not acceptable in lieu of the 5% Bid Bond, performance bond or labor and material bond.

#### XVI. LICENSING REQUIREMENTS

The prime contractor who is awarded this contract is responsible for ensuring all subcontractors on this project are appropriately licensed for conducting business with the State of West Virginia.

#### XVII. CONTRACTOR'S REQUIREMENTS

Comply with the provisions of West Virginia Code §16-32-1, et seq. (H.B. 4647 passed March 10, 1988; in effect July 1, 1988 - as amended by the 1993 Legislative session).

The Contractor must make available for viewing at the job site a copy of the OSHA Regulations 19101 and EPA Regulations of Part 61, Sup-Part M governing asbestos stripping procedures.

#### XVIII. NOTICE TO PROCEED

Contractor must commence abatement activities within 24 hours after date agreed to by the Contractor and spending unit representative. This contract is to be performed within thirty (30) days after the issuance of a formal letter of notice-to-proceed from the spending unit to the contractor.

#### XIX. STANDARD OPERATING PROCEDURES

#### A. GENERAL

#### 1. Applicable Laws

All personnel must be thoroughly familiar with and comply with all applicable rules, regulations, and interpretations of the U.S. Department of Labor, Occupational Safety and Health Administration (OSHA), the U.S. Department of Transportation (DOT), the U.S. Environmental Protection Agency (EPA) and all other state, federal, county, and other agencies having jurisdiction involving or pertaining to asbestos-containing materials or the stripping, handling, abatement, encapsulation, removal, and disposal of asbestos-contaminated materials, and employment or engagement of persons or entities for any such purpose, and protection of persons or property from asbestos containing materials. The Contractor must comply with all licensing, registration, certification, notification fees, and other similar requirements imposed by any governmental authority and must assure that all subcontractors are similarly in compliance with it.

#### 2. Project Security

The Contractor is responsible for positive and effective security of the work areas of each project and/or facility. The Contractor must limit entry into all work areas to its personnel, the Architect or Engineer's authorized representative, authorized spending unit representatives, and Government Regulatory Agency personnel legally entitled to inspect the project. All persons entering the work areas must be properly protected against exposure to asbestos, as provided in those Standard Operating Procedures.

#### 3. The Contractor's Representatives

The Contractor must appoint a minimum of one person in its office and one person on site, for contact with the spending unit's representative regarding the execution and compliance with contract requirements, including but not limited to, these Standard Operating Procedures, and any other governmental laws and regulations.

#### 4. Project Log

The Contractor will maintain a daily Project Log for the base bid and any subsequent project. The Log will be used each day of the project to record the following information:

- a. Name Project Superintendent and actual time physically on job.
- b. Brief description of daily work accomplishments.
- c. Listing of all employees and others on the job.
- d. Description of any significant events, incidents, or unusual occurrences, including but not limited to, deviations of plans, specifications, contract requirements, or these standard Operating Procedures noted by the spending unit representative, inspector, air-sampling technician, or Contractor's Representative, emergencies, accidents or dangerous conditions, and steps taken to assure continued security of the work area.

The log also will be used daily to hold copies of routine inspection reports, results of air sampling and analysis, project minutes, disposal forms, and any other routine documents (including project Purchase Order) relating to project activities. The Contractor, immediately upon request, will make the log available for inspection.

At the completion of the project, the Contractor must forward a copy of the project log to:

WV Department of Adminstration General Services Division Attn: Jon Trout 1900 Kanawha Boulevard East Building One Room MB60 Charleston, WV 25305

#### Visitor's Form

The Contractor will also maintain a project Visitor's Form which will be signed, with date and time by all visitors, including the spending unit representatives, private or governmental inspectors, and Contractor's representatives. The Log will make note of all such visitors who, for any reason, enter the enclosed work area, their reason for entry, date and duration of time in work area, activities in work area, safety precautions used, protective equipment used, etc.

Both the Project Log and Visitor's Form will form a permanent record of the project. The Contractor must retain a copy and a completed copy must be given to the spending unit at the

completion of the project.

#### 6. Definitions

- a. **Abatement**: Procedure to control or otherwise limit fiber releases from asbestos containing or asbestos-contaminated building materials. This includes stripping, removal, encapsulation, disposal, wet cleaning, etc.
- b. ACM: Asbestos Containing Material.
- c. **Aggressive Sampling**: An air sampling technique typically used for final clearance air sampling wherein the area and surfaces around the air sample are agitated, brushed, blown with air jets or mechanical fans, or otherwise disturbed in an effort to re-suspend any settled dust and detect the presence of residual asbestos fibers.
- d. Air Lock: A system for permitting entrance or exit without permitting air movement between a contaminated area and an uncontaminated area, typically consisting of two curtained doorways at least three feet apart.
- e. Air Sampling: The process of measuring the fiber content or particulate mass of specific volume of air at a specific point in time.
- f. Amended Water: Water to which an appropriate surfactant has been added. This surfactant must meet the minimum specifications set forth by the EPA.
- g. Asbestos Contaminated Material: Any materials, substances, or items containing or coated (no matter how lightly) with asbestos fibers.
- h. Asbestos Filtration Device (APD): Filtered exhaust ventilation equipment used for drawing air from inside Enclosed Work Areas. Such equipment must have at least three filter stages, including readily accessible pre-and secondary filters, and a final filter which must be a High Efficiency Particulate Air (HEPA) filter rated 99.97% effective in capturing particles having diameters of 0.3 micrometers or greater.
- i. **Barrier:** Polyethylene sheeting and/or materials which, when used in conjunction with the existing floors, ceiling and walls of the structure, forms the containment area.
- j. **Enclosed Work Area:** The Barrier that separates the contaminated work environment from the uncontaminated area in which abatement work is performed.
- k. Clean Room: An uncontaminated area or room outside the Enclosed Work Area and part of the Work Area Insulation Structure, with provisions for storage or worker's street clothes and protection equipment.
- 1. Curtained Doorway: Device to allow entrance or exit from one room to another while restricting air movement between the rooms. Typically constructed by placing three overlapping sheets of polyethylene film over an existing or temporarily framed doorway, securing all sheets along the top of the doorway, securing the vertical edge of the outside sheet along one vertical side of the doorway, the second sheet along the doorway vertical edge opposite the first, and the third sheet around the entire doorway (including base). The third sheet must be slit down the center to within one foot of each end to facilitate access by personnel. Two "Curtained Doorways" should be spaced a minimum of three feet apart to form an "Air Lock".
- m. **Disposal:** All specified procedures necessary to transport and deposit the asbestoscontaminated waste materials stripped and/or removed from the building to an approved waste disposal site in compliance with existing Sections 61.152 and 156 of the EPA Regulations (40 CPR 61), and Sections 172.101 and 173.1090 of the DOT Regulations (40 CFR), or such other or additional regulations as may be used.
- n. **Encapsulation:** All specified procedures necessary to coat asbestos-containing or asbestos-contaminated materials with an encapsulant to control the possible release of asbestos fibers into the ambient air; also specified procedures necessary to render inaccessible asbestos-containing material non-friable and incapable to releasing asbestos

- fibers into the ambient air by using a penetrating encapsulant.
- o. **Equipment Room:** A contaminated area or room inside the Enclosed Work Area which is part of the Work Area Isolation Structure, with provisions for storing of contaminated clothing and equipment.
- p. HEPA: High Efficiency Particulate Air.
- q. **HEPA Vacuum Equipment:** High Efficiency Particulate Air filtered vacuuming equipment with a filter system capable of collecting and retaining asbestos fibers. Currently, filters should have retention efficiency of 99.97% or greater for particles having diameters of 0.3 micrometers or greater.
- r. **HVAC:** Heating, ventilating, and air conditioning; all buildings mechanical equipment including supply and return ductwork, unit ventilators, fan-coil units, blower cabinets and fans, control devices, damper assemblies and other similar mechanical equipment.
- s. **Independent Testing Laboratory:** A qualified organization capable of performing necessary air sampling and other testing requirements of asbestos abatement projects.
- t. Lagging: Insulation used to prevent heat floss from pipes, boilers, and similar mechanical equipment.
- u. NIOSH: National Institute for Occupational safety and Health.
- v. **OSHA:** United States Department of Labor, Occupational Safety and Health Administration
- w. Removal: All specified procedures necessary to gather, enclose in polyethylene bags and/or sealed drums, and make ready for disposal all stripped ACM or asbestoscontaminated material.
- x. **Stripping:** All specified procedures necessary to remove ACM or asbestos contaminated materials from their substrate or from any component or structure of the building.
- y. Surface Sample: A wipe or bulk sample taken from the suspect surface to ascertain the presence of asbestos fibers.
- z. Surfactant: A chemical wetting agent added to water to reduce its surface tension and thereby improve its penetrating capabilities into ACM.
- aa. **8-Hour TWA**: The time-weighted average for an eight-hour day; used in expressing some airborne asbestos fiber concentrations.
- bb. Wash Room: A shower between the Clean Room and the Equipment Room in the Work Area Isolation Structure, with facilities for showering and equipment cleaning.
- cc. Wet Cleaning: The Process of removing ACM or asbestos-contaminated material from building surfaces, equipment, objects, tools, disposal containers, etc. This may be accomplished by washing with cloths, mops, sponges, or brushes, or by showering with water in the Wash Room.
- dd. Work Area Isolation Structure: A series of connected rooms, typically consisting of a Clean Room, Wash Room, and Equipment Room, to permit equipment and personnel movement to and from the Enclosed Work Area while preventing airflow from the Enclosed Work Area. It is also used for the decontamination of workers, materials and equipment. A Work Isolation Structure always contains at least one Air Lock.

#### **B. QUALITY ASSURANCE**

#### 1. Standards

The Contractor must comply with the latest requirement and recommendations of the following regulations and publications governing asbestos stripping, removal, encapsulation, decontamination, and disposal of much more stringent standards as may be specified by any recognized governmental authority or generally recognized private authority, and all subsequent

editions or promulgation of the following:

- a. Regulations for Asbestos (Code of Federal Regulations Title 40 CFR, Part 61, Subparts A and M). (Issued April 5, 1984).
- b. OSHA-Asbestos Regulations (Code of Federal Regulations Title 29 CFR, Part 1910, Section 1910.1001).
- c. EPA-Office of Toxic Substances Guidance Document, "Asbestos-Containing Materials in School Buildings," Part 1 and Part 2.
- d. EPA-Office of Pesticides and Toxic Substances publication "Guidance for controlling Friable Asbestos-Containing Materials in Buildings" (EPA 560/5-83-002).
- e. NIOSH publications, "Respiratory Protection... An Employer's Manual" and "Respiratory Protection... A Guide for the Employee".
- f. U.S. Department of Transportation (DOT) Hazardous Materials Regulations Code of Federal Regulations Title 49, CFR Parts 172.101 and 173.1090. OSIIA-General Industry Safety and Health Standard Title 29 CFR Section 191 0.134.
- h. OSHA-Construction Industry Safety and Health Standards Title CFR Section 1926.1 -. 1051
- i. OSHA-Hazardous Communications Regulations Title 29 CFR Section 1910.120.
- j. All other federal, state, county, municipal, and local statutes, ordinances, regulations, or rules pertaining to asbestos, including its removal, abatements, storage, transportation, and disposal; construction safety and health and hazard communication (workers' right-to-know); and contractor or other licensure, certification and regulation, which are now in effect or which in the future may come into effect.

#### 2. Air Sampling

The Contractor must comply with the most stringent mandated standard whether imposed by the following, or the specifications for the project, or a governmental agency or authority. At a minimum, the Air Sampling should include:

- a. Background sampling, particularly in those buildings where measurable airborne fiber concentration is believed to pre-exist,
- b. Representative personal air sampling.
- c. Routine air sampling outside the Enclosed Work Areas.
- d. Final clearance air sampling shall be conducted by an independent third party. The spending unit's representative will determine if aggressive sampling is required.

#### 3. Pre-Abatement Sampling

Pre-abatement bulk samples of ACMs and air samples of the areas surrounding ACMs will be preserved and a chain of custody document initiated. Pre-abatement sampling and documentation

is the responsibility of the spending unit.

#### 4. Final Project Clearance

At the conclusion of the abatement and cleaning activities, the Contractor will conduct a thorough inspection of the entire project area. If, and during this inspection, any dust is observed, in addition to any requirement of the specifications, the Contractor will voluntarily re-clean the affected areas, the spending unit's representative may require aggressive air sampling prior to clearance.

#### 5. Site Inspections

The Contractor's personnel must conduct daily work-site inspections to assure compliance with these Standard Operating Procedures.

#### 6. Record Retention

The Contractor must comply with all submittal, documentation, and notice requirements set forth by the EPA, OSHA, all other federal, state, and local regulatory agencies, and the project specifications. Copies of alt submittals, documents, and notices that are produced or are given to the spending unit or to any governmental agency must be retained in the Project Log.

#### 7. Asbestos Disposal Form

All ACM material of Asbestos-Contaminated Material must be disposed of properly and deposited in an EPA approved landfill. The Contractor must secure an Asbestos Disposal Form or manifest for each separate load of asbestos-containing or contaminated material delivered to the landfill. Copies of all documents relating to disposal must be placed and retained in the Project Log.

#### C. PERSONAL PROTECTION

#### 1. Respiratory Protection Equipment

Subject to any more stringent requirements imposed by applicable law or project specification, the contractor must comply with the following at a minimum:

- a. The Contractor must provide all workers and those who have access to abatement work areas with personally issued and marked respiratory protection equipment approved by NIOSH/OSHA as suitable protection against airborne asbestos fibers in the concentration being experienced at each project. Respirators issued to site visitors must, at minimum, provide the same level of protection against airborne asbestos fibers as those issued to workers.
- b. The contractor must have and strictly enforce all provisions of a written Respiratory Protection Program at least as stringent as required by law. As part of this Program, all persons using respirators must be thoroughly instructed in the following details:
  - i. Proper use
  - ii. Care, cleaning, and sanitizing
  - iii. Limitations
  - iv. Maintenance

- v. Emergency procedures
- vi. Prohibition of facial hair
- c. Documentation of actual receipt of this training must be obtained by signature from each person using respirators. The signed forms and the Respiratory Protection Program must be placed and maintained in the Project Log, The Contractor must not allow access to an abatement work area of a person who has not actually received such training and acknowledged receipt of same.
- d. The choice of proper respirators for a specific can vary depending on the degree of protection required. Generally, the highest airborne asbestos fiber concentrations occur during the "gross removal" phase of any asbestos abatement project, though significant concentration can occur during the preparation and clean-up phases. The following must be adhered to:
  - 1) Air purifying half-face respirators with HEPA filters will be used for all setup when (unless an industrial hygienist certifies in writing that no such respirators are required) the possibility that airborne asbestos fibers exist.
  - 2) At a minimum for all removal work, positive pressure respirators must be used. These may include powered-air respirators (PAR) or air supplied respirators (Type C), and should be on constant flow design. If PAR respirators are used, the filters must meet HEPA performance criteria as defined by NIOSH.
  - 3) At anytime when work-place airborne fiber concentrations are expected or demonstrated by air sampling to exceed 5.0 fibers/cc, only type C respirators can be used.
  - 4) Single-use, disposal respirators must not be used at any time.

#### D. Emergency Procedures

In the event of an emergency, the above stated decontamination procedures may not be adhered to. All efforts will be utilized to affect immediate First Aid to any victim. In all cases, the following emergency precautions are to be taken:

Contractor must post the phone numbers of all police, fire, ambulance, and hospital, along with directions to each, at each job site.

#### E. Work-Place Security

The Contractor must, throughout the asbestos abatement project provide security measures to prevent any unauthorized accidental entry into the work area. The Contractor must post hazard warning signs at all points of possible access to the project.

Enclosed Work Area: These signs must contain the specific wording required by OSHA and EPA.

#### F. Water Disposal Containers

The Contractor must utilize waste disposal containers as follows:

- 1. Polyethylene Bags Bags used for transporting and disposing of asbestos-containing or asbestos-contaminated materials must be constructed of at least 6 mil polyethylene and be securely labeled with asbestos waste identification and warnings as specified by applicable OSI-IA, EPA, DOT regulations.
- 2. Drums Drums used for transporting only, or transporting and disposing of asbestos-containing or asbestos contaminated waste materials must be clean, not previously contaminated with toxic materials, of metal or rigid fiberboard construction, have sealable lids and, when sealed, be air and watertight. Drums so used must be securely labeled with asbestos waste identification and warnings as specified by applicable OSHA, EPA, and DOT regulations.

#### G. Use of Encapsulants

Encapsulants as supplied to asbestos abatement projects fall in two major groups:

- 1. Those materials used to secure in-place friable asbestos-containing materials.
- 2. Those materials used to seal and enhance surfaces from which friable asbestos-containing materials have recently been removed.

In each case, the encapsulation process must take place within an Enclosed Work Area.

#### H. Layout of Work Area Entrance and Decontamination Structures

The Contractor must set up work area isolation/decontamination facilities in the manner specified in the specifications or applicable law, or if more stringent, consisting of three areas as follows:

- 1. The Equipment Room must be an area of sufficient size to accommodate at least one worker, a 6-mil disposal bag and container, and any equipment that the user wishes to store when not in use. The Equipment Room must not be physically separated from the work Area Isolation Structure.
- 2. The Wash Room must have two curtained doorways of opaque polyethylene film, one to the Enclosed Work Area, and one to the uncontaminated area. At least one shower must be installed in this room for personal decontamination.
- 3. The Clean Room must be of sufficient size to accommodate at least one worker and storage of street clothing. The Clean Room must be in the uncontaminated area and be separated from any contaminated area by at least one Air Lock.
- 4. Prefabricated or trailer-type decontamination/entrance system may be used.

Complete stripping of all visible asbestos materials is required. Where lagging is inaccessible, neatly trim any exposed edges and seal lagging with re-wet cloth, insulator's mastic, or other material approved by the spending unit.

#### I. Cleanup and Transportation of Asbestos-Containing Wastes

All polyethylene film, tape, cleaning material, clothing, respirator and AFD filters, and other disposable material or items used in the Enclosed Work Area must be treated and disposed of as Asbestos-Contaminated Waste.

As disposal containers are filled, they must be sealed and moved to a staging area. The Contractor must remove waste materials from the Enclosed Work Area on a regular basis.

When Loading filled disposal containers into the transport vehicles, the Contractor must:

- a. Take steps to protect against rupture or other accidental opening of the sealed containers.
- b. Must assume any and all liability for any rupture or other opening of sealed containers.
- c. Hereby agrees to hold the spending unit harmless therefore.

Warning labels, having waterproof print and permanent adhesive, must be affixed to the sides of the disposal containers. Warning label must be conspicuous and legible, and they must be in accordance with EPA, OSHA, and DOT regulations.

#### J. Disposal of Asbestos-Containing Waste

- 1. Disposal must comply fully with DOT, OSHA, and EPA regulations.
- 2. The landfill must be licensed to accept asbestos by all federal, state, and local authorities and proof of such license must be included in the project report.
- 3. The Contractor must fully document actual disposal for each load of waste delivered to the designated landfill. Signature attesting to receipt of the waste by the landfill operator must be obtained from the landfill operator for each load.

#### K. Decontamination of Work Area and Site Cleanup

- 1. Upon completion of all abatement activities and cleanup, all equipment, machinery, scaffolding, tools, etc., no longer needed inside the work area must be cleaned with Amended Water and removed from the Enclosed Work Area.
- After removing equipment and tools, the Contractor will clean all surfaces inside the
  Enclosed Work Area using Amended Water and/or HEPA filtered vacuum equipment, as
  appropriate. The Contractor will thoroughly clean any other areas suspected of having
  asbestos fiber contamination, using HEPA filtered vacuum equipment or Amended
  Water, as appropriate.
- 3. After all surfaces and equipment have been thoroughly cleaned and final clearance air sample results have been obtained, the Work Area Isolation Structures can be removed. All construction materials must be disposed of as asbestos-contaminated waste.
- 4. The Contractor must conduct a detailed final inspection to ensure that no dust or debris remains on any surface and must immediately take any additional steps necessary to make sure the area is free from asbestos fibers.

#### XX. ADDITIONAL TERMS & CONDITIONS

All prices are to include the cost of mobilization, demobilization, labor, equipment, and material required to perform asbestos abatement in accordance with the standards and regulations as specified in this Request for Quotations.

The Contractor is responsible for restoring the work area and auxiliary areas utilized during the abatement project to conditions equal to or better than original. Any damages caused during the performance of abatement activities shall be repaired by the contractor (e.g., damage to lawns, damage to access roads, etc.), at no additional expense to the spending unit.

BID FORM	
Total lump-sum cost to perform abatement and demolition project as specified herein:	
\$ .	

	Agency REQ.P.O#
BII	D BOND
KNOW ALL MEN BY THESE PRESENTS, That we, the	undersigned,
of,	, as Principal, and
	a corporation organized and existing under the laws of the State of
with its principal office in the City of	, as Surety, are held and firmly bound unto the State
	(\$) for the payment of which,
vell and truly to be made, we jointly and severally bind ourselves	
	eas the Principal has submitted to the Purchasing Section of the hereto and made a part hereof, to enter into a contract in writing for
nereto and shall furnish any other bonds and insurance required agreement created by the acceptance of said bid, then this oblig	enter into a contract in accordance with the bid or proposal attached by the bid or proposal, and shall in all other respects perform the ation shall be null and void, otherwise this obligation shall remain in full liability of the Surety for any and all claims hereunder shall, in no event,
The Surety, for the value received, hereby stipulates arway impaired or affected by any extension of the time within white value notice of any such extension.	nd agrees that the obligations of said Surety and its bond shall be in no ch the Obligee may accept such bid, and said Surety does hereby
IN WITNESS WHEREOF, Principal and Surety have he	ereunto set their hands and seals, and such of them as are corporations
nave caused their corporate seals to be affixed hereunto and the	
day of, 20	
Principal Corporate Seal	
	(Name of Principal)
	Ву
	(Must be President or Vice President)
	(Title)
Surety Corporate Seal	(Name of Surety)

IMPORTANT – Surety executing bonds must be licensed in West Virginia to transact surety insurance. Raised corporate seals must be affixed, a power of attorney must be attached.

Attorney-in-Fact

(B)

AGENCY\_ RFQ/RFP#\_

#### **BID BOND PREPARATION INSTRUCTIONS**

		Bid Bon	ıd
(A)	WV State Agency		RESENTS, That we, the undersigned,
(11)	(Stated on Page 1 "Spending Unit")	(C) of(D)	) , (E) ,
	Request for Quotation Number (upper	as Principal, and (F)	of <u>(G)</u> ,
	right corner of page #1)	(H) , a corporation or	ganized and existing under the laws
(C)	Your Company Name	of the State of with its	principal office in the City of
(D)	City, Location of your Company		eld and firmly bound unto The State
(E)	State, Location of your Company	of West Virginia, as Obligee, in the penal su	
(F)	Surety Corporate Name		t of which, well and truly to be made,
(Ġ)	City, Location of Surety	we jointly and severally bind ourselves, our	heirs, administrators, executors,
(H)	State, Location of Surety	successors and assigns.	
(I)	State of Surety Incorporation		tion is such that whereas the Principal
(J)	City of Surety Incorporation	has submitted to the Purchasing Section of t	he Department of Administration
(K)	Minimum amount of acceptable bid	a certain bid or proposal, attached hereto an	d made a part hereof to enter into a
	bond is 5% of total bid. You may state	contract in writing for	
	"5% of bid" or a specific amount on	(M)	
	this line in words.		
(L)	Amount of bond in figures		
(M)	Brief Description of scope of work	NOW THEREFORE.	
(N)	Day of the month	(a) If said bid shall be rejected, or	
(O)	Month	(b) If said bid shall be accepted an	
(P)	Year	contract in accordance with the bid or propo	
(Q)	Name of Corporation	any other bonds and insurance required by to other respects perform the agreement create	
(R)	Raised Corporate Seal of Principal	this obligation shall be null and void, other	wise this obligation shall remain in full
(S)	Signature of President or Vice President	force and effect. It is expressly understood	and screed that the liability of the
(Tr)		Surety for any and all claims hereunder sha	Il in no event exceed the nenal
(T)	Title of person signing Raised Corporate Seal of Surety	amount of this obligation as herein stated	ii, iii iio ovoitt, oxoood tiio poitai
(U) (V)	Corporate Name of Surety	The Surety for value received, her	reby stimulates and agrees that the
(V) (W)	Signature of Attorney in Fact of the	obligations of said Surety and its bond shall	
(")	Surety	any extension of time within which the Obl	
NOTE:	Dated, Power of Attorney with Raised	Surety does hereby waive notice of any suc	
14011.	Surety Seal must accompany this bid		pal and Surety have hereunto set their
	bond.	hands and seals, and such of them as are co	
		seals to be affixed hereto and these presents	s to be signed by their proper officers,
		this(N) day of(O)	, 20( <b>P</b> )
		Principal Corporate Seal	(Q)
		-	(Name of Principal)
		(R)	By(S)
			(Must be President or
			Vice President)
			(T)
			Title
		(U)	
		Surety Corporate Seal	<u>(V)</u>
			(Name of Surety)
			(W)
			Attorney-in-Fact

IMPORTANT - Surety executing bonds must be licensed in West Virginia to transact surety insurance. Raised Corporate Seals must be affixed and a Power of Attorney must be attached.

RFC	Q No.	
1.71	x	

### STATE OF WEST VIRGINIA Purchasing Division

#### PURCHASING AFFIDAVIT

#### **VENDOR OWING A DEBT TO THE STATE:**

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

#### PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

West Virginia Code §21-1D-5 provides that: Any solicitation for a public improvement construction contract shall require each vendor that submits a bid for the work to submit at the same time an affidavit that the vendor has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. A public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

#### **ANTITRUST:**

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

#### LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

#### **CONFIDENTIALITY:**

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and is in compliance with the requirements as stated.

Vendor's Name:		
Authorized Signature:	_Date:	