

VEZDOR

DATE PRINTED

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

TERMS OF SALE

Request for Quotation

REC NUMBER 6610C018

PAGE 1

FREIGHT TERMS

ADDRESS CORRESPONDENCE TO ATTENTION OF:

MICHAEL AUSTIN 304-558-2402

F.O.B.

8H+P TO

SHIP VIA

03/07		27.127.1			:		0051171			
		04/07/		CAT			UPENII	NG TIME	n I	:30PM
LINE	QUAI	YTITY	UOP	NO	ITEM NUN	BER		UNIT PRICE		AMOUNT
0001	нот мі	1	TN ALT		745-07					
	**************************************			OPE	N END CON	TRACT			magnos de l'autobra de designa segonicos	
	THE VE	NDORS	PLANT	, нот	EQUIPMENT MIX ASPHA ER THE AT	ALT TO	THE WE	EST VIRGI	NIA	
				Α	ND/OR		:			
	LAY DO	WN HOT	MIX	ASPHA	EQUIPMENT LT FOR THI TACHED SPI	E WEST	VIRGI	NIA DIVIS	ŧ	
			MANDA	TORY	PRE-BID					
	AT 1 PINTERE FAILUR	M BLDG STED P E TO A LIFICA	. 5, ARTIE TTEND TION	RM. A S ARE THE OF TH	LL BE HEL -122 CAPI REQUIRED MANDATORY E BID. N E BIDDER.	TOL COM TO ATT PRE-BI	PLEX (END TI D SHAI	CHAS, WV HIS MEETI LL RESULT	ALL NG.	
	POTENT OFFICI PRE-BI REPRES	IAL BI AL DOC D. FA ENTATI	DDERS UMENT ILURE VE NA	TO C VERI TO P ME ON	LL BE MAD OMPLETE. FYING ATT ROVIDE YOU THE ATTE THE BID.	THIS WENDANCE UR COMP NDANCE	ILL SE AT TH ANY AN SHEET	ERVE AS T HE MANDAT ND WILL RES	ORY	
					ENTATION '					
DIOMOTERE				SEE RE	VERSE SIDE FOR TE	<u>Garaja da karantaran </u>	NDITIONS	į		
SIGNATURE						TELEPHONE		. [6	DATE	
TITLE		FE	IN					ADDRESS CHAI	NGES '	TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

6610C018

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

RFQ NUMBER

TZOODZ.		P. TO	BY ORDER	S AS INDICATED
	\$			
DATE PRINTED	TERMS OF SALE	SHIP VIA	FOR	FREIGHTTERM

03/07/2010				
BID OPENING DATE: 04/0	7/2010	BID	OPENING TIME O	1:30PM
LINE QUANTITY	UOP CAT.	ITEM NUMBER	UNITPRICE	AMOUNT
		BLE FOR ENSURING		
		ION REQUIRED ON		
		DIVISION AND TH		
		SPONSIBILITY FOR		1870 A.
		E PRE-BID ATTEND		
		HAT ALL POTENTIA	L BIDDERS INCLUD	E .
THEIR E-MA	[L ADDRESS A	ND FAX NUMBER.)	
		Vicinity of the state of the st		
ALL POTENT	IAL BIDDERS	ARE REQUESTED TO	ARRIVE PRIOR TO	
		THE PRE-BID. BI		
		DISMISSAL OF TH		
		WILL BE PERMITT		
		ER CONCLUSION OF		
1	1 1	, BUT DURING ANY		
OF THE PRE-	\cdot BID WILL NO	T BE PERMITTED T	D SIGN THE	
ATTENDANCE	SHEET.			
		STIONS WILL BE A		
		O PM, EST) ON FR		
SEND YOUR (UESTIONS TO	: PURCHASING DIV	ISION	
		ATTENTION MICH	AEL AUSTIN	1'
		2019 WASHINGTO	N ST. EAST	
		CHARLESTON, WV	25305	-
		VIA FAX, E-MAIL,	OR REGULAR MAIL	The state of the s
E-MAIL:	MICHAEL.D.A	USTINAWV.GOV		**************************************
FAX:	304-558-411	5		
IT IS THE V	'ENDORS RESP	ONSIBILITY TO VE	RIFY THAT THEIR	
QUESTIONS H	IAVE BEEN RE	CEIVED BY CALLIN	G 304-558-2402.	
PURCHASING	CARD ACCEPT	ANCE: THE STATE	OF WEST VIRGINIA	A
		ISA PURCHASING C		
		NK. THE SUCCESS		Personal
MUST ACCEPT	THE STATE	OF WEST VIRGINIA	VISA PURCHASING	
		L ORDERS PLACED I		**************************************
SIGNATURE	SEE RE	VERSE SIDE FOR TERMS AND CON TELEPHONE	DITIONS 	
Oldinal Olic				
		The state of the s	10016	WARRAN



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

6610C018

PAGE 3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
MICHAEL AUSTIN
304-558-2402

NOCE

RFQ COPY
TYPE NAME/ADDRESS HERE

8H +-P ∓0

DATE PRINT	ED	TER	MS OF SAL	E	SHIP V	A	F.O.B	FREIGHT TERMS
03/07/				·····				
BID OPENING DATE:	laurasanan san kabupat	04/07/	<u> 2010 </u>	e na ann an ann an an		<u>BID</u>	OPENING TIME 0	1:30PM
LINE	AUD	ITITY	UOP	CAT NO	ITEM NUM	BER	UNIT PRICE	AMOUNT
				·				natural de la constantina della constantina dell
	AGENCY	AS A	CONDI	TION	OF AWARD.			
	EXHIBI	T 3		·	·			
						AT BEAA	VEO PERFOTTUE ON	
							MES EFFECTIVE ON	
							PERIOD OF ONE (1	'시
							HEREAFTER AS IS	.
							RENEW THE	
							ME" PERIOD SHALL	
					MONTHS.		THIS "REASONABL	•
							NTRACT FOR ANY	.
	1		1	6 IHE	DIKECIOK	UF PUR	CHASING 30 DAYS	
	WRITTE	N NOIT	LE.					
-	SHI ECC	CDECT	ETC D	DOVIC	TONC ADE	CTIDII A	TED ELSEWHERE	
							CONDITIONS AND	
				3		-	FE OF THE	
	l .		HEKEI	N AKE	FIRM FUR	INC LI	re or the	
	CONTRA	UI.						
	DENEMA	. TUT	S CUN	TPACT	MAV BE R	ENEWED	UPON THE MUTUAL	
							ND VENDOR,	
							G THIRTY (30)	
-							CH RENEWAL SHALL	
							NDITIONS OF THE	
							TO TWO (2) ONE	
*	(1) YE		1	~	JIIA - DE			
	1 1 1 1 1					5		
	CANCEL	LATION	: THE	DIRE	CTOR OF P	URCHASI	NG RESERVES THE	
							ELY UPON WRITTEN	1
							S AND/OR SERVICE	
							DO NOT CONFORM	
							ONTRACT HEREIN.	
	OPEN M	ARKET	CLAUS	E: TH	E DIRECTO	R OF PU	RCHASING MAY	•
	200000000000000000000000000000000000000				·			
SIGNATURE				SEERE	VERSE SIDE FOR T	ERMS AND CO TELEPHONE	NUTTIONS IDATE	
SIGNATURE								
TITLE		F	EIN				ADDRESS CHANG	ES TO BE NOTED ABOVE
L .	<u> </u>		·				WINDANE ADOLE LABE	



VEZDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

Ţ O

RFQ NUMBER 6610C018

P/	١G	E		
		,		
		6		

MICHAEL AUSTIN 304-558-2402

ADDRESS CORRESPONDENCE TO ATTENTION OF:

RFQ COPY TYPE NAME/ADDRESS HERE

DATE PRINTED	TERM	IS OF SALE	SHIP VIA	FO.B.	FREIGHTTERMS
03/07/2010					
BID OPENING DATE:	04/07/2	010	BID	OPENING TIME D	1:30PM
LINE QU	ANTITY	UOP CAT. NO.	ITEM NUMBER	UNITPRICE	AMOUNT
MARKE ESTIM IMMED CAUSE	T, WITHO ATE, ITE IATE DEL S (INCLU TION OR	UT THE FI MS SPECIF IVERY IN DING BUT	NIT TO PURCHASE LING OF A REQUIS IED ON THIS CONT EMERGENCIES DUE NOT LIMITED TO D CIPATED INCREASE	ITION OR COST RACT FOR TO UNFORESEEN ELAYS IN TRANS-	
APPRO THE S THAT ORDER	XIMATION TATE SPE THE CONT ED FOR D	IS ONLY, B NDING UNI RACT SHAL DELIVERY D	LISTED IN THE R ASED ON ESTIMATE T. IT IS UNDERS L COVER THE QUAN URING THE TERM O HAN THE QUANTITI	S SUPPLIED BY TOOD AND AGREED TITIES ACTUALLY F THE CONTRACT,	
WRITT THE V THE O VENDO MAILE	EN STATE ENDOR FO RIGINAL R AS AUT D TO THE	CONTRACT COMMODI COPY OF T	ENDING UNIT(S) S ORDER (FORM NUM TIES COVERED BY HE WV-39 SHALL B N FOR SHIPMENT, NG DIVISION, AND NG UNIT.	BER WV-39) TO THIS CONTRACT. E MAILED TO THE A SECOND COPY	
FOR B CONTR	ANKRUPTC ACT NULL	Y PROTECT	ENT THE VENDOR/C ION, THE STATE M , AND TERMINATE	AY DEEM THE	
SHALL CONDI DOCUM AGREE	SUPERSE TIONS WH ENTS SUC MENTS OR	DE ANY AN ICH MAY A H AS PRIC MAINTENA	NS CONTAINED IN D ALL SUBSEQUENT PPEAR ON ANY ATT E LISTS, ORDER F NCE AGREEMENTS, AS CD-ROM.	TERMS AND ACHED PRINTED ORMS, SALES	
	05/26/20	09	VERSE SIDE FOR TERMS AND CO	iditions	
SIGNATURE		الناا 1 فندران	TELEPHONE	DATE	
TITLE	FEIN	·		ADDRESS CHANGE	S TO BE NOTED ABOVE



RFQ COPY

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

GH-P

T O 6610C018

PAC	Œ.
	_

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS

VARIOUS LOCALES AS INDICATED

BY ORDER

ン胆之の口口

TYPE NAME/ADDRESS HERE

DATE PRINT	rED	TER	RMS OF SAL	E	SHIP	/iA	F.	0.B		FREIGHT TERMS
03/07/						-				
BID OPENING DATE:	Income novelenovené	04/07/	2010	er ners areas and		BID	OPENING	TIME	01	:30PM
LINE	QUAN	VTITY	UOP	CAT. NO	ITEM NUI	VIBER	UNF	TPRICE		AMOUNT
			83.55.00.00	<u>a. 483 bird (168.)</u>				de la la companya de	9898888	
•										
							PARTIE			
	EXHIBI	T 10					****			,
				:		•				
					REQUI	SITION	NO.:		• • •	
:	ADDEND	ווא עכג	NUMIE	псеме	NT				}	
	ADDEND	ON ACK	NOWLE	DGEME	J4 I					
	I HERE	BY ACK	NOWLE	DGE R	ECEIPT OF	THE FO	LLOWING	CHECKE	D I	
	ADDEND	UM(S)	AND H	AVE M	ADE THE N	ECESSAR	Y REVISI			
	PROPOS.	AL, PL	ANS A	ND/OR	SPECIFIC	ATION,	ETC.			
		1114 110			•					;
	ADDEND	um Nu.	. 2:		. *	,				
	NO. 1								1	
									1	
	NO. 2									
	NO. 3	• • • • •	• •				1			
	NO. 4			j			٠	•	ŀ	
					•	* **			***************************************	
	NO. 5			,					***************************************	
					<u> </u>		•			•
					URE TO CO				THE	
	ADDEND	נפוויט	HAY B	E CAU	SE FOR RE	JECITON	OF RIDS	•		
	VENDOR	MUST	CLEAR	LY UN	DERSTAND	THAT AN	Y VERBAL			
					ASSUMED					
					ETWEEN VE			TATIVE	S	
					L IS NOT					
					WRITING A					
	SPECIF.	ICAIIO	14 61	AN U	FFICIAL A	กกรุชกฤฟ	T2 RIMD	ING.		
					•					
· · · · · · · · · · · · · · · · · · ·				į						
				X CEE DE	/ERSE SIDE FOR TI	EDMG: AND GOV	INITIONE			
SIGNATURE		<u> </u>	3663060333333	SECHE)	and the Control of th	TELEPHONE	CNORTON	1	DATE	
TITLE		· lës	in .	***************************************	· · · · · ·		<u> </u>			~~~~
	ere e e e	٦	-111				ADD	RESS CHAI	NGES T	TO BE NOTED ABOVE



DODZEN

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

SH-P

Ţ

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS

·B	Q	ΝU	W	<u>BE</u>	Ŗ.				
	66	. 1	0	С	0	1	8		

<u> </u>	P	Ą	C	E	
				6	

ADDRESS CORRES	DOMINENTOE TO	YOU THE NOTIONAL YOU
∵∵ せららしこうつうらいじゅいこう	いいいいい こうりいこ ナバ	メメイン さいけいひというだ
		and the second of the second of the second

ADDRE	SS:CORRESPO)	IDENCE TO	ATTENTION	I/OF:
4ICHAEL	AUSTIN			
<u> 304-558-</u>	2402			

RFQ COPY TYPE NAME/ADDRESS HERE

03/07/	2010								
BID OPENING DATE:		04/07	/2010			BID	OPENING TIME	01	:30PM
LINE	QUAI	YTITY	UOP	CAT. NO.	ITEM NU	MBER	UNIT PRICE		AMOUNT
						SI	GNATURE	***************************************	
						co	MPANY	• • • •	
			And the second s			DA	 TE	• • •	
	NOTE: WITH T		ŀ	UM AC	KNOWLEDGI	EMENT SH	OULD BE SUBMI	TTED	
	REV. 0	9/21/2	2009						
	EXHIBI	T 4							-
	IN THE AND CO AND OT TO POLITI CLEARL	BID NDITION HER LO ITICAN IA. , TERN CAL SO Y IND NOT PR	HIS REDNS OF OCAL GOOD SUBDIF THE MS, AN UBDIVI	FUSAL THE OVERN IVISI VEND CON SIONS SUCH	TO EXTENDED TO COMENT BOD TO COME THE SECOND C	ND THE POUNTY, SIES, THE STATE WISH DF THE BITATE, TIN HIS B	TO EXTEND TH ID TO ALL HE VENDOR MUS	PAL TEND E T USAL	
,	THE HI RATES	GHER (F THE	U.S. HED F CODE	DEPARTME OR VARIOU 21-5A, E	ENT OF L JS COUNT F, SEQ.	ACTOR SHALL P ABOR MINIMUM IES, PURSUANT (PREVAILING	WAGE	
SIGNATURE				SEE RE	VERSE SIDE FOR	TELEPHONE	ADTHONS	IDATE	
TITLE		ļF	EIN				ADDRESS CH	ANGES	TO BE NOTED ABOVE



NUCCEN

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

6610C018

***PAGE

Raddress:Correspondencerio:Attientioniofi

MICHAEL AUSTIN 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE

SH-P FO

DATE PRIN	TED	TI	RMS OF SA	Æ	SHIPV	iA	F.O	В,	FREIGHTTERMS
03/07/	~~~~		No. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				<u></u>		
BID OPENING DATE:		04/07	/2010	Daniel de la companya		BID	OPENING	TIME 0	1:30PM
LINE	OL.	JANTITY	UOP	CAT. NO	ITEM NUM	/BER	UNIT	PRICE	AMOUNT
	LIACE	DATEC	ADDLV	TO TU	TO DOO!EC	T \			The second secon
	WAGE	KAIES	AFFLY	10 18	IS PROJEC	1).			
						;			
AAA	WORKE	RS! CO	MPENSA	TTON:	VENDOR	TS REQU	TRED TO	PROVIDE	
					RS' COMPE				
	ALL O	F THE	ITEMS	CHECK	ED BELOW	WILL BE	A REQUI	REMENT	
	OF TH	IS CON	TRACT:						
1			1	:	SSFUL VEN		!		
			F	I .	LIABILITY		}		
-			1	1 :	UNLESS O		•		
***			I	1	250,000.	AROUNT	OF INSUR	ANCE	
•	COATI	.rom ith	WOINER		250,000.				
			Co	NTRAC	TORS LICE	NSE			
4									
					DE 21-11-				
					RFORM CON		1		
	1	MUST					INIA CON		·
			1	i	OWERED TO				_
	LICEN	•	1		FOR A CO WEST VIR				1
₹	E			,	ING 3, RO				
1	25305				4) 558-78		CHARLES	· · · · · · · · · · · · · · · · · · ·	
A		, ,			, , , , , , , , , , , , , , , , , , , ,		·	je .	
			-	ПОИ	ICE				
	A SIG	NED BI	D MUST	BE S	UBMITTED	TO:			
		DEPART PURCHA			INISTRATI	UN			
		BUILDI	1	1 4 1 2 1	UN				
			5	TON S	TREET, EA	ST			
		CHARLE	•	1	5305-0130				
SIGNATURE				SEE HE	VERSE SIDE FOR T	ERMS: AND: COI TELEPHONE	NUHIONS:	DATE	
			#1 Po 14 P				····		
TITLE	1 11 1		FEIN				ADD	RESS CHANGE	S TO BE NOTED ABOVE



VENDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25205 0120 Charleston, WV 25305-0130

		ĮŲ.	W	25				<u></u>	
6	6	1	0	C	0	1	8		

Ţ.	AG	E	
		0	

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE

3:	
н	
н	
1	
Þ	
Ψ	ŧ
Ų	1
ं	İ
Ö	Ì
ઁ	-
	-

DATE PRINTED	J.	RMS OF SALE	SHIP VIA	F.O.B.	FREIGHTTERMS
03/07/201					
BID OPENING DATE:	04/07		BID	OPENING TIME 01	:30PM
LINE	QUANTITY	UOP CAT NO.	ITEM NUMBER	UNITPRICE	AMOUNT
		1999			
					,
THE	BID SHO	ULD CONTAIN	THIS INFORMATION	ON THE FACE OF	,
THE	ENVELOP	E OR THE BI	D MAY NOT BE CON	SIDERED:	
0.54	ED DED	######################################		•	***************************************
SEAI	ED BID	***			
вич	ER:	· Warren	33		
RFQ	. NO.:		6610C018		
חדם	OPENING	DATE.			
PIU	OFENTING	DATE			
BID	OPENING	TIME:			,
		***************************************			,
D. C.	ACE DDOV	THE A EAV N	UMBER IN CASE IT	TO NECESCARY	
		1 1	NG YOUR BID:	13 NECESSART	
	JON I FLOT				
				NO NEW BOOK BARK AND AND AND AND BARK AND	
CON	TACT PER	SON (PLEASE	PRINT CLEARLY):		
					THE PROPERTY OF THE PROPERTY O
***	XXX TUT	S IS THE EN	D OE DEO 4410C)18 ***** TOTAL:	
			D OI KIQ OOLOO	TO AAAAA TOTAL.	
		SEERE	VERSE SIDE FOR TERMS AND CON	DITIONS	<u> </u>
SIGNATURE			TELEPHONE	DATE	
TITLE		FEIN		ADDRESS CHANGES	TO BE NOTED ABOVE

1. SPECIFICATIONS

The following sections of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Latest Addition, as modified by the current Supplemental Specifications shall apply to the administration of the Contract: Sections 101, 102.4,102.5, 105.1, 105.3, 105.4, 105.10, 105.11, 105.12, 105.13, 106.3, 106.4, 106.5, 106.6, 106.7, 106.9, 107.1, 107.2, 107.3, 107.12, 107.14, 107.25, 107.16, 107.19, 107.20, 107.23, 108.3, 108.5,108.6, 108.7, 108.8.

The terms "Contractor" and "Vendor" used in the above specifications of this Contract are interchangeable. Contractor shall mean Vendor and Vendor shall mean Contractor.

West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000, and the current Supplemental Specifications may be obtained from:

West Virginia Division of Highways State Capitol Complex Contract Administration Division Room 722, Building Five 1900 Kanawha Boulevard, East Charleston, West Virginia 25305

All material, except Item P, shall be furnished in accordance with the requirements of the following West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Latest Addition as modified by the current Supplemental Specifications.

Item P Shall meet West Virginia Division of Highways' Specifications, specifications of adjacent state highway departments or specifications acceptable to the Engineer for similar material as bid in Items A through O.

The Division of Highways may purchase Hot-Mix Asphalt F.O.B. Vendor's plant. The bid price F.O.B. Vendor's plant shall include the loading of Division of Highways', owned or rented, trucks and the furnishing of a coating solution in accordance with Section 401.9.7 of the Specifications by Vendor.

2. BIDDING INSTRUCTIONS

Any qualification of bids or any modification of the specifications or conditions governing the bids shall be cause to reject bids.

If a Vendor will be supplying materials from more than one plant, the bid prices that apply to each plant shall be clearly indicated in the bid, preferably on separate bid schedules.

The purpose of this contract is to establish unit prices for Items A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z, AA, AB, AC, AD, AE, AF, AG, AH, AI, AJ, AK, and AL which are to be used as the basis for requisitioning Hot-Mix Asphalt and Warm-Mix Asphalt for use on various maintenance and repair projects throughout the District.

State Contract Purchase Orders (SCO's) for individual paving projects will be based on the lowest overall total cost of the pick-up price of material (Items A through O)plus shoulder paving Item S & T, plus the haul cost (Item U) plus the lay down cost (Item V), plus cleaning & sweeping (Item W), tack material (Item X), mobilization for paving (Items Y or Z), off season plant opening (Item AA), additional heel-in joints (Item AB), skip paving surcharge (Item AC), mobilization for profiling (Item AD), pavement profiling (Item AE), and Traffic Control (Items AF, AG, AH, and AI), and Item AK Pavement repair, however (Items A through R) may be furnished from any approved production location. Items S, T, U, V, W, X, Y, Z, AA, AB, AC, AD, AE, AF, AG, AH, AI, AJ, AK, and AL shall be shown on the SCO as a separate pay item when requested by the Engineer.

State Contract Purchase Orders (SCO's) for material to be picked up at the Vendor's plant by the Division of Highways will be based on the lowest unit price of Items A through R and the Division's most economical haul cost from the Vendor's plant to individual job sites. Factors to be considered shall include but not be limited to; bid price of material, haul cost @ \$0.25 for each additional ton-mile, loading and transportation delays, and availability of material.

The distances allowed for haul costs will be over suitable routes selected by the Engineer that provides the lowest total cost to the Division of Highways and shall be measured from the Vendor's plant location to the mid-point of the project. All such chosen routes shall have acceptable load limits for both roads and bridges.

The Division of Highways reserves the right to request any one or combination of items for which bids are received at the lowest overall total as set forth above.

Acceptance of a bid for any one item shall not be dependent upon the acceptance of a bid for any other item or any combination of items. However, Item P shall not be requested except when determined by the Engineer that all other equivalent items of material are not available, then only on a pick-up basis. Also, Item U will only be requested in combination with other quoted items.

Upon receipt of a State Contract Purchase Order (SCO) for lay down of Hot Mix Asphalt or pavement profiling, the Vendor shall advise the Division of Highways, in writing, within five (5) calendar days of their acceptance of the SCO. Failure to acknowledge shall result in cancellation of the SCO and re-award to the next lowest bidder.

4. CONTRACT CONDITIONS

Vendors may bid any or all items on the bid schedule. However, the amount bid on any one item may not be conditioned on the acceptance of the bid on any other item or items.

All qualified Vendors who submit a valid bid "F.O.B. Vendor's Plant" will be awarded a Contract for those items bid (see Section 12).

In the event a Contractor fails to conform to the requirements set out in this contract document, the State Contract Purchase Order or the governing specifications, and the State Contract Purchase Order may be canceled and re-awarded to the next lowest bidder.

The State of West Virginia reserves the right to make multiple awards on this Contract when it is in the best interest of the State to do so.

All labor rates paid by Vendor under Items S, T, U, V, W, X, Y,Z, AA, AB, AC, AD, AE, AF, AG, AH, AI, AJ, AK, of this contract must be in compliance with the West Virginia Department of Labor Prevailing Rates, Chapter 21-5A, Series 15, 2006.

The Vendor is not authorized to ship, nor is the Division authorized to receive materials prior to the issuance of an "SCO".

5. CONTRACT COMPLETION

All State Contract Purchase Order's (SCO's) for lay down work shall be started within five (5) calendar days of vendor acceptance of the "SCO", unless otherwise specified by the Engineer. If not started within 5 days SCO may be cancelled and reissued to next lowest bidder. If not completed within thirty (30) calendar days of the starting date, unless otherwise specified in the SCO, liquidated damages will be assessed in accordance with Section 108.7 of the Standard Specifications Roads and Bridges Latest Addition.

6. GENERAL PROVISIONS

6.1 Lay Down

Lay down as noted in Item V shall be provided by the Vendor as requested by the Division of Highways at projects designated by the Engineer.

12 6.2 Skip Paving

The Vendor may be required to perform Skip Paving projects at a paving location, provided the distance between the end of one skip and the beginning of the next does not exceed two thousand five hundred (2500) feet. When Skip Paving is requested the Vendor shall be paid the Skip Paving Surcharge, Item AC for each ton of final surface course material completed in place on the project. Patching and leveling in preparation for resurfacing of a project shall not be considered Skip Paving.

6.3 Heel - In

Heel -in of joints at the beginning and the end of each paving location, will be performed by the Vendor in accordance with the Resurfacing Heel - In Detail.

Payment for beginning and ending heel - in joints shall be included in the unit price bid for Item V.

Additional Heel - In Joints, Item AB, constructed in accordance with the Resurfacing Heel - In Detail may be required as directed by the Engineer at intersecting roadways, at the beginning and end of each paving skip, and other designated locations. Pavement of additional Heel-In Joints shall be paid per lineal foot as measured along the joint, which shall be full payment for complete construction of the joint.

6.4 Cleaning and Sweeping

Cleaning and Sweeping will normally be performed by the Division. However, Cleaning and Sweeping, if provided by the Vendor, shall be performed in accordance with Subsection 401.10.1 of the Standard Specifications. Payment shall be calculated as the paving length times the width swept in accordance with subsection 401.10.1.

6.5 Off Season Plant Opening

If the Vendor is required to open his plant in the off season to service the needs of the Division, an additional payment will be made under Item AA, off-season plant opening. Vendor will be paid additional day charge for each additional consecutive day that the plant is open after the first day to serve the needs of the Division.

If the plant produces no material for any user on any calendar day, either during the week or on the weekend, the Division will pay the first day rate for off-season plant opening on the next day of Division usage. Payment for this item is subject to the following conditions:

6.5.1 Payment for Item AA can only be authorized and made during the winter months, i.e., between December 15 and March 15, and then only if the plant would not have otherwise been open.

These dates may be revised by the State Highway Engineer, if necessary, to meet specific needs in the field. Any such revision of dates will be in writing and shall be attached to the Vendor's invoice at the time payment is requested.

- 6.5.2 Payment will always be made in the full contract bid price amount for first day of plant opening. However, the amount paid from each additional day of plant opening will be reduced as follows:
- a. Payment for additional day charge will not be made if the plant has produced over 500 tons on that particular day. If between 300 and 500 tons have been produced, payment for additional day charge will be made equal to one-half of the amount bid for additional day charge. The quantity produced to make this determination shall include all material produced that day, which includes tonnage bought by the State, the various local governments, and all private work.
- b. The State will only pay its share of the amount determined to be due for additional day charge in paragraph 6.5.2a above. For example, if the plant produces 375 tons and the Division takes 150 tons of the total, in this illustration 40% of the plant's daily production, payment for additional day charge would be calculated as follows: Since the total daily production is between 300 and 500 tons, the Vendor is due one-half (50%) of the additional day charge in accordance with paragraph 6.5.2a. Because the Division's share of this daily production is 40% the Division would pay 40% of one-half of the additional day charge, or in this case, 20% of the additional day charge.
- 6.5.3 In order to be paid for additional day charge, a certified statement shall accompany the invoice stating the total quantity produced on that day. If payment for additional day of plant opening is not made due to tonnage produced, the next consecutive day of plant operation, if any, will only qualify for payment at the additional day rate, not the first day rate for plant opening.

6.6.1 Description of Work:

This work shall consist of profiling the existing pavement to the specified grade and cross slope by grinding, planning or milling. The profiling equipment shall be capable of accurately establishing profile grades (1/4 inch plus or minus) along each edge of the machine by reference from the existing pavement by use of ski or matching shoe or by reference to independent grade control. The equipment shall have an automatic system for controlling grade and cross slope. The Vendor shall provide adequate manpower and auxiliary equipment to control dust and remove cutting from the project site. Stockpiling of cuttings on the project site will not be permitted. All cuttings on the project site will not be permitted. All cuttings shall become the property of the Vendor. The Vendor shall be responsible for damage to drainage facilities, manholes or other appurtenances within the pavement area.

6.6.2 Method of Measurement:

- 6.6.2.1 Mobilization for Profiling: The work shall consist of preparatory operations including movement of necessary personnel and equipment onto the project site to begin the profiling work. Only one Mobilization for Profiling per State Contract Order (SCO) shall be paid when Pavement Profiling (Milling) is required.
- 6.6.2.2 Pavement Profiling (Milling): "Pavement Profiling (Milling)" shall be measured as the total number of square yards planed or ground to a depth not exceeding two (2) inches. Should the required removal depth exceed two (2) inches additional quantities shall be measured for each additional two (2) inch increment.
- 6.6.2.3 Haul of Profiled Cuttings: Hauling of cuttings from project site to the Vendor's nearest production facility shall be paid under Item V "Haul by Vendor", and weighted on truck scales in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Latest Addition as modified by the current Supplemental Specifications.

6.7 Maintenance of Traffic

Maintenance of Traffic: Traffic Control and Temporary Pavement Marking Paint may be furnished by DOH. When Items AF, AG, AH, AI, are requested, traffic shall be maintained by the Vendor in accordance with Section 636 of the West Virginia Division of Highways Standard Specifications Roads and Bridges Latest Addition as modified by the current Supplemental Specifications.

The project, while undergoing improvement, shall be kept open to traffic in such condition that both local and through traffic will be adequately and safely accommodated. All construction operations shall be scheduled by the Contractor to keep traffic delay to a minimum.

Work shall consist of excavating the shoulder 4" below the proposed finished pavement grade surface for a width and length as directed by the engineer and installing 4" of Base 1 HMA. The excavated material shall be pulled back and used to reshape the shoulder as directed by the engineer. Any excess material shall be removed from the site and disposed of by the contractor. The cost of excavating, reshaping and removal and disposal of excess material shall be included in the unit bid price for "HMA Base 1 Shoulder Paving".

HMA Base 2 Shoulder Paving

Work shall consist of excavating the shoulder 2" below the proposed finished pavement grade surface for a width and length as directed by the engineer and installing 2" of Base 2 HMA. The excavated material shall be pulled back and used to reshape the shoulder as directed by the engineer. Any excess material shall be removed from the site and disposed of by the contractor. The cost of excavating, reshaping and removal and disposal of excess material shall be included in the unit bid price for "HMA Base 2 Shoulder Paving".

6.9 Pavement Repair

Work shall consist of cutting existing pavement, removing damaged material to a depth directed by the engineer, hauling and disposing of existing pavement, tacking of existing surfaces and placing and compacting Base 1 HMA in lifts not exceeding 4 ½" to the level of the existing pavement. The cost of cutting, removing, hauling, disposing of the existing pavement, placing, and compacting the Base 1 HMA shall be included in the Bid price for "Pavement Repair".

6.10 PRICE ADJUSTMENT OF ASPHALT CEMENT

Due to the uncertainty in estimating the costs of petroleum products that will be used during the life of this Contract, adjustment in compensation for contract Items A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, and P, and is provided in The Special Provision for Section 109 as Section 109.10.

The asphalt cement content used for Item P shall be that specified above for the similar materials in Item A through O.

6.11 PRICE ADJUSTMENT OF FUEL OIL NO. 2 (DIESEL FUEL)

Because of the uncertainty in estimating the cost of diesel fuel that will be used during the life of this contract, adjustment in compensation for contract Items A, B, C, D, E,F, G, H, I, J, K, L, M, N, and O, is provided for in The Special Provision for Section 109 as Section 109.9.

6.12 Surcharge for Warm-Mix Asphalt

The cost difference for supplying Items A-O as Warm-Mix Asphalt instead of Hot-Mix Asphalt(+) plus for increased cost (-) minus for decreased cost.

16 6.13 Milled Rumble Strip

Milled Rumble Strips shall be constructed in accordance with "Rumble Strip Special Detail" (See Figure 1).

7. MOBILIZATION FOR PAVING LIMITS

Mobilization for Paving, Items Y and Z will be paid when Vendor is required to place lay down quantities (Item V) under 500 tons. In addition, nighttime mobilization for paving, Item Z will only be paid when Vendor is directed by the Engineer to perform lay down at night.

Only one mobilization for paving per day of operation will be paid, unless moves of over five miles between individual paving locations are required. In cases where a Vendor is required to move from one roadway to the adjacent roadway of a divided highway, additional mobilization for paving will only be paid if the nearest interchange or crossing point that will accommodate the Vendor's equipment is over five miles from the paving locations. (This provision may require roundtrip moves of up to 10 miles with no additional mobilization for paving payment).

At an individual paving location where the Vendor is required to place quantities of less than 500 tons on successive days and/or nights, mobilization for paving will only be paid for the initial day's and/or night's operation.

An individual paving location shall be defined as a paving job where no skips exceeding two thousand five hundred (2500) feet are involved, except between the approach slabs of a bridge or parallel pair of bridges.

- 8 WEIGHING MATERIALS DELIVERED BY TRUCK
 Material delivered by truck shall be weighed in accordance with
 Section 401.9.3 of the West Virginia Department of Transportation,
 Division of Highways' Standard Specifications Roads and Bridges,
 Latest Addition as modified by the current Supplemental
 Specifications.
- 9 ACCEPTANCE PLAN Quality control at the plant and in the field shall be the responsibility of the Vendor and shall meet the requirements of MP 401.03.50.

Compaction quality control shall be in accordance with MP 401.05.20. Acceptance testing shall be the responsibility of the Division.

Quality assurance of the material shall be as set forth in MP 401.02.27 for Marshall mix designs or MP 401.02.29 for Superpave mix designs.

10 WARM MIX ASPHALT
Warm-Mix Asphalt (WMA) produced using a water injection system may be substituted for Hot-Mix Asphalt (HMA), at the discretion of the Engineer, using Division approved HMA designs. When WMA is used, the temperature of the completed mixture at the plant may be lowered to an established range that has previously been determined through trial

production. The allowable temperature range specified on the approved T400 mix design form shall be adjusted accordingly when using WMA. In addition, typical minimum HMA compaction temperatures shall be waived as long as additional density can be obtained at lower temperatures without damaging the pavement.

11. SUPPLYING OTHER ORGANIZATION ENTITIES

County Courts, Municipalities, School Boards, and other political subdivision and governmental entities, etc, may have a need for these materials, and Vendors may wish to supply that need.

Accordingly, bidders may wish to extend their contract prices to these other entities. If the bidder wishes to supply these other entities, but with prices different from quoted for the Division of Highways, the bidder shall include a set of bid schedules clearly and unambiguously marked for the express use of the entities other than the Division of Highways. Failure by the bidder to include a set of bid schedules for other entities will be taken to mean that the bid schedules extended to the Division of Highways will also be extended to these other entities.

In the event any Vendor does not wish to extend the prices, terms and conditions of his bid and subsequent contract to other entities of the State, he must so indicate in a clear and unambiguous manner in his bid. This indication does not prejudice the award of the contract. If a Vendor does not indicate his refusal to extend the prices, terms and conditions of his bid to other entities of the State, he is bound to extend them upon issuance of a purchase order by these other entities.

Other organizational entities using this provision of the contract shall do so without any involvement of the Division of Highways. That is, the entity shall make its own purchase arrangements with the Vendor and shall make its own arrangement for payment.

12. VENDOR'S INVOICES

Separate invoices must be submitted for Items "A" through R and for Items "S" through "AL".

Vendor's invoices must be submitted in original and one copy and contain the following:

- a. All weigh ticket numbers for material delivered and cuttings hauled during the invoicing period.
- b. Division of Highways' State Contract Purchase Order (SCO) number and this contract number.
- c. Total quantity and unit price with the total cost of each type of material furnished.
- d. Vendors shall show all weigh ticket numbers on their individual invoices.
- e. No payment will be made to a Contractor for Item Y or Z unless he performs the lay down operation and the quantity involved is less than 500 tons for Item Y.

Under no circumstance will the West Virginia Division of Highways accept, or pay for, quantities of material in excess of the quantity stated on the State Contract Purchase Order.

NOTE: Vendors should type Bid Schedule District One

Bid Schedule

Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Pl			ner.	ton	
	Per ton	, , , , , , , , , , , , , , , , , , , ,		du		
Item B -	Hot-Mix Asphalt 37.5mm Superpave		401			
	F.O.B. Vendor's Per ton	Plant	@ \$_		per	ton
Item C-	_Hot-Mix Asphalt Base II	Section	401			
	F.O.B. Vendor's Per ton	Plant	@\$ __		per	ton
<u> Item D - </u>	_Hot-Mix Asphalt Patch & Level	Section	401			
	F.O.B. Vendor's Per ton	Plant	@\$ _.		per	ton
Item E -	_Hot-Mix Asphalt Wearing IV	Section	401			
	F.O.B. Vendor's Per ton	Plant	@\$ _.		per	ton
Item F -	Hot-Mix Asphalt Wearing IV					
	F.O.B. Vendor's Per ton	Plant	@\$ _.		per	ton
<u>Item G -</u>	Hot-Mix Asphalt 19mm Superpave	•				
	F.O.B. Vendor's	Plant	@\$ _.		per	ton

Item H -	Hot-Mix Asphalt	Section	401		
	Scratch Course				
	F.O.B. Vendor's	: Plant	@\$	per	ton
	Per ton				
Item I -	Hot-Mix Asphalt	Section	402		
	9.5mm Superpave	<u> </u>			
	F.O.B. Vendor's	3 Plant	@\$	per	ton
	Per ton				
Item J -	Hot-Mix Asphalt	Section	401		
	Wearing I				
	F.O.B. Vendor's	s Plant	@\$	per	ton
	Per ton				
Item K -	Hot-Mix Asphalt	: Section	402		
	Wearing I				
	F.O.B. Vendor's	s Plant	@\$	per	ton
	Per ton				
Item L -	Hot-Mix Asphalt	z Section	401		
	4.75mm Superpar				
	F.O.B. Vendor's	s Plant	@\$	per	ton
	Per ton				
Item M -	Hot-Mix Asphalt	t Section	402		
	4.75mm Superpar				
	F.O.B. Vendor's	s Plant	@\$	per	ton
	Per ton			•	
Item N -	Hot-Mix Asphalt	t Section	401		
	Wearing III				
	F.O.B. Vendor'	s Plant	@\$ <u>_</u>	per	ton
	Per ton				
Item O -	Hot-Mix Asphal	t Section	402		
	Wearing III				
	F.O.B. Vendor'	s Plant	@\$_	per	ton
	Per ton				
Item P -	Hot-Mix Asphal	t			
	Plant Run				
	F.O.B. Vendor'	s Plant	@\$_	per	ton
	Per ton				

<u> Item Q -</u>	Surcharge for PG70-22 Binder @\$per ton
Item R -	Surcharge for PG76-22 Binder @\$per ton
	HMA Base 1 Shoulder Paving @\$ per ton
Item T -	HMA Base 2 Shoulder Paving @\$ per ton
Item II -	Haul by Vendor
	@\$ for first ton mile and
	@\$ for each additional mile
Ttem V -	Lay Down of Materials
20011	Items A thru O, Each Site
	100mb 11 01112 a 0, 11ao11 01100
	0 to 100 tons@\$per ton
	101 to 200 tons@\$per ton
	201 to 500 tons@\$ per ton
	501 and up@\$per ton
Item W -	Cleaning & Sweeping
	@\$ per sq. yd.
	Bituminous Material for Tack Coat
disability of the section of the sec	Or Prime
	All Types @\$ per gallon
Material f	urnished and applied under Item X to be in accordance
	on 408 of the referenced specifications, as directed
by the Eng	
Item Y-	Daytime Paving Mobilization - A Mobilization for
Paving Cha	arge of \$may be made when the purchase order
quantity p	per paving location is less than 500 tons of Hot-Mix
Asphalt an	nd nighttime paving is not specified.
	Nighttime Paving Mobilization - A Mobilization for
	rge of \$ may be made when the Engineer directs
that the p	aving is to be done at night.

Item AA - Off Season Plant Opening
@\$for first day
@\$for each additional day
Item AB - Additional Heel-In Joints
@\$per lineal foot
Item AC - Skip Paving Surcharge
@\$per ton
Item AD - Mobilization for Profiling
@\$per SCO
Item AE - Pavement Profiling (Milling), square yards per SCO
Less than 250
250 less than 500\$per sq. yd.
500 less than 1000\$per sq. yd.
1000 less than 2500 @\$per sq. yd.
2500 less than 5000 @\$per sq. yd.
5000 and greater @\$per sq. yd.
Item AF - Pilot Truck and Driver
@\$e\$
Item AG - Traffic Control Devices
@\$per Unit
Item AH - Flagger
@\$ per Hour
Item AI - Arrow Board
@\$per Day
Item AJ - Milled Rumble Strips
@\$per LF
Item AK - Pavement Repair
\$per Ton of HMA Base 1
Item AL - Surcharge for Warm-Mix Asphalt
\$per Ton
For Items A-O
Vendor's Plant Location

Page 4

District Two

Bid Schedule

Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Pl Per ton		_per	ton	
Item B -	Hot-Mix Asphalt 37.5mm Superpave F.O.B. Vendor's Per ton	;		per	ton
Item C-	_Hot-Mix Asphalt Base II F.O.B. Vendor's Per ton			per	ton
Item D -	Hot-Mix Asphalt Patch & Level F.O.B. Vendor's Per ton			per	ton
Item E -	Hot-Mix Asphalt Wearing IV F.O.B. Vendor's Per ton			per	ton
Item F -	Hot-Mix Asphalt Wearing IV F.O.B. Vendor's Per ton			per	ton
<u>Item G -</u>	Hot-Mix Asphalt 19mm Superpave F.O.B. Vendor's Per ton			per	ton

Page 1

Item H -	Hot-Mix Asphalt	Section	401		
	Scratch Course				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
<u> Item I - </u>	Hot-Mix Asphalt	Section	402		
	9.5mm Superpave				
•	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
<u> Item J -</u>	Hot-Mix Asphalt	Section	401		
	Wearing I				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
<u> Item K -</u>	Hot-Mix Asphalt	Section	402		
	Wearing I				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
<u> Item L -</u>	Hot-Mix Asphalt	Section	401		
	4.75mm Superpav				
	F.O.B. Vendor's	Plant	@\$_ <u></u>	per	ton
	Per ton				
<u> Item M -</u>	Hot-Mix Asphalt	Section	402		
	4.75mm Superpav				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
<u> Item N -</u>	Hot-Mix Asphalt	Section	401		
	Wearing III				
	F.O.B. Vendor's	Plant	@\$_ <u></u>	per	ton
	Per ton				
<u> Item O -</u>	Hot-Mix Asphalt	Section	402		
	Wearing III	•	- 4		
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				•
<u> Item P -</u>	Hot-Mix Asphalt				
	Plant Run	_			
	F.O.B. Vendor's	Plant	@\$_ <u></u>	per	ton
	Per ton				

Item Q - Item R - Item S- Item T -	Surcharge for PG70-22 Binder @\$ per ton Surcharge for PG76-22 Binder @\$ per ton HMA Base 1 Shoulder Paving @\$ per ton HMA Base 2 Shoulder Paving @\$ per ton
<u> Item U -</u>	Haul by Vendor @\$for first ton mile and @\$for each additional mile
Item V -	Lay Down of Materials Items A thru O, Each Site
	0 to 100 tons@\$per ton 101 to 200 tons@\$per ton 201 to 500 tons@\$per ton 501 and up@\$per ton
Item X -	Cleaning & Sweeping @\$per sq. yd. Bituminous Material for Tack Coat Or Prime All Types @\$per gallon furnished and applied under Item X to be in accordance ion 408 of the referenced specifications, as directed agineer.
Paving Cl guantity	Daytime Paving Mobilization - A Mobilization for narge of \$may be made when the purchase order per paving location is less than 500 tons of Hot-Mix and nighttime paving is not specified.
Paving C	Nighttime Paving Mobilization - A Mobilization for narge of \$may be made when the Engineer directs paving is to be done at night.

Item AA -	Off Season Plant Opening
	@\$for first day
	@\$for each additional day
Item AB -	Additional Heel-In Joints
	@\$per lineal foot
Item AC -	Skip Paving Surcharge
	@\$per ton
Item AD -	Mobilization for Profiling
	@\$ per SCO
Item AE -	Pavement Profiling (Milling), square yards per SCO
	Less than 250
	250 less than 500\$per sq. yd.
	500 less than 1000\$per sq. yd.
	1000 less than 2500 @\$per sq. yd.
	2500 less than 5000 @\$per sq. yd.
	5000 and greater @\$per sq. yd.
Item AF -	Pilot Truck and Driver
	@\$per day
Ttem AG -	Traffic Control Devices
	@\$per Unit
Item AH -	
	@\$per Hour
Trem AT -	Arrow Board
20011111	@\$per Day
Ttem A.T -	Milled Rumble Strips
TCCIII 210	@\$ per LF
Ttem AK -	Pavement Repair
200111220	\$per Ton of HMA Base 1
Ttem AT	Surcharge for Warm-Mix Asphalt
ICH AD	\$ per Ton
	For Items A-O
	101 100mm 11 0
Vendor's	Plant Location

District Three

Bid Schedule

<u>Item A -</u>	Hot-Mix Asphalt Sec Base I F.O.B. Vendor Plant Per ton	_per ton	
<u>Item B -</u>	Hot-Mix Asphalt Sec 37.5mm Superpave F.O.B. Vendor's Pla Per ton		ton
Item C-	Hot-Mix Asphalt Sed Base II F.O.B. Vendor's Pla Per ton	per	ton
Item D -	Hot-Mix Asphalt Sec Patch & Level F.O.B. Vendor's Pla Per ton	•	ton
Item E -	Hot-Mix Asphalt Sec Wearing IV F.O.B. Vendor's Pla Per ton		ton
Item F -	Hot-Mix Asphalt Sewearing IV F.O.B. Vendor's Planer ton		ton
<u>Item G -</u>	Hot-Mix Asphalt Se 19mm Superpave F.O.B. Vendor's Pl Per ton		ton

Page 1

Item H -	Hot-Mix Asphalt	Section	401		
	Scratch Course F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
Item I -	Hot-Mix Asphalt	Section	402		
	9.5mm Superpave				
	F.O.B. Vendor's	Plant	@\$_	per	ton
	Per ton .			•	
Item J -	Hot-Mix Asphalt	Section	401		
	Wearing I				
	F.O.B. Vendor's	Plant	@\$_	per	ton
	Per ton				
Item K -	Hot-Mix Asphalt	Section	402		
	Wearing I				
	F.O.B. Vendor's	Plant	@\$_	per	ton
	Per ton				
Item L -	Hot-Mix Asphalt	Section	401		
	4.75mm Superpave				
	F.O.B. Vendor's		@\$	per	ton
	Per ton				
Item M -	Hot-Mix Asphalt	Section	402		
	4.75mm Superpave				
	F.O.B. Vendor's		@\$	per	ton
•	Per ton		-		
Item N -	Hot-Mix Asphalt	Section	401		
	Wearing III				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
Ttem () -	Hot-Mix Asphalt	Section	402		
200111	Wearing III				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton		,		
Ttem P -	Hot-Mix Asphalt				
	Plant Run				
	F.O.B. Vendor's	Plant	@ \$	per	ton
	Per ton		- 1		
	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,				

Item Q -	Surcharge for PG70-22 Binder @\$per ton				
Item R -	Surcharge for PG76-22 Binder @\$per ton				
Item S-	HMA Base 1 Shoulder Paving @\$per ton				
Item T -	HMA Base 2 Shoulder Paving @\$per ton				
Item U -	Haul by Vendor				
	@\$for first ton mile and				
	@\$for each additional mile				
Item V -	Lay Down of Materials				
	Items A thru O, Each Site				
	0 to 100 tons@\$per ton				
	101 to 200 tons@\$per ton				
	201 to 500 tons@\$per ton				
	501 and up@\$per ton				
Item W -	Cleaning & Sweeping				
	@\$per sq. yd.				
Item X -	Bituminous Material for Tack Coat				
	Or Prime				
	All Types @\$per gallon				
Material	furnished and applied under Item X to be in accordance				
	ion 408 of the referenced specifications, as directed				
by the En					
. ~					
Item Y-	Daytime Paving Mobilization - A Mobilization for				
***************************************	arge of \$ may be made when the purchase order				
quantity per paving location is less than 500 tons of Hot-Mix					
	nd nighttime paving is not specified.				
-					
Item Z -	Nighttime Paving Mobilization - A Mobilization for				
Paving Ch	arge of \$may be made when the Engineer directs				
that the paving is to done at night.					

Item AA -	Off Season Plant Opening
	@\$for first day
	@\$for each additional day
Item AB -	Additional Heel-In Joints
	@\$per lineal foot
Item AC -	Skip Paving Surcharge
	@\$per ton
Item AD -	Mobilization for Profiling
	@\$per SCO
Ttem AE -	Pavement Profiling (Milling), square yards per SCO
	Less than 250
	250 less than 500\$ per sq. yd.
	500 less than 1000\$ per sq. yd.
	1000 less than 2500 @\$per sq. yd.
	2500 less than 5000 @\$per sq. yd.
	5000 and greater @\$per sq. yd.
Ttom NF -	Pilot Truck and Driver
ICEM AI	@\$ per day
Ttom AC -	Traffic Control Devices
TCEM AG	@\$per Unit
T to mon (7) TT	
<u>Item AH -</u>	@\$per Hour
van 3 - 196 - 197	
Item AI -	Arrow Board
	@\$per Day
Item AJ -	Milled Rumble Strips
	@\$per LF
<u> Item AK -</u>	Pavement Repair
	\$ per Ton of HMA Base 1
<u> Item AL -</u>	Surcharge for Warm-Mix Asphalt
	\$per Ton
	For Items A-O
Vendor's	Plant Location

District Four

Bid Schedule

	Hot-Mix Asphalt Base I	Section	401		
	F.O.B. Vendor Pl Per ton	ant @\$	per	ton	
Item B -	Hot-Mix Asphalt 37.5mm Superpave F.O.B. Vendor's Per ton	:		per	ton
Item C-	Hot-Mix Asphalt Base II F.O.B. Vendor's			per	ton
Item D -	Per ton Hot-Mix Asphalt Patch & Level F.O.B. Vendor's Per ton			per	ton
Item E -	_Hot-Mix Asphalt Wearing IV F.O.B. Vendor's Per ton			per	ton
Item F -	Hot-Mix Asphalt Wearing IV F.O.B. Vendor's Per ton			per	ton
<u>Item G -</u>	Hot-Mix Asphalt 19mm Superpave F.O.B. Vendor's Per ton			per	ton

Page 1

Item H -	Hot-Mix Asphalt	Section	401		
	Scratch Course				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
<u> Item I - </u>	Hot-Mix Asphalt	Section	402		
	9.5mm Superpave				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
Item J -	Hot-Mix Asphalt	Section	401		
	Wearing I				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
Item K -	Hot-Mix Asphalt	Section	402		
	Wearing I				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
Item L -	Hot-Mix Asphalt	Section	401		
	4.75mm Superpave				
	F.O.B. Vendor's	Plant	. @\$	per	ton
	Per ton				
<u> Item M -</u>	Hot-Mix Asphalt	Section	402		
	4.75mm Superpav				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
Item N -	Hot-Mix Asphalt	Section	401		
	Wearing III				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
<u> Item O -</u>	Hot-Mix Asphalt	Section	402		
	Wearing III				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
Item P -	Hot-Mix Asphalt				
	Plant Run				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				

Item Q - Item R - Item S- Item T -	Surcharge for PG70-22 Binder @\$ per ton Surcharge for PG76-22 Binder @\$ per ton HMA Base 1 Shoulder Paving @\$ per ton HMA Base 2 Shoulder Paving @\$ per ton
	Haul by Vendor @\$for first ton mile and @\$for each additional mile
<u>Item V -</u>	Lay Down of Materials Items A thru O, Each Site
	0 to 100 tons@\$per ton 101 to 200 tons@\$per ton 201 to 500 tons@\$per ton 501 and up@\$per ton
	Cleaning & Sweeping @\$per sq. yd.
<u>Item X -</u>	Bituminous Material for Tack Coat Or Prime All Types @\$ per gallon
	furnished and applied under Item X to be in accordance ion 408 of the referenced specifications, as directed
Paving Ch quantity	Daytime Paving Mobilization - A Mobilization for arge of \$may be made when the purchase order per paving location is less than 500 tons of Hot-Mix nd nighttime paving is not specified.
Paving Ch	Nighttime Paving Mobilization - A Mobilization for arge of \$may be made when the Engineer directs paving is to be done at night.

Item AA -	Off Season Plant Opening
	@\$for first day
	@\$for each additional day
<u> Item AB -</u>	Additional Heel-In Joints
	@\$per lineal foot
Item AC -	Skip Paving Surcharge
	@\$per ton
Item AD -	Mobilization for Profiling
	@\$per SCO
Item AE -	Pavement Profiling (Milling), square yards per SCO
	Less than 250
	250 less than 500\$per sq. yd.
	500 less than 1000\$per sq. yd.
	1000 less than 2500 @\$per sq. yd.
	2500 less than 5000 @\$per sq. yd.
	5000 and greater @\$per sq. yd.
Item AF -	Pilot Truck and Driver
	@\$per day
Item AG -	Traffic Control Devices
	@\$ per Unit
Item AH -	
	@\$ per Hour
Ttem AT -	Arrow Board
1,0011,111	@\$ per Day
Ttem A.T -	Milled Rumble Strips
1.00111 110	@\$ per LF
Ttom NK -	Pavement Repair
Trem Wr	\$per Ton of HMA Base 1
Item AL -	Surcharge for Warm-Mix Asphalt
	. \$ per Ton
	For Items A-O
Vendor's	Plant Location

District Five

Bid Schedule

Item A -	Hot-Mix Asphalt Base I	Section •	401		
	F.O.B. Vendor Pl Per ton	ant @\$	per	ton	
Item B -	Hot-Mix Asphalt 37.5mm Superpave		401		
	F.O.B. Vendor's Per ton		@\$ <u>_</u>	per	ton
Item C-	_Hot-Mix Asphalt Base II	Section	401		
	F.O.B. Vendor's Per ton	Plant	@\$	per	ton
Item D -	_Hot-Mix Asphalt Patch & Level	Section	401		
	F.O.B. Vendor's Per ton	Plant	@\$	per	ton
Item E -	_Hot-Mix Asphalt Wearing IV	Section	401		
	F.O.B. Vendor's Per ton	Plant	@\$ <u>_</u>	per	ton
<u>Item F -</u>	Hot-Mix Asphalt Wearing IV	Section	402		
e.	F.O.B. Vendor's Per ton	Plant	@\$	per	ton
<u>Item G -</u>	Hot-Mix Asphalt 19mm Superpave	Section	401		
	F.O.B. Vendor's Per ton	Plant	@\$ <u>_</u>	per	ton

Page 1

Item H -	Hot-Mix Asphalt	Section	401		
	Scratch Course				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
<u> Item I -</u>	Hot-Mix Asphalt	Section	402		
	9.5mm Superpave				
	F.O.B. Vendor's	Plant	@\$ <u></u>	per	ton
	Per ton				
Item J -	Hot-Mix Asphalt	Section	401	•	
	Wearing I				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
Item K -	Hot-Mix Asphalt	Section	402		
	Wearing I				
	F.O.B. Vendor's	Plant	@\$_	per	ton
	Per ton				
Item L -	Hot-Mix Asphalt	Section	401	•	
	4.75mm Superpave	e			
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
Item M -	Hot-Mix Asphalt	Section	402		
	4.75mm Superpave				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
<u> Item N -</u>	Hot-Mix Asphalt	Section	401		
	Wearing III				
	F.O.B. Vendor's	Plant.	@\$_	per	ton
	Per ton				
<u> Item O -</u>	Hot-Mix Asphalt	Section	402		
	Wearing III				
	F.O.B. Vendor's	Plant	@\$ <u>_</u>	per	ton
	Per ton				
<u> Item P - </u>	Hot-Mix Asphalt				
	Plant Run				
	F.O.B. Vendor's	Plant	@\$_	per	ton
	Per ton				

Item Q - Item R - Item S- Item T -	HMA Base 1 Shoulder Paving @\$ per ton
<u> Item U -</u>	Haul by Vendor @\$for first ton mile and @\$for each additional mile
<u>Item V -</u>	Lay Down of Materials Items A thru O, Each Site
	0 to 100 tons@\$per ton 101 to 200 tons@\$per ton 201 to 500 tons@\$per ton 501 and up@\$per ton
<pre>Item X -</pre> <pre>Material</pre>	Cleaning & Sweeping @\$per sq. yd. Bituminous Material for Tack Coat Or Prime All Types @\$per gallon furnished and applied under Item X to be in accordance
with Sect by the En	ion 408 of the referenced specifications, as directed agineer.
Paving Ch quantity	Daytime Paving Mobilization - A Mobilization for narge of \$may be made when the purchase order per paving location is less than 500 tons of Hot-Mix and nighttime paving is not specified.
Paving Ch	Nighttime Paving Mobilization - A Mobilization for narge of \$may be made when the Engineer directs paving is to be done at night.

Item AA -	Off Season Plant Opening @\$for first day
	@\$for each additional day
Item AB -	Additional Heel-In Joints
	@\$ per lineal foot
Them AC -	Skip Paving Surcharge
2 6 6 (11 21 6	@\$ per ton
Ttem AD - ·	Mobilization for Profiling
I C C III Z I Z I	@\$per SCO
T+0m NE -	Pavement Profiling (Milling), square yards per SCO
rcen Ab -	Less than 250
	250 less than 500\$per sq. yd.
	500 less than 1000\$per sq. yd.
	1000 less than 2500 @\$per sq. yd.
	2500 less than 5000 @\$per sq. yd.
	5000 and greater @\$per sq. yd.
7 h a wa 70 Til	
rem Ar -	Pilot Truck and Driver @\$per day
T+ ~~ 7.0	Traffic Control Devices
ILEM AG -	@\$ _per Unit
T 70. IT	
Item AH -	
T T. T	@\$per Hour
Item Al -	Arrow Board
	@\$per Day
Item AJ -	Milled Rumble Strips
	@\$per LF
<u>ltem AK -</u>	Pavement Repair
	\$ per Ton of HMA Base 1
Item AL -	Surcharge for Warm-Mix Asphalt
	\$per Ton
	For Items A-O
Vendor's	Plant Location

District Six

<u>Item A -</u>	Hot-Mix Asphalt Base I	Section	401			
	F.O.B. Vendor Pl Per ton	.ant @\$		_per	ton	
Item B -	Hot-Mix Asphalt 37.5mm Superpave		401			
	F.O.B. Vendor's Per ton	Plant	@\$ __		per	ton
Item C-	Hot-Mix Asphalt Base II	Section	401			
	F.O.B. Vendor's Per ton	Plant	@\$ __	·	per	ton
Item D -	_Hot-Mix Asphalt Patch & Level	Section	401			
	F.O.B. Vendor's Per ton	Plant	@\$ _.		per	ton
Item E -	_Hot-Mix Asphalt Wearing IV	Section	401			
	F.O.B. Vendor's Per ton	Plant	@ \$		per	ton
<u>Item F -</u>	Hot-Mix Asphalt Wearing IV	Section	402			
	F.O.B. Vendor's Per ton	Plant	@\$ _.		per	ton
<u>Item G -</u>	Hot-Mix Asphalt 19mm Superpave	Section	401			•
	F.O.B. Vendor's Per ton	Plant	· @\$	······································	per	ton

Page 1

<u>Item H -</u>	Hot-Mix Asphalt	Section	401		
	Scratch Course				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
<u> Item I -</u>	Hot-Mix Asphalt	Section	402		
	9.5mm Superpave				
•	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
<u> Item J -</u>	Hot-Mix Asphalt	Section	401		
	Wearing I				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
Item K -	Hot-Mix Asphalt	Section	402		
	Wearing I				
	F.O.B. Vendor's	Plant	@\$ <u></u>	per	ton
	Per ton				
Item L -	Hot-Mix Asphalt	Section	401		
	4.75mm Superpave				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
Item M -	Hot-Mix Asphalt	Section	402		
	4.75mm Superpave				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
Item N -	Hot-Mix Asphalt	Section	401		
	Wearing III				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
Item O -	Hot-Mix Asphalt	Section	402		
	Wearing III				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
Item P -	Hot-Mix Asphalt				
	Plant Run				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				

Item Q -	Surcharge for PG70-22 Binder @\$per ton
Item R -	Surcharge for PG76-22 Binder @\$per ton
Item S-	HMA Base 1 Shoulder Paving @\$per ton
Item T -	
Item U -	@\$for first ton mile and
	@\$for each additional mile
Item V -	Lay Down of Materials
	Items A thru O, Each Site
	0 to 100 tons@\$per ton
	101 to 200 tons@\$per ton
	201 to 500 tons@\$per ton
	501 and up@\$per ton
	Cleaning & Sweeping @\$per sq. yd.
	Bituminous Material for Tack Coat
	Or Prime
	All Types @\$per gallon
Material	furnished and applied under Item X to be in accordance
with Sect	ion 408 of the referenced specifications, as directed
by the En	
by circ bir	9211002.
Paving Ch quantity	Daytime Paving Mobilization - A Mobilization for arge of \$may be made when the purchase order per paving location is less than 500 tons of Hot-Mix
Asphalt a	nd nighttime paving is not specified.
Paving Ch	Nighttime Paving Mobilization - A Mobilization for arge of \$may be made when the Engineer directs paving is to be done at night.

Item AA -	Off Season Plant Opening
	@\$for first day
	@\$for each additional day
Item AB -	Additional Heel-In Joints
	@\$per lineal foot
Item AC -	Skip Paving Surcharge
	@\$per ton
Item AD -	Mobilization for Profiling
	@\$per SCO
Item AE -	Pavement Profiling (Milling), square yards per SCO
	Less than 250
	250 less than 500\$per sq. yd.
	500 less than 1000\$per sq. yd.
	1000 less than 2500 @\$per sq. yd.
	2500 less than 5000 @\$per sq. yd.
	5000 and greater @\$per sq. yd.
Item AF -	Pilot Truck and Driver
	@\$per day
Item AG -	Traffic Control Devices
	@\$per Unit
Item AH -	Flagger
	@\$per Hour
<u> Item AI -</u>	Arrow Board
	@\$per Day
Item AJ -	Milled Rumble Strips
	@\$per LF
<u> Item AK -</u>	Pavement Repair
	\$per Ton of HMA Base 1
<u> Item AL -</u>	Surcharge for Warm-Mix Asphalt
	\$per Ton
	For Items A-O
•	
Vendor's 1	Plant Location

District Seven

Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Pl Per ton		_per	ton	
Item B -	Hot-Mix Asphalt 37.5mm Superpave F.O.B. Vendor's Per ton	:		per	ton
Item C-	Hot-Mix Asphalt Base II F.O.B. Vendor's Per ton			per	ton
Item D -	_Hot-Mix Asphalt Patch & Level F.O.B. Vendor's Per ton			per	ton
Item E -	Hot-Mix Asphalt Wearing IV F.O.B. Vendor's Per ton			per	ton
Item F -	Hot-Mix Asphalt Wearing IV F.O.B. Vendor's Per ton			per	ton
<u>Item G -</u>	Hot-Mix Asphalt 19mm Superpave F.O.B. Vendor's Per ton			per	ton

Page 1

Item H -	Hot-Mix Asphalt Scratch Course	Section	401		
	F.O.B. Vendor's	Plant	@\$	per	ton
Item I -	Per ton Hot-Mix Asphalt	Section	402		
	9.5mm Superpave F.O.B. Vendor's	Plant	@\$	per	ton
Item J ~	Per ton Hot-Mix Asphalt	Section	401		
	Wearing I F.O.B. Vendor's	Plant	@\$	per	ton
<u>Item K -</u>	Per ton Hot-Mix Asphalt	Section	402		
	Wearing I F.O.B. Vendor's	Plant	@\$	per	ton
Item L -	Per ton Hot-Mix Asphalt 4.75mm Superpave		401		
	F.O.B. Vendor's Per ton		@\$ <u></u>	per	ton
<u>Item M -</u>	Hot-Mix Asphalt 4.75mm Superpave		402		
	F.O.B. Vendor's Per ton		@\$	per	ton
<u>Item N -</u>	Hot-Mix Asphalt Wearing III	Section	401		
	F.O.B. Vendor's Per ton	Plant	@\$	per	ton
<u>Item O -</u>	Hot-Mix Asphalt Wearing III	Section	402		
	F.O.B. Vendor's Per ton	Plant	@\$ <u>_</u>	per	ton
<u> Item P -</u>	Hot-Mix Asphalt Plant Run				
	F.O.B. Vendor's Per ton	Plant	@ \$	per	ton

Item Q -	Surcharge for PG70-22	Binder	@\$pe	r ton
	Surcharge for PG76-22			
	HMA Base 1 Shoulder Pav			
Item T -	HMA Base 2 Shoulder Pay	ring	@\$pe	r ton

Item U -	Haul by Vendor			
	@\$for first	ton mile	e and	
	@\$for each a	additiona	al mile	
Item V -	Lay Down of Materials			
	Items A thru O, Each Si	ite		
	0 to 100 tons@\$pe	er ton		
	101 to 200 tons@\$	_per ton		
•	201 to 500 tons@\$	per ton		
	501 and up@\$per t	ton		
Thom M	Cleaning & Sweeping			
***************************************	@\$per sq. yd.			
	Bituminous Material for	r Tack Co	nat	•
rcem x -	Or Prime	. 100%		
	All Types @\$per q	rallon		
Manuacian f	Turnished and applied un	garron nder Ther	n Y to be	in accordance
	on 408 of the reference			
•		ed speci.		, ab arrected
by the Eng	gineer.			
Ttom V.	Daytime Paving Mobiliza	ation - A	A Mobiliz	ation for
	arge of \$ may be may			
	per paving location is			
	nd nighttime paving is a			
Aspirarc ar	id inighteetime paving is	nos opes.		
Item Z -	Nighttime Paving Mobil:	ization -	- A Mobil	ization for
	arge of \$may be may			
	paving is to be done at		J	

<u> Item AA -</u> Off Season Plant Opening	
@\$for first day	
@\$for each additional day	
<u> Item AB -</u> Additional Heel-In Joints	
@\$per lineal foot	
Item AC - Skip Paving Surcharge	
@\$per ton	
Item AD - Mobilization for Profiling	
@\$per SCO	
Item AE - Pavement Profiling (Milling), square yards per SCO	
Less than 250	
250 less than 500\$per sq. yd.	
500 less than 1000\$per sq. yd.	
1000 less than 2500 @\$per sq. yd.	
2500 less than 5000 @\$per sq. yd.	
5000 and greater @\$per sq. yd.	
Item AF - Pilot Truck and Driver	
@\$ per day	
Item AG - Traffic Control Devices	
@\$per Unit	
Item AH - Flagger	
@\$per Hour	
Item AI - Arrow Board	
@\$per Day	
Item AJ - Milled Rumble Strips	
@\$per LF	
Item AK - Pavement Repair	
\$per Ton of HMA Base 1	
Item AL - Surcharge for Warm-Mix Asphalt	
\$ per Ton	
For Items A-O	
Vendor's Plant Location	

District Eight

<u>Item A -</u>	Hot-Mix Asphalt Base I	Section	401	٠		
	F.O.B. Vendor Pl Per ton	lant @\$		_per	ton	
<u>Item B -</u>	Hot-Mix Asphalt 37.5mm Superpave		401			
	F.O.B. Vendor's Per ton	Plant	@\$ __		per	ton
Item C-	_Hot-Mix Asphalt Base II	Section	401			
	F.O.B. Vendor's Per ton	Plant	@\$ __		per	ton
Item D -	_Hot-Mix Asphalt Patch & Level	Section	401			
	F.O.B. Vendor's Per ton	Plant	@\$_		per	ton
Item E -	_Hot-Mix Asphalt Wearing IV	Section	401			
	F.O.B. Vendor's Per ton	Plant	@ \$_		per	ton
<u>Item F -</u>	Hot-Mix Asphalt Wearing IV	Section	402			
	F.O.B. Vendor's Per ton	Plant	@\$ __		per	ton
<u>Item G -</u>	Hot-Mix Asphalt 19mm Superpave	Section	401			
	F.O.B. Vendor's Per ton	Plant	· @\$_		per	ton

Item H -	Hot-Mix Asphalt	Section	401		
	Scratch Course F.O.B. Vendor's	Plant	@\$	per	ton
Item I -	Per ton Hot-Mix Asphalt	Section	402		
	9.5mm Superpave F.O.B. Vendor's	Plant	@\$_	per	ton
Item J -	Per ton Hot-Mix Asphalt	Section	401		
	Wearing I F.O.B. Vendor's Per ton	Plant	@\$_	per	ton
Item K -	Hot-Mix Asphalt Wearing I	Section	402		
	F.O.B. Vendor's Per ton	Plant	@\$ <u>_</u>	per	ton
Item L -	Hot-Mix Asphalt 4.75mm Superpaye		401		
•	F.O.B. Vendor's Per ton		@\$_	per	ton
<u> Item M -</u>	Hot-Mix Asphalt 4.75mm Superpave		402		
	F.O.B. Vendor's Per ton		@\$_	per	ton
<u>Item N -</u>	Hot-Mix Asphalt Wearing III	Section	401		
	F.O.B. Vendor's Per ton	Plant	@\$_	per	ton
<u>Item O -</u>	Hot-Mix Asphalt Wearing III	Section	402		
	F.O.B. Vendor's Per ton	Plant	@\$_	per	ton
<u>Item P -</u>	Hot-Mix Asphalt Plant Run				
	F.O.B. Vendor's Per ton	Plant	@\$_	per	ton

Item Q -	Surcharge for PG70-22 Binder @\$per ton
	Surcharge for PG76-22 Binder @\$per ton
Item S-	HMA Base 1 Shoulder Paving @\$per ton
Item T -	HMA Base 2 Shoulder Paving @\$per ton
Item U -	Haul by Vendor @\$for first ton mile and
	@\$ for each additional mile
Item V -	
	Items A thru O, Each Site
	0 to 100 tons@\$per ton
-	101 to 200 tons@\$per ton
	201 to 500 tons@\$per ton
	501 and up@\$ per ton
Item W -	Cleaning & Sweeping
I CCIII W	@\$ per sq. yd.
Ttem X -	Bituminous Material for Tack Coat
10011111	Or Prime
	All Types @\$ per gallon
Material	furnished and applied under Item X to be in accordance
with Sect	ion 408 of the referenced specifications, as directed
by the En	
	n die project Webiliantion A Mobilization for
Item Y-	Daytime Paving Mobilization - A Mobilization for
Paving Ch	arge of \$may be made when the purchase order
	per paving location is less than 500 tons of Hot-Mix nd nighttime paving is not specified.
Aspnart a	nd nighteime paving is not specifica.
Paving Ch	Nighttime Paving Mobilization - A Mobilization for arge of \$may be made when the Engineer directs paving is to be done at night.
Luat tuc	Davitid to co me done de majare.

Item AA -	Off Season Plant Opening
	@\$for first day
	@\$for each additional day
Item AB -	Additional Heel-In Joints
	@\$ per lineal foot
Item AC -	Skip Paving Surcharge
	@\$ per ton
Trem AD -	Mobilization for Profiling
	@\$per SCO
Ttem AE -	Pavement Profiling (Milling), square yards per SCO
	Less than 250
	250 less than 500\$per sq. yd.
	500 less than 1000\$per sq. yd.
	1000 less than 2500 @\$ per sq. yd.
	2500 less than 5000 @\$per sq. yd.
	5000 and greater @\$per sq. yd.
T+ ~m 7 T -	Pilot Truck and Driver
ICEM AF -	@\$per day
Thom AC	Traffic Control Devices
ILEM AG -	@\$per Unit
T. 4 7. T. T.	
<u> Item AH -</u>	@\$per Hour
~~	
Item AI -	Arrow Board
*** I ** T	@\$ per Day
Item AU -	Milled Rumble Strips
D 77	@\$per LF
Item AK -	Pavement Repair
	\$per Ton of HMA Base 1
Item AL -	Surcharge for Warm-Mix Asphalt
	\$per Ton
	For Items A-O
Vendor's	Plant Location
, C11CC D .	

District Nine

Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Pl Per ton		_per	ton	
Item B -	Hot-Mix Asphalt 37.5mm Superpave F.O.B. Vendor's Per ton			per	ton
Item C-	Hot-Mix Asphalt Base II F.O.B. Vendor's Per ton			per	ton
Item D -	Hot-Mix Asphalt Patch & Level F.O.B. Vendor's Per ton			per	ton
Item E -	Hot-Mix Asphalt Wearing IV F.O.B. Vendor's Per ton			per	ton
Item F -	Hot-Mix Asphalt Wearing IV F.O.B. Vendor's Per ton			per	ton
Item G -	Hot-Mix Asphalt 19mm Superpave F.O.B. Vendor's Per ton			per	ton

	Section	401		
	Plant	@\$	per	ton
Per ton		•		
Hot-Mix Asphalt	Section	402		
9.5mm Superpave				
F.O.B. Vendor's	Plant	@\$	per	ton
Per ton				
Hot-Mix Asphalt	Section	401		
Wearing I				
F.O.B. Vendor's	Plant	@\$	per	ton
Per ton				
Hot-Mix Asphalt	Section	402		
Wearing I				
F.O.B. Vendor's	Plant	@\$ <u></u>	per	ton
Per ton				
Hot-Mix Asphalt	Section	401		
4.75mm Superpave	e			
F.O.B. Vendor's	Plant	@\$	per	ton
Per ton				
Hot-Mix Asphalt	Section	402		
4.75mm Superpave	е			
F.O.B. Vendor's	Plant	@\$	per	ton
Per ton				
Hot-Mix Asphalt	Section	401		
Wearing III	k			
F.O.B. Vendor's	Plant	@\$	per	ton
Per ton				
Hot-Mix Asphalt	Section	402		
Wearing III				
F.O.B. Vendor's	Plant	@\$	per	ton
Per ton				
Hot-Mix Asphalt				
Plant Run				
F.O.B. Vendor's	Plant	@\$	per	ton
	Scratch Course F.O.B. Vendor's Per ton Hot-Mix Asphalt 9.5mm Superpave F.O.B. Vendor's Per ton Hot-Mix Asphalt Wearing I F.O.B. Vendor's Per ton Hot-Mix Asphalt Wearing I F.O.B. Vendor's Per ton Hot-Mix Asphalt 4.75mm Superpave F.O.B. Vendor's Per ton Hot-Mix Asphalt 4.75mm Superpave F.O.B. Vendor's Per ton Hot-Mix Asphalt 4.75mm Superpave F.O.B. Vendor's Per ton Hot-Mix Asphalt Wearing III F.O.B. Vendor's Per ton Hot-Mix Asphalt Hot-Mix Asphalt Hot-Mix Asphalt Run	Scratch Course F.O.B. Vendor's Plant Per ton Hot-Mix Asphalt Section 9.5mm Superpave F.O.B. Vendor's Plant Per ton Hot-Mix Asphalt Section Wearing I F.O.B. Vendor's Plant Per ton Hot-Mix Asphalt Section Wearing I F.O.B. Vendor's Plant Per ton Hot-Mix Asphalt Section 4.75mm Superpave F.O.B. Vendor's Plant Per ton Hot-Mix Asphalt Section 4.75mm Superpave F.O.B. Vendor's Plant Per ton Hot-Mix Asphalt Section 4.75mm Superpave F.O.B. Vendor's Plant Per ton Hot-Mix Asphalt Section Wearing III F.O.B. Vendor's Plant Per ton Hot-Mix Asphalt Section Wearing III F.O.B. Vendor's Plant Per ton Hot-Mix Asphalt Section Wearing III F.O.B. Vendor's Plant Per ton Hot-Mix Asphalt Section Wearing III F.O.B. Vendor's Plant Per ton Hot-Mix Asphalt Plant Run	Per ton Hot-Mix Asphalt Section 402 9.5mm Superpave F.O.B. Vendor's Plant @\$ Per ton Hot-Mix Asphalt Section 401 Wearing I F.O.B. Vendor's Plant @\$ Per ton Hot-Mix Asphalt Section 402 Wearing I F.O.B. Vendor's Plant @\$ Per ton Hot-Mix Asphalt Section 402 Wearing I F.O.B. Vendor's Plant @\$ Per ton Hot-Mix Asphalt Section 401 4.75mm Superpave F.O.B. Vendor's Plant @\$ Per ton Hot-Mix Asphalt Section 402 4.75mm Superpave F.O.B. Vendor's Plant @\$ Per ton Hot-Mix Asphalt Section 401 Wearing III F.O.B. Vendor's Plant @\$ Per ton Hot-Mix Asphalt Section 401 Wearing III F.O.B. Vendor's Plant @\$ Per ton Hot-Mix Asphalt Section 402 Wearing III F.O.B. Vendor's Plant @\$ Per ton Hot-Mix Asphalt Section 402 Wearing III F.O.B. Vendor's Plant @\$ Per ton Hot-Mix Asphalt Section 402 Hearing III F.O.B. Vendor's Plant @\$ Per ton Hot-Mix Asphalt Section 402 Hearing III F.O.B. Vendor's Plant @\$ Per ton Hot-Mix Asphalt Plant Run	Scratch Course F.O.B. Vendor's Plant @\$ per Per ton Hot-Mix Asphalt Section 402 9.5mm Superpave F.O.B. Vendor's Plant @\$ per Per ton Hot-Mix Asphalt Section 401 Wearing I F.O.B. Vendor's Plant @\$ per Per ton Hot-Mix Asphalt Section 402 Wearing I F.O.B. Vendor's Plant @\$ per Per ton Hot-Mix Asphalt Section 401 4.75mm Superpave F.O.B. Vendor's Plant @\$ per Per ton Hot-Mix Asphalt Section 401 4.75mm Superpave F.O.B. Vendor's Plant @\$ per Per ton Hot-Mix Asphalt Section 402 4.75mm Superpave F.O.B. Vendor's Plant @\$ per Per ton Hot-Mix Asphalt Section 401 Wearing III F.O.B. Vendor's Plant @\$ per Per ton Hot-Mix Asphalt Section 402 Wearing III F.O.B. Vendor's Plant @\$ per Per ton Hot-Mix Asphalt Section 402 Wearing III F.O.B. Vendor's Plant @\$ per Per ton Hot-Mix Asphalt Section 402 Wearing III F.O.B. Vendor's Plant @\$ per

Item Q -	Surcharge for PG70-22	3inder	@\$per	ton
Item R -	Surcharge for PG76-22 I			
Item S-	HMA Base 1 Shoulder Pavi			
Item T -	HMA Base 2 Shoulder Pavi	ing	@\$per	ton
w., ++	TT			
Item U -	Haul by Vendor	-on mile		
	@\$for first t			
·	@\$for each ac	JOTETOIIC	T WITE	
Item V -	Lay Down of Materials			
	Items A thru O, Each Sit	Le ·		
	0 to 100 tons@\$per	r ton		
	101 to 200 tons@\$			
	201 to 500 tons@\$			
	501 and up@\$per to			
<u>Item W -</u>	Cleaning & Sweeping			
	@\$per sq. yd.			
<u> Item X -</u>	Bituminous Material for	Tack Co	at	
	Or Prime			
	All Types @\$per ga			
	furnished and applied und			
with Sect	ion 408 of the reference	d specif	lications,	as directed
by the En	gineer.			
		•		
	Daytime Paving Mobilizat			
_	arge of \$may be made			
-	per paving location is l			of Hot-Mix
Asphalt a	nd nighttime paving is no	ot speci	ified.	
	Nighttime Paving Mobili			
•	arge of \$may be made			eer directs
that the	paving is to be done at 1	niaht.		

Item AA -	Off Season Plant Opening
	@\$for first day
	@\$for each additional day
Item AB -	Additional Heel-In Joints
	@\$per lineal foot
Item AC -	Skip Paving Surcharge
	@\$per ton
Item AD -	Mobilization for Profiling
	@\$per SCO
Item AE -	Pavement Profiling (Milling), square yards per SCO
	Less than 250
	250 less than 500\$per sq. yd.
	500 less than 1000\$per sq. yd.
	1000 less than 2500 @\$per sq. yd.
	2500 less than 5000 @\$per sq. yd.
	5000 and greater @\$per sq. yd.
Item AF -	Pilot Truck and Driver
	@\$per day
Item AG -	Traffic Control Devices
	@\$per Unit
Item AH -	Flagger
	@\$per Hour
Item AI -	Arrow Board
	@\$per Day
Item AJ -	Milled Rumble Strips
	@\$per LF
Item AK -	Pavement Repair
	\$per Ton of HMA Base 1
Item AL -	Surcharge for Warm-Mix Asphalt
	\$per Ton
	For Items A-O
Vendor's	Plant Location

District Ten

Item A -	Hot-Mix Asphalt Base I F.O.B. Vendor Pl Per ton			_per	ton	
Item B -	Hot-Mix Asphalt 37.5mm Superpave	<u> </u>				
	F.O.B. Vendor's Per ton	Plant	@\$ <u>_</u>		per	ton
Item C-	Hot-Mix Asphalt Base II	Section	401			
	F.O.B. Vendor's Per ton	Plant	@\$ _.		per	ton
Item D -	_Hot-Mix Asphalt Patch & Level					
	F.O.B. Vendor's Per ton	Plant	@\$ __		per	ton
Item E -	_Hot-Mix Asphalt Wearing IV					
	F.O.B. Vendor's Per ton	Plant	@\$ _.		per	ton
Item F -	Hot-Mix Asphalt Wearing IV					
	F.O.B. Vendor's Per ton	Plant	@\$ _.	···	per	ton
Item G -	Hot-Mix Asphalt 19mm Superpave					
	F.O.B. Vendor's Per ton	Plant	@\$ _.		per	ton


Page 1

Item H -	Hot-Mix Asphalt	Section	401		
	Scratch Course				
	F.O.B. Vendor's	Plant	@\$_	per	ton
	Per ton				
<u> Item I -</u>	Hot-Mix Asphalt	Section	402		
	9.5mm Superpave				
	F.O.B. Vendor's	Plant	@\$	per	ton
	Per ton				
Item J -	Hot-Mix Asphalt	Section	401		
	Wearing I				•
	F.O.B. Vendor's	Plant	@\$_	per	ton
•	Per ton				
Item K -	Hot-Mix Asphalt	Section	402		
	Wearing I				
	F.O.B. Vendor's	Plant	@\$_	per	ton
	Per ton				
Item L -	Hot-Mix Asphalt	Section	401		
	4.75mm Superpave	2			
	F.O.B. Vendor's	Plant	@\$_	per	ton
	Per ton				
Item M -	Hot-Mix Asphalt	Section	402		
	4.75mm Superpave	e			
	F.O.B. Vendor's	Plant	@\$_	per	ton
	Per ton				
Item N -	Hot-Mix Asphalt	Section	401		
	Wearing III				
	F.O.B. Vendor's	Plant	@\$_	per	ton
	Per ton				
Item O -	Hot-Mix Asphalt	Section	402		
	Wearing III				
	F.O.B. Vendor's	Plant	@\$_	per	ton
	Per ton				
Item P -	Hot-Mix Asphalt				
	Plant Run				
	F.O.B. Vendor's	Plant	@\$_	per	ton
	Per ton ·				

Item Q -	Surcharge for PG70-22 Binder @\$per ton
Item R -	Surcharge for PG76-22 Binder @\$per ton
	HMA Base 1 Shoulder Paving @\$per ton
Item T -	HMA Base 2 Shoulder Paving @\$per ton
Item U -	Haul by Vendor
	@\$ for first ton mile and
	@\$for each additional mile
Item V -	Lay Down of Materials
	Items A thru O, Each Site
	0 to 100 tons@\$per ton
	101 to 200 tons@\$per ton
	201 to 500 tons@\$per ton
	501 and up@\$per ton
Ttem W -	Cleaning & Sweeping
	@\$ per sq. yd.
Ttem X -	Bituminous Material for Tack Coat
	Or Prime
	All Types @\$per gallon
Material	furnished and applied under Item X to be in accordance
	ion 408 of the referenced specifications, as directed
by the En	
2	J
Item Y-	Daytime Paving Mobilization - A Mobilization for
Paving Ch	arge of \$may be made when the purchase order
quantity ;	per paving location is less than 500 tons of Hot-Mix
Asphalt a	nd nighttime paving is not specified.
Ttem Z -	Nighttime Paving Mobilization - A Mobilization for
·	arge of \$may be made when the Engineer directs
	paving is to be done at night.

Item AA -	Off Season Plant Opening
	@\$for first day
	@\$for each additional day
Item AB -	Additional Heel-In Joints
	@\$per lineal foot
Item AC -	Skip Paving Surcharge
	@\$per ton
Item AD -	Mobilization for Profiling
	@\$per SCO
Item AE -	Pavement Profiling (Milling), square yards per SCO
	Less than 250
	250 less than 500\$per sq. yd.
	500 less than 1000\$per sq. yd.
	1000 less than 2500 @\$per sq. yd.
	2500 less than 5000 @\$per sq. yd.
	5000 and greater @\$per sq. yd.
Item AF -	Pilot Truck and Driver
	@\$per day
<u> Item AG -</u>	Traffic Control Devices
	@\$per Unit
<u> Item AH -</u>	
	@\$per Hour
<u> Item AI -</u>	Arrow Board
	@\$per Day
Item AJ -	Milled Rumble Strips
	@\$per LF
Item AK -	Pavement Repair
	\$per Ton of HMA Base 1
<u> Item AL -</u>	Surcharge for Warm-Mix Asphalt
	\$per Ton
	For Items A-O
Vendor's F	Plant Location

GURE



RUMBLE STRIP FOR HOT MIX ASPHALT SHOULDERS

l₂" 10 5_%" SECTION C-C (MILLED RUMBLE STRIP) 12" R Edge of trave! way -Milled rumble strip Shoutder width MIN. 7.06 Transverse joint —— (For conc. shid only) Povement shoulder Joint Tronsverse-joint

* 7"±½" For conc. shid. 2"±1/2" For asphalt shid.

MILLED RUMBLE STRIP FOR PORTLAND CEMENT AND HOT MIX ASPHALT SHOULDERS

RUMBLE STRIP PLACEMENT WILL BE CONTINUOUS ON HOT-MIX ASPHALT SHOULDERS, EXCEPT AS NOTED BELOW.

RUMBLE STRPS SHALL NOT BE PLACED AT THE FOLLOWING AREAS FOR NON-FREEWAY PROJECTS, ONLY:
ON SHOULDERS OF MARROW CLIMBING LANES THAT ARE 5'OR LESS IN WIDTH, RIGHT OF TRAFFIC FLOW. IN THE SHOULDER TRAMSTROM AREA, RIGHT OF TRAFFIC FLOW.
BETWEEN A FULL PAVED SHOULDER WIDTH OF 10' AND NARROW BRIDGE WIDTH OF 4'.

RUMBLE STRIP WIOTH IS TO BE 2', EXCEPT MILLED RUMBLE STRIP WHICH WILL BE 16"-17".

RUMBLE STRIPS MAY BE SAWED OR MILLED UNLESS OTHERWISE INDICATED. THE TOP OF THE RAUMEL STRIPS WILL BE NO HIGHER THAN THE TOP SUBFACE OF THE PAPEMENT. ANY FAULTY OR HIGHORECTLY INSTALLED RUMBLE STRIPS WILL BE CORRECTED BY THE CONTRACTOR AT HIS EXPENSE.

MALL/SAW SHOULDER RUMBLE STRIPS AS INDICATED BY USING A MACHINE CAPABLE OF PROVINGING A SMOOTH CUT WITHOUT TEAMING OR SHARGING, AND PRODUCING RUMBLE STRIPS AS INDICATED. EQUIP MACHINE WITH QUIDES TO PROVING UNFORMITY AND CONSISTENCY BY ALGMENTO TO EACH CUT WITH QUIDES TO PROVING UNFORMITY AND CONSISTENCY IN ALGMENTO TO EACH CUT WITH TO EXPANCE SPECIFED. MILL SHOULDER RUMBLE STRIPS TO HAVE FINISH DIMENSIONS WITHIN TOLERANCE SPECIFED. MILL SHOULDER RUMBLE STRIPS ON NEW CONNERS AFTER CURMA. ALLING OFFERATIONS FE STRIPS AND NEW CONNERS AND THE CHARLO SHOULD SHOULD BY AND THE SHOULD SHOULD SHOULD BY AND THE SHOULD ALGORING MACHINE MONER OF THE COURMENT TO A LOCATION AS DIRECTED WHERE IT PRESENTS NO HAZARD TO ROADWAY TARGITE, REMOVE AND DISPOSE OF MILLED MATERIAL IN COMPLIANCE WITH OPERATION BEFORE OPENING ROADWAY TO TRAFFILM.

RUMBLE STRIPS IN PAVED SHOULDERS:

RUMBLE STRIPS SHALL BE MILLED OR SAWED TYPE PLACED IN SHOULDERS UNDER THE FOLLOWING COMPITIONS, IN ACCORDANCE WITH THIS SPECIAL DETAIL SHEET;

- TYPICAL SHOULDER WIDTH IS 8' OR MORE:
- MEDIAN SHOULDERS ON BYDED HIGHWAYS, IF SHOULDER WIDTH IS 3' OR GREATER;
- SHOULDERS ADJACENT TO ONE WAY RAADS WHICH CONNECT TO ARTERIAL HIGHWAYS, IF TYPICAL, SHOULDER IS 3' OR GREATER.

THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS

DETAI SPECIAL Ω STR RUMBLE



State of West Virginia DRUG FREE WORKPLACE CONFORMANCE AFFIDAVIT West Virginia Code §21-1D-5

STA	TE OF		
COL	JNTY OF	, TO-WIT:	
I,	e as follows:	, after being first duly sw	orn, depose and
		(Company Na	
2.	maintains a valid wr	at(Company Na (Company Na tten drug free workplace polic ce with West Virginia Code	cy and that such
The	above statements are	sworn to under the penalty of	perjury.
		(Company N	ame)
		By: Title: Date:	
Take	en, subscribed and swo	rn to before me this da	ay of
ву С	Commission expires		
(Sea	al)		
		(Notar	y Public)

THIS AFFIDAVIT MUST BE SUBMITTED WITH THE BID IN ORDER TO COMPLY WITH WV CODE PROVISIONS. FAILURE TO INCLUDE THE AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF THE BID.

RFQ	Nο	66100018
1 (1 (2)	, ,,	

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name:			
Authorized Signature:		Date:	***************************************
State of			
County of, to-wit:			
Taken, subscribed, and sworn to before me this _	day of	, 20	
My Commission expires	, 20		
AFEIX SFAL HERE	NOTARY PUBLIC _		