



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DNR209088

PAGE
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF
 FRANK WHITTAKER
 304-558-2316

RFQ COPY

TYPE NAME/ADDRESS HERE

SHIP TO

DIVISION OF NATURAL RESOURCES
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
08/17/2009				

BID OPENING DATE:

08/25/2009

BID OPENING TIME

01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
***** ADDENDUM NO.1*****						
THIS ADDENDUM IS ISSUED TO ADD THE RIGHT SHOULDER PATCH IN ADDITION TO THE LEFT SHOULDER PATCH AS DESCRIBED IN THE ATTACHED REVISED SPECIFICATION PAGES.						
THE ATTACHED SPECIFICATION PAGES ARE TO REPLACE THE CORRESPONDING PAGES IN THE ORIGINAL REQUEST FOR QUOTATION.						
0001	1	LS		984-36-01-003		
UNIFORM:						
***** THIS IS THE END OF RFQ DNR209088 ***** TOTAL:						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE		TELEPHONE		DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
14. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
15. **WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT:** If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in case of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130

SPECIFICATIONS

Item 4

Shirt, Male Grey 10 oz. 65/35 P/R Tropical LS CC with Badge Tab Men's Long Sleeve Service Dress Shirt

GENERAL DESCRIPTION

Form fitting shirt with two pleated breast pockets with scalloped flaps and shoulder straps. The shirt has military creases, a pencil slot, and a shoulder emblem.

Basic Material: The material shall be Nickel Grey or equal, 10 oz 65/35 polyester/rayon tropical weave.

Linings: Shall have collar and yoke linings that are compatible with the construction of the shirts.

Collar Stays: The collar stay shall be made of good quality vinyl, attached to the inside of the bottom collar leaf, and come out to the stitching line.

Badge Reinforcement: The shirt shall have a 1" wide inside sling type badge holder extending from the shoulder-joining seam to pocket of the left front and constructed of the basic material. Two small, uncut buttonholes shall be minimum 1-1/8" apart with the lower buttonhole minimum 1-1/4" above top of left pocket flap.

Military Creases: There shall be five 1/16" sharp military creases on the shirt. There shall be one crease on each front, centered vertically through pocket and flap. Spacing for military creases on shirt back shall be proportionate to the size of the shirt. For lightweight fabric (4 to 6 oz), creases must be stitched in; for heavy fabrics (10 oz), stitches shall be baked in.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left and right sleeve with the top edge 1-1/4" to 1-1/2" below the shoulder seam depending on the garment size. The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:

Neck	Sleeve
14	31-33
14.5	31-34
15	31-35
15.5	31-36

- 16 32-36 – Standard – 31 Non-standard
- 16.5 32-36 – Standard – 31 Non-standard
- 17 32-37 – Standard – 31 Non-standard
- 17.5 32-37 – Standard – 31 Non-standard
- 18 32-36 – Standard – 31 Non-standard
- 18.5 33-37
- 19 33-36
- 20 35-36 – Standard – 33 and 34 Non-standard
- 21 33-36 – Non-standard
- 22 33-36 – Non-standard

Item shall be B. Lippman or equal.
VF Imagewear Style No. NP1112 or equal.

SPECIFICATIONS
Item 5

Shirt, Male Grey 10 oz. 65/35 P/R Tropical SS CC with Badge Tab
Men's Short Sleeve Service Dress Shirt

GENERAL DESCRIPTION

Form fitting with two pleated breast pockets with scalloped flaps and shoulder straps. The shirt has military creases, a pencil slot, and a shoulder emblem.

Basic Material: The material shall be Nickel Grey or equal 10 oz 65/35 polyester/rayon tropical weave.

Linings: Shall have collar and yoke linings that are compatible with the construction of the shirts.

Collar Stays: The collar stay shall be made of good quality vinyl, attached to the inside of the bottom collar leaf, and come out to the stitching line.

Badge Reinforcement: The shirt shall have a 1" wide inside sling type badge holder extending from the shoulder-joining seam to pocket of the left front and constructed of the basic material. Two small, uncut buttonholes shall be minimum 1-1/8" apart with the lower buttonhole approximately 1-1/4" above top of left pocket flap.

Military Creases: There shall be five 1/16" sharp military creases on the shirt. There shall be one crease on each front, centered vertically through pocket and flap. Spacing for military creases on shirt back shall be proportionate to the size of the shirt. For lightweight fabric (4 to 6 oz), creases must be stitched in; for heavy fabrics (10 oz), stitches shall be baked in.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left and right sleeve with the top edge 1-1/4" to 1-1/2" below the shoulder seam depending on the garment size. The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:
S-4XL

Item shall be B. Lippman or equal.
VF Imagewear Style No. NP1118 or equal.

SPECIFICATIONS

Item 6

Shirt, Female Grey 10 oz. 65/35 P/R Tropical LS with Badge Tab Women's Long Sleeve Service Dress Shirt

GENERAL DESCRIPTION

Form fitting shirt with two pleated breast pockets with scalloped flaps and shoulder straps. The shirt has military creases, a pencil slot, and a shoulder emblem.

Basic Material: The material shall be Nickel Grey or equal, 10 oz 65/35 polyester/rayon tropical weave matching standard sample.

Collar Stays: The collar stay shall be made of good quality vinyl, attached to the inside of the bottom collar leaf, and come out to the stitching line.

Badge Reinforcement: The shirt shall have a 1" wide inside sling type badge holder extending from the shoulder-joining seam to pocket of the left front and constructed of the basic material. Two small, uncut buttonholes shall be minimum 1-1/8" apart with the lower buttonhole approximately 1-1/4" above top of left pocket flap.

Military Creases: There shall be five 1/16" sharp military creases on the shirt. There shall be one crease on each front, centered vertically through pocket and flap. Spacing for military creases on shirt back shall be proportionate to the size of the shirt. For lightweight fabric (4 to 6 ounces), creases must be stitched in; for heavy fabrics (10 ounce), stitches shall be baked in.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left and right sleeve with the top edge 1-1/4" to 1-1/2" below the shoulder seam depending on the garment size. The patch shall to be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:

Bust Size	Sleeve	
28	30	R
30	30	R&L
32	30	R&L
34	30	R&L
36	31	R&L
38	31	R&L
40	32	R&L

42	33	R&L
44	33	R&L
46	33	R&L
48	33	R&L
50	33	R&L

Longs – Add 1" to sleeve length.

Item shall be B. Lippman or equal.
VF Imagewear Style No. NP1115 or equal.

SPECIFICATIONS

Item 7

Shirt, Female Grey 10 Oz. 65/35 P/R Tropical SS, CC with Badge Tab Women's Short Sleeve Service Dress Shirt

GENERAL DESCRIPTION

Form fitting shirt with two pleated breast pockets with scalloped flaps and shoulder straps. The shirt has military creases, a pencil slot, and a shoulder emblem.

Basic Material: The material shall be Nickel Grey or equal, 10 oz 65/35 polyester/rayon tropical weave.

Collar Stays: The collar stay shall be made of good quality vinyl, attached to the inside of the bottom collar leaf, and come out to the stitching line.

Badge Reinforcement: The shirt shall have a 1" wide inside sling-type badge holder extending from the shoulder-joining seam to pocket of the left front and constructed of the basic material. Two small, uncut buttonholes shall be minimum 1-1/8" apart with the lower buttonhole approximately 1-1/4" above top of left pocket flap.

Military Creases: There shall be five 1/16" sharp military creases on the shirt. There shall be one crease on each front, centered vertically through pocket and flap. Spacing for military creases on shirt back shall be proportionate to the size of the shirt. For lightweight fabric (4 to 6 oz), creases must be stitched in; for heavy fabrics (10 oz), stitches shall be baked in.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left and right sleeve with the top edge 1-1/4" to 1-1/2" below the shoulder seam depending on the garment size. The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:

28-50 Even Sizes Only

Item shall be B. Lippman or equal.

VF Imagewear Style No. NP1123 or equal.

SPECIFICATIONS**Item 8****Raincoat, Unisex Black Reversible Full Length
Unisex Reversible Raincoat****GENERAL DESCRIPTION**

Black reversible raincoat with orange lining. Full-cut 50" raincoat reverses to orange color for high visibility. Raincoat should have sealed seams and storm/snap front for full protection. Has pass-through pocket, nylon zipper, raglan sleeves, and badge tab.

Fabric: 100% Nylon; Black/Orange

Patch: The organizations shoulder patch shall be sewn securely in the center of the left and right sleeve with the top edge 1-1/4" to 1-1/2" below the shoulder seam depending on the garment size. The patch shall to be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:

S-5XL

Item shall be VF Imagewear Style No. WV3101B or equal.

SPECIFICATIONS

Item 13

Jacket, Male Green 16 oz 55/45 P/W Elastique Ike Style Men's Service Dress Jacket

GENERAL DESCRIPTION

Eisenhower jacket with zipper front and one-piece back, rolled collar with peak lapels, two front patch pockets pleated with scalloped flaps, regular coat sleeves, and knit inserts at bottom of each side over hip.

Basic Material: Material shall be Forest Green Elastique brand weave or equal, 16 – 16-1/2 oz per linear yard. 55% polyester/45% wool.

Zipper: A Talon #42 or equal zipper shall extend from bottom of lapel to bottom edge of front. Zipper shall be brass, separating style, with brass slides. Zipper length shall vary according to body length or jacket.

Badge Reinforcement: Black enameled badge holder, Waterbury No. 9705, or equal, shall be placed above the left pocket flap, centered, and sewn on by hand. Base of holder shall be minimum 1/2" above top of pocket flap.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left and right sleeve with the top edge 1-1/4 to 1-1/2" below the shoulder seam depending on the garment size. The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:

Short	38-44, 50 Standard, 34 and 46 Non-Standard
Regular	38-54 Standard, 34 Non-Standard
Long	38-56 Standard
X-long	40-54 Standard

Item shall be VF Imagewear Style No. NP4102 or equal.

SPECIFICATIONS

Item 14

**Jacket, Female Green 16 oz 55/45 P/W Elastique Ike Style
Women's Service Dress Jacket**

GENERAL DESCRIPTION

Eisenhower jacket with zipper front and one-piece back, rolled collar with peak lapels, two front patch pockets pleated with scalloped flaps, regular coat sleeves, and knit inserts at bottom of each side over hip.

Basic Material: Material shall be Forest Green Elastique brand weave or equal, 16 – 16-1/2 oz per linear yard. 55% polyester/45% wool.

Zipper: A Talon #42 or equal zipper shall extend from bottom of lapel to bottom edge of front. Zipper shall be brass, separating style, with brass slides.

Badge Reinforcement: Black enameled badge holder, Waterbury No. 9705, or equal, shall be placed above the left pocket flap, centered, and sewn on by hand. Base of holder shall be minimum 1/2" above top of pocket flap.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left and right sleeve with the top edge 1-1/4" to 1-1/2" below the shoulder seam depending on the garment size. The patch shall to be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:

- Petite 2 - 14
- Regular 2 - 26
- Tall 8 – 22

Item shall be VF Imagewear Style No. NP4105 or equal.

SPECIFICATIONS**Item 26****Sweater, Unisex Green Wool Commando
Unisex Commando Sweater**

General Description: Lightweight green wool commando sweater with a 1-3/8" wide v-neck. In addition, features double needle-stitched twill elbow patches. Includes badge tab and nameplate.

Fabric: 100% wool; body. 100% Chetopa twill; elbow patches. Olive Green.

Customization: The organization's shoulder patch shall be sewn securely in the center of the left and right sleeve with the top edge 1-1/4" to 1-1/2" below the shoulder seam depending on the garment size. The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:
XS-3XL

Item shall be VF Imagewear Style No. WV5100B or equal.

SPECIFICATIONS

Item 28

Jacket, Unisex Green New Generations®3 Waist Length with zip-in/out Liner Unisex New Generations Jacket

NEW GENERATION®3 SPECIFICATIONS

FABRIC

Outershell: 100% Tactel® brand nylon , 4.0 oz. to 4.5 oz./square yard, plain weave or equal.

Color: Forest Green

Finish: Hydroflex® brand coating or equal. A polyurethane, monolithic coating. Double coated.

Permanent Lining: 70 denier 100% nylon taffeta

Design: The jacket shall be a full cut, waist length model with two-way zipper front, Primaloft zip-in/zip-out liner, shirred waistband, and zippered side vents. Coat construction with sealed seams shall be used throughout with body and sleeves being fully lined.

Body Detail: The front shall be plain with box-pleated patch pockets, flaps, and badge tab. There shall be side zipper entry on both side seams, approximately 11" in length and secured by a nylon zipper and snap closure. There shall be a zipper track located at the center back neck concealed in a zipper garage for an optional hood.

Inside Detail: On the left side of the coat, there shall be a gun pocket installed on the permanent lining of the coat to accept a small frame handgun. The gun pocket shall have a minimum opening of 4-1/2" and be a minimum of 6" deep. The gun pocket shall be furnished with a strap and snap closing. There shall be two cut in pockets on the left and right sides. There shall be a strap and snap on the lining of each sleeve end for attaching the zip-in liner.

Pockets: They shall close with Velcro on the side points and with a centered buttonhole. The left patch pocket is to have a pencil opening at the top of the flap.

Badge Tab: The badge tab shall be made of the outer fabric being minimum 2" tall by 1" wide. The first eyelet is minimum 1/2" down from the top of the finished edge and the second is minimum 1/2" up from the bottom-finished edge. The eyelets are spaced minimum 1" from center to center. It shall be centered minimum 2-1/2" above the left pocket flap.

Zipper: There shall be a YKK #5, two-way molded nylon zipper in the front, 11" nylon zipper on each side vent and a zipper at the center back neck.

Buttons and Snaps: The pocket flaps and epaulets shall be secured with a small silver Waterbury Company Inc. "P" button or equal. Flaps and epaulets shall close with small silver Waterbury Company Inc. "P" button or equal. Front fly shall be secured by high impact, non-reflective, non-glare, scratch resistant snaps.

LINER SPECIFICATIONS

Fabric:

Outershell: 160 x 90 70 denier downproof nylon taffeta
 Insulation: Primaloft brand or equal, 2 - 3.0 oz body and sleeve from Albany Industries

Design: The liner is made over a full-cut long-sleeve liner pattern with side vents to accommodate side zip jackets.

Body Detail: The liner has long sleeves and knit wristlets with an anchor loop to accept buttons.

Pocket: There is one lower right inside patch pocket.

Zipper: There is a molded nylon zipper, with a center mark, attached to the liner, and interchangeable. The zipper must be of sufficient length to attach to the facing of a jacket.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left and right sleeve with the top edge 1-1/4 to 1-1/2" below the shoulder seam depending on the garment size. The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Warranty: One year against workmanship or fabric defects.

Sizes:

Regular S – 4XL
 Long M – 5XL

Item shall be VF Imagewear Style No. HS3351 or equal.

SPECIFICATIONS

Item 29

Jacket, Unisex Green Ecospun® Fleece Unisex Fleece Jacket

GENERAL DESCRIPTION

Fleece jacket top with two front zippered pockets.

Basic Material: The material shall be Ecospun® fleece made from 100% recycled plastic. Forest Green.

Zipper: The front zipper shall be YKK Vislon or equal. The front pocket zippers shall be YKK Coil Interlocking teeth, size 5 or equal.

Bottoms: The jacket bottom shall be finished with a knit waistband with front tabs minimum 4" long.

Badge Reinforcement: Badge and name tabs shall consist of heat set-on tape placed on the inside of the jacket. The tape shall be placed so that the top of the badge shall be minimum 4" down from the shoulder seam and the center of the badge shall be minimum 4-1/4" from the front zipper on the left front. The tape shall be placed so that the nametag shall be 4-1/2" down from the shoulder seam, and the center of the nametag shall be 4-1/4" from front zipper on right inside front.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left and right sleeve with the top edge approximately 7" below the collar seam. (Raglan sleeves) The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:

Regular	XS – 4XL
Long	M – 3XL

Item shall be VF Imagewear Style No. NP3132 or equal.

SPECIFICATIONS

Item 32

Jacket, Unisex Green 8 oz 65/35 P/C Twill with Badge Tab Unisex Green Twill Field Jacket

GENERAL DESCRIPTION

Permanent press jacket with zipper from bottom of jacket to bottom of collar, two-piece convertible collar, with two outside breast pockets with pointed flaps.

Basic Material: The material shall be 8 oz Forest Green 8 oz 65%/35% polyester/cotton twill.

Zipper: A brass Talon #42 zipper or equal is required. Zipper with brass teeth and slider-ratcheting-autolock slider.

Collar: Collar shall be 2-piece convertible style. Collar shall have an interlining compatible with permanent press finish.

Inside Zipper Track: The jacket shall be manufactured with an inside zipper track to accommodate zip-in/out liner with long sleeves.

Badge Reinforcement: Badge tab shall be constructed of self fabric, lined with 2 black metal eyelets minimum 1" apart vertically from center to center and shall be sewn minimum 1/2" above left breast pocket flap. Finished tab shall be minimum 2" long and 1" wide.

Pocket Flaps: Left flap shall have a pencil division with each side of opening bartacked.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left and right sleeve with the top edge 1-1/4 to 1-1/2" below the shoulder seam depending on the garment size. The patch shall to be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:	Regular	XS-3XL
	Long	M-3XL

Item shall be VF Imagewear Style No. NP3144 or equal.

SPECIFICATIONS

Item 34

Parka, Unisex Green Taslan Nylon Hip Length Insulated Unisex Hip Length Parka

GENERAL DESCRIPTION

The garment is a hip length parka with a front storm flap, a two-way zipper, and snap closures. The Parka has an adjustable waist cord, two outside hand pockets, and two inside pockets. The parka is fully lined and insulated.

Basic Material: The material shall be 100% Taslan brand nylon or equal, 2-ply, with 3M Thinsulate-Forest Green.

Linings: The parka shall be fully lined. The lining shall be sewn to the insulation batting.

Drawstring: A concealed drawstring tunnel shall be located at the waistline. A 1/8" diameter nylon covered elastic cord shall enter through the tunnel and exit through the eyelets. The cord shall be 3" longer than each eyelet when in a fully relax state. The cord shall be knotted 1" from each end and shall have a 7/32" diameter Barreloc attached to each end close to each eyelet.

Badge Reinforcement & Name Tab: Badge and name tabs shall be constructed from the outer shell fabric. The badge tab shall be minimum 2" long with two eyelets centered, minimum 15/16" apart. The badge tab shall be located on the left front in vertical alignment with the inner edge minimum 5-1/2" from the left front edge and the top edge 4-1/2" below the front shoulder seam. The name tab shall be minimum 3" long with two eyelets centered, minimum 1-7/8" apart. The name tab shall be located on the right front in horizontal alignment with the inner edge minimum 3-1/2" from the front zipper tape and the top edge minimum 7-1/2" below the front shoulder seam.

Cuffs: An minimum 3" wide knitted cuff shall be sewn into the lining/outershell seam.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left and right sleeve with the top edge approximately 7" below the collar seam. (Raglan sleeves) The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:

Regular XS – 2XL

Item shall be VF Imagewear Style No. C03105 or equal.

**SPECIFICATIONS
Item 35**

**Jacket Overshell, Unisex Green Gore-Tex Waist Length with Badge Tab
Unisex Green Jacket Overshell**

This garment is a waist length waterproof breathable jacket shell with a double front storm flap and a 2-way zipper and snap closures. The shell has two outside hand pockets, two inside pockets, and a shirred waistband. The shell is fully lined, uninsulated, and has an inside zipper for a zip-in-liner. The shells are designed to be worn over an insulated zip-in liner: Nylon taffeta Thinsulate liner waist length.

Basic Material: The material shall be 100% Taslan nylon – bonded to Gore-Tex film, Forest Green.

Badge Reinforcement: Badge and name tabs shall be constructed from the outershell fabric. The badge tab shall be 2" long with 2 sewn eyelets centered minimum 15/16" apart. The badge tab shall be located on the left front. The name tab shall be minimum 3-1/4" long with minimum 2 sewn eyelets centered minimum 1-7/8" apart. The name tab shall be located on the right front.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left and right sleeve with the top edge approximately 7" below the collar seam. (Raglan sleeves) The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:
Regular XS-2XL
Long M-2XL

Item shall be VF Imagewear Style No. NP3162 or equal.

SPECIFICATIONS
Item 38

Parka Overshell, Unisex Green Gore-Tex Hip-Length Uninsulated
Unisex Parka Overshell

GENERAL DESCRIPTION

The garment is a hip length, Gore-Tex overshell with a front storm flap, a 2-way zipper, and snap closures. The overshell has an adjustable waist cord, zippered side vents, 2 outside hand pockets, and 2 inside pockets. The overshell is fully lined and un-insulated.

Basic Material: The material shall be 100% Taslan nylon-bonded to Gore-Tex film, Forest Green.

Linings: The overshell shall be fully lined.

Badge Reinforcement & Name Tab: Badge and name tabs shall be constructed from the outershell fabric. The badge tab shall be minimum 1-3/4" long with two eyelets centered, minimum 3/4" apart. The badge tab shall be located on the left front. The name tab shall be minimum 3-1/4" long with two eyelets centered, minimum 1-7/8" apart. The name tab shall be located on the right front.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left and right sleeve with the top edge approximately 7" below the collar seam (Raglan sleeves). The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:

Regular	XS-2XL
Long	M-3XL

Item shall be VF Imagewear Style No. 3158 or equal.