

MODZEK

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RFONUMBER RSHEET09

P/	AG	:	686
		1	

ADDRESS CORRESPONDENCE TO ATTENTION OF

JO ANN ADKINS 804-558-8802

ØН—р +О

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

07/21/2009	TERMS OF SALE	SHIP VIA	F.C.B	FREIGHT TERMS
DIO ODENINO DATE:	10/2009	PTD O	PENING TIME 01	-30PM
LINE QUANTITY	UOP CAT	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	EA	 		THE PROPERTY OF THE PROPERTY O
	1	030-44		
REFLECTIVI	E SHEETING	1		
			•	
	REQUEST FO	R QUOTATION		
THE PURCHA	ASTNG DIVISION	I IS SOLICITING B	TDC TOD X	·
BLANKET OF	PEN END STATE	VIDE CONTRACT FOR	IDS FOR A All West	
YIRGINIA S	STATE AGENCIES	S AND POLITICAL ST	UBDIVISTONS	
TYPE ASTM-	-III RETROREFI	LECTIVE SIGN SHEET	TING.	
INQUIRIES				
WRITTEN QU	JESTIONS SHALT	BE ACCEPTED THRO	OUGH CLOSE OF	
USPS, FAX.	COURIER OR	009. QUESTIONS MA E-MAIL. IN ORDER	AY BE SENT VIA	
	CEIVES AN UNFA	AIR ADVANTAGE, NO	SUBSTANTIVE	
ΨUESTIONS	WILL BE ANSWE	RED ORALLY. IF	POSSTBLE E-MATT.	
AOFZITONZ	ARE PREFERRED	ADDRESS INQUI	IRIES TO:	
JO ANN ADK				
	OF ADMINISTR	ATION		
PURCHASING	NGTON STREET	EAST		
	, WV 25305	EASI		
ATTACHMENT	'S:			
RSHEETO9 S	PECIFICATIONS	, 9 PAGES		
DOH APPROV	ED PRODUCT LI	ST, 2 PAGES.		
RSHEETO9 P	RICING PAGE,	1 PAGE.		
TESTDENT V.	ENDOR PREFERE	MCE		
SIGNATURE	SEE REV	ERSE SIDE FOR TERMS AND COND	ITIONS	
		TELEPHONE	DATE	
TITLE	FEIN		ADDRESS CHANGES	TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15. WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in case of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- **6. BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



MODZMA

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RSHEET09

PAGE 2

ADDRESS CORRESPONDENCE TO ATTENTION OF

JO ANN ADKINS 304-558-8802

SH-P TO

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRIN	TEN	І по	MS OF SAL	?±0000000000	SHIPVIA	10.000	F.O.B	FREIGHT TERMS
07/21/						100000		TIETOTTI FETTINO
BID OPENING DATE		08/10/	2000		DTD		CATTAIC CTAIC O	- 20 DM
LINE		NTITY	UOP	CAT	ITEM NUMBER	Ϋ́	ENING TIME 01	:30PM
EINE	, QUA	************************		NO.	HEWINGWOOD		ONLIFFICE	AMOUNT
	PURCHA	SING A	FFIDA'	VIT				
	EXHIBI	Т 3	ALLA CANADA DE LA CANADA DEL CANADA DE LA CANADA DEL LA CANADA DEL CANADA DE LA CANADA DE LA CANADA DE LA CANADA DEL CANADA DE LA CANADA DE LA CANADA DEL CANADA DEL CANADA DE LA CANADA DE LA CANADA DEL CANADA DELA			***************************************		
	YEAR ON NECESS. ORIGIN. NOT EXTIME"	R UNTI ARY TO AL CON' CEED T' THE VEI UPON (L SUCTOBTA TRACT WELVE NDOR I	AND H "RE. IN A D THE (12) MAY TE	IS CONTRACT BECOME EXTENDS FOR A SONABLE TIME TO SELECT TO SELECT OR SELECT TO SELECT OR SELECT	PEF HEF REN UE" TF	RIOD OF ONE (1) REAFTER AS IS NEW THE " PERIOD SHALL HIS "REASONABLE RACT FOR ANY	
	IN THIS	S CONT G SET 1	RACT I	росимі	IONS ARE STIPULA' ENT, THE TERMS, (FIRM FOR THE LI	¢or.	NDITIONS AND	
	RIGHT ' NOTICE SUPPLI	TO CANG TO THI ED ARE	CEL TI VENI OF AI	HIS CO DOR II V INFI	CTOR OF PURCHASII ONTRACT IMMEDIATI F THE COMMODITIES ERIOR QUALITY OR OF THE BID AND CO	ELY S A DC	UPON WRITTEN AND/OR SERVICE NOT CONFORM	
	AUTHOR: MARKET ESTIMA: IMMEDIA CAUSES	IZE A ; , WITH TE, IT ATE DE (INCL ION OR	PEND OUT THE EMS SI LIVERY JDING	ING UI HE FII PECIFI I IN I BUT 1	E DIRECTOR OF PUR NIT TO PURCHASE (LING OF A REQUIS: ED ON THIS CONTI EMERGENCIES DUE TO NOT LIMITED TO DI CIPATED INCREASE	ITI RAC TO LA	THE OPEN ON OR COST T FOR UNFORESEEN AYS IN TRANS-	
				SEE RE	VERSE SIDE FOR TERMS AND CO	NDITI		
SIGNATURE					TELEPHONE		DATE	
TITLE		FI	EIN	 	<u> </u>		ADDRESS CHANGES	S TO BE NOTED ABOVE



VEZDOR

RFO COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RSHEET09

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF

JO ANN ADKINS 804-558-8802

SH Y

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

TERMS OF SALE F.O.B DATE PRINTED SHIP VIA FREIGHT TERMS 07/21/2009 BID OPENING DATE: 08/10/2009 BID OPENING TIME $01 \cdot 30PM$ CAT. LINE QUANTITY HOP ITEM NUMBER UNIT PRICE AMOUNT QUANTITIES: QUANTITIES LISTED IN THE REOUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIED BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY PRDERED FOR DELIVERY DURING THE TERM OF THE CONTRACT, NHETHER MORE OR LESS THAN THE QUANTITIES SHOWN. ¢rdering pro¢edure: spending unit(s) shall issue a NRITTEN STATE CONTRACT ORDER (FORM NUMBER WV-39) TO THE VENDOR FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL COPY OF THE WV-39 SHALL BE MAILED TO THE /ENDOR AS AUTHORIZATION FOR SHIPMENT, A SECOND COPY MAILED TO THE PURCHASING DIVISION, AND A THIRD COPY RETAINED BY THE SPENDING UNIT. IN THE EVENT THE VENDOR/CONTRACTOR FILES BANKRUPTCY: FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER. THE TERMS AND CONDITIONS CONTAINED IN THIS CONTRACT \$HALL SUPERSEDE ANY AND ALL SUBSEQUENT TERMS AND CONDITIONS WHICH WAY APPEAR ON ANY ATTACHED PRINTED DOCUMENTS SUCH AS PRICE LISTS, ORDER FORMS, SALES AGREEMENTS OR MAINTENANCE AGREEMENTS, INCLUDING ANY ELECTRONIC MEDIUM SUCH AS CD-ROM. 東EV. 05/26/2009 PURCHASING CARD ACCEPTANCE: THE STATE OF WEST VIRGINIA CURRENTLY UTILIZE\$ A VISA PURCHASING CARD PROGRAM WHICH IS ISSUED THROUGH A BANK. THE SUCCESSIUL VENDOR MUST ACCEPT THE STATE OF WEST VIRGINIA VISA PURCHASING CARD FOR PAYMENT OF ALL ORDERS PLACED BY ANY STATE AGENCY AS A CONDITION OF AWARD. SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE DATE TITLE FEIN ADDRESS CHANGES TO BE NOTED ABOVE



VENDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RSHEET09

ADDRESS CORRESPONDENCE TO ATTENTION OF: JO ANN ADKINS 804-558-8802

ALL STATE AGENCIES AND POLITICAL SUBDIVISIONS VARIOUS LOCALES AS INDICATED

RFQ COPY TYPE NAME/ADDRESS HERE BY ORDER

07/21/2009 BID OPENING DATE:	TERMS OF SAL		SHIP VIA	F.O.B	FREIGHT TERMS
	08/10/2009 VIITY UOP	CAT NO	TEM NUMBER	PENING TIME 0 UNIT PRICE	1:30PM AMOUNT
		NOTICE			
A SIGNI	ED BID MUST	BE SUBMIT	TED TO:		
PU	EPARTMENT OF JRCHASING DI JILDING 15	i i	RATION	,	
20	019 WASHINGT HARLESTON, W				
יישר סדר	SHOILD COM	TATAL TUTC	TATEODMARTON	ON THE FACE OF	
			NOT BE CONS		
SEALED	BID				
BUYER:			FI	LE 42	
RFQ. NO).:		RS	HEET09	
BID OPE	ENING PATE:		08	/10/2009	
BID OPE	ENING TIME:		1 🖁	30 P.M.	
PLEASE TO CONT	PROVIDE A F	AX NUMBER ARDING YO	IN CASE IT UR BID:	IS NECESSARY	
SIGNATURE		SEE REVERSE SI	DE FOR TERMS AND CON TELEPHONE	DITIONS DATE	
TITLE	FEIN	***************************************	<u> </u>	ADDRESS CHANGE	S TO BE NOTED ABOVE



NODZE

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RSHEET09

P/	(GE	į
	5	

JO ANN ADKINS 804-558-8802

9	
0000	- 4
S 1	
• 1	
7.1	
4 1	
1	7
₽ 1	
T 1	
4 4	
c) i	
~ 1	

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

ADDRESS CORRESPONDENCE TO ATTENTION OF

DATE PRIN	TED	TER	RMS OF SAL	F		SHIP VIA			F.O.B		FREIGHTTERMS
07/21/ BID OPENING DATE	2009	L.,				***************************************					
000000000000000000000000000000000000000	Háiskii araáka asanas	08/10/		l Axt	100000000000000000000000000000000000000	1886518811888118881		PENI	NG TI		;30PM
LINE	QUA	NTITY	UOP	CAT. NO.	ITI	EM NUMBE	R		UNIT PRI	CE	AMOUNT
							- Andread Andread Control of Cont				
:								:			
	CONTAC	T PERS	φn (Þi	LEASE	PRINT	CLEA	RLY):				
	_		† :								
	Í										
		mitta	7.6 57								
	*****	THIS	IS T	HE ENI	OF R	.FQ	RSHEE'	:09 *	****	TOTAL:	
1						•					
	ĺ										
			-								
			-								
					•						
			PARAMETER		•						
	7										
							ĺ				
SIGNATURE				SEE RE	ÆRSE SIDE		IS AND CON	IDITIONS		DATE	
				··-		1,250	11014			DW.E	
TITLE		FE	IN					****	ADDRES	S CHANGES	TO BE NOTED ABOVE

RSHEET09 Specifications

SCOPE OF CONTRACT

The purpose of this Contract shall be to provide Type ASTM-III retroreflective sign sheeting to various state agencies. The Type ASTM-III sheetings included as part of this Contract do not require the use of matched component inks or films.

SPECIFICATIONS-GENERAL

Sheetings, inks, and films to be considered for award as part of this Contract must, as a minimum, be included on the Division's current Approved Products listing (APL) for Retroreflective Sign Sheetings, the requirements of which are as follows:

- Completion of three (3) years of outdoor weathering testing in the AASHTO NTPEP Outdoor Reflective Sheeting Performance Testing Program, with the exception of orange and fluorescent-orange sheetings (one (1) year testing required).
- Evaluation and approval by the WVDOH, by means in addition to the NTPEP program as determined to be necessary, to be in conformance with applicable performance and durability requirements.

Note, in addition to the above APL requirement, all materials must also have been previously evaluated and approved by the WVDOH to be in conformance with the specific manufacturing equipment and manufacturing process requirements of the WVDOH. Due to additional consideration that must be taken into account in regards to the above mentioned manufacturing equipment and manufacturing process requirements, the inclusion of a specific material on the WVDOH Approved Products Listing (APL) shall not be misinterpreted as constituting the sole requirement for a product to be awarded as part of this Contract. Sheetings that are not approved for WVDOH internal production use due to manufacturing issues associated with the sheeting shall be noted on the APL, and is included as an attachment to these specifications.

Technical Assistance: The successful bidder shall be able to provide technical assistance for the service of application equipment and the instruction and training of State personnel. This shall include, but not be limited to, calibration and trouble shooting of application equipment, training films, material application, screen-printing techniques, packaging, storage and inks.

Certification submittal: Certifications will be required for all sheeting ordered as part of this Contract. Certifications are to be received within ten (10) calendar days after receipt of material. Any change in formulation of the material must be submitted in writing to the WVDOH. The WVDOH will then determine if these changes will require retesting or additional testing of the material and if they comply with these specifications.

Delivery Schedule: All deliveries shall be provided F.O.B. to the State's designated point of delivery (Charleston, WV or 60 miles from Charleston's boundary). The first expected delivery of material shall be not later than thirty (30) days following official notification of contract award and initial order. All subsequent deliveries shall be F.O.B. destination within fifteen (15) days after receipt of order.

Liquidated Damages: Deliveries not completed in a timely manner shall be subject to liquidated damages as set forth in section 108.7 of the current edition of "Standard Specifications Roads and Bridges". See table 108.7.1.

TYPE ASTM- III REFLECTIVE SHEETING - SPECIFICATIONS

DESCRIPTION:

The sheeting shall be a high-intensity encapsulated glass-bead retroreflective material or unmetallized microprismatic retroreflective element material with a transparent, weatherproof topcoat having a smooth outer surface. The sheeting shall have a pre-coated adhesive backing protected by a removable liner.

REQUIREMENTS:

General: The reflective sheeting shall have sufficient strength so that it can be handled, processed, and applied according to the recommendations of the sheeting manufacturer without appreciable stretching, tearing, or other damage. The sheeting shall permit cutting and color processing with compatible transparent and opaque process inks at temperatures of 60 to 100 F (15 to 38 C) and relative humidity at 20 to 80 percent. The sheeting shall be heat resistant and permit force curing without staining of applied or unapplied sheeting at temperatures as recommended by the manufacturer.

Coefficient of Retroreflection: The sheeting shall have minimum reflective intensity values 0.2 degrees and 0.5 degrees, observation angle, as shown in Table IV below, expressed as candle power per foot candle per square foot (candelas per lux per square meter) of material.

Table IV									
Observation Angle	Entrance Angle	White	Yellow	Green	Red	Blue	Brown		
0.2	-4	250	170	45	45	20	12		
0.2	+30	150	100	25	25	11	8.5		
0.5	-4	95	62	15	15	7.5	5		
0.5	+30	65	45	10	10	5	3.5		

measurements shall be made per ASTM D4956. The values of 0° and 90° rotation are averaged to determine conformance.

Color: Daytime and nighttime color of the sheeting shall have substantially the same hue. The daytime color chromaticity coordinates for CIE standard illuminant D65 and the 1931 CIE 2° standard observer shall be in accordance with Table II below when tested in accordance with ASTM D4956.

			TABLE II			•	
Color 1		2	2		3	4	
X	у	X	у	х	у	Х	. у
0.303	0.300	0.368	0.366	0.340	0.393	0.274	0.329
0.498	0.412	0.557	0.442	0.479	0.520	0.438	0.472
0.026	0.399	0.166	0.364	0.286	0.446	0.207	0.771
0.140	0.035	0.244	0.210	0.190	0.255	0.065	0.216
0.430	0.340	0.610	0.390	0.550	0.450	0.430	0.390
	0.498 0.026 0.140	0.498 0.412 0.026 0.399 0.140 0.035	X y X 0.303 0.300 0.368 0.498 0.412 0.557 0.026 0.399 0.166 0.140 0.035 0.244	0.303 0.300 0.368 0.366 0.498 0.412 0.557 0.442 0.026 0.399 0.166 0.364 0.140 0.035 0.244 0.210	x y x y x 0.303 0.300 0.368 0.366 0.340 0.498 0.412 0.557 0.442 0.479 0.026 0.399 0.166 0.364 0.286 0.140 0.035 0.244 0.210 0.190	x y x y x y 0.303 0.300 0.368 0.366 0.340 0.393 0.498 0.412 0.557 0.442 0.479 0.520 0.026 0.399 0.166 0.364 0.286 0.446 0.140 0.035 0.244 0.210 0.190 0.255	x y x y x y x 0.303 0.300 0.368 0.366 0.340 0.393 0.274 0.498 0.412 0.557 0.442 0.479 0.520 0.438 0.026 0.399 0.166 0.364 0.286 0.446 0.207 0.140 0.035 0.244 0.210 0.190 0.255 0.065

The saturation limit of green and blue may extend to the border of the CIE chromaticity locus for spectral colors.

Luminance Factor: The luminance factor Y (%) for CIE standard illuminant D65 and the 1931 CIE 2° standard observer shall be in accordance with Table III (encapsulated glass-bead retroreflective material) or Table V below (unmetallized microprismatic retroreflective element material) when tested in accordance with ASTM D4956.

	TABLE III	
Color	Min	Max
White	27	
Yellow	15	45
Green	3	9
Red	2.5	12
Blue	1	10
Brown	4	9

TABLE V									
Color	Min	Max							
White	40	***							
Yellow	24	45							
Green	3	12							
Red	3	15							
Blue	1	10							
Brown	1	6							

Adhesive: The adhesive shall be a Class 1 adhesive, as defined by ASTM D4956. The adhesive backing shall be pressure sensitive, require no heat, solvent, or other preparation for adhesion to smooth, clean surfaces. Additional adhesive coats on either the reflective sheeting or application surface shall not be necessary. When tested in accordance with ASTM D4956, the adhesive backing of the sheeting shall produce a bond that will support a 13/4-lb (0.79-kg) weight for 5 min, without the bond peeling for a distance of more than 2 in. (51 mm).

Shrinkage: The sheeting shall not shrink in any dimension more than 1/32 in. (0.8 mm) in 10 min or more than 1/8 in. (3.2 mm) in 24 h when tested in accordance with ASTM D4956.

Flexibility: The sheeting shall be sufficiently flexible to show no cracking when tested in accordance with ASTM D4956.

Liner Removal: The liner shall be easily removed without soaking in water or other solutions, and shall not break, tear, or remove adhesive from the sheeting. The liner shall be easily removed after accelerated storage as described in ASTM D4956.

Impact Resistance: The sheeting shall show no cracking or delamination outside of the actual area of impact when subjected to the impact test in accordance with ASTM D4956.

Specular Gloss: The sheeting shall have a specular gloss of not less than 40 when tested in accordance with ASTM D4956.

Durability: The sheeting shall be weather resistant and show no appreciable cracking, scaling, pitting, blistering, edge lifting, or curling, or more than 1/32-in. (0.8-mm) shrinkage or expansion when tested in accordance with ASTM D4956.

Three (3) year NTPEP outdoor weathering test results shall indicate a minimum maintained retroreflectivity level of 80% of the values shown in Table IV when tested at 0.2° observation and -4° and +30° entrance angles. The material shall maintain the levels of retroreflectivity indicated in Table VI below for a period of twelve (12) years after installation.

The sheeting daytime color chromaticity coordinates for CIE standard illuminant D65 and the 1931 CIE 2° standard observer shall be in accordance with Table II after three (3) years NTPEP outdoor weathering is completed.

The sheeting luminance factor for CIE standard illuminant D65 and the 1931 CIE 2° standard observer shall be in accordance with Table III (encapsulated glass-bead retroreflective material) or Table V (unmetallized microprismatic retroreflective element material) after three (3) years NTPEP outdoor weathering is completed.

TABLE VI									
Age: 0 years through	7 years:								
Observation Angle	Entrance Angle	White	Yellow	Green	Red	Blue	Brown		
0.2	-4	200	136	36	36	16	9.5		
0.2	+30	140	108	24	24	8.5	6.5		
0.5	-4	76	49	12	12	6	4		
0.5	+30	56	48	9.5	9.5	4	2.5		

90° rotation are averaged to determine conformance.

Age: 7 years through 12 years:

Observation Angle	Entrance Angle	White	Yellow	Green	Red	Blue	Brown
0.2	-4	175	119	31	31	14	8
0.2	+30	122	94	21	21	7.5	5.5
0.5	-4	66	43	10	10	5	3.5
0.5	+30	49	42	8	8	3.5	2

measurements shall be made per ASTM D4956 after sign cleaning. The values of 0° and

90° rotation are averaged to determine conformance.

MANUFACTURER'S FIELD PERFORMANCE OBLIGATION:

The reflective sheeting processed, applied to sign blank materials, and cleaned in accordance with manufacturer's recommendations, shall perform effectively for the number of years stated in Table VI. The retroreflective sheeting will be considered unsatisfactory if it has deteriorated due to natural causes to the extent that: (1) the sign is ineffective for its intended purpose when viewed from a moving vehicle under normal day and night driving conditions; or (2) the coefficient of retroflection is less than the minimum specified for that sheeting during that period listed in Table VI.

Where it can be shown that the performance requirements of sheeting supplied and used according to the manufacturer's recommendations have not been met, the manufacturer shall cover the sign costs as follows for sheeting shown to be unsatisfactory during:

- The First Seven Years: The sheeting manufacturer will cover the cost of restoring the sign panel to its original effectiveness at no cost to the agency for materials or labor.
- Years 8 thru 10: The sheeting manufacturer will replace the sheeting required to restore the sign panel to its original effectiveness.
- Years 11 thru 12: The sheeting manufacturer will replace fifty percent of the sheeting required to restore the sign panel to its original effectiveness.

SLIP SHEETING:

Slip sheeting compatible with the reflective sheeting and inks shall be provided in rolls equal to the amount and size of reflective sheeting ordered at no additional cost.

WASHERS:

Washers, if recommended by the manufacturer to protect the sheeting from damage by bolts or other fasteners, shall be provided at no additional cost.

GENERAL CHARACTERISTICS AND PACKAGING:

The reflective sheeting as supplied shall be free from ragged edges, cracks, and extraneous materials and shall be furnished in both rolls and sheets. The average number of splices shall not be more than three per 50 yards of material and splices shall be suitable for continuous application as supplied. All splices shall be adequately made by the manufacturer in order to not require temporary modifications to the normal manufacturing process when the splices are encountered during production.

Rolls shall be packaged in corrugated fiberboard boxes in such a manner that no damage or defacement may occur to the reflective sheeting during shipment or storage.

Cut sheets shall be packaged flat between pressed composition boards or corrugated pads of the same dimensions as the sheets and shall be so packed as to prevent damage or defacement during shipment or storage.

The reflective sheeting as supplied and stored under normal conditions shall be suitable for use for at least one year after purchase.

BID SCHEDULE FOR AWARD

Vendors are to submit pricing for each Item listed, regardless of the presence of a value in the Estimated Quantity column.

For Items without a value in the Estimated Quantity column, the vendor shall submit their price for one (1) roll in the Unit Cost column. The Total Cost column should be left blank in this case.

In determining the vendor's total bid for award purposes, the figures in the Total Cost column associated with Items with an estimated quantity indicated will be totaled. The estimated quantities listed are based on 100 yard rolls. Where the manufacturer indicates that the unit pricing submitted is for 50 yard rolls, the value shown in the Total Cost column should be double the amount calculated from multiplying the unit price by the estimated quantity. Pricing for Items without a value in the Estimated Quantity column will not be used in determining the award of the Contract.

The estimated quantities shown on the Bid Schedule are estimated quantities only. Actual quantities ordered may be more or less than those shown.

Retroreflective Sheeting Bid Items with sizes marked with an asterisk (*) indicate that the specific size required is indicated. The width material supplied shall be equal to or greater than the size indicated. For 12-3/4" width sheetings, the width supplied shall be 12-3/4". For other sizes, "industry standard" widths shall be supplied, which shall be the width indicated plus a marginal amount to allow for edge trimming.

Approved Products List Retroreflective Sign Sheeting May 2009 (see notes 1 and 2)

	TYPE ASTM-I - ENGINE	ERING GRADE	
MANUFACTURER	PRODUCT	MATERIALS SPEC.	LAB APPROVAL NUMBER
3M	Scotchlite 32XX Series (See note 3)	715.9.2.1	
3M	Scotchlite 227X Series (See note 4)	715.9,2.1	
Avery Dennison	T-15XX Series (See note 16)	715.9.2.1	
Avery Dennison	T-16XX Series (See note 17)	715.9.2.1	
Nippon Carbide	81XX Series (See note 15)	715.9.2.1	

	TYPE ASTM-III - HIGH IN	TENSITY GRADE	
MANUFACTURER	PRODUCT	MATERIALS SPEC.	LAB APPROVAL NUMBER
3M	Scotchlite 38XX Series (See note 5)	715.9.2.3	
3M	Scotchlite 287X Series (See note 4)	715.9.2.3	
3M	Scotchlite 381XI Series (See note 6)	715.9.2.6	
3M	Scotchlite 3840 Series (See note 7)	715.9.2.6	
3M	Scotchlite 31X Series (See note 8)	715.9.2.6	
3M	Series 33X (See note 8)	715.9.2.6	
3M	Scotchlite 393X Series (See note 3)	715.9.2.6	
Nippon Carbide	ULG-II N8XX Series (See note 15)	715.9.2.3	
Avery Dennison	W-6100 (See note 8)	715.9.2.6	
Avery Dennison	T-65XX Series (See note 16)	715.9.2.3	

,	<u>TYPE ASTM-VI - VINYL SUBSTI</u>	RATE TYPE ASTM-VII	
MANUFACTURER 3M Reflexite	PRODUCT Scotchlite RS-24 Series (See note 9) High Performance Series (See note 9)	MATERIALS SPEC. 715.9.2.7 715.9.2.7	LAB APPROVAL NUMBER

	TYPE ASTM-VII - HIGH ANGULARITY F	IIGH PERFORMANCE GI	RADE
MANUFACTURER 3M	PRODUCT Scotchlite 3924 Series (See note 11)	MATERIALS SPEC. 715.9.2.7	LAB APPROVAL NUMBER

	<u>TYPE ASTM-IX - HIGH PERF</u>	ORMANCE GRADE	
MANUFACTURER	PRODUCT	MATERIALS SPEC.	LAB APPROVAL NUMBER
Avery Dennison	W9514 (See note 10)	special provision	
Avery Dennison	T-950X (See note 19)	special provision	
Avery Dennison	T-9511 (See note 20)	special provision	
Avery Dennison	T-9513 (See note 21)	special provision	
3M	Scotchlite 3981 Series (See note 12)	special provision	
3M	Scotchlite 3983 Series (See note 13)	special provision	
3M	Scotchlite 399X Series (See note 14)	special provision	
3M ·	Scotchlite 4084 Series (See note 18)	special provision	

NOTES:

1 - Sheeting "Types" have been changed to match ASTM designations. For specifications, contracts, details, etc. referring to the old "Type" designations, refer to the following chart:

OLD "TYPE"	APPLICABLE NEW "TYPE"
I	ASTM-I
II	ASTM-III (aluminum substrate sheetings)
ΙV	ASTM-III (reboundable sheetings)
V	ASTM-VI (for roll-ups); ASTM-VII or ASTM-IX (for fluorescent orange on aluminum substrate)
VI	ASTM-IX

- 2 Signs shall be manufactured using matched component ink, transparent electronic-cutable film, and/or black overlay film recommended, approved, and supplied by the sheeting manufacturer providing warranty coverage.
- 3 Various colored pressure sensitive sheetings for use with aluminum substrate signs. The inks, transparent electronic-cutable films, and black overlay films recommeded and supplied by the manufacturer are approved.
- 4 Various colored heat sensitive sheetings for use with aluminum substrate signs. The inks, transparent electronic-cutable films, and black overlay films recommeded and supplied by the manufacturer are approved.
- 5 Various colored pressure sensitive sheetings for use with aluminum substrate signs. Does not include 381X and 3840 Series sheetings. The inks, transparent electronic-cutable films, and black overlay films recommeded and supplied by the manufacturer are approved.
- 6 Reboundable pressure sensitive sheeting for use with surface mounted tubular markers (white and yellow only), drums, and cones.
- 7 Reboundable pressure sensitive sheeting for use with cones (white only).
- 8 Pre-striped pressure sensitive sheeting for use with rigid plastic substrate barricades
- 9 Fluorescent orange sheeting for use with roll-up signs. The inks recommeded and supplied by the manufacturer are approved.
- 10 Fluorescent orange pressure sensitive sheeting for use with aluminum substrate signs. The lnks and black overlay films recommeded and supplied by the manufacturer are approved with the following exception(s): The manufacturer's black opaque vinyl overlay film is not approved for use in the manufacturing of signing in the WVDOH Central Sign Shop.
- 11 BLANK
- 12 Fluorescent yellow pressure sensitive sheeting for use with soil anchored or guardrail mounted flexible delineators, B1 delineators, and aluminum substrate signs. The inks and black overlay films recommeded and supplied by the manufacturer are approved.
- 13 Fluorescent yellow-green pressure sensitive sheeting for use with aluminum substrate signs. The inks and black overlay films recommeded and supplied by the manufacturer are approved.
- 14 Various colored pressure sensitive sheetings for use with soil anchored or guardrail mounted flexible delineators (white or red only), B1 delineators (white or red only), and aluminum substrate signs. The inks, transparent electronic-cutable films, and black overlay films recommeded and supplied by the manufacturer are approved.
- 15 Various colored pressure sensitive sheetings for use with aluminum substrate signs. Note, the transparent electronic cuttable (EC) films and black overlay films recommeded and supplied by the manufacturer ARE NOT APPROVED. The inks recommeded and supplied by the manufacturer are approved with the following exception(s): The manufacturer's inks are not approved for use in the manufacturing of signing in the WVDOH Central Sign Shop.
- 16 Various colored pressure sensitive sheetings for use with aluminum substrate signs. The inks, transparent electronic-cutable films, and black overlay films recommeded and supplied by the manufacturer are approved with the following exception(s): The manufacturer's black opaque vinyl overlay film is not approved for use in the manufacturing of signing in the WVDOH Central Sign Shop.
- 17 Various colored heat sensitive sheetings for use with aluminum substrate signs. The inks, transparent electronic-cutable films, and black overlay films recommeded and supplied by the manufacturer are approved with the following exception(s): The manufacturer's black opaque vinyl overlay film is not approved for use in the manufacturing of signing in the WVDOH Central Sign Shop.
- 18 Fluorescent orange pressure sensitive sheeting for use with aluminum substrate signs. The inks and black overlay films recommeded and supplied by the manufacturer are approved.
- 19 Various colored pressure sensitive sheetings for use with soil anchored or guardrail mounted flexible delineators (white or red only), B1 delineators (white or red only), and aluminum substrate signs. The inks, transparent electronic-cutable films, and black overlay films recommeded and supplied by the manufacturer are approved with the following exception(s): The manufacturer's black opaque vinyl overlay film is not approved for use in the manufacturing of signing in the WVDOH Central Sign Shop.
- 20 Fluorescent yellow pressure sensitive sheeting for use with soil anchored or guardrail mounted flexible delineators, B1 delineators, and aluminum substrate signs. The inks and black overlay films recommeded and supplied by the manufacturer are approved with the following exception(s):

 The manufacturer's black opaque vinyl overlay film is not approved for use in the manufacturing of signing in the WVDOH Central Sign Shop.
- 21 Fluorescent yellow-green pressure sensitive sheeting for use with aluminum substrate signs. The inks and black overlay films recommended and supplied by the manufacturer are approved with the following exception(s): The manufacturer's black opaque vinyl overlay film is not approved for use in the manufacturing of signing in the WVDOH Central Sign Shop.

BID SCHEDULE

RSHEET09 Pricing Page

216048			_	_					6
					Brown	48"x50 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive		జ్ఞ
214048					Green	48"x50 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive		32
215048					Blue	48"x50 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive		31
					Brown	42"x50 yds.	Type ASTM-III Reflective Sheeting, Pressure Sensitive		30
214042					Green	42"x50 yds.	Type ASTM-III Reflective Sheeting, Pressure Sensitive		29
215042					Blue	42"x50 yds.	Type ASTM-III Reflective Sheeting, Pressure Sensitive		28
TO THE STATE OF TH					Brown	36"x50 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive		27
214036					Green	36"x50 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive	<u></u>	26
215036					Blue	36"x50 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive		25
216030					Brown	30-1/2°x50 yds *	Type ASTM-III Reflective Sheeting, Pressure Sensitive		24
214030					Green	30-1/2"x50 yds *	Type ASTM-III Reflective Sheeting, Pressure Sensitive		23
215030					Blue	30-1/2"x50 yds *	Type ASTM-III Reflective Sheeting, Pressure Sensitive		22
216024					Brown	24-1/2"x50 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive	ļ	21
					Green	24-1/2"x50 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive		20
					Blue	24-1/2"x50 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive		19
					Brown	21"x50 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive		18
					Green	21"x50 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive		17
1				T I VITE MANAGEMENT	Blue	21"x50 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive		16
**************************************	T T T T T T T T T T T T T T T T T T T				Brown	18-1/2"x50 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive		15
ATT HANNAHAMAN AND AND AND AND AND AND AND AND AND A					Green	18-1/2"x50 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive		14
	000000000000000000000000000000000000000				Blue	18-1/2"x50 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive		13
***************************************					Brown	15"x50 yds.	Type ASTM-III Reflective Sheeting, Pressure Sensitive		12
					Green	15"x50 yds.	Type ASTM-III Reflective Sheeting, Pressure Sensitive		11
215015				and the second s	Blue	15"x50 yds.	Type ASTM-III Reflective Sheeting, Pressure Sensitive		10
216012				(Supplied in 50 yd rolls only? If yes, indicate here:)	Brown	12-3/4"x100 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive	ა	9
214012				(Supplied in 50 yd rolls only? If yes, indicate here:)	Green	12-3/4"x100 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive	21	8
215012				(Supplied in 50 yd rolls only? If yes, indicate here:)	Blue	12-3/4"x100 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive	21	7
212012				(Supplied in 50 yd rolls only? If yes, indicate here:)	Yellow	12-3/4"x100 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive		6
211012				(Supplied in 50 yd rolls only? If yes, indicate here:)	White	12-3/4"x100 yds	Type ASTM-ill Reflective Sheeting, Pressure Sensitive	1	5
***************************************					Yellow	1°x50 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive		4
211100				The state of the s	₩hite	1"x50 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive		3
					Yellow	1/2"x50 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive		2
211050					White	1/2°x50 yds	Type ASTM-III Reflective Sheeting, Pressure Sensitive		
SUBCODE (DOH USE ONLY)	TOTAL COST	UNIT COST	MANUFACTURER PRODUCT CODE				DESCRIPTION	QTY	NUMBER

Rev. 09/08

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

Date: _		itle:
Bidder:	:s	igned:
and ac	penalty of law for false swearing (West Virginia Co ccurate in all respects; and that if a contract is issues es during the term of the contract, Bidder will noti	de, §61-5-3), Bidder hereby certifies that this certificate is true ued to Bidder and if anything contained within this certificate fy the Purchasing Division in writing immediately.
authorize the required deeme	zes the Department of Revenue to disclose to the Directo puired business taxes, provided that such information do ad by the Tax Commissioner to be confidential.	y reasonably requested information to the Purchasing Division and or of Purchasing appropriate information verifying that Bidder has paid oes not contain the amounts of taxes paid nor any other information
require against or dedu	ements for such preference, the Secretary may order the tsuch Bidder in an amount not to exceed 5% of the bid ucted from any unpaid balance on the contract or purch	
6.	Bidder is a resident vendor who is a veteran of the Un purposes of producing or distributing the commodities continuously over the entire term of the project, on a residents of West Virginia who have resided in the sta	eference who is a veteran for the reason checked: nited States armed forces, the reserves or the National Guard, if, for or completing the project which is the subject of the vendor's bid and verage at least seventy-five percent of the vendor's employees are ate continuously for the two immediately preceding years.
5.	Bidder is an individual resident vendor who is a veteran	eference who is a veteran for the reason checked: of the United States armed forces, the reserves or the National Guard he four years immediately preceding the date on which the bid is
4.		ons (1) and (2) or subdivision (1) and (3) as stated above; or ,
3.	affiliate or subsidiary which maintains its headquarte minimum of one hundred state residents who certifie	on of one hundred state residents or is a nonresident vendor with an ers or principal place of business within West Virginia employing a sthat, during the life of the contract, on average at least 75% of the loyees are residents of West Virginia who have resided in the state
2.	Application is made for 2.5% resident vendor problems is a resident vendor who certifies that, during working on the project being bid are residents of West immediately preceding submission of this bid; or,	eference for the reason checked: I the life of the contract, on average at least 75% of the employees I Virginia who have resided in the state continuously for the two years
***************************************	ownership interest of Bidder is held by another individed maintained its headquarters or principal place of but preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or	lual, partnership, association or corporation resident vendor who has siness continuously in West Virginia for four (4) years immediately r subsidiary which employs a minimum of one hundred state residents al place of business within West Virginia continuously for the four (4)
1.	ing the date of this certification; or , Bidder is a partnership, association or corporation resi	eference for the reason checked: d continuously in West Virginia for four (4) years immediately preced- ident vendor and has maintained its headquarters or principal place of ars immediately preceding the date of this certification; or 80% of the

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ I	No.	
RFQ I	Vo.	

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the **West Virginia Code**. The vendor **must** make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the **West Virginia Code** and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the **West Virginia Code** may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.

Under penalty of law for false swearing (**West Virginia Code** §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name:		
Authorized Signature:	Date:	

Purchasing Affidavit (Revised 01/01/09)