

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

### Request for Quotation

RFQ NUMBER 7011EC16

-	5Δ	G	E	7
				1
			-	

ADDRESS CORRESPONDENCE TO ATTENTION OF

**BUYER 33** 304-558-2402

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD BUCKHANNON, WV** 

> 26201 304-472-1750

DATE PRINTED TERMS OF SALE SHIP VIA FO.B. FREIGHT TERMS 01/19/2011 BID OPENING DATE: 03/24/2011 **BID OPENING TIME** 01:30PM CAT. LINE QUANTITY UOP ITEM NUMBER UNIT PRICE **AMOUNT** 0001 EΑ 760-44 1 WHEEL DRIVE, RUBBER TIRED, ENLOADER REQUEST FOR QUOTATION (RFQ) OPEN END CONTRACT THE WEST VIRGINIA STATE PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF HIGHWAYS, IS SOLICITING BIDS FOR AN OPEN END CONTRACT TO PROVIDE 4 WHEEL DRIVE, RUBBER TIRED, ENDLOADER (TRANSMISSION WITH TORQUE CONVERTER), PER THE ATTACHED SPECIFICATIONS. TECHNICAL QUESTIONS CONCERNING THIS SOLICITATION MUST BE SUBMITTED IN WRITING TO SHERI SLONE IN THE WEST VIRGINIA STATE PURCHASING DIVISION VIA MAIL AT THE ADDRESS SHOWN IN THE BODY OF THIS RFQ, VIA FAX AT 304-558-2596, OR VIA EMAIL AT SHERI.D.SLONEAWV.GOV. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 02/28/2011 AT THE CLOSE OF BUSINESS. ANY TECHNICAL QUESTIONS RECEIVED WILL BE ANSWERED BY FORMAL ADDENDUM TO BE ISSUED BY THE PURCHASING DIVISION AFTER THE DEADLINE HAS LAPSED. MANDATORY PRE-BID A MANDATORY PRE-BID WILL BE HELD ON THURSDAY 03/10/2011 AT 10 AM IN 2019 WASHINGTON ST E CHARLESTON, WV 25305 ALL INTERESTED PARTIES ARE REQUIRED TO ATTEND THIS

SIGNATURE TELEPHONE TITLE FEIN

ADDRESS CHANGES TO BE NOTED ABOVE

DATE

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

### GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

#### **INSTRUCTIONS TO BIDDERS**

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

## Request for Quotation

7011EC16

PAC	F
	_
	_

	:/	١D	DΓ	Œ	S	ÇOI	386	SF	Q)	DE	NCI	= 10	λC	ΠE	NTI	ΟN	OF	
	•																	

BUYER 33 304-558-2402

S H -P

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV

26201

304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/19/2011   BID OPENING DATE: 03/2	4/2011	PIN	OPENING TIME 01	:30PM
00/2	e A T			
LINE QUANTITY	NO.	HEMINUMBER	UNITERIUE	AMOUNI
RESULT IN MAY REPRES  AN ATTENDA POTENTIAL OFFICIAL DEPRESENTA IN DISQUAL ACCEPT ANY THE BIDDER COMPLETED SHEET. THE WILL NOT AFAILURE TO ADDITION, THEIR E-MARKET STARTION THE STARTION THE STARTION THE STARTION THE STARTION AND	AILURE TO AT DISQUALIFICA ENT MORE THA NCE SHEET WI BIDDERS TO COUMENT VERIFAILURE TO POTHER DOCUMENT OF THE INFORMATE PURCHASING SSUME ANY RECOMPLETE THE REQUEST TO THE R	ROVIDE YOUR COMP THE ATTENDANCE THE BID. THE S ENTATION TO VERI BLE FOR ENSURING ION REQUIRED ON DIVISION AND TH SPONSIBILITY FOR E PRE-BID ATTEND HAT ALL POTENTIA ND FAX NUMBER.  ARE REQUESTED TO THE PRE-BID. BI	NO ONE PERSON  ABLE FOR ALL  ILL SERVE AS THE  AT THE MANDATORY ANY AND SHEET WILL RESULT  TATE WILL NOT  FY ATTENDANCE.  THEY HAVE  THE ATTENDANCE E STATE AGENCY A BIDDER-S ANCE SHEET. IN L BIDDERS INCLUDE  ARRIVE PRIOR TO DDERS WHO ARRIVE	
ļ	i I	DISMISSAL OF TH		
1 1	1 1	ER CONCLUSION OF		
I	i i	I.	SUBSEQUENT PART	
OF THE PRE	1 1	T BE PERMITTED T	D SIGN THE	
EXHIBIT 10				
		REQUISITION	NO.:	
ADDENDUM A	CKNOWLEDGEME	NT		
I HEREBY A		ECEIPT OF THE FO		
SIGNATURE	SEERE	VERSE SIDE FOR TERMS AND CO TELEPHONE	NDITIONS DATE	
TITLE	FEIN		ADDRESS CHANGES	TO BE NOTED ABOVE



RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

## Request for REQ NUMBER 7011EC16

7	7 0	1	1	F	C	1	6

PA	GE
	7

ADDRESS CORRESPONDENCE TO ATTENTION OF

BUYER 33

304-558-2402

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

304-472-1750

ADDRESS CHANGES TO BE NOTED ABOVE

DATE PRIN	ITED	TER	IMS OF SAL	E		SHIP	/IA		F.O.B.		FREIGHT TERMS
01/19/ BID OPENING DATE											
LINE	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	<u>03/24/</u> NTITY	UOP	CAT.		ITEM NUI		OPENI	NG TIM		:30PM
50.5	396		0.0	NO.		I FEIVI NO	VIDEN.		UNIT PRICE		AMOUNT
3							ECESSAF FICATIO			ТО	
	ADDEND	UM NO.	's:								
	NO. 1	• • • • •	• •								
	NO. 2	• • • • •									
	NO. 3	• • • • •									
	NO. 4	• • • • •	••								
•	NO. 5	• • • • •									
							NFIRM T				
	REPRES ORAL D AND AN INFORM	ENTATI ISCUSS IY STAT IATION	ON MA ION H E PER ISSUE	DE OR ELD B SONNE D IN	ASS ETWE L IS WRIT	UMED EN VE NOT ING A	THAT ANDOR'S BINDING ND ADDE DDENDUM	ADE D REPRE ON D TO	URING SENTAT LY THE THE	IVES	
			·	Jefon		••••	s	 GNATU	 RE	• • • • •	
						• • • •	C	 DMPANY	• • • • •	• • • •	
						••••	D/	ATE	••••	••••	
				SEE RE	VERSE S	IDE FOR T	ERMS AND CO	     NDITIONS			
SIGNATURE							TELEPHONE			DATE	-
TITLE		FE	EIN								

FEIN



RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

### Request for Quotation

7011EC16

PAGE

ADDRESS:CORRESPONDENCE:TO ATTIENTION OF:

BUYER 33 304-558-2402

©∓-₽

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV

26201

304-472-1750

DATE PRINTED TERMS OF SALE SHIP VIA FO.B. **FREIGHT TERMS** 01/19/2011 BID OPENING DATE: 03/24/2011 BID OPENING TIME 01:30PM CAT. QUANTITY UOP LINE ITEM NUMBER UNIT PRICE AMOUNT NOTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED WITH THE BID. REV. 09/21/2009 EXHIBIT 2 LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON UPON AWARD AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE. UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT. THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL RENEWAL: WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS. THE DIRECTOR OF PURCHASING RESERVES THE CANCELLATION: RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN. SEE REVERSE SIDE FOR TERMS AND CONDITIONS. SIGNATURE TELEPHONE DATE TITLE ADDRESS CHANGES TO BE NOTED ABOVE



**VEZDOR** 

TITLE

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

## Request for **Quotation**

7011EC16

ADDRESS CORRESPONDENCE TO ATTENTION OF

BUYER 33

304-558-2402

RFQ NUMBER

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV 26201

304-472-1750

ADDRESS CHANGES TO BE NOTED ABOVE

DATE PRINTED	TERMS OF S	ALE	SHIP VIA	F.O.B	FREIGHT TERMS
01/19/2011	<u> </u>				
BID OPENING DATE:	03/24/2011		BID	OPENING TIME	01:30PM
LINE QU	JANTITY UOP	CAT, ITE	M NUMBER	UNIT PRICE	AMOUNT
OPEN AUTHO MARKE ESTIM DIATE (INCL OR AN QUANT APPRO STATE THE CORDER WHETH ORDER WRITT FOR COWV-35 OF TH AND E BE RE WARDE NO OR BY TH BANKE FOR E CONTE	MARKET CLAU RIZE A SPEN T, WITHOUT ATE, ITEMS DELIVERY I UDING BUT N UNANTICIPA  ITIES: QUA XIMATIONS O SPENDING UI ONTRACT SHA ED FOR DELI ER MORE OR ING PROCEDUI EN EQUIPMEN OMMODITIES MUST BE SE E DEPARTMEN NCUMBRANCE, TURNED TO T D TO THE VE DER IS VALI E PURCHASIN UPTCY: IN ANKRUPTCY P	SE: THE DIR DING UNIT TO THE FILING O SPECIFIED ON EMERGENCIE OT LIMITED T TED INCREASE NTITIES LIST NLY, BASED O NIT. IT IS LL COVER THE VERY DURING LESS THAN TH RE: SPENDING COVERED BY T OF ADMINIS ONE COPY OF HE SPENDING NDOR AS AUTH DUNLESS APP G DIVISION. THE EVENT TH ROTECTION, T D VOID, AND	ECTOR OF P PURCHASE F A REQUIS THIS CONT S DUE TO U O DELAYS I IN THE VO ED IN THE N ESTIMATE UNDERSTOOD QUANTITIE THE TERM O E QUANTITI G UNIT(S) RDER (FORM HIS CONTRA RCHASING D TRATION. THE PURCH UNIT AND O ORIZATION ROVED AND E VENDOR/C HE STATE M	UNIT PRICE  URCHASING MAY ON THE OPEN ITION OR COST RACT FOR IMME- NFORESEEN CAUSE N TRANSPORTATIO LUME OF WORK).  REQUISITION ARE S SUPPLIES BY T AND AGREED THA S ACTUALLY F CONTRACT, ES SHOWN.  SHALL ISSUE A NUMBER WV-35) CT. THE ORIGIN IVISION AFTER APPROVAL ASE ORDER WILL NE COPY FOR- FOR SHIPMENT. ENCUMBERED  ONTRACTOR FILES	S N HE T
EXHIE	IT 4				·
		L SEE REVERSE SIDE	FOR TERMS AND COM	NDITIONS	
SIGNATURE			TELEPHONE	DA'	TE

FEIN



RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

# Request for Quotation

7011EC16

ADDRESS CORRESPONDENCE TO ATTENTION OF

BUYER 33

304-558-2402

SH-P

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 **BRUSHY FORK ROAD BUCKHANNON, WV** 26201

304-472-1750

							•		
DATE PRIN		TE	RMS OF SAL	E	SH	IP VIA	FOB		FREIGHTTERMS
01/19/				4					
BID OPENING DATE:	100000000000000000000000000000000000000	03/24/	/2011			BID	OPENING T	<u> IME 01</u>	:30PM
LINE	QUA	NTITY	UOP	CAT. NO.	ITEM	NUMBER	UNITP	RICE	AMOUNT
3									
	LUCVI	COVEDA	MENT	BUDIE	e. IINI	LECC THE	VENDOR IN	DICATEC	,
							RICES, TE		
							CHOOL, MU		
							BID SHAL		
						THE STATE		LEXIEND	
	li .						TO EXTEN	D THE	
							ID TO ALL	DIHE	·
	DOL TT	TONE OF	IDD TUT	C T ON C	DILIONS	OF THE B	ID IO ALL	MUCT	
							HE VENDOR		
•						IN HIS B		REFUSAL	
	MANNER		KEJUDI	CE IH	E AWARD	OF 1H12	CONTRACT	IN ANY	
	IN A IN IN E. P	τ.							
	DEV 2	7 / 0 0							
	REV. 3	0/00					·		
				NOT					
	•			וטא	ICE				
	A SIGN	AFD RIT	MUST	BE S	UBMITTE	D TO:			
		.==.							
					INISTRA	TION			
	1	PURCHAS		IVISI	ON				
	1	BUILDIN	1						
	1		1		TREET,				
٠.	(	CHARLES	STON,	WV .2	5305-01	30		•	
									·
	THE B	ID SHOU	ILD CO	NTAIN	THIS I	NFORMATIO	N ON THE	FACE OF	
	THE EN	<b>NELOPE</b>	OR T	HE BI	D MAY N	OT BE CON	SIDERED:		
	SEALEI	BID							
				İ					
	BUYER	:		SH	ERI SLO	NE - FILE	33		
						12	•		
SIGNATURE				SEERE	VERSE SIDE FO	R TERMS AND CO	NDITIONS	Ta .==	
IIGNAI VAE						TELEPHONE		DATE	
TITLE		F	EIN		• • • • • • • • • • • • • • • • • • • •	<del></del>	Anne	ESS CHANGES	TO BE NOTED ABOVE
							I WORK	LUU UI IMIYGES	I O DE NOTED ADOVE



>ENDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

## Request for Quotation

7011EC16

RFQ NUMBER

ADDRESS CORRESPONDENCE TO ATTENTION OF

BUYER 33

304-558-2402

8 H -P

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD BUCKHANNON, WV** 26201

304-472-1750

ADDRESS CHANGES TO BE NOTED ABOVE

DATE PRINT	rED	TEF	MS OF SAL	E	SHIP:	VIA	FO:B		FREIGHT TERMS
01/19/									
BID OPENING DATE:	British transcription	03/24/	2011		100000000000000000000000000000000000000	BID	OPENING TIME	01	:30PM
LINE	QUAN	VTITY	UOP	CAT. NO.	ITEM NU	MBER	UNIT PRICE		AMOUNT
	RFQ. N	0.:		70	11EC16				
	BID OP	ENING	DATE:	03	/24/2011		·		
	BID OP	ENING	TIME:	1:	30 PM				
	PLEASE TO CON	PROVI TACT Y	DE A OU RE	FAX N GARDI	UMBER IN NG YOUR E	CASE IT	IS NECESSARY		
	CONTAC	T PERS	ON (P	LEASE	PRINT CL	EARLY):			
	X X X X X X	THIC	I.C. T		D 05 B50	70115	C16 ***** TO		
	****	INIS	15 (	nc en	D OF KFQ	7011E	C16 ***** 10	IAL:	
					. 1				
						·			
				SEE RE	VERSE SIDE FOR		NDITIONS		
SIGNATURE						TELEPHONE		DATE	
		<del> </del>				.1		1	

### WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

### PROCUREMENT SPECIFICATIONS NO. 353-1-T

### 4 WHEEL DRIVE, RUBBER TIRED, ENDLOADER (TRANSMISSION WITH TORQUE CONVERTER)

#### 1.0 PURPOSE

It is the purpose of these specifications to describe a 4 Wheel Drive Rubber Tired Endloader (hereinafter referred to as a "endloader" or a "unit") to be purchased for use by the West Virginia Division of Highways (DOH) on an Open End Contract basis.

#### 2.0 BIDDING PROCEDURES

The current purchasing procedures regarding bidding as established by the Department of Administration, Purchasing Division, shall apply. Failure to submit the "Request for Quotation" forms, complete in its entirety and according to directions indicated, may subject the bidder to disqualification. Each bid submitted shall also be accompanied by a Bidder's Evaluation Report completed in detail. Addendums in order, along with exception sheets, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THE BIDDER'S EVALUATION REPORT, COMPLETE IN ITS ENTIRETY, WILL RESULT IN AUTOMATIC DISQUALIFICATION.

#### 3.0 SPECIFICATIONS

The specifications named herein, mandatory and non-mandatory, establish the acceptable level of quality only and are not intended to reflect a preference or favor any particular brand or vendor.

### 3.1 EXCEPTIONS TO NON-MANDATORY SPECIFICATIONS

Exception to a non-mandatory unit specification may be made by the bidder, providing the exception is not available from the manufacturer. Any such exception must be noted on the bidder's evaluation report and should be accompanied by supporting documentation/literature from the manufacturer. Any exception must be indicated on a separate attachment to the bidder's evaluation report and labeled as "Exception to Specifications". The state reserves the right to waive minor irregularities in bids or specifications in accordance with §148-1-4(f) of the WV Legislative Rules and Regulations.

### 3.2 MANDATORY SPECIFICATIONS

All specifications preceded by "shall, will, and/or must" or are stated as a "minimum and/or maximum" are mandatory as stated in Purchasing Divisions Policies and Procedures. Any bid failing to meet any mandatory item shall be immediately disqualified. Failure to respond in the appropriate evaluation section will also be grounds for immediate disqualification at the discretion of the State.

A mandatory pre-bid conference is scheduled for this equipment purchase as stated in the RFQ. Vendors having products with variations or exceptions in specified mandatory items are expected to address any such variations or exceptions during the pre-bid conference. The State shall review and consider any such variation or exception, and may at its sole discretion, issue an addendum to change mandatory specifications deemed to be in the State's best interest. Bids from any vendor failing to attend the mandatory pre-bid shall be disqualified. Bids containing any variation or exception to a mandatory specification that was not addressed during the pre-bid conference and accepted by the issuance of an Addendum shall be disqualified.

#### 4.0 REPRESENTATIVE UNIT FOR TEST

The successful vendor must (if specified) provide DOH one (1) completed representative unit to be observed and evaluated on each order to insure compliance with specification. If requested, the time period for testing and evaluation shall be seven (7) working days following receipt of the unit. DOH will incur no obligation for deterioration of surfaces, finishes, seals, and mechanical or electrical parts on the unit resulting from operation and testing within the limits of these specifications; nor will DOH incur obligation for damage to the unit resulting from failure to meet specifications when due care and attention is given by DOH and testing is done within the limits of these specifications. Failure of the pilot unit to satisfactorily meet specifications as bid may be cause for cancellation of the purchase order, and return of the delivered unit along with all associated equipment to the vendor at the vendor's expense.

### 4.1 CONDITION OF UNIT(S) UPON DELIVERY

All units must arrive at the prescribed delivery point having been completely preserviced with oil, lubricants, and coolant. All prescribed precautions pertaining to first operations and break-in of the unit are to be posted conspicuously on the unit for ready observance by the operator.

#### 4.2 DELIVERY

Delivery point of the completely assembled representative unit will be the DOH, Equipment Division, Route 33 at Brushy Fork Road, Buckhannon, West Virginia (26201).

The vendor is responsible for guaranteeing delivery of the completed units within the time specified and agreed to by the State. Delivery is preferred within 185 days after receipt of purchase agreement. The vendor is responsible for establishing and coordinating delivery terms with allied manufacturers or suppliers. Delivery terms should be stated in the bid and the State reserves the right to accept or reject such terms. Failure to reach an agreement may result in rejection of the bid. The successful bidder shall provide their manufacturer's confirmation of the order to the WVDOH contact person within seven (7) working days after receiving the approved purchase order.

A completed pilot model for inspection must be provided within 100 calendar days after receipt of the purchase agreement by the successful vendor.

Delivery is an integral part of this specification and failure to comply will be cause to initiate a D.O.T. Administrative Form WV-82, Vendor Performance Form. The WV-82 Form will provide a means of officially notifying the Purchasing Division and the vendor of unsatisfactory performance; such as late deliveries, poor service, inadequate parts supplies, etc.

The decision to initiate subject Form will be at the sole discretion of the D.O.H. Commissioner's established Equipment Review Board.

Issuance of the WV-82 Vendor Complaint Form on unsatisfactory delivery against any vendor will be cause to refuse to consider similar items from those vendors on future Request For Quotations.

(NOTE: Delivery time could be altered due to labor strikes, severe inclement weather conditions, etc.)

- 5.0 AWARD CRITERIA
- DOH will recommend the award in accordance with the RFQ evaluation criteria described in the requisition. The award shall be made to the lowest unit cost vendor that meets or exceeds the specifications. DOH reserves the right to place multiple orders in any quantity.
- 6.0 SPECIFICATIONS AND GUIDELINES GENERAL
- 6.1 IDENTIFICATION OF THE UNIT BEING PROPOSED

The bidder must identify the unit by manufacturer, model, series, and year of manufacture, to enable identification by DOH in the manufacturer's specifications of the proposed unit. The bidder will submit complete descriptive literature of the proposed unit, to establish that the bid is the manufacturer's most current model, including latest engineering improvements, which have been, or will imminently be, regularly advertised and sold on the open market. The unit specified herein and offered

to be manufactured after January 1, 2011 and be clearly identified and marked with date of manufacture.

#### 6.2 OPERATING AND SERVICE MANUALS AND PARTS LISTS

An operator's manual must be included with each unit upon delivery. A "line sheet" (if applicable) and Equipment Preventative Maintenance Questionnaire (as shown in X6.2 of the Bidder's Evaluation Report) must be with pilot unit upon delivery. In addition, there must be 12 service, shop, or maintenance manuals; ten (10) to be distributed to the Districts and two (2) for the Equipment Division. Also, there must be 14 parts manuals; ten (10) to be distributed to the Districts and four (4) for Equipment Division use. CD ROM is preferred in lieu of parts or service manuals.

### \* NOTE: MANUALS SHALL BE DELIVERED UPON COMPLETION OF DELIVERY OF TOTAL UNITS. FAILURE TO DO SO WILL DELAY PAYMENT.

#### 6.3 TRAINING:

Manufacturers and/or dealers will be required to stage a thorough seminar on the subjects of Preventative Maintenance, Operator and Mechanic Training. In order to keep the operators and mechanics updated, the successful vendor shall conduct training with each purchase order against this open end contract. Training is preferred within 2 working days after delivery of the pilot unit on the individual purchase order.

Manufacturers and/or dealers shall be required to furnish the Training Academy with one (1) Operator's Manual to be shipped direct to WVDOH Training Academy, Post Office Box 610, Buckhannon, West Virginia 26201 prior to delivery of the pilot.

The seminar to be held at the W. Va. Division of Highways, Equipment Division, Buckhannon, West Virginia.

### 6.4 PREVENTIVE MAINTENANCE AND OPERATOR PROCEDURES:

Manufacturers and/or dealers will be required to submit to the Equipment Division, in addition to the operating and service manuals, booklets and pamphlets explaining the Preventive Maintenance and Operator Procedures to be used by the operators of this equipment, and must include such things as daily prestart inspection procedure, service schedule, and routine maintenance required, safety precautions, etc.

The successful vendor shall furnish all training aids; i.e., videos, projectors, etc. required in conducting the training.

#### 6.5 WARRANTY AND SERVICE POLICY

The Manufacturers warranty or service policy is to apply to the unit. Such warranty or service policy is to be recognized at any authorized unit dealer, representing manufacturer of proposed unit throughout the State of West Virginia. The applicable warranty or service policy will not be contingent upon obtaining routine service, lubrication, and servicing of the unit from factory authorized agencies. It will be the responsibility of the bidder to have available labor to repair or replace any defective replacement parts, components and materials, and to have available those replacement parts, components, and/or materials found to be defective during the terms of the warranty period. The bidder should state the labor rates, locations where parts will be stocked, availability of parts, and discounts offered for parts, when terms of the warranty offer a pro-rated cost for parts and labor. In addition, the successful bidder should offer field work to repair or replace defective parts, components, and materials found to be defective during the terms of the warranty and should provide mechanic's travel rates, mileage charges, field mechanic rates, and any surcharge for miscellaneous items, if applicable, for field work during the warranty period. Submit to Division of Highways any technical or engineering improvements during the term of the warranty. The unit must be accompanied upon delivery by the unit's manufacturer's executed warranty or service policy.

A mandatory minimum two (2) year bumper to bumper basic parts and labor warranty excluding abuse and normal wear items is required for this unit.

THE "WARRANTY AND SERVICE POLICY QUESTIONNAIRE" ATTACHED IN THE BIDDER'S EVALUATION REPORT MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURER PRIOR TO DELIVERY OF THE PILOT MODEL. (SEE SECTION X6.5 OF BIDDER'S EVALUATION REPORT).

### 6.6 EVALUATION COMMITTEE REQUIREMENTS

Detailed component specifications, product literature, component models, required for specification compliance determination by the Evaluation Committee should be provided with each bid. Any information supplied that is contrary to/or conflicting with the specifications and/or attached Bidders Evaluation Report may be sufficient cause for rejection of bid.

### 6.7 UNSPECIFIED ACCESSORIES & FEATURES

All parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, must be furnished with each unit and required to conform to strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry.

All parts and accessories advertised and regularly supplied as standard shall be included, except those which would represent duplication of these specified, and except those which, by specification, are not to be furnished. All standard safety features, required by Federal and State Law, shall be included.

- 7.0 SPECIFICATIONS OF THE QUOTED UNIT ARE AS FOLLOWS:
- 8.0 Endloader Specification:
- 8.1 Operating weight to be approximately 22,000 pounds (exclusive of tire ballast).
- 8.1.1 Unit shall have a breakout force of 18,500 pounds minimum.
- 8.2 Overall length (bucket lowered) 23 foot approximately.
- 8.3 Loader shall have articulated frame with full hydraulic power steering.
- 8.3.1 Tipping load straight 14,500 pounds minimum.
- 8.4 Overall height 10 feet 9 inches to top of cab (maximum).
- 8.4.1 Dumping clearance at maximum height and 45° dump angle shall be 108 inches minimum
- 8.5 Loader shall be equipped with a quick coupler system for interchangeability of attachments, controlled from operator station.
- 8.6 Unit shall be equipped with manufacturers vandalism package and all machines keyed alike.
- 8.7 All daily services should be done from ground level.

8.8	Engine:	
8.8.1	a	Engine shall be manufacturers water cooled diesel powered and shall provide approximately 115-125 horse power and torque to operate machine and hydraulic system at maximum efficiency.
8.8.2	N	Manufacturers standard governor with key shut off, wire sealed by manufacturer.
8.8.3	I	Engine shall have an engine block water heating element (1500-2000 watt).
8.8.4	I	Heating element to have a male plug easily accessible, 110 volt AC.
8.9	Engine I	Lubrication:
8.9.1	H	Full pressure lubrication with oil filter and oil by-pass system.
8.9.2	I	Engine oil cooler.
8.10	Cooling	System:
8.10.1		Manufacturer shall provide maximum cooling system available to allow nachine to operate at full capability during all seasons.
8.10.2		Cooling system shall be supplied with Dex-cool or equal extended life anti- freeze protected to a point of -34 degrees F.
8.10.3		Engine coolant filter shall be provided if recommend by manufacturer for his application.
8.11	Air Indu	action System:
8.11.1	I	Dry type dual element (2 stage) air cleaner with pre-cleaner.
8.11.2		Unit shall have dash mounted air filter restriction indicator that is operator visible when service is required.
8.12	Exhaust	System:
8.12.1	•	Complete exhaust system shall be manufacturers standard for unit specified.
8.12.2	]	Exhaust pipe shall be rain proof.

8.13	Electri	cal System:
8.13.1		Unit electrical system to be manufacturers noise suppression wiring.
8.13.2	•	System to be 12 volts/24 volts negative ground (manufacturers standard).
8.13.3		Manufacturers heavy duty cold cranking amp battery(s), approximately 825 CCA; reserve capacity 160 minimum.
8.14	Chargi	ng System:
8.14.1		Unit should have 70 amp alternator (minimum) with internal regulator.
8.15	Engine	Fuel System:
8.15.1		Fuel capacity to be 12 working hours, minimum.
8.15.2		Unit to be provided with a fuel/water separator.
8.15.3		Dual stage fuel filtering shall be provided.
8.16	Transn	nission:
8.16.1		Transmission shall be full power shift design with torque converter, capable of "On the GO" shifting in all speed ranges and full automatic feature with on-board diagnostic capabilities and kickdown controls.
8.16.2		Torque converter shall handle maximum power output of engine.
8.16.3		Transmission to have four (4) forward speeds and three (3) reverse with a top forward ground speed of approximately 23 MPH.
8.16.4		Transmission shall have a neutral start switch for safety purposes.
8.17	Differe	ential:
8.17.1		Manufacturers front and rear conventional.
8.18	Axles:	
8.18.1		Front axle to be fixed.
8.18.2		Rear axle should oscillate 11 degrees minimum.

8.19	Brakes	to be as follows:
8.19.1		Manufacturers recommended emergency braking system.
8.19.2		Emergency brake must be independent of service brake.
8.19.3		Hydraulic actuated powered assisted service brakes.
8.19.4		Wet type disk service brakes.
8.20	Hydraı	alic System:
8.20.1		Unit shall provide hydraulic lift, lower, dump, roll back and float plus third spool auxiliary valve and cab controller.
8.20.2		All hydraulic cylinders shall be double action chrome plated piston type.
8.20.3		Loader to be equipped with a hydraulic oil cooler if recommend by manufacturer
8.20.4		A sight glass shall be provided for daily checking of hydraulic oil.
8.20.5		Hydraulic system relief pressure of approximately 2500 PSI.
8.20.6		Unit shall be equipped with manufacturers standard hydraulic filtering system.
8.21	Tires a	nd Wheels:
8.21.1		Wheels shall be manufacturers recommended size for unit bid.
8.21.2	ŧ	Tires shall be grader/loader type front and rear tubeless radials.
8.21.3		Overall tire width (outside left to outside right) not to exceed 8 feet.
8.22	Cab an	nd related Accessories:
8.22.1		Cab shall be OSHA approved ROPS.
8.22.2		Cab shall be insulated and pressurized.
8.22.3		Cab shall be equipped with heater, defroster and air conditioning installed by manufacturer.
8.22.4		Cab shall have front and rear windshield wipers and washers.

8.22.5	Cab shall have safety, tinted glass at all locations.
8.22.6	Left and right side rear view mirrors and in cab rear view mirror shall be provided.
8.22.7	Cab must have at least one (1) entry door, lockable.
8.22.8	Doors should be hinged at rear to provide front to back opening.
8.22.9	Unit shall be provided with non-skid steps and hand holds.
8.22.10	Seat to be cloth type with scotchguard (or equivalent) and with adjustable seat belt.
8.22.11	Seat to be equipped with adjustable arm rest.
8.22.12	Seat shall provide height and weight adjustments.
8.22.13	Unit should have adjustable tilt and telescoping steering wheel for easier operator control.
8.22.14	Front and rear fenders shall be provided on unit.
8.22.15	Fire extinguisher shall be provided and mounted in unit. (Successful bidder should notify DOH before mounting).
8.22.16	AM/FM radio must be provided and installed in unit.
8.23 Light	ing System:
8.23.1	Unit to have two (2) hi/low halogen beam front lights for tramming and working.
8.23.2	Loader to have four (4) work lights, two (2) front and two (2) rear mounted in accordance to cab features.
8.23.3	Unit to have flash/turn signals (front/rear) stoplights and taillights.
8.23.4	Unit shall be provided with console and dome lighting.
8.23.5	Low profile high intensity strobe light mounted at top rear of cab. Code 3 92QASH, 12/48 VDC, 11 Jules, five (5) flash generating not more than 1.0 UV of interference on radio receiver with 12 db of quieting.
8.23.6	Unit shall be equipped with OSHA approved audible reverse alarm.

8.23.7	Articulation locking bar and pin to be provided.
8.24 U	nit Instrumentation to provide the following:
8.24.1	Tachometer.
8.24.2	Speedometer.
8.24.3	Hour meter shall be operable from engine operation not key switch.
8.24.4	Fuel gauge.
8.24.5	Ammeter/or volt meter.
8.24.6	Coolant temperature indicator with audible buzzer or visual warning light.
8.24.7	Engine oil pressure indicator with audible buzzer or visual warning light.
8.24.8	Transmission oil temperature indicator.
8.24.9	Transmission oil pressure indicator.
8.24.10	All features that are considered to be manufacturers standard equipment that are not specifically addressed above shall be provided.
8.24.11	Unit shall be delivered to WVDOH with all manufacturers recommended safety related decals and safety features intact.
8.24.12	One (1) complete set of replacement filters shall be provided with each unit upon delivery.
8.25 B	ucket:
8.25.1	Bucket shall be general purpose 1.75 cubic yard struck and 2.1 cubic yard heaped capacity approximate
8.25.2	Bucket width to be approximately 96 inches.
8.25.3	Bucket shall roll back 40 degrees at ground level and dump at 45 degrees minimum at full height.
8.25.4	Unit shall be equipped with automatic return to work leveler for bucket and attachments.
8.25.5	Bucket cutting edge and bottom wear strips shall be replaceable.

8.25.6		The cutting edge welded to bucket and a bolt-on replaceable cutting edge shall be mounted under it.
8.25.7		Digging depth below horizontal, (bucket leveled) should be 3 inches (approximately).
8.26	Forks:	
8.26.1		Forks shall be heavy duty steel construction.
8.26.2		Carriage shall be heavy duty steel construction.
8.26.3		Carriage size approximately 3/4 inches side plates and 60 inches wide.
8.26.4		Tines/Forks are to be 6 inches wide and 48 inches long.
8.26.5		Tines/Forks to be approximately 2 inches thick at heel and to be forged solid steel.
8.26.6		Tines/Forks should be mounted on approximately 2.5 inches diameter round bar and adjustable laterally 60 inches approximate.
8.27	Materi	al Handling Boom:
8.27.1		Material handling boom shall be of heavy duty construction type with hook.
8.27.2		Boom of three (3) locking sections with a minimum reach of 12 feet.
8.28	Paint:	
8.28.1		The endloader and attachments shall be painted white, Federal Standard White 595A (No. 17875).
8.28.2		Detail/Decorative Stripes with Logo:
8.28.3		Width: to be 4 inches.
8.28.4		WV DOH logo (to be supplied by WV DOH) is attached (black and white copy) and is approximately 7 inches tall by 7 inches wide. Area behind logo and within ½ inches of logo is not to be striped. Stripes should be cut to follow contour of logo, in lieu of straight cut.

- 8.28.5 Striping material shall meet the requirements of ASTM D4956-91 Type V sheeting, a super high-intensity retroreflective sheeting consisting of microprismatic retroflective elements. The conspicuity sheeting must meet the requirement of NHSTA, DOT, 49CFR, Part 571 Federal Motor Vehicle safety standards for conspicuity sheeting and be "DOT approved".
- 8.28.6 The sheeting for both applications above shall not be more than .0.008 inch thick having approximately 47,000 microprisms per square inch and shall come with an aggressive high tack pressure sensitive adhesive, reflexite or equivalent.
- 8.28.7 Upper stripe color: Dark Blue.
- 8.28.8 Lower stripe color: Light Gold.
- 8.28.9 Bidder must consult with the WV DOH on proposal for striping before inspection of pilot model.
- 8.28.10 Bidder to attach proposed paint plan with this bid. It should include chips or samples of proposed paints as well as a proposed striping detail on a cab silhouette sheet. Bidder may modify attached striping plan to fit his particular cab shape.
- 8.28.11 In order to test the adhesive quality of the paint, the DOH may, at its option, require that the vendor measure adhesion by the criteria set forth in ASTM D3359-74, Method B. A rating of less than 4 on this test would be deemed unacceptable.
- 8.28.12 The procedures used by the manufacturer in cleaning, de-greasing, priming, and painting are sufficient to meet this requirement except that the manufacturer must substitute white paint (of equivalent grade or quality to manufacturer's standard colored paint) for manufacturer's standard paint in the finish coats.
- 8.28.13 The Department reserves the right to view larger paint samples after award of contract and the right to require subtle color changes. Such changes, if any, will only be used for selecting a suitable paint color to match the WV DOH logo.
- 8.28.14 The Department is desirous of avoiding units painted white over top the standard color. However, if bidder/manufacturer is unable to substitute white paint in its normal plant painting procedures, then bidder must state so and offer his proposed paint method.

- Areas not normally painted the manufacturer's standard color(s) on standard units (e.g. some rubber parts, mirrors, exhaust pipe, etc.) Are not to be painted white on units specified herein. Also, areas painted a distinct color (e.g. safety reasons) should be painted as they normally would.
- 8.29 Vendor must certify that loader offered will meet or exceed the "Occupational Safety and Health Act of 1970" or subsequent changes that are in effect at time of manufacturer of the unit.
- 8.30 Advertising: Only one (1) manufacturer name plate, which must include model number, may appear on exterior of unit. Logos created through the stamping or casting process of manufacture are also acceptable. No logo will interfere with the Department's striping and logo.
- 8.31 Preventive Maintenance and Operators Orientation/Training:
- 8.31.1 The Manufacturer or dealer shall provide preventive maintenance/operator orientation seminar to be conducted at the Equipment Division, Buckhannon. All training aids i.e. videos, charts, manuals, etc., to be furnished by successful vendor.

### WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

### BIDDER'S EVALUATION REPORT

### PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT NO. 353-1-T

### 4 WHEEL DRIVE, RUBBER TIRED, ENDLOADER (TRANSMISSION WITH TORQUE CONVERTER)

NOTE TO BIDDER: Procurement Specification No. 353-1-T, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with a summary of exception as a separate attachment, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

	Reference Requisition No.:	
	Bidder's Name:	
	Address:	
	Telephone Number:	
	Years Bidder has been registered to do business with the State of West Virginia:	YRS
	Years Company has been an authorized dealer for proposed unit:	YRS.
X3.2	Have you complied with all mandatory specifications? YESNO	
X4.2 <b>X4.2.1</b>	DELIVERY:  1 Delivery date of completed representative unit:  Calendar Days After  Receipt of Purchase Agre	ement
X4.2.2	2 Delivery date of balance of completed units: Calendar Days After Receip Purchase Ag	
N	NOTE: Vendor's should type Bidder's Evaluation Report.	

The "Bidder's Evaluation Report" is available for download on Purchasing's Web site at <a href="https://www.state.wv.us/admin/purchase">www.state.wv.us/admin/purchase</a>

X5.0	AWARD CRITERIA;		
X5.1	Price per unit:	per unit	
	SPECIFICATIONS - GENERAL  Manufacturer, model, series, and date of manufacture of proposed unit:  Is descriptive literature, fully describing proposed unit attached to your bid?	VP0	NO
	If not, why?		NO
X6.2	Will the required number of service manuals, and complete parts list be c Equipment Division at Buckhannon upon completion of delivery of total	delivered to the delive	
	Will the required Equipment Preventive Maintenance Form (Section X6.		— Evaluation

X6.2 2-10-00

### EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPTION:				MA	KE:	
MO	ODEL:		YEAR:			
ENGINE:	MAKE:		MODEL:		FUEL TYPE:	
	HORSEPOWER: _		CYLINDER: _	ENC	GINE SERIAL:	
	COOLING SYSTE	M CAPACITY: _		·		
BELTS:				PART NUM		
						REAR:
TIRES:	FRONT MAKE & S	SIZE:				
	REAR MAKE & SI					
DIMENSIO					I	ENGTH:
VENDOR C	CONTACT PERSON:				PHONE:	
PARTS:						
BATTERY	MAKE:		MODEL:	•	CCA:	HEIGHT
TOP OR SI	DE POST:		DIMENSIONS	LENGTH	WIDTH	HEIGHT
SPARK PLU	UGS OR FUEL INJE	CIORS MAKE:		PART#		
AT TERMA	P OR INJECTION P	UMP MAKE:		MODEL:		
STARTER	TOR MAKE:					
TURBO CH	IARGER MAKE:			PART #:		
TRANS. M.	AKE:	MODE	EL:		AUTO/MANUAL:	
HYDRAUL	IC PUMP MAKE: _			MODEL:		
		PART NO.		ICANT	MANUFACTURE	
OIL			ENGI	<b>N</b> E		
AIR INNER			TRAN	SMISSION		
AIR OUTE	R		POWE	R STEERING		
AIR OUTER FUEL PRIMARY FUEL SECONDARY			HYDR	AULIC		
FUEL SECONDARY			DIFFE	RENTIALS _		
COOLANT			BRAK	EFLUID	·····	
HYDRAUL	IC		COOL	ANI		
OTHER			OTHE	K		

X6.3	TRAINING:			
	Will training seminar be conducted on Preventive Maintenance, Operator a		echanic Tr NO	aining
	Will you conduct training with each purchase order against this open		ntract? YES	NO
	Will training be conducted within 2 working days from the delivery of the purchase order?	_	nit on the YES	
	If NO, explain time frame			
	Will an Operator's Manual be furnished directly to Training Academy delivery of the pilot?	y <b>prio</b>	r to the YES	NO
X6.4	If you are the successful vendor, will you furnish all training aids, i.e., in conducting the training?  YESNO	videos	s, projecto	ors, required
X6.4.1	Will all manuals, booklets, etc. explaining preventive maintenance, service schedule be delivered with each unit?  If NO, explain	opera	ntor proce YES	edures, and _NO
X6.5	WARRANTY AND SERVICE POLICY			
	Will the warranty and service you provide comply with all areas as stated in YES NO		ion 6.5 of	specifications
	Is warranty literature attached?	YES_	NO	
	Is a minimum two (2) year bumper to bumper basic parts and labor wand normal wear items included?  Describe:		ty excludi	ing abuse
		_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<u></u>	

### **X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE**

# THIS FORM MUST BE COMPLETED IN ITS ENTIRETY AND SUBMITTED WITH YOUR BID. (If additional lines are needed, make copies of form.)

1. D	Define the terms of the stand	dard warranty.	If not offered, so state. (Att	ach copy)
2. D	efine warranty service to bufacturer's representative	e performed at facility. List na	DOH facilities and warranty ame and location of manufac	service to be performed at turer's representative.
3. L		ntories that are	within the State of West Virg	ginia. Also, list availability levels, if
4. D	uring the term of warranty ler will sell the parts to own	, list the guarar ner.	ntee discount to manufacture	's published list price for parts that
A. B. C.	Terms: Net 60	Manufacturer's	published list price less: published list price less: published list price less:	% discount
5. D Higl	uring the term of warranty nways?	, will all manut	facturers or engineering impr	ovements be submitted to Division of NO
6. D	uring the term of warranty	, list the guarar	nteed rates charged for repair	to the unit.
A.	Shop Rate	\$	per mechanic hour	
В.	Travel Time Charge (Specify if one-way)	\$	per mechanic hour; port to port	<del></del>
C.	Mileage Charge (Specify if one-way		per vehicle mile ; port to port	_
D.	Field Mechanic Rate	\$	per mechanic hour	
E.	Specify period of time	that prices are	in effect:	····
F.	Surcharge for miscellar	neous items:	%	

X6.6	EVALUATION COMMITTEE REQUIREMENTS	
	Is all component specifications, product literature, component models provided for Evaluation Committee bid determination? YESNO	
X6.7	Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry? YESNO	
X6.7.1	Are all parts and accessories adequate and regularly supplied as standard to be included except hose which may be duplications of specifications herein, and except these by specification are not be furnished? YESNO	
X6.7.2	Are all standard safety features that are required by Federal and State statutes of law includedYESNO	?
X7.0	SPECIFICATIONS OF THE QUOTED UNIT The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specifications.	
	Manufacturer: Model:	
X8.0	Endloader Specification:	
X8.1	Operating weight: pounds (exclusive of tire ballast)	
X8.1.1	Breakout force: pounds	
X8.2	Overall length (bucket lowered): foot	
X8.3	Does loader have articulated frame and full hydraulic power steering?YESNO	
X8.3.1	Tipping load straight: pounds	

X8.4	Ove	rall height: to top of	cab			
X8.4.1		Dumping clearance at maximum height and	45° dump	angle: _	incl	hes
X8.5		nits provided with a quick coupler system for i olled from operator station	•	_	of attachme	nts,
X8.6	Do n	nachine(s) have vandalism package/keyed alik	e?	_YES	NO	
X8.7	Are d	aily services done from ground level?	<del></del>	YES	NO	
X8.8	Engir	ne:				
X8.8.1		Is engine manufacturers water cooled diesel p torque to operate machine and hydraulic syst	tem at ma	ximum è	efficiency?	IP and
		Specify HP:	<u></u>	_YES	NO	
X8.8.2		Is unit equipped with manufacturer's standard g sealed by Manufacturer?		ith key sl YES	,	
X8.8.3		Engine equipped with an engine block water watt)?	_	lement (1 _YES		
X8.8.4		Does heating element have male plug easily acc	-	0 volt A YES		
X8.9	Engine	E Lubrication:				
X8.9.1		Has full pressure lubrication with oil filter and o		system? YES		
X8.9.2		Is engine equipped with oil cooler?	<del>.,</del>	YES	NO	
X8.10	Coo	ling System:				
X8.10.	1	Is cooling system of manufacturers maximum for all seasons?		full cap: _YES		eration
X8.10.	2	Cooling system supplied with Dex-Cool or eq -34°F?	-	ded life a _YES		ı
X8.10.	3	Is coolant filter provided if recommended ma	anufactur	er for th	is application	n?

X8.11	Air Induction System:			
X8.11.1	Is dry type (2 stage) dual element air cleaner wit	th pre-cleaner provided YES		
X8.11.2	Does unit have dash mounted air filter restric service is required ?	etion indicator that is y		1
X8.12	Exhaust System:			
X8.12.1	Is complete exhaust system manufacturers sta	andard for unit specif		
X8.12.2	Is exhaust pipe rain proof?	YES!	NO	
X8.13	Electrical System:			
X8.13.1	Is unit provided with manufacturers noise suppre	_	NO	
X8.13.2	Is system 12 volts/24 volts negative ground	YES	NO	
X8.13.3	Are heavy duty CCA battery(s) provided?	YES	NO	
	CCA reserve capacity			
X8.14	Charging System:			
X8.14.1	Alternator AMPS: wit	th internal regulator?	YES _	NO
X8.15	Engine Fuel System:			
X8.15.1	Is fuel capacity at least 12 working hours	YES	NO	
X8.15.2	Is unit provided with a fuel/water separator?	YES	NO	
X8.15.3	Is dual stage fuel filtering provided?		YES	_NO
X8.16	Transmission:			
X8.16.1	Is transmission full power shift with torque c shifting in all ranges?	onverter capable of "	on the Go'' YES	_NO
	Does it have full automatic feature with on-be kickdown controls	•	ilities andNO	
X8.16.2	Is torque converter capable of handling maxi	imum power output o	•	

X8.16.3	Number of forward speeds Number of reverse speeds	?		
	Top forward ground speed: HP	. 49		
X8.16.4	Is neutral start switch provided for safety purposes?		YES	_NO
X8.17	Differential:			
X8.17.1	Is front and rear differential manufacturers conventional type?	YES	NO	
X8.18	Axles:			
X8.18.1	Is front axle fixed?	_YES _	NO	
X8.18.2	Oscillation of rear axle: degrees			
X8.19	Brakes:			
X8.19.1	Is Manufacturers recommended emergency braking system provi		NO	
X8.19.2	Is emergency brake independent of service brake?		YES	_NO
X8.19.3	Are service brakes powered assisted hydraulic actuated?	_YES _	NO	
X8.19.4	Are service brakes wet disk type?	_YES _	NO	
X8.20	Hydraulic System:			
X8.20.1	Does unit provide hydraulic lift, lower, dump, roll back and i	float _YES _	NO	
	Does unit have third spool auxiliary valve and cab controller	Y	ESN	Ο
X8.20.2	Are hydraulic cylinders double action chrome plated piston t	ype? YES	NO	
X8.20.3	Is hydraulic oil cooler provided if recommended by manufacture			
X8.20.4	Is sight glass provided for daily service checks?	_YES _	NO	
X8.20.5	Hydraulic system relief pressure: P.S.I.			
X8.20.6	Is Manufacturers standard hydraulic filtering system provid	ed? YES	NO	

X8.21	Tires and Wheels:		
X8.21.1	Are wheels manufacturers recommended size for unit bid?	YES	_NO
	Specify size		. 4)
X8.21.2	Are tires grader/loader type tubeless radials front and rear?	YES	_NO
	Specify size:		
X8.21.3	Overall tire width (outside left to outside right):feet	inches	
X8.22	Cab and related accessories:		
X8.22.1	Is cab OSHA approved ROPS?	_YESNO	
X8.22.2	Is cab insulated and pressurized?	YESNO	
X8.22.3	Is cab equipped with heater, defroster, air conditioning instal manufacturer?	lled by theYESNo	<b>O</b>
X8.22.4	Is cab equipped with wipers and washers front and rear?	YES	_NO
X8.22.5	Is Manufacturers tinted safety glass at all locations?	YES	_NO
X8.22.6	Are left and right rear view mirrors and in cab rear view mir	ror provided? _YESNO	
X8.22.7	Does cab have one (1) lockable entry door?	YES	_NO
X8.22.8	Are doors hinged at rear to provide front to back opening	YESNO	
X8.22.9	Is unit provided with non-skid steps and hand holds	YES	_NO
X8.22.10	Is seat cloth type with scotchguard or equal and with adjustable sYESNe		
X8.22.11	Is seat equipped with adjustable arm rests?YES _	NO	
X8.22.12	Does seat provide height and weight adjustments?	_YESNO	
X8.22.13		eel for easierNO	
X8.22.14	Are fenders provided front and rear?	YES	_NO
X8.22.15	Is fire extinguisher provided and mounted on unit?	YES	NO
X8.22.16	Is AM/FM radio provided and installed in unit?	_YESNO	

X8.23	Lighting System:
X8.23.1	Is unit equipped with two (2) hi/low halogen beam front lights for tramming and working?YESNO
X8.23.2	Does unit have four (4) work lights; two (2) front/two (2) rear cab mounted work lightsNO
X8.23.3	Does unit have flash/turn signals (front and rear), stoplights, and taillights?YESNO
X8.23.4	Does unit have console and dome lighting?YESNO
X8.23.5	Is unit equipped with low profile high intensity strobe light mounted at top rear of cab as specifiedYESNO
	If NO, explain
X8.23.6	Is unit equipped with audible OSHA approved reverse alarm?YESNO
X8.23.7	Is articulation locking bar and pin provided?YESNO
X8.24	Unit Instrumentation:
X8.24.1	Tachometer?YESNO
X8.24.2	Speedometer?YESNO
X8.24.3	Does hour meter operate from engine operation?YESNO
X8.24.4	Fuel gauge?YESNO
X8.24.5	Ammeter/ or volt meter?YESNO
X8.24.6	Does coolant temperature indicator have audible buzzer or visual warning light?YESNO
X8.24.7	Does engine oil pressure indicator have audible buzzer or visual warning light?YESNO
X8.24.8	Does unit have transmission oil temperature indicator? YESNO
X8 24 9	Does unit have transmission oil pressure indicator?

X8.24.10	All features considered to be standard equipment not add	ressed abov	e:	
X8.24.11	Will unit be delivered to WV DOH with manufacturer's sintact?	afety decals YES		ıres
X8.24.12	Is one (1) complete set of replacement filters for each unit	provided? YES	NO	
X8.25 Bu	acket:			
X8.25.1	Bucket capacity struck: Cu Yd. Heaped capacit	y: C	Cu Yd	
X8.25.2	Bucket width: inches			
X8.25.3	Bucket roll back degrees at ground level and	dump at ful	ll height	
	degrees			
X8.25.4	Does unit have automatic return to work leveler for bucke		hments	
X8.25.5	Are replaceable cutting edge and bottom wear strips prov	idedY	ESN	O
X8.25.6	Is cutting edge welded to bucket and bolt on replaceable cunder it?	utting edge YES		,
X8.25.7	Digging depth below horizontal (bucket level):ind	ches		
X8.26 Fo	orks:			
X8.26.1	Are forks heavy duty steel construction?	YES	NO	
X8.26.2	Is carriage of heavy duty steel construction?		YES	_NO
X8.26.3	Carriage size:inch side plates andi	nches wide?		
X8.26.4	Tines/Forks: inches wide and inches long			
X8.26.5	Tines/Forks: inches thick at heel and forged solid	steel YES	NO	
X8.26.6	Tines/Forks mounted on inches diameter round bar			
	Adjustable laterally inches			

X8.27	Material Handling Boom:
X8.27.1	Is material handling boom of heavy duty construction with hook?YESNO
X8.27.2	Boom has locking sections Boom reach: feet
X8.28	Paint:
X8.28.1	Is endloader painted Federal Standard White 595A (NO. 17875)?YESNO
X8.28.2	Will detail/decorative stripes be provided and installed on unit by successful bidder? YESNO
X8.28.3	Are stripe(s) width 4 inches as specified?YESNO
X8.28.4	Does striping method and striping material meet required specifications quoted in sections 8.28.4; 8.28.5; and 8.28.6?YESNO
	If NO, explain
X8.28.7 X8.28.8	Describe color and type of material of upper stripe:  Describe color and type of material of lower stripe:
A0.20.0	Describe color and type of material of lower surpe.
8.28.9	Will bidder consult WV DOH on proposed striping?YES
X8.28.10	Has bidder attached paint plan (chips/samples/striping details) to compliance form? YESNO
	If no will samples be submitted?YESNO
X8.28.11	Describe manufacturers paint procedure as specified in sections 8.28.11; 8.28.12; and 8.28.13

X8.28.14	Is white paint specified applied over top of manufacturer's standard color?				
	·	YES_	NO		
X8.28.15	Are areas of distinct color(s) (e.g. safety reason) be painted	as the	y normally	<b>y</b>	
	would?Y	ES	NO		
X8.29	Does proposed unit meet or exceed the "OSHA of 1970" and	or sul	bsequent NO	changes?	
X8.30	Does unit conform to the advertising guidelines?		YES	_NO	
X8.31	Preventive Maintenance and Operators Orientation/Training:				
X8.31.1	Have you attached a copy of proposed training program describing course offered with a brief explanation of each required for each class. Do not attach instruction mater you furnish all training aids; i.e. videos, projectors, etc., the training? YESNO	ch sub ial or	ject with manuals.	the time Will	

Rev. 09/08

### State of West Virginia

### **VENDOR PREFERENCE CERTIFICATE**

Certification and application\* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1.	Application is made for 2.5% resident vendor preference is an individual resident vendor and has resided ing the date of this certification; or,	erence for the reason checked: continuously in West Virginia for four (4) years immediately preced-
	Bidder is a partnership, association or corporation reside business continuously in West Virginia for four (4) year ownership interest of Bidder is held by another individual maintained its headquarters or principal place of busi preceding the date of this certification; or,	ent vendor and has maintained its headquarters or principal place of s immediately preceding the date of this certification; or 80% of the al, partnership, association or corporation resident vendor who has ness continuously in West Virginia for four (4) years immediately
		subsidiary which employs a minimum of one hundred state residents I place of business within West Virginia continuously for the four (4) on; or,
2.		erence for the reason checked: the life of the contract, on average at least 75% of the employees /irginia who have resided in the state continuously for the two years
3.	affiliate or subsidiary which maintains its headquarter minimum of one hundred state residents who certifies	of one hundred state residents or is a nonresident vendor with an is or principal place of business within West Virginia employing a that, during the life of the contract, on average at least 75% of the syees are residents of West Virginia who have resided in the state
4.	Application is made for 5% resident vendor prefer Bidder meets either the requirement of both subdivision	rence for the reason checked: ns (1) and (2) or subdivision (1) and (3) as stated above; or,
5.		ference who is a veteran for the reason checked:  of the United States armed forces, the reserves or the National Guard  e four years immediately preceding the date on which the bid is
6.	purposes of producing or distributing the commodities of continuously over the entire term of the project, on av	ference who is a veteran for the reason checked: ited States armed forces, the reserves or the National Guard, if, for or completing the project which is the subject of the vendor's bid and erage at least seventy-five percent of the vendor's employees are te continuously for the two immediately preceding years.
require agains	ements for such preference, the Secretary may order the	at a Bidder receiving preference has failed to continue to meet the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty amount and that such penalty will be paid to the contracting agency se order.
authori the rec	rizes the Department of Revenue to disclose to the Directo	reasonably requested information to the Purchasing Division and rof Purchasing appropriate information verifying that Bidder has paid es not contain the amounts of taxes paid nor any other information
and a		de, §61-5-3), Bidder hereby certifies that this certificate is true led to Bidder and if anything contained within this certificate y the Purchasing Division in writing immediately.
Biddei	er:Si	gned:
Date:_	Tir	tle:

\*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ No.	,,
---------	----

### STATE OF WEST VIRGINIA Purchasing Division

### **PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

#### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, Limited Liability Company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

### WITNESS THE FOLLOWING SIGNATURE

Vendor's Name:		
Authorized Signature:	Date:	
State of		
County of, to-wit:		
Taken, subscribed, and sworn to before me this day of December,	20	
My Commission expires, 20		
AFFIX SEAL HERE NOTORY PUL	BLIC	