



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER
CABLE11

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
JO ANN ADKINS 304-558-8802

VENDOR

SHIP TO

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/07/2010				

BID OPENING DATE: **09/23/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
REQUEST FOR QUOTATION						
<p>THE PURCHASING DIVISION IS SOLICITING QUOTATIONS FOR THE OFFICE OF TECHNOLOGY DIVISION OF THE DEPARTMENT OF ADMINISTRATION TO ESTABLISH A BLANKET OPEN-END STATEWIDE CONTRACT TO PROVIDE COMPUTER DATA CABLE (COPPER/FIBER) AND FITTINGS FOR ALL WEST VIRGINIA STATE AGENCIES AND POLITICAL SUBDIVISIONS.</p> <p>***** INQUIRIES</p> <p>WRITTEN QUESTIONS SHALL BE ACCEPTED THROUGH CLOSE OF BUSINESS ON FRIDAY, 09/17/2010. QUESTIONS MAY BE SENT VIA USPS, FAX, COURIER OR EMAIL. IN ORDER TO ASSURE NO VENDOR RECEIVES AN UNFAIR ADVANTAGE, NO SUBSTANTIVE QUESTIONS WILL BE ANSWERED ORALLY. IF POSSIBLE, E-MAIL QUESTIONS ARE PREFERRED.</p> <p>ADDRESS INQUIRIES TO:</p> <p>JO ANN ADKINS DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25526 FAX: 304.558.4115 E-MAIL: JO.A.ADKINS@WV.GOV</p> <p>*****</p> <p>ATTACHMENTS:</p> <p>1. SPECIFICATIONS "CABLE11" DATED 09/08/2010 2. CABLE11 PRICING PAGES</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
5. Payment may only be made after the delivery and acceptance of goods or services.
6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
CABLE11

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**JO ANN ADKINS
 304-558-8802**

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
09/07/2010				

BID OPENING DATE: **09/23/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		285-10		
3. PURCHASING AFFIDAVIT 4. RESIDENT VENDOR PREFERENCE CABLE ACCESSORIES, ELECTRIC EXHIBIT 3 LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS WRITTEN NOTICE. UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT. RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
CABLE11

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
JO ANN ADKINS 304-558-8802

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/07/2010				

BID OPENING DATE: **09/23/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICE SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK.)</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIED BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF THE CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN STATE CONTRACT ORDER (FORM NUMBER WV-39) TO THE VENDOR FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL COPY OF THE WV-39 SHALL BE MAILED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT, A SECOND COPY MAILED TO THE PURCHASING DIVISION, AND A THIRD COPY RETAINED BY THE SPENDING UNIT.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
CABLE11

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF
**JO ANN ADKINS
 304-558-8802**

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
09/07/2010				

BID OPENING DATE: **09/23/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ORDER.</p> <p>THE TERMS AND CONDITIONS CONTAINED IN THIS CONTRACT SHALL SUPERSEDE ANY AND ALL SUBSEQUENT TERMS AND CONDITIONS WHICH MAY APPEAR ON ANY ATTACHED PRINTED DOCUMENTS SUCH AS PRICE LISTS, ORDER FORMS, SALES AGREEMENTS OR MAINTENANCE AGREEMENTS, INCLUDING ANY ELECTRONIC MEDIUM SUCH AS CD-ROM.</p> <p>REV. 04/11/2001</p> <p>PURCHASING CARD ACCEPTANCE: THE STATE OF WEST VIRGINIA CURRENTLY UTILIZES A VISA PURCHASING CARD PROGRAM WHICH IS ISSUED THROUGH A BANK. THE SUCCESSFUL VENDOR MUST ACCEPT THE STATE OF WEST VIRGINIA VISA PURCHASING CARD FOR PAYMENT OF ALL ORDERS PLACED BY ANY STATE AGENCY AS A CONDITION OF AWARD.</p> <p>REV 07/16/2007</p> <p>EXHIBIT 10</p> <p style="text-align: right;">REQUISITION NO.:</p> <p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NO.'S:</p> <p>NO. 1</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
-----------	-----------	------

TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
-------	------	-----------------------------------

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
CABLE11

PAGE
5

ADDRESS CORRESPONDENCE TO ATTENTION OF
JO ANN ADKINS
304-558-8802

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
09/07/2010				

BID OPENING DATE: **09/23/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
	NO. 2					
	NO. 3					
	NO. 4					
	NO. 5					
<p>I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.</p> <p>VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p> <p>..... SIGNATURE</p> <p>..... COMPANY</p> <p>..... DATE</p> <p>NOTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED WITH THE BID.</p> <p>REV. 09/21/2009</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
CABLE11

PAGE
6

ADDRESS CORRESPONDENCE TO ATTENTION OF
**JO ANN ADKINS
 304-558-8802**

RFQ COPY

TYPE NAME/ADDRESS HERE

SHIP TO

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
09/07/2010				

BID OPENING DATE: **09/23/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: FILE 42-----</p> <p>RFQ. NO.: CABLE11-----</p> <p>BID OPENING DATE: 09/23/2010-</p> <p>BID OPENING TIME: 1:30PM-----</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:</p> <p>-----</p> <p>CONTACT PERSON (PLEASE PRINT CLEARLY):</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
CABLE11

PAGE
7

ADDRESS CORRESPONDENCE TO ATTENTION OF
JO ANN ADKINS
304-558-8802

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/07/2010				

BID OPENING DATE: **09/23/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT

***** THIS IS THE END OF RFQ CABLE11 ***** TOTAL:						_____

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE		TELEPHONE		DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

CABLE11
Specifications/Information

The Purchasing Division is soliciting quotations from qualified vendors for the Office of Technology Division of the Department of Administration to establish a blanket open-end statewide contract to provide computer data cable (copper/fiber) and fittings for all West Virginia State agencies and participating political subdivisions.

*******IMPORTANT – IMPORTANT – IMPORTANT*******

**WRITTEN QUESTIONS MUST BE RECEIVED NO LATER THAN CLOSE OF
BUSINESS ON FRIDAY, SEPTEMBER 17, 2010.**

Questions may be sent via fax, e-mail, USPS, or courier and must be sent to:

Jo Ann Adkins
Purchasing Division
2019 Washington Street, East
P.O. Box 50130
Charleston, WV 25311
304-747-5111 (Fax)
joadkins@wvadmin.gov (E-mail)

Only bid submission questions will be accepted after that date and time.

All terms and conditions in the written specifications which are absolute and the compliance with cannot be waived. Mandatory terms are indicated by the use of the terms *shall, will, must, maximum* and *minimum*.

Materials List/Pricing Pages

The pricing pages contain a list of all the materials to be covered by the contract. This list shows the estimated usage of materials that will be available through the contract. No future use of contract is guaranteed or implied. These pricing pages must be completed by each bidder. For the items that are presently used by various state agencies throughout the entire state, the specific part number is the suggested acceptable solution. A vendor should bid on all items listed on the attached pricing pages. Vendor must indicate brand name bid for all items.

The model/brand/specifications named herein establish the acceptable level of quality only and are not intended to reflect a preference or favor any particular brand or vendor. Vendors intending to bid an alternative product must submit descriptive literature and samples. These samples must be received no later than five (5) days after the bid opening date. If bidder wishes to have samples

CABLE11
Specifications/Information

returned, they must include a pre-paid label or other information to have the items returned at the vendor's expense.

If bidding an "Equal To" other than the brand listed, bidders are required to supply literature with the cable specifications, demonstrating the product is in fact equal or greater in quality.

An electronic version of the pricing pages will be supplied to vendors after the pre-bid meeting. Bidders are requested to submit an electronic version of the excel document and return with bid. Additionally, bidders are also requested to include original printed document with the Purchasing Division original package. If any deviation exists between the electronic version and the printed version, the printed one submitted shall prevail.

Bidders should sign and complete the contract coordinator information at the end of the pricing pages.

Contract shall be a single award to the lowest-cost vendor with the most complete bid.

The Purchasing Division desires to enter into a fixed price contract with the successful vendor. The prices quoted in the vendor(s) quote will not be subject to any increase for the original contract term of one year. Price increase at renewal can be accepted or rejected by the Purchasing Division.

Terms and Conditions

I. Delivery

1. The cost per item (supplied by the vendor) must include delivery to the building dock and/or loading area designated by the ordering state agency.
2. All materials ordered in Charleston, or any destination point in between Charleston-Huntington, Charleston-Beckley, Charleston-Parkersburg, and or Charleston-Clarksburg by any other agency other than the Office of Technology, must be delivered within 5 business days after receipt of the order.
3. All materials ordered by the Office of Technology must be delivered to the Capitol Complex in the following timeframes after the receipt

CABLE11
Specifications/Information

of the order (the exact delivery location will be provided when the order is placed):

- a) If total for materials ordered is \$1,000 or below – delivery must be within two (2) business hours;
- b) If total for materials ordered is greater than \$1,000, but less than \$5,000 – delivery must be within two (2) business days;
- c) If total for materials ordered is greater than \$5,000 – delivery must be within five (5) business days.

4. If an ordering agency requests delivery of materials to another “inside” area of the building other than the dock and/or loading area, the vendor shall supply a cost (including an explanation of how this cost was calculated) on the pricing pages to complete this “inside” delivery. For example, if DNR orders a cabinet through the contract and they request and pay for “inside delivery” to their 8th floor closet, then the vendor/delivery company will be responsible for delivery of the cabinet to the 8th floor closet and not be permitted to simply deliver the cabinet to the building loading dock.

All pricing submitted shall be FOB: Destination. (Vendor pays shipping.)

II. Subcontracts /Joint Ventures

The vendor is solely responsible for all work performed under the contract and shall assume responsibility for all items offered to be delivered under the terms of this contract. The State will consider the vendor to be the sole point of contact with regard to all contractual matters.

III. Vendor Reporting

The vendor must provide a quarterly report of purchases to the Office of Technology, with a copy to Purchasing (jo.a.adkins@wv.gov), showing the following items:

1. Name of the ordering state agency;
2. Materials ordered; and
3. Total cost expended for that quarter.

The report shall be delivered to the Office of Technology and the Purchasing Division no later than the fifteenth day of the month following each quarter period. The vendor shall also provide Office of Technology and Purchasing an annual report with this same information, to be delivered at the end of each fiscal year. Failure to submit such reports may be grounds for contract termination.

CABLE11
Specifications/Information

Reports are to be sent to:

Marta Dean (MARTA.L.DEAN@WV.GOV)

Jo Ann Adkins (JO.A.ADKINS@WV.GOV)

V. Convenience Copy

Bidders are requested to include one (1) convenience hard copy and one (1) convenience CD that contain the information included on the hard copies of the entire bid (including pricing pages) to the Purchasing Division. This convenience copy is in addition to the original hard copy and electronic version of the pricing pages as requested by the Purchasing Division.

The successful bidder shall not substitute any other brand from those awarded, nor sell any additional items under their contract not specifically covered herein, without prior written permission of the Purchasing Division.

CABLE11

***The use of brand name or equal specifications is for the purpose of describing the minimum standard of quality, technical performance and installation characteristics required and are not intended to limit or restrict competition for these 17 items.

Alternate bids must meet or exceed those of the brand name or equal specifications and features listed. Vendor must indicate brand bid for all items. In order to receive full consideration, such alternate bids must be accompanied by sufficient descriptive literature and samples to clearly identify the offer and allow for a complete evaluation.

Vendors intending to bid an alternative product must submit descriptive literature and samples a minimum of five (5) business days following the RFQ opening date to allow the West Virginia Office of Technology time to make a determination of equality to the brand specified. Failure to provide descriptive literature and samples may result in the bid being rejected as non-responsive. If vendor wishes to have samples returned, they must include a pre-paid label or other information to have the items returned at the vendor's expense.

Samples & descriptive literature must be included for each of the following 17 products bid:

- Manufacturers category 5e cable specifications (Items 45 & 46)
- Manufacturers category 5e RJ45 snap-in connector (Item 47)
- Manufacturers category 5E cable specifications (Items 48 & 49)
- Manufacturers category 5E RJ45 snap-in connector (Item 50)
- Manufacturers category 5E 12-, 24-, 48-port copper patch panels (Items 72, 73, 74 & 75)
- Manufacturers category 6 cable specifications (Items 81 & 82)
- Manufacturers category 6 RJ45 snap-in connectors (Item 83)
- Manufacturers category 6 12-, 24-,48-port copper patch panels (Items 101,102,103,104)

Category 5e Plenum & Non-plenum Cable

REFERS TO ITEMS 45 & 46 ON PRICING SHEETS

Minimum specifications:

UNSHIELDED TWISTED PAIR CABLE TESTED TO 200 MHz AND ETL VERIFIED TO CATEGORY 5e. CAT.5e CABLE CONSISTS OF #24 AWG SOLID BARE COPPER INSULATED CONDUCTORS, ASSEMBLED INTO FOUR TIGHTLY TWISTED PAIRS, WITH A RIPCORD UNDER AN OVERALL JACKET THROUGHOUT THE LENGTH OF THE CABLE. CAT.5e CABLE MUST BE PACKAGED DIRECTLY IN AN EASY PULL BOX AND DISPENSE IN A TANGLE-FREE PAYOUT (AS IF ON A REEL) IN 1,000 FT. LENGTHS PER BOX. CABLE MUST CONTAIN PRINTED DESCENDING FOOTAGE MARKERS FROM 1,000 TO 0 IN EACH 1,000 FT. BOX. OUTER JACKET OF CAT.5e CABLE MUST BE AVAILABLE IN SELECTION OF 10 COLORS WHICH INCLUDE WHITE, BLUE, PINK, YELLOW, GRAY, GREEN, RED, ORANGE, BLACK, & VIOLET. CAT.5e NON-PLENUM CABLE MUST HAVE "CMR" PRINTED ON CABLE, INDICATING IT IS RISER NON-PLENUM CABLE. CAT.5e PLENUM CABLE MUST HAVE "CMP" PRINTED ON CABLE, INDICATING IT IS PLENUM CABLE.

All plenum cable must be 4X4 plenum construction.

- **14 dB Minimum ACR @ 100 MHz** – Proven support for Gigabit Ethernet / 1000BASE-T / IEEE 802.3ab, ATM up to 155 Mbps, 100 Mbps Fast Ethernet / 100BASE-T / IEEE 802.3, ANSI.X3.263 FDDI TP-PMD, Ethernet / 10BASE-T / IEEE 802.3, 4 & 16 Mbps Token Ring / IEEE 802.5, T1/E1, xDSL, ISDN, 550 MHz Broadband Video and standards under development such as ATM at 622 Mbps.
- **4 dB Minimum** – Improvement in Near End Crosstalk vs. TIA/EIA-568-B Category 5.
- **ETL Verified to Category 5e.**
- **.45 ns/meter Maximum Skew** – Tightly controlled propagation delay.
- **Engineered for Future Applications** – Tested for all parameters specified...for 4 pair UTP in TIA/EIA-568-B.2, including PS-NEXT, Return Loss, ELFEXT and PS-ELFEXT.

Category 5e Modular Connectors

REFERS TO ITEM 47 ON PRICING SHEETS

Modular connector for Category 5e UTP structured cabling systems and uses include high megabit applications such as Gigabit Ethernet and 622 Mbps ATM. The Category 5e modular connector shall meet or exceed individual snap-in style, and provide compliance with TIA/EIA-568-B specifications. The connectors shall also be in compliance with all National Electrical Codes; compliant with FCC Part 68; UL listed; and independently UL Certified. In addition to Category 5e compliance, the connector shall have the ability to support high megabit and shared-sheath applications. All plastics used in construction of the connector bodies shall be fire-retardant with a UL flammability rating of 94V-0. Termination of all connectors shall be 110-type IDC with solder-plated phosphor bronze contacts. The connector shall provide a ledge directly adjacent to the 110 style termination against which the wires can be directly terminated and cut in one action by the installer. Connector wiring label shall provide installation color codes for T568B wiring schemes. The modular hardware shall fit all other installed telecommunications wallplates, outlets and field configurable patch panels and patch blocks. A selection of 13 colors must be available for the Cat.5e connector, which include ivory, white, grey, black, orange, blue, bright red, dark red, yellow, green, purple, almond & brown in order to identify ports for different applications.

STANDARDS COMPLIANCE

Category 5e connector must meet all applicable standards: UL Listed; complies with all TIA/EIA-568-B requirements; and meets FCC Part 68.

FEATURES

- Must be available in 13 different colors including ivory, white, grey, black, orange, blue, bright red, dark red, yellow, green, purple, almond, and brown.
- Individual port configurability allows specification flexibility.
- Robust one-piece lead-frame design.
- Narrow connector allows high port density in a small area.
- Performance supports high megabit and shared-sheath applications.

PHYSICAL SPECIFICATIONS

Dimensions: .89"H x .635"W x 1.178"D

Materials: Connector body is high-impact, fire-retardant plastic rated UL 94V-0. Spring wire contacts are high-quality phosphor bronze, plated with 50 micro-inches of gold over 100 microinches of nickel for lowest contact resistance, maximum life. Connector 110-style IDC contacts are solder-plated phosphor bronze.

Colors: selection of 13 colors must be made available, which include ivory, white, grey, black, orange, blue, bright red, dark red, yellow, green, purple, almond, and brown.

DESIGN SPECIFICATIONS

- For use in any Category 5e housing to support Category 5e UTP connectivity in surface mount, flush mount, or modular furniture outlets and field configurable patch panels and patch blocks.

- Can be used in conjunction with other snap-in modules for voice/data and video applications over UTP, coax and fiber.
- A selection of 13 colors must be available for the connector, which include ivory, white, grey, black, orange, blue, bright red, dark red, yellow, green, purple, almond & brown in order to identify ports for different applications.

INSTALLATION NOTES

- Must be designed for cable termination with a 110 punch down tool.
- Detailed installation instructions must be included in the standard pack.
- IDCs must be arranged to minimize untwisting.

Category 5E Plenum & Non-plenum Cable

REFERS TO ITEMS 48 & 49 ON PRICING SHEETS

Minimum specifications:

UNSHIELDED TWISTED PAIR CABLE TESTED TO 400 MHz AND ETL VERIFIED TO CATEGORY 5E. CATEGORY 5E CABLE EXCEEDS TIA/EIA 568-B.2 CAT.5e & ISO/IEC 11801 CAT.5E HORIZONTAL CABLE SPECS. THIS CAT.5E CABLE CONSISTS OF #24 AWG SOLID BARE COPPER INSULATED CONDUCTORS, ASSEMBLED INTO FOUR TIGHTLY TWISTED PAIRS, WITH A RIPCORD UNDER AN OVERALL JACKET THROUGHOUT THE LENGTH OF THE CABLE. CAT.5E CABLE MUST BE PACKAGED DIRECTLY IN AN EASY PULL BOX AND DISPENSE IN A TANGLE-FREE PAYOUT (AS IF ON A REEL) IN 1,000 FT. LENGTHS PER BOX. CABLE MUST CONTAIN PRINTED DESCENDING FOOTAGE MARKERS FROM 1,000 TO 0 IN EACH 1,000 FT. BOX. OUTER JACKET OF CAT.5E CABLE MUST BE AVAILABLE IN SELECTION OF 10 COLORS WHICH INCLUDE WHITE, BLUE, PINK, YELLOW, GRAY, GREEN, RED, ORANGE, BLACK, & VIOLET. CAT.5E NON-PLENUM CABLE MUST HAVE "CMR" PRINTED ON CABLE, INDICATING IT IS RISER NON-PLENUM CABLE. CAT.5E PLENUM CABLE MUST HAVE "CMP" PRINTED ON CABLE, INDICATING IT IS PLENUM CABLE.

All plenum cable must be 4X4 plenum construction.

- **20 dB Minimum ACR @ 100 MHz** – Proven support for Gigabit Ethernet / 1000BASE-T / IEEE 802.3ab, ATM up to 155 Mbps, 100 Mbps Fast Ethernet / 100BASE-T / IEEE 802.3, ANSI.X3.263 FDDI TP-PMD, Ethernet / 10BASE-T / IEEE 802.3, 4 & 16 Mbps Token Ring / IEEE 802.5, T1/E1, xDSL, ISDN, 550 MHz Broadband Video and standards under development such as ATM at 622 Mbps and 1.2 Gbps.
- **5 dB Minimum** – Improvement in Near End Crosstalk vs. standard Category 5e NEXT.
- **Meets Return Loss** – Category 5e Standard.
- **.25 ns/meter Maximum Skew** – Tightly controlled propagation delay.
- **Enhanced Performance Parameters** – All electrical characteristics proven to exceed TIA/EIA 568-B Category 5e requirements: Near End Crosstalk, Characteristic Impedance, Insertion Loss, and Delay Skew. Also exceeds TIA/EIA-568-B.2 Category 5e requirements: Power Sum NEXT, and Far End Crosstalk – ELFEXT and PS-ELFEXT.

Electrical Characteristics

STANDARDS:

EXCEEDS TIA/EIA-568-B.2 CAT 5e & ISO/IEC 11801:2002 CAT 5e HORIZONTAL CABLE

CONDUCTOR DCR: 8.9ohms/100m (27.1 Ω /Mft) MAX

DCR UNBALANCE: 3% MAX

MUTUAL CAPACITANCE: 46 pF/m (14 pF/ft) NOM

CAPACITANCE UNBALANCE PAIR/GROUND: 66 pF/100m (200 pF/Mft) MAX

CHARACTERISTIC IMPEDANCE: 100ohms \pm 15% (1-400 MHz)

INPUT IMPEDANCE:

100 ohms \pm 15% (1-100 MHz)

100 ohms \pm 22% (> 100-200 MHz)

PROPAGATION DELAY: 506 + 36/ f ns/100m MAX

DELTA DELAY (SKEW): 25 ns/100m MAX

NOMINAL VELOCITY OF PROPAGATION (NVP): PLENUM 72%; NON-PLENUM 68%

Category 5E Modular Connectors

REFERS TO ITEM 50 ON PRICING SHEETS

The Category 5E connector shall meet or exceed the requirements for Category 5e described in TIA/EIA-568-B as well as the Class E requirements described in ISO/IEC 11801. The modular connector shall be individual snap-in style. The connector must include unique pair separation towers allowing for quicker and easier terminations. The connector shall be 180° configuration such that the punch field is in the back, allowing for rear termination.

Rear termination field shall include pointed pair separation towers to promote easier installation.

All plastics used in construction of the connector bodies must be fire retardant with a UL

flammability rating of 94V-0. Termination of all connectors shall be 110-type insulation

displacement connectors (IDC). The connector shall provide a cutting ledge

directly adjacent to the 110-style IDC's against which the wires can be directly terminated and cut in one action.

Connector wiring shall be universal and wiring label shall provide installation color codes for T568B wiring schemes. A selection of 13 colors must be available for the Cat.5E connector, which include ivory, white, grey, black, orange, blue, bright red, dark red, yellow, green, purple, almond & brown in order to identify ports for different applications.

STANDARDS COMPLIANCE

The Category 5E modular connector must meet or exceed the Category 5E requirements for channel/component level performance per TIA/EIA-568-B and ISO/IEC 11801. Components certified per cULus and ACA requirements.

PHYSICAL SPECIFICATIONS

Dimensions: .885"H x .635"W x 1.211"D

Materials: Connector body is high-impact, fire-retardant plastic rated UL 94V-0. Spring wire contacts are high quality copper-based alloy, plated with 50 micro-inches of gold over 100 micro-inches of nickel for lowest electrical contact resistance and maximum life.

Connector must include selection of 13 colors, which include ivory, white, grey, black, orange, blue, bright red, dark red, yellow, green, purple, almond, and brown.

FEATURES

- Universal T568B wiring labels for 110-style IDC terminations.
- Must be available in 13 different TIA/EIA 606-A compatible colors.
- 180° configuration allowing for rear termination.
- Unique pair separation towers designed to minimize untwisting and to speed installation.

DESIGN SPECIFICATIONS

- For use in any Category 5e housing to support Category 5E UTP connectivity in surface mount, flush mount, or modular furniture outlets and field configurable patch panels.
- Can be used in conjunction with other snap-in modules for voice/data and video applications over UTP, coax and fiber.
- Connector must be available in 13 colors, which include ivory, white, grey, black, orange, blue, bright red, dark red, yellow, green, purple, almond & brown in order to identify ports for different applications.

INSTALLATION NOTES

- Must be designed for cable termination with a 110 punch down tool.
- Detailed installation instructions must be included in the standard pack.
- IDCs must be arranged to minimize untwisting.

Category 5E Patch Panels**REFERS TO ITEMS 72, 73, 74 & 75 ON PRICING SHEETS**

The Category 5E patch panel shall meet or exceed the requirements for Category 5e described in TIA/EIA-568-B as well as the Class E requirements described in ISO/IEC 11801-B. The panels shall feature T568B wiring configurations, white IDC 110-punchdown modules, mounting standoffs for cable management bars, color-coded front window labeling, and a termination standoff for patch panel earthing/grounding. The panels shall have universal T568B wiring card for terminations. The panels shall be made of 16 gauge steel, and shall have a black painted finish with white silk-screening. The plastic elements shall be fire-retardant with a UL flammability rating of 94V-0. The panel shall be offered in 12-, 24-, 48-port configurations as well as 12-port configuration for wall mount applications. The patch panel shall be configured with six port modules. The 110 termination on the rear of the panel shall follow normal

installation color sequence (blue, orange, green, brown) from left to right; and must be designed for use in high megabit applications such as Gigabit Ethernet.

APPLICATION

Category 5e patch panels must be designed for use on 19" standard racks and cabinets and must allow for standard 110 terminations on the rear of the panel which follows the normal installation color sequence (blue, orange, green, brown) from left to right; and must be designed for use in high megabit applications such as Gigabit Ethernet.

FEATURES

- Universal T568B wiring cards for 110 style IDC terminations.
- Color-coded front labeling for easy port identification
- Centralized labeling available on 48 port panel.
- Grounding standoff for optional earthing/grounding.

STANDARDS COMPLIANCE

Meets all applicable standards: UL Listed; meets or exceeds all TIA/EIA-568-B for Category 5e requirements; and meets FCC Part 68.

PHYSICAL SPECIFICATIONS

Dimensions: 12-, 24-Port - 1.75"H x 19"W x 1.31"D

48 Port - 3.5"H x 19"W x 1.31"D

12-port Patch Block – 10.0"H x 2.3"W x 1.474"D

Capacity: 12-, 24-, 48-port and 12-Port Patch Block

Materials: 16 gauge steel, painted black, PCB and plastic components are rated UL 94V-0

DESIGN SPECIFICATIONS

- Color-coded front window labeling for easy port identification.
- Centralized labeling (available on 48-port), promotes greater visibility of labels when patch cords are routed into horizontal cable management above and below the patch panel.
- Mounts on 19" standard equipment racks.
- Panel offered in 12-, 24-, 48-port configurations and a 12-Port Patch Block for wall-mount applications.
- Connector modules are grouped in sets of six.

Category 6 Plenum & Non-plenum Cable

REFERS TO ITEMS 81 & 82 ON PRICING SHEETS

DESCRIPTION & MINIMUM SPECIFICATIONS:

ENHANCED UNSHIELDED TWISTED PAIR (UTP) CAT.6 CABLE FOR USE IN HORIZONTAL CABLING SYSTEMS PER TIA/EIA 568-B AND ISO/IEC 11801 CLASS E. TESTED TO 650 MHz AND ETL VERIFIED TO TIA/EIA-568-B.2-1 CAT.6.

THE CABLE EXCEEDS TIA/EIA 568-B.2-1 AND ISO/IEC 11801 CATEGORY 6 ELECTRICAL CHARACTERISTICS. THE CABLE CONSISTS OF #23 AWG SOLID BARE COPPER INSULATED CONDUCTORS, ASSEMBLED INTO FOUR TIGHTLY TWISTED PAIRS, WITH A CORE SEPARATOR (SPINAL SPACER) AND A RIPCORD UNDER AN OVERALL JACKET THROUGHOUT THE LENGTH OF THE CABLE. OUTER JACKET OF CAT.6 CABLE MUST BE AVAILABLE IN SELECTION OF 10 COLORS WHICH INCLUDE WHITE, BLUE, PINK, YELLOW, GRAY, GREEN, RED, ORANGE, BLACK, & VIOLET. CAT.6 CABLE MUST BE PACKAGED DIRECTLY IN AN EASY PULL BOX AND DISPENSE IN A TANGLE-FREE PAYOUT (AS IF ON A REEL) IN 1,000 FT. LENGTHS PER BOX. CABLE MUST CONTAIN PRINTED DESCENDING FOOTAGE MARKERS FROM 1,000 TO 0 IN EACH 1,000 FT. BOX. CAT.6 NON-PLENUM CABLE MUST HAVE "CMR" PRINTED ON CABLE, INDICATING IT IS RISER NON-PLENUM CABLE. CAT.6 PLENUM CABLE MUST HAVE "CMP" PRINTED ON CABLE, INDICATING IT IS PLENUM CABLE. **All plenum cable must be 4X4 plenum construction.**

SUPPORTED APPLICATIONS

IEEE 802.3 10BASE-T (ETHERNET), 100BASE-T (FAST ETHERNET), AND 1000BASE-T (GIGABIT ETHERNET), IEEE 802.3af POWER OVER ETHERNET FOR VoIP, ANSI.X3.263 FDDI TP- PMD, IEEE 802.5 4 AND 16 Mbps TOKEN RING, ATM UP TO 155 Mbps, 550 MHz BROADBAND VIDEO AND STANDARDS UNDER DEVELOPMENT SUCH AS ATM AT 622 Mbps, AND 1.2 & 2.4 Gbps.

INDUSTRY APPROVALS

STANDARDS: EXCEEDS TIA/EIA 568-B.2-1 CAT 6 & ISO/IEC 11801:2002 CAT 6 HORIZONTAL CABLE

LISTINGS: PL: UL/cUL TYPE CMP NP: UL/cUL TYPE CMR

PERFORMANCE: ETL VERIFIED TO TIA/EIA 568-B.2-1 CAT 6

CONSTRUCTION

PRIMARIES: CONDUCTOR: 23 AWG (.6 mm) SOLID BARE COPPER

PL: DUAL INSULATION, FEP ON ALL 4 PAIRS

NP: THERMOPLASTIC POLYOLEFIN

PAIR ASSEMBLY: 2 PRIMARIES TWISTED IN VARIED LAYS

CABLE ASSEMBLY: 4 PAIRS CABLED TOGETHER WITH A FLEXWEB CORE SEPARATOR

JACKET: PL: NO LEAD PLENUM RATED THERMOPLASTIC

NP: NO LEAD FLAME RETARDANT THERMOPLASTIC

NOMINAL CABLE OD: PL: .228" (5.79 mm)

NP: .225" (5.7 mm)

PHYSICAL CHARACTERISTICS

CABLE WEIGHT: PL: 33 lbs/1000ft (49 kg/km) NP: 30 lbs/1000ft (45 kg/km)

BENDING RADIUS: PL: 1" (25 mm) MIN (4 x CABLE OD)

PULLING TENSION: 25 lbf (110 N) MAX

OPERATING TEMP.: -20°C to +60°C (-4°F to +140°F)

STORAGE TEMP.: -20°C to +75°C (-4°F to +167°F)

INSTALLATION : 0°C to +60°C (+32°F to +140°F)

Category 6 Plenum & Non-plenum Cable (con't)

REFERS TO ITEMS 81 & 82 ON PRICING SHEETS

ELECTRICAL CHARACTERISTICS**STANDARDS:**

EXCEEDS TIA/EIA-568-B.2-1 CAT 6, ISO/IEC 11801:2002 CAT 6 & IEC 61156-5 CAT 6 HORIZONTAL CABLE

CONDUCTOR DCR: 7.8ohms/100m (23.8ohms/Mft) MAX**DCR UNBALANCE:** 3% MAX**MUTUAL CAPACITANCE:** 46 pF/m (14 pF/ft) NOM**CAPACITANCE UNBALANCE PAIR/ GROUND:** 66 pF/100m (200 pF/Mft) MAX**CHARACTERISTIC IMPEDANCE:** 100 ± 15% (1-350 MHz)**INPUT IMPEDANCE:** 100 ohms ± 15% (1-100 MHz)

100 ohms ± 18% (>100-200 MHz)

100 ohms ± 22% (>200-350 MHz)

RETURN LOSS (RL): 20 + 7 log₁₀(f) dB MIN (1-10 MHz)

27 dB MIN (>10-20 MHz)

27 - 5.58 log₁₀(f /20) dB MIN (>20 MHz)**INSERTION LOSS (ATTENUATION):** 1.795 |f + .017 f + $\frac{20}{|f|}$ dB/100m MAX**NEAR END CROSSTALK (NEXT):** 48.3 - 15 log₁₀(f /100) dB/100m MIN**POWER SUM NEAR END CROSSTALK (PS-NEXT):** 46.3 - 15 log₁₀(f /100) dB/100m MIN**EQUAL LEVEL FAR END CROSSTALK (ELFEXT):** 30 - 20 log₁₀(f /100) dB/100m MIN**POWER SUM EQUAL LEVEL FAR END CROSSTALK (PS-ELFEXT):** 28 - 20 log₁₀(f /100) dB/100m MIN**PROPAGATION DELAY:** 534 + 36 / |f| ns/100m MAX**DELTA DELAY (SKEW):** 25 ns/100m MAXIMUM SKEW – tightly controlled propagation delay.**NOMINAL VELOCITY OF PROPAGATION (NVP):** 72% PLENUM
68% NON-PLENUM

WHERE f = FREQUENCY IN MHz from .772 to 350 MHz, except for ELFEXT and PS-ELFEXT from 1 to 350 MHz.

Category 6 Modular Connectors

REFERS TO ITEM 83 ON PRICING SHEETS

The Category 6 modular connector shall meet or exceed the requirements for channel and component-level performance described in TIA/EIA-568-B.2-1 Category 6 standards. The modular connector shall be individual snap-in style. The connectors shall also be in compliance with all National Electrical Codes; compliant with FCC Part 68; UL listed; and independently verified. In addition to Category 6 compliance, the connector shall have the ability to support high megabit and shared-sheath applications. All plastics used in construction of the connector bodies must be fire-retardant with a UL flammability rating of 94V-0. The Category 6 connector includes unique pair separation towers allowing for quicker and easier terminations. The connector is configured in a 180° configuration such that the punch field is in the back, allowing for rear termination. Termination of all connectors shall be 110-type insulation displacement connectors (IDC). The connector shall provide a ledge directly adjacent to the 110-style termination against which the wires can be directly terminated and cut in one action by the installation craftsman. Connector wiring is universal and will accommodate installation color codes for T568B wiring schemes. The termination field shall be in the rear for easy access. The modular connector shall fit all other installed telecommunications wall plates, outlets and field-configurable patch panels and patch blocks. A selection of 13 colors must be available for the Cat.6 connector, which include ivory, white, grey, black, orange, blue, bright red, dark red, yellow, green, purple, almond & brown in order to identify ports for different applications.

STANDARDS COMPLIANCE

Category 6 modular connectors must meet or exceed the requirements for channel and component-level performance for TIA/EIA Category 6, cULus Listed, NOM and ACA.

PHYSICAL SPECIFICATIONS

Dimensions: .901"H x .575"W x 1.246"D

Materials: Connector body is high-impact, fire-retardant plastic rated UL 94V-0. Spring wire contacts are high quality copper-based alloy, plated with 50 micro-inches of gold over 100 micro inches of nickel for lowest contact resistance, maximum life. Must include full selection of TIA/EIA-606 compatible colors, which include ivory, white, grey, black, orange, blue, bright red, dark red, yellow, green, purple, almond, and brown.

DESIGN SPECIFICATIONS

- For use in any Category 6 housing to support Category 6 UTP connectivity in surface mount, flush mount, or modular furniture outlets and field configurable patch panels.
- Can be used in conjunction with other snap-in modules for voice/data and video applications over UTP, coax and fiber.
- Connector must be available in 13 colors, which include ivory, white, grey, black, orange, blue, bright red, dark red, yellow, green, purple, almond & brown in order to identify ports for different applications.

INSTALLATION NOTES

- Must be designed for cable termination with a 110 punch down tool.
- Detailed installation instructions must be included in the standard pack.
- IDCs must be arranged to minimize untwisting.

Category 6 Patch Panels

REFERS TO ITEMS 101, 102, 103, & 104 ON PRICING SHEETS

The Category 6 patch panel shall meet or exceed the requirements for Category 6 described in TIA/EIA-568-B.2-1 as well as the Class E requirements described in ISO/IEC 11801-B. The panels shall feature T568B wiring configurations, white IDC 110-punchdown modules, mounting standoffs for cable management bars, color-coded front window labeling, and a termination standoff for patch panel earthing/grounding. The panels shall have universal T568B wiring card for terminations. The panels shall be made of 16 gauge steel, and shall have a black painted finish with white silk-screening. The plastic elements shall be fire-retardant with a UL flammability rating of 94V-0. The panel shall be offered in 12-, 24-, 48-port configurations as well as an 89D 12-port configuration. The patch panel shall be configured with six port modules. The 110 termination on the rear of the panel must follow normal installation color sequence (blue, orange, green, brown) from left to right; and must be designed for use in high megabit applications such as Gigabit Ethernet.

APPLICATION

Category 6 patch panels must be designed for use on 19" standard racks and cabinets; must allow for standard 110 terminations on the rear of the panel which follows the normal installation color sequence (blue, orange, green, brown) from left to right; and must be designed for use in high megabit applications such as Gigabit Ethernet.

FEATURES

- Universal T568B wiring cards for 110 style IDC terminations.
- Color-coded front labeling for easy port identification (TIA-606-A compliant).
- Grounding standoff for optional earthing/grounding.

STANDARDS COMPLIANCE

Category 6 patch panels must meet or exceed the Category 6/Class E requirements for channel/component level performance per TIA/EIA-568-B.2-1 and ISO/IEC 11801-B. Components certified per cULus, NOM and ACA requirements.

PHYSICAL SPECIFICATIONS

Dimensions: 12-, 24-Port - 1.725"H x 19"W x 1.474"D

48 Port - 3.475"H x 19"W x 1.474"D

12-port Patch Block - 10.0"H x 2.3"W x 1.474"D

Capacity: 12-, 24-, 48-port and 12-Port Patch Block

Materials: 16 gauge steel, painted black, PCB and plastic components are rated UL 94V-0

DESIGN SPECIFICATIONS

- Color coded front window labeling for easy port identification.
- Mounts on 19" equipment racks.
- Panel offered in 12-, 24-, 48-Port configurations and Universal 12-port U89 Block for wall mount applications.
- Connector modules are in groups of six.
- Includes rear cable management bars.

ITEM NUM.	BID Quantity	Unit	Description	See Other Page***	Unit Price	Extension Price
1	50	EA	PLASTIC CABLE TIES; 7 15/16" IN LENGTH, 100PK 3-M PART # 3-M06226 OR EQUAL			\$0.00
2	200	EA	VELCRO TYRAP WIRE TIES; 8" IN LENGTH; HELLERMAN TYTON PART # GT50X80P2 OR EQUAL			\$0.00
3	500	EA	CABLE SUPPORT J-HOOK; ERICO PART # CAT32 OR EQUAL			\$0.00
4	200	EA	ELECTRICAL TAPE; 3-M SCOTCH SUPER 88 3M PART # 88-SUPER-3/4" X 66FT OR EQUAL			\$0.00
5	50	EA	3M MOLDABLE PUTTY STIX PART # 3M-MPS-2+ OR EQUAL			\$0.00
6	500	EA	CABLE RETAINER CLIP; ERICO PART # CATCR50 OR EQUAL			\$0.00
7	500	EA	SINGLE GANG LOW VOLTAGE MOUNTING BRACKETS; ARLINGTON PART # LV-1 OR EQUAL			\$0.00
8	30	EA	3/4"W X 25YDS LONG BLACK VELCRO IN A ROLL VELCRO PART# 189645 OR EQUAL			\$0.00
9	10	EA	3M WIRE MARKER DISPENSER 0 THRU 9 ON A ROLL 3-M PART # STD-0-9 (FILLED) OR EQUAL			\$0.00
10	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 0 PART# SDR-0 OR EQUAL			\$0.00
11	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 1 PART# SDR-1 OR EQUAL			\$0.00
12	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 2 PART# SDR-2 OR EQUAL			\$0.00
13	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 3 PART# SDR-3 OR EQUAL			\$0.00
14	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 4 PART# SDR-4 OR EQUAL			\$0.00
15	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 5 PART# SDR-5 OR EQUAL			\$0.00
16	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 6 PART# SDR-6 OR EQUAL			\$0.00
17	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 7 PART# SDR-7 OR EQUAL			\$0.00
18	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 8 PART# SDR-8 OR EQUAL			\$0.00
19	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 9 PART# SDR-9 OR EQUAL			\$0.00
20	100	EA	ADJUSTABLE CABLE SUPPORT; ERICO PART#CAT425 OR EQUAL			\$0.00
21	20	EA	PHILLIPS HEAD 3/4" LONG 10-32 RACK SCREWS W/WASHERS 100PK MIDDLE ATLANTIC PRODUCTS PART # HP OR EQUAL			\$0.00
22	20	EA	VERTICAL WIRE MANAGER FOR 19" OR 23" RELAY RACKS MOUNTING HARDWARE INCLUDED GREAT LAKES PART# 1984-VCM OR EQUAL			\$0.00
23	20	EA	VERTICAL WIRE MANAGER FOR 19" OR 23" RELAY RACKS MOUNTING HARDWARE INCLUDED CHATSWORTH PART# 12096-703 OR EQUAL			\$0.00
24	20	EA	VERTICAL WIRE MANAGER FOR 19" OR 23" RELAY RACKS MOUNTING HARDWARE INCLUDED AFCO SYSTEMS PART# AS-CTRG-84-WBLK OR EQUAL			\$0.00
25	20	EA	VERTICAL WIRE MANAGER FOR 19" OR 23" RELAY RACKS MOUNTING HARDWARE INCLUDED SOUTHWEST PART# SWE2729BLK OR EQUAL			\$0.00
26	40	EA	DISTRIBUTION RACKS; ALUMINUM BASE COLOR OF BLACK MUST BE APPROXIMATELY 15" IN DEPTH; APPROXIMATELY 20" IN WIDTH; & 84" HEIGHT GREAT LAKES PART# GLRR-1984BA OR EQUAL			\$0.00
27	40	EA	DISTRIBUTION RACKS; ALUMINUM BASE COLOR OF BLACK MUST BE APPROXIMATELY 15" IN DEPTH; APPROXIMATELY 20" IN WIDTH; & 84" HEIGHT. CHATSWORTH PART# 46353-703 OR EQUAL			\$0.00
28	10	EA	48" WALL MOUNT SWING OUT RACK; GREAT LAKES PART # GL48SR OR EQUAL			\$0.00
29	10	EA	36" WALL MOUNT SWING OUT RACK; GREAT LAKES PART # GL36SR OR EQUAL			\$0.00

30	10	EA	24" WALL MOUNT SWING OUT RACK; GREAT LAKES PART # GL24SR OR EQUAL			\$0.00
31	10	EA	84" NETWORKING CABINET; CABINET WILL INCLUDE THE FOLLOWING: CASTERS, LEVELERS, GROUND LUG, TWO PAIR SQUARE HOLE RAILS, M6 HARDWARE, BOTTOM GLAND, TOP GLAND, 10IN FAN TOP, PERFORATED MESH FRONT DOOR, PERFORATED MESH REAR DOOR, TWO SOLID SIDE PANELS, TWO 9411-1602 POWER STRIPS INTERNAL 8729-PD-3 FRONT, 8429-PR-3-0001 SPOTWELDED REAR TWO 8436-01-SP-3 SIDES. BELDEN PART# XDP84-3-1S0046 OR EQUAL			\$0.00
32	10	EA	72" NETWORKING CABINET; CABINET WILL INCLUDE THE FOLLOWING: CASTERS, LEVELERS, GROUND LUG, TWO PAIR SQUARE HOLE RAILS, M6 HARDWARE, BOTTOM GLAND, TOP GLAND, 10IN FAN TOP, PERFORATED MESH FRONT DOOR, PERFORATED MESH REAR DOOR, TWO SOLID SIDE PANELS, TWO 9411-1602 POWER STRIPS INTERNAL 8729-PD-3 FRONT, 8429-PR-3-0001 SPOTWELDED REAR TWO 8436-01-SP-3 SIDES. BELDEN PART# XDP72-3-1S0012 OR EQUAL			\$0.00
33	10	EA	84" NETWORKING CABINET; BASE UNIT WITH LOUVERED TOP; PLEXIGLAS VENTED FRONT DOOR W/LOCK; UPPER HALF LOUVERED STEEL REAR DOOR W/LOCK; SOLID REMOVABLE SIDE PANELS; TWO PAIR 19" MOUNTING RAILS W/BRACKETS & MOUNTING SCREWS; COLOR BLACK OR GREY; 16 POSITION POWER STRIP W / CIRCUIT BREAKER & 12' CORD; CASTERS; 84"H X 29" W X 36" D; GREAT LAKES PART # 840E-2936WVCC OR EQUAL			\$0.00
34	10	EA	72" NETWORKING CABINET; BASE UNIT WITH LOUVERED TOP; PLEXIGLAS VENTED FRONT DOOR W/LOCK; UPPER HALF LOUVERED STEEL REAR DOOR W/LOCK; PAIR OF SOLID REMOVABLE SIDE PANELS; TWO PAIR 19" MOUNTING RAILS W/BRACKETS & MOUNTING SCREWS; COLOR BLACK OR GREY; 16 POSITION POWER STRIP W / CIRCUIT BREAKER & 12' CORD; CASTERS; 72"H X 29" W X 36" D GREAT LAKES PART # 720E-2936WVCC OR EQUAL			\$0.00
35	5	EA	48" NETWORKING CABINET; BASE UNIT WITH LOUVERED TOP; PLEXIGLAS VENTED FRONT DOOR W/LOCK; UPPER HALF LOUVERED STEEL REAR DOOR W/LOCK; PAIR OF SOLID REMOVABLE SIDE PANELS; TWO PAIR 19" MOUNTING RAILS W/BRACKETS & MOUNTING SCREWS; COLOR BLACK OR GREY; 6 POSITION POWER STRIP W / CIRCUIT BREAKER & 12' CORD; CASTERS; 48"H X 24" W X 32" D GREAT LAKES PART # 480E-2432WVCC OR EQUAL			\$0.00
36	10	EA	STATIONARY SHELVES FOR 19" MOUNTING IN NETWORKING CABINETS; GREAT LAKES PART # 7206-FM OR EQUAL			\$0.00
37	20	EA	FAN ASSEMBLY W/FAN GUARDS & THREE 75 CFM FANS FOR NETWORKING CABINETS; GREAT LAKES PART # TPE-24F OR EQUAL			\$0.00
38	1000	FT	RACEWAY MOLDING; ONE-PIECE; NON-METALLIC; 3/4" WIDTH; 6 FT. LENGTH; DEKDUCT PART # 043-LD00 OR EQUAL			\$0.00
39	1000	FT	RACEWAY MOLDING; ONE-PIECE; NON-METALLIC; 1 1/2" WIDTH; 6 FT. LENGTH; DEKDUCT PART # 042-LD00 OR EQUAL			\$0.00
40	1000	FT	RACEWAY MOLDING; ONE-PIECE; NON-METALLIC; 2 1/2" WIDTH; 6 FT. LENGTH; DEKDUCT PART # 045-LD00 OR EQUAL			\$0.00
41	1000	FT	RACEWAY MOLDING; TWO-PIECE; NON-METALLIC; 4" WIDTH X 2" DEPTH; DEKDUCT PART # 046-4020DWP OR EQUAL			\$0.00
42	20,000	FT	25 PAIR PLENUM CATEGORY 3 CABLE PART# WCETEL24/25PC3P OR EQUAL			\$0.00
43	20,000	FT	50 PAIR PLENUM CATEGORY 3 CABLE PART# WCETEL24/50PC3P OR EQUAL			\$0.00
44	20,000	FT	100 PAIR PLENUM CATEGORY 3 CABLE PART# WCETEL24/100PC3P OR EQUAL			\$0.00

45	100,000	FT	CAT. 5e MIN COMPLIANT PVC CABLE; NON-PLENUM; WHITE IN COLOR; 1,000 FT. PER EASY PULL BOX; MOHAWK PART # M57554 OR EQUAL	***		\$0.00
46	200,000	FT	CAT. 5e MIN COMPLIANT CABLE; PLENUM; WHITE IN COLOR; 1,000 FT. PER EASY PULL BOX; MOHAWK PART # M57547 OR EQUAL	***		\$0.00
47	3000	EA	QUICK PORT 8P8C MODULAR RJ45 JACKS FOR CAT5e MIN COMPLIANT; WHITE IN COLOR BUT SELECTION OF COLORS MUST BE AVAILABLE; LEVITON PART # 5G108-RW5 OR EQUAL	***		\$0.00
48	200,000	FT	CAT. 5E ENHANCED CABLE; NON-PLENUM RISER RATED; EASY PULL BOX ONLY; 1000 FT. PER BOX; SELECTION OF COLORS MUST BE AVAILABLE FOR OUTER JACKET; ELECTRICAL CHARACTERISTICS / SPECIFICATIONS SHEET MUST BE SUPPLIED. MEGALAN 400 MOHAWK PART# M56167 OR EQUAL	***		\$0.00
49	300,000	FT	CAT. 5E ENHANCED CABLE; PLENUM; EASY PULL BOX ONLY; 1000 FT. PER BOX; SELECTION OF COLORS MUST BE AVAILABLE FOR OUTER JACKET; ELECTRICAL CHARACTERISTICS / SPECIFICATIONS SHEET MUST BE SUPPLIED. MEGALAN 400 MOHAWK PART# M56168 OR EQUAL	***		\$0.00
50	3,000	EA	LEVITON QUICKPORT 8P8C MODULAR RJ45 JACKS FOR CAT5E ENHANCED; ORANGE IN COLOR BUT SELECTION OF COLORS MUST BE AVAILABLE; LEVITON PART # 5G110-RO5 OR EQUAL	***		\$0.00
51	200	EA	CAT 5E ENHANCED 1FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART # 553-130-001 OR EQUAL			\$0.00
52	200	EA	CAT 5E ENHANCED 3FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-003 OR EQUAL			\$0.00
53	200	EA	CAT 5E ENHANCED 5FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-005 OR EQUAL			\$0.00
54	200	EA	CAT 5E ENHANCED 7FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-007 OR EQUAL			\$0.00
55	200	EA	CAT 5E ENHANCED 10FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-010 OR EQUAL			\$0.00
56	200	EA	CAT 5E ENHANCED 14FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-014 OR EQUAL			\$0.00
57	200	EA	CAT 5E ENHANCED 25FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-025 OR EQUAL			\$0.00
58	100	EA	CAT 5E ENHANCED 50FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-050 OR EQUAL			\$0.00
59	500	EA	CAT 5E ENHANCED 350MHZ PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 1 FOOT LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET QUIKTRON PART# 570-110-001 OR EQUAL			\$0.00
60	500	EA	CAT 5E ENHANCED 350MHZ PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 18 INCHES IN LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET QUIKTRON PART# 551-110-18IN OR EQUAL			\$0.00
61	2000	EA	CAT. 5E GIGAMAX PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 3 FOOT LENGTH; LEVITON PART# 5G460-03* (* - COLOR) OR EQUAL			\$0.00
62	1000	EA	CAT. 5E GIGAMAX PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 5 FOOT LENGTH; LEVITON PART# 5G460-05* (* - COLOR) OR EQUAL			\$0.00
63	2000	EA	CAT. 5E GIGAMAX PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 7 FOOT LENGTH; LEVITON PART# 5G460-07* (* - COLOR) OR EQUAL			\$0.00
64	1000	EA	CAT. 5E GIGAMAX PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 10 FOOT LENGTH; LEVITON PART# 5G460-10* (* - COLOR) OR EQUAL			\$0.00
65	1000	EA	CAT. 5E GIGAMAX PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 15 FOOT LENGTH; LEVITON PART# 5G460-15* (* - COLOR) OR EQUAL			\$0.00

66	500	EA	CAT. 5E ENHANCED 350MHZ PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 25 FOOT LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET QUIKTRON PART # 551-XXX-025 OR EQUAL (XXX=COLOR)			\$0.00
67	100	EA	CAT 5E ENHANCED 350MHZ PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 50 FOOT LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET QUIKTRON PART# 551-XXX-050 OR EQUAL (XXX=COLOR)			\$0.00
68	100	EA	CAT. 5E ENHANCED 350MHZ PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 100 FOOT LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET QUIKTRON PART# 551-XXX-100 OR EQUAL (XXX=COLOR)			\$0.00
69	50	EA	LEVITON QUICKPORT HIGH DENSITY 48-PORT PATCH PANEL W/CABLE MANAGEMENT BAR LEVITON PART# 49255-H48 OR EQUAL			\$0.00
70	50	EA	LEVITON QUICKPORT HIGH DENSITY 24-PORT PATCH PANEL W/CABLE MANAGEMENT BAR LEVITON PART# 49255-H24 OR EQUAL			\$0.00
71	50	EA	LEVITON QUICKPORT HIGH DENSITY 12-PORT PATCH PANEL LEVITON PART#49255-H89 OR EQUAL			\$0.00
72	100	EA	LEVITON 48-PORT 8P8C RJ45 CAT.5E RACKMOUNT PATCH PANEL; MUST BE CAT5E ENHANCED CERTIFIED; LEVITON PART# 5G596-U48 OR EQUAL	***		\$0.00
73	100	EA	LEVITON 24-PORT 8P8C RJ45 CAT.5E RACKMOUNT PATCH PANEL; MUST BE CAT5E ENHANCED CERTIFIED; LEVITON PART # 5G596-U24 OR EQUAL	***		\$0.00
74	50	EA	LEVITON 12-PORT 8P8C RJ45 CAT.5E RACKMOUNT PATCH PANEL; MUST BE CAT5E ENHANCED CERTIFIED; LEVITON PART # 5G596-U12 OR EQUAL	***		\$0.00
75	50	EA	LEVITON 12-PORT 8P8C RJ45 CAT5E WALL MT. PATCH PANEL; MUST BE CAT5E ENHANCED CERTIFIED; LEVITON PART # 5G596-U89 OR EQUAL	***		\$0.00
76	20	EA	SIEMON 12-PORT PATCH PANEL; MUST BE CAT.5E CERTIFIED; SIEMON #HD5-89D-12 NO SUBSTITUTE BID SIEMON			\$0.00
77	200	EA	SIEMON RACK MT. 1U WIRE MANAGER PART# S110-RWM-01 OR EQUAL			\$0.00
78	20	EA	SIEMON WIRE MANAGER; STANDARD INTERBAY CORD MANAGER; SIEMON WM-144-5 OR EQUAL			\$0.00
79	20	EA	2-POSITION HINGED FIXED BRACKETS FOR WALL; DATATEL PART # HPM-2 OR EQUAL			\$0.00
80	100	EA	WIRE MANAGER; STANDARD INTERBAY CORD MANAGER; DATATEL PART # HCM-1D OR EQUAL			\$0.00
81	200,000	FT	CAT 6 ENHANCED CABLE; NON-PLENUM; EASY PULL BOX ONLY; 1,000 FT. PER BOX; SELECTION OF COLORS MUST BE AVAILABLE FOR OUTER JACKET; ELECTRICAL CHARACTERISTICS / SPECIFICATIONS SHEET MUST BE SUPPLIED. CAT 6 ADVANCENET MOHAWK PART# M57202 OR EQUAL	***		\$0.00
82	300,000	FT	CAT 6 ENHANCED CABLE; PLENUM; EASY PULL BOX ONLY; 1,000 FT. PER BOX; SELECTION OF COLORS MUST BE AVAILABLE FOR OUTER JACKET; ELECTRICAL CHARACTERISTICS / SPECIFICATIONS SHEET MUST BE SUPPLIED. CAT 6 ADVANCENET MOHAWK PART# M57193 OR EQUAL	***		\$0.00
83	5000	EA	QUICKPORT CAT6 EXTREME 8P8C RJ45 SNAP-IN CONNECTOR; BLUE IN COLOR BUT SELECTION OF COLORS MUST BE AVAILABLE; LEVITON PART # 61110-RL6 OR EQUAL	***		\$0.00
84	100	EA	CAT 6 EXTREME 1FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART # 538-130-001 OR EQUAL			\$0.00
85	200	EA	CAT 6 EXTREME 3FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART # 538-130-003 OR EQUAL			\$0.00
86	100	EA	CAT 6 EXTREME 5FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART # 538-130-005 OR EQUAL			\$0.00
87	200	EA	CAT 6 EXTREME 7FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART # 538-130-007 OR EQUAL			\$0.00

88	200	EA	CAT 6 EXTREME 10FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART # 538-130-010 OR EQUAL			\$0.00
89	200	EA	CAT 6 EXTREME 15FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART # 538-130-015 OR EQUAL			\$0.00
90	100	EA	CAT 6 EXTREME 25FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART # 538-130-025 OR EQUAL			\$0.00
91	50	EA	CAT 6 EXTREME 50FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART # 538-130-050 OR EQUAL			\$0.00
92	200	EA	CAT. 6 EXTREME 650MHZ PATCH CABLES; RJ45M TO RJ45M; NON-KEYED; 18 INCHES IN LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET QUIKTRON PART# 576-XXX-18IN OR EQUAL (XXX=COLOR)			\$0.00
93	200	EA	CAT. 6 EXTREME 650MHZ PATCH CABLES; RJ45M TO RJ45M; NON-KEYED; 1 FOOT LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET QUIKTRON PART# 576-XXX-001 OR EQUAL (XXX=COLOR)			\$0.00
94	400	EA	CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-KEYED; 3 FOOT LENGTH; LEVITON PART # 62460-03* (*-COLOR) OR EQUAL			\$0.00
95	400	EA	CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-KEYED; 5 FOOT LENGTH; LEVITON PART # 62460-05* (*-COLOR) OR EQUAL			\$0.00
96	400	EA	CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-KEYED; 7 FOOT LENGTH; LEVITON PART # 62460-07* (*-COLOR) OR EQUAL			\$0.00
97	200	EA	CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-KEYED; 10 FOOT LENGTH; LEVITON PART # 62460-10* (*-COLOR) OR EQUAL			\$0.00
98	100	EA	CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-KEYED; 15 FOOT LENGTH; LEVITON PART # 62460-15* (*-COLOR) OR EQUAL			\$0.00
99	50	EA	CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-KEYED; 20 FOOT LENGTH; LEVITON PART # 62460-20* (*-COLOR) OR EQUAL			\$0.00
100	50	EA	CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-KEYED; 50 FOOT LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET QUIKTRON PART# 576-XXX-050 OR EQUAL (XXX=COLOR)			\$0.00
101	50	EA	LEVITON 48-PORT 8P8C RJ45 PATCH PANEL; MUST BE CAT. 6 ENHANCED CERTIFIED; LEVITON PART # 69586-U48 OR EQUAL	***		\$0.00
102	50	EA	LEVITON 24-PORT 8P8C RJ45 PATCH PANEL; MUST BE CAT. 6 ENHANCED CERTIFIED; LEVITON PART # 69586-U24 OR EQUAL	***		\$0.00
103	50	EA	LEVITON 12-PORT PATCH PANEL; MUST BE CAT. 6 ENHANCED CERTIFIED; LEVITON PART # 69586-U12 OR EQUAL	***		\$0.00
104	50	EA	LEVITON 12-PORT 8P8C RJ45 CAT6 WALL MT. PATCH PANEL; MUST BE CAT6 ENHANCED CERTIFIED; LEVITON PART # 69586-U89 OR EQUAL	***		\$0.00
105	1000	EA	2-PORT SURFACE MOUNT BOX; LEVITON PART # 41089-2*P (*-COLOR) OR EQUAL			\$0.00
106	100	EA	4-PORT SURFACE MOUNT BOX; LEVITON PART # 41089-4*P (*-COLOR) OR EQUAL			\$0.00
107	100	EA	SINGLE GANG IVORY BLANK WALL PLATE; LEVITON PART# 86014 OR EQUAL			\$0.00
108	100	EA	SINGLE GANG WHITE BLANK WALL PLATE; LEVITON PART# 88014 OR EQUAL			\$0.00
109	100	EA	QUICKPORT STAINLESS STEEL FLUSH WALLPHONE WALLPLATE; LEVITON PART# 4108W-OSP OR EQUAL			\$0.00
110	500	EA	1-PORT WALLPLATES; LEVITON PART # 41080-1*P (*-COLOR) OR EQUAL			\$0.00
111	1000	EA	2-PORT WALLPLATES; LEVITON PART # 41080-2*P (*-COLOR) OR EQUAL			\$0.00
112	100	EA	3-PORT WALLPLATES; LEVITON PART # 41080-3*P (*-COLOR) OR EQUAL			\$0.00
113	100	EA	4-PORT WALLPLATES; LEVITON PART # 41080-4*P (*-COLOR) OR EQUAL			\$0.00
114	50	EA	6-PORT WALLPLATES; LEVITON PART # 41080-6*P (*-COLOR) OR EQUAL			\$0.00

115	5000	FT	FIBER OPTIC CABLE 48-STRAND I/O MULTIMODE 62.5/125 OCC PART # DX048-105D-WLS/900-OFNR OR CORNING PART # 048KWF-T4130D20 OR EQUAL			\$0.00
116	5000	FT	FIBER OPTIC CABLE 24-STRAND I/O MULTIMODE 62.5/125 OCC PART # DX024-085D-WLS/900-OFNR OR CORNING PART # 024K8F-31130-24 OR EQUAL			\$0.00
117	5000	FT	FIBER OPTIC CABLE 12-STRAND I/O MULTIMODE 62.5/125 OCC PART # DX012-065D-WLS/900-OFNR OR CORNING PART # 012K8F-31130-24 OR EQUAL			\$0.00
118	5000	FT	FIBER OPTIC CABLE 6-STRAND I/O MULTIMODE 62.5/125 OCC PART # DX006-055D-WLS/900-OFNR OR CORNING PART # 006K8F-31130-24 OR EQUAL			\$0.00
119	5000	FT	FIBER OPTIC CABLE 48-STRAND I/O PLENUM RATED MULTIMODE 62.5/125 OCC PART # DX048-095K-WLS/900-OFNP OR CORNING PART # 048KWP-T4130D20 OR EQUAL			\$0.00
120	5000	FT	FIBER OPTIC CABLE 24-STRAND I/O PLENUM RATED MULTIMODE 62.5/125 OCC PART # DX24-075K-WLS/900/OFNP OR CORNING PART # 024K8P-31130-29 OR EQUAL			\$0.00
121	5000	FT	FIBER OPTIC CABLE 12-STRAND I/O PLENUM RATED MULTIMODE 62.5/125 OCC PART # DX12-060K-WLS/900-OFNP OR CORNING PART # 012K8P-31130-29 OR EQUAL			\$0.00
122	5000	FT	FIBER OPTIC CABLE 6-STRAND I/O PLENUM RATED MULTIMODE 62.5/125 OCC PART # DX06-045K-WLS/900-OFNP OR CORNING PART # 006K8P-31130-29 OR EQUAL			\$0.00
123	5000	FT	FIBER OPTIC CABLE 48-STRAND INDOOR/OUTDOOR ARMORED MULTIMODE 62.5/125 OCC PART # DX48-105D-WLS/900-OFNR-IA OR CORNING PART # 048KWF-T4130DA1 OR EQUAL			\$0.00
124	5000	FT	FIBER OPTIC CABLE 24-STRAND INDOOR/OUTDOOR ARMORED MULTIMODE 62.5/125 OCC PART # DX24-085D-WLS/900-OFNR-IA OR CORNING PART # 024K8F-31130-A1 OR EQUAL			\$0.00
125	5000	FT	FIBER OPTIC CABLE 12-STRAND INDOOR/OUTDOOR ARMORED MULTIMODE 62.5/125 OCC PART # DX12-065D-WLS/900-OFNR-IA OR CORNING PART # 012K8F-31130-A1 OR EQUAL			\$0.00
126	5000	FT	FIBER OPTIC CABLE 6-STRAND INDOOR/OUTDOOR ARMORED MULTIMODE 62.5/125 OCC PART # DX06-055D-WLS/900-OFNR-IA OR CORNING PART # 006K8F-31130-A1 OR EQUAL			\$0.00
127	5000	FT	FIBER OPTIC CABLE 48-STRAND INDOOR/OUTDOOR ARMORED PLENUM COATED MULTIMODE 62.5/125 OCC PART # DX48-095K-WLS/900-OFNR-IA OR CORNING PART # 048KWP-T4130DA1 OR EQUAL			\$0.00
128	5000	FT	FIBER OPTIC CABLE 24-STRAND INDOOR/OUTDOOR ARMORED PLENUM COATED MULTIMODE 62.5/125 OCC PART # DX24-070K-WLS/900-OFNR-IA OR CORNING PART # 024K8P-31130-A3 OR EQUAL			\$0.00
129	5000	FT	FIBER OPTIC CABLE 12-STRAND INDOOR/OUTDOOR ARMORED PLENUM COATED MULTIMODE 62.5/125 OCC PART # DX12-060K-WLS/900-OFNR-IA OR CORNING PART # 012K8P-31130-A3 OR EQUAL			\$0.00
130	5000	FT	FIBER OPTIC CABLE 6-STRAND INDOOR/OUTDOOR ARMORED PLENUM COATED MULTIMODE 62.5/125 OCC PART # DX06-050K-WLS/900-OFNR-IA OR CORNING PART # 006K8P-31130-A3 OR EQUAL			\$0.00
131	3000	FT	FIBER OPTIC CABLE 24-STRAND OUTDOOR AERIAL W / 1/4" MESSENGER MULTIMODE 62.5/125 OCC PART # MX24-095A-WLS/900-JGS OR CORNING PART # 024KWA-T4130D20 OR EQUAL			\$0.00
132	3000	FT	FIBER OPTIC CABLE 12-STRAND OUTDOOR AERIAL W / 1/4" MESSENGER MULTIMODE 62.5/125 OCC PART # MX12-090A-WLS/900-JGS OR CORNING PART # 012KWA-T4130D20 OR EQUAL			\$0.00

133	3000	FT	FIBER OPTIC CABLE 6-STRAND OUTDOOR AERIAL W / 1/4" MESSENGER MULTIMODE 62.5/125 OCC PART # MX06-090A-WLS/900-JGS OR CORNING PART # 006KWA-T4130D20 OR EQUAL			\$0.00
134	3000	FT	FIBER OPTIC CABLE 48-STRAND INDOOR/OUTDOOR MULTIMODE 50/125 OCC PART # DX048-105D-ALS/900-OFNR OR CORNING PART # 048CWF-T4131D20 OR EQUAL			\$0.00
135	3000	FT	FIBER OPTIC CABLE 24-STRAND INDOOR/OUTDOOR MULTIMODE 50/125 OCC PART # DX024-085D-ALS/900-OFNR OR CORNING PART # 024C8F-31131-24 OR EQUAL			\$0.00
136	3000	FT	FIBER OPTIC CABLE 12-STRAND INDOOR/OUTDOOR MULTIMODE 50/125 OCC PART # DX012-065D-ALS/900-OFNR OR CORNING PART # 012C8F-31131-24 OR EQUAL			\$0.00
137	3000	FT	FIBER OPTIC CABLE 6-STRAND INDOOR/OUTDOOR MULTIMODE 50/125 OCC PART # DX006-055D-ALS/900-OFNR OR CORNING PART # 006C8F-31131-24 OR EQUAL			\$0.00
138	3000	FT	FIBER OPTIC CABLE 48-STRAND I/O PLENUM RATED MULTIMODE 50/125 OCC PART # DX048-095K-ALS/900-OFNP OR CORNING PART # 048CWP-T4131D20 OR EQUAL			\$0.00
139	3000	FT	FIBER OPTIC CABLE 24-STRAND I/O PLENUM RATED MULTIMODE 50/125 OCC PART # DX024-070K-ALS/900-OFNP OR CORNING PART # 024C8P-31131-29 OR EQUAL			\$0.00
140	3000	FT	FIBER OPTIC CABLE 12-STRAND I/O PLENUM RATED MULTIMODE 50/125 OCC PART # DX012-060K-ALS/900-OFNP OR CORNING PART # 012C8P-31131-29 OR EQUAL			\$0.00
141	3000	FT	FIBER OPTIC CABLE 6-STRAND I/O PLENUM RATED MULTIMODE 50/125 OCC PART # DX006-045K-ALS/900-OFNP OR CORNING PART # 006C8P-31131-29 OR EQUAL			\$0.00
142	3000	FT	FIBER OPTIC CABLE 48-STRAND I/O 50UM MULTIMODE ARMORED OCC PART # DX48-105D-ALS/900-OFNR-IAD OR CORNING PART # 048CWF-T4131DA1 OR EQUAL			\$0.00
143	3000	FT	FIBER OPTIC CABLE 24-STRAND I/O 50UM MULTIMODE ARMORED OCC PART # DX24-085D-ALS/900-OFNR-IAD OR CORNING PART # 024C8F-31131-A1 OR EQUAL			\$0.00
144	3000	FT	FIBER OPTIC CABLE 12-STRAND I/O 50UM MULTIMODE ARMORED OCC PART# DX12-065D-ALS/900-OFNR-IAD OR CORNING PART # 012C8F-31131-A1 OR EQUAL			\$0.00
145	3000	FT	FIBER OPTIC CABLE 6-STRAND I/O 50UM MULTIMODE ARMORED OCC PART # DX06-055D-ALS/900-OFNR-IAD OR CORNING PART # 006C8F-31131-A1 OR EQUAL			\$0.00
146	3000	FT	FIBER OPTIC CABLE 48-STRAND INDOOR/OUTDOOR ARMORED PLENUM COATED 50UM MULTIMODE OCC PART # DX48-095K-ALS/900-OFNR-IAK OR CORNING PART # 048CWP-T4131DA1 OR EQUAL			\$0.00
147	3000	FT	FIBER OPTIC CABLE 24-STRAND INDOOR/OUTDOOR ARMORED PLENUM COATED 50UM MULTIMODE OCC PART # DX24-070K-ALS/900-OFNR-IAK OR CORNING PART # 024C8P-31131-A3 OR EQUAL			\$0.00
148	3000	FT	FIBER OPTIC CABLE 12-STRAND INDOOR/OUTDOOR ARMORED PLENUM COATED 50UM MULTIMODE OCC PART # DX12-060K-ALS/900-OFNR-IAK OR CORNING PART # 012C8P-31131-A3 OR EQUAL			\$0.00
149	3000	FT	FIBER OPTIC CABLE 6-STRAND INDOOR/OUTDOOR ARMORED PLENUM COATED 50UM MULTIMODE OCC PART # DX06-050K-ALS/900-OFNR-IAK OR CORNING PART # 006C8P-31131-A3 OR EQUAL			\$0.00

150	3000	FT	FIBER OPTIC CABLE 12-STRAND OUTDOOR AERIAL/DUCT MULTIMODE 50/125 OCC PART # DX012-075A-ALS/900 OR CORNING PART # 012CW4-T4131D20 OR EQUAL			\$0.00
151	3000	FT	FIBER OPTIC CABLE 12-STRAND OUTDOOR AERIAL W/MESSENGER MULTIMODE 50/125 OCC PART # M12-090A-ALS/900-JGS OR CORNING PART # 012CWA-T4131D20 OR EQUAL			\$0.00
152	3000	FT	FIBER OPTIC CABLE 24-STRAND I/O SINGLEMODE 9/125 OCC PART # DX24-085D-SLX/900-OFNR-WB OR CORNING PART # 024E8F-31131-24 OR EQUAL			\$0.00
153	3000	FT	FIBER OPTIC CABLE 12-STRAND I/O SINGLEMODE 9/125 OCC PART # DX12-065D-SLX/900-OFNR-WB OR CORNING PART # 012E8F-31131-24 OR EQUAL			\$0.00
154	3000	FT	FIBER OPTIC CABLE 6-STRAND I/O SINGLEMODE 9/125 OCC PART # DX06-055D-SLX/900-OFNR-WB OR CORNING PART # 006E8F-31131-24 OR EQUAL			\$0.00
155	3000	FT	FIBER OPTIC CABLE 24-STRAND I/O PLENUM RATED SINGLEMODE 9/125 OCC PART # DX24-070K-SLX/900-OFNP-WB OR CORNING PART # 024E8P-31131-29 OR EQUAL			\$0.00
156	3000	FT	FIBER OPTIC CABLE 12-STRAND I/O PLENUM RATED SINGLEMODE 9/125 OCC PART # DX12-060K-SLX/900-OFNP-WB OR CORNING PART # 012E8P-31131-29 OR EQUAL			\$0.00
157	3000	FT	FIBER OPTIC CABLE 6-STRAND I/O PLENUM RATED SINGLEMODE 9/125 OCC PART # DX06-045K-SLX/900-OFNP-WB OR CORNING PART # 006E8P-31131-29 OR EQUAL			\$0.00
158	3000	FT	FIBER OPTIC CABLE 24-STRAND I/O ARMORED SINGLEMODE 9/125 OCC PART # DX24-085D-SLX/900-OFNR-IAD OR CORNING PART # 024E8F-31131-A1 OR EQUAL			\$0.00
159	3000	FT	FIBER OPTIC CABLE 12-STRAND I/O ARMORED SINGLEMODE 9/125 OCC PART # DX12-070D-SLX/900-OFNR-IAD OR CORNING PART # 012E8F-31131-A1 OR EQUAL			\$0.00
160	3000	FT	FIBER OPTIC CABLE 6-STRAND I/O ARMORED SINGLEMODE 9/125 OCC PART # DX06-060D-SLX/900-OFNR-IAD OR CORNING PART # 006E8F-31131-A1 OR EQUAL			\$0.00
161	3000	FT	FIBER OPTIC CABLE 24-STRAND I/O ARMORED PLENUM RATED SINGLEMODE 9/125 OCC PART # DX24-070K-SLX/900-OFNR-IAK OR CORNING PART # 024E8P-31131-A3 OR EQUAL			\$0.00
162	3000	FT	FIBER OPTIC CABLE 12-STRAND I/O ARMORED PLENUM RATED SINGLEMODE 9/125 OCC PART # DX12-060K-SLX/900-OFNR-IAK OR CORNING PART # 012E8P-31131-A3 OR EQUAL			\$0.00
163	3000	FT	FIBER OPTIC CABLE 6-STRAND I/O ARMORED PLENUM RATED SINGLEMODE 9/125 OCC PART # DX06-050K-SLX/900-OFNR-IAK OR CORNING PART # 006E8P-31131-A3 OR EQUAL			\$0.00
164	2000	FT	OCC FIBER OPTIC HYBRID CABLE 96 FIBER ARMORED PLENUM COATED (48 STRAND MULTI-MODE 50/125 & 48 STRAND SINGLEMODE 9/125) OCC PART# DX96-140K-48ALS-48SLX/900-OFNR-IAK OR EQUAL			\$0.00
165	2000	FT	FIBER OPTIC HYBRID CABLE 48 FIBER ARMORED PLENUM COATED (24 STRAND MULTI-MODE 50/125 & 24 STRAND SINGLEMODE 9/125) OCC PART # DX48-095K-24ALS-24SLX/900-OFNR-IAK OR CORNING PART # 048XWP-T41XXD20 OR EQUAL			\$0.00
166	2000	FT	FIBER OPTIC HYBRID CABLE 24 FIBER ARMORED PLENUM COATED (12 STRAND MULTI-MODE 50/125 & 12 STRAND SINGLEMODE 9/125) OCC PART # DX24-075K-12ALS-12SLX/900-OFNR-IAK OR CORNING PART # 024X8P-311XX-A3 OR EQUAL			\$0.00
167	2000	EA	SIECOR SC MM 62.5UM CONNECTORS, PART # 95-000-40 OR EQUAL			\$0.00

168	1000	EA	SIECOR ST MM 62.5UM CONNECTORS, PART # 95-000-50 OR EQUAL			\$0.00
169	500	EA	SIECOR SC MM 50UM CONNECTORS, PART# 95-050-41 OR EQUAL			\$0.00
170	500	EA	SIECOR ST MM 50UM CONNECTORS, PART# 95-050-51 OR EQUAL			\$0.00
171	500	EA	SIECOR SC SM CONNECTORS, PART# 95-200-41 OR EQUAL			\$0.00
172	500	EA	SIECOR ST SM CONNECTORS, PART# 95-200-51 OR EQUAL			\$0.00
173	20	EA	MULTILINK 1U RACKMOUNT FIBER ENCLOSURE MULTILINK PART# FRM-1RU-2X-SO OR EQUAL			\$0.00
174	20	EA	MULTILINK 2U RACKMOUNT FIBER ENCLOSURE MULTILINK PART# FRM-2RU-4X-SO OR EQUAL			\$0.00
175	20	EA	MULTILINK 3U RACKMOUNT FIBER ENCLOSURE MULTILINK PART# FRM-3RU-9X-TS OR EQUAL			\$0.00
176	20	EA	MULTILINK 6-PORT ST MM/SM MODULE; FITS RACKMOUNT ENCLOSURES MULTILINK PART# MST-06-P-BLK OR EQUAL			\$0.00
177	20	EA	MULTILINK 6-PORT SC MM/SM MODULE; FITS RACKMOUNT ENCLOSURES MULTILINK PART# MSC-06-MM-P-BLK OR EQUAL			\$0.00
178	20	EA	MULTILINK 8-PORT ST MM/SM MODULE; FITS RACKMOUNT ENCLOSURES MULTILINK PART# MST-08-P-BLK OR EQUAL			\$0.00
179	20	EA	MULTILINK 8-PORT SC MM/SM MODULE; FITS RACKMOUNT ENCLOSURES MULTILINK PART# MSC-08-MM-P-BLK OR EQUAL			\$0.00
180	20	EA	MULTILINK 12-PORT ST MM/SM MODULE; FITS RACKMOUNT ENCLOSURES MULTILINK PART# MST-12-P-BLK OR EQUAL			\$0.00
181	20	EA	MULTILINK 12-PORT SC MM/SM MODULE; FITS RACKMOUNT ENCLOSURES MULTILINK PART# MSC-12-MM-P-BLK OR EQUAL			\$0.00
182	20	EA	MULTILINK BLANK MODULE; FITS RACK MOUNT ENCLOSURES MULTILINK PART # MFMB-600BB-BLK OR EQUAL			\$0.00
183	20	EA	LEVITON 1U RACKMOUNT FIBER ENCLOSURE LEVITON PART# 5R1UA-A03 OR EQUAL			\$0.00
184	20	EA	LEVITON 2U RACKMOUNT FIBER ENCLOSURE LEVITON PART# 5R2UA-A06 OR EQUAL			\$0.00
185	20	EA	LEVITON 3U RACKMOUNT FIBER ENCLOSURE LEVITON PART# 5R3UA-A12 OR EQUAL			\$0.00
186	20	EA	LEVITON SMALL EMPTY FIBER WALL MOUNT ENCLOSURE ONLY 8"HIGH X 13"WIDE X 3.5"DEEP LEVITON PART# 5W110-00N OR EQUAL			\$0.00
187	20	EA	LEVITON MEDIUM EMPTY FIBER WALL MOUNT ENCLOSURE ONLY 14"HIGH X 12"WIDE X 5.25" DEEP LEVITON PART# 5W310-00N OR EQUAL			\$0.00
188	20	EA	LEVITON LARGE EMPTY FIBER WALL MOUNT ENCLOSURE ONLY 17" HIGH X 15" WIDE X 5.25" DEEP LEVITON PART# 5W710-00N OR EQUAL			\$0.00
189	50	EA	LEVITON ST FIBER 6-PACK TO FIT EITHER WALL MOUNT OR RACKMOUNT ENCLOSURES ONLY LEVITON PART# 5F100-1ST OR EQUAL			\$0.00
190	50	EA	LEVITON SC FIBER 6-PACK TO FIT EITHER WALL MOUNT OR RACKMOUNT ENCLOSURES ONLY LEVITON PART# 5F100-3SC OR EQUAL			\$0.00
191	50	EA	LEVITON BLANK 6-PACK FOR FIBER ENCLOSURES LEVITON PART# 5F100-BPP OR EQUAL			\$0.00
192	50	EA	LEVITON SC FIBER 8-PACK TO FIT EITHER WALL MOUNT OR RACKMOUNT ENCLOSURES LEVITON PART# 5F100-8SC OR EQUAL			\$0.00
193	50	EA	LEVITON SC FIBER 12-PACK TO FIT EITHER WALL MOUNT OR RACKMOUNT ENCLOSURES LEVITON PART# 5F100-CSC OR EQUAL			\$0.00
194	50	EA	SIECOR ST CONNECTOR PANEL, PART # WIC-CP1-25 OR EQUAL			\$0.00
195	50	EA	SIECOR SC CONNECTOR PANEL, PART # WIC-CP1-56 OR EQUAL			\$0.00

196	30	EA	SIECOR WALL MOUNT FIBER ENCLOSURE, PART # WIC-012 OR EQUAL			\$0.00
197	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 1 METER ST TO ST			\$0.00
198	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 1 METER ST TO SC			\$0.00
199	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 1 METER SC TO SC			\$0.00
200	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 1 METER LC TO ST			\$0.00
201	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 1 METER LC TO SC			\$0.00
202	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 1 METER LC TO LC			\$0.00
203	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 1 METER SC TO MTRJ			\$0.00
204	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 1 METER LC TO MTRJ			\$0.00
205	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 2 METER ST TO ST			\$0.00
206	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 2 METER ST TO SC			\$0.00
207	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 2 METER SC TO SC			\$0.00
208	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 2 METER LC TO ST			\$0.00
209	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 2 METER LC TO SC			\$0.00
210	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 2 METER LC TO LC			\$0.00
211	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 2 METER SC TO MTRJ			\$0.00
212	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 2 METER LC TO MTRJ			\$0.00
213	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 3 METER ST TO ST			\$0.00
214	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 3 METER ST TO SC			\$0.00
215	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 3 METER SC TO SC			\$0.00
216	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 3 METER LC TO ST			\$0.00
217	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 3 METER LC TO SC			\$0.00
218	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 3 METER LC TO LC			\$0.00
219	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 3 METER SC TO MTRJ			\$0.00
220	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 3 METER LC TO MTRJ			\$0.00
221	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 1 METER ST TO ST			\$0.00
222	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 1 METER ST TO SC			\$0.00
223	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 1 METER SC TO SC			\$0.00
224	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 1 METER LC TO ST			\$0.00
225	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 1 METER LC TO SC			\$0.00
226	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 1 METER LC TO LC			\$0.00
227	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 1 METER SC TO MTRJ			\$0.00
228	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 1 METER LC TO MTRJ			\$0.00
229	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER ST TO ST			\$0.00
230	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER ST TO SC			\$0.00

231	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER SC TO SC			\$0.00
232	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER LC TO ST			\$0.00
233	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER LC TO SC			\$0.00
234	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER LC TO LC			\$0.00
235	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER SC TO MTRJ			\$0.00
236	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER LC TO MTRJ			\$0.00
237	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 3 METER ST TO ST			\$0.00
238	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 3 METER ST TO SC			\$0.00
239	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 3 METER SC TO SC			\$0.00
240	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 3 METER LC TO ST			\$0.00
241	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 3 METER LC TO SC			\$0.00
242	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 3 METER LC TO LC			\$0.00
243	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 3 METER SC TO MTRJ			\$0.00
244	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 3 METER LC TO MTRJ			\$0.00
245	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 1 METER ST TO ST			\$0.00
246	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 1 METER ST TO SC			\$0.00
247	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 1 METER SC TO SC			\$0.00
248	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 1 METER LC TO ST			\$0.00
249	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 1 METER LC TO SC			\$0.00
250	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 1 METER LC TO LC			\$0.00
251	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 1 METER SC TO MTRJ			\$0.00
252	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 1 METER LC TO MTRJ			\$0.00
253	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER ST TO ST			\$0.00
254	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER ST TO SC			\$0.00
255	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER SC TO SC			\$0.00
256	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER LC TO ST			\$0.00
257	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER LC TO SC			\$0.00
258	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER LC TO LC			\$0.00
259	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER SC TO MTRJ			\$0.00
260	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER LC TO MTRJ			\$0.00
261	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER ST TO ST			\$0.00
262	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER ST TO SC			\$0.00
263	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER SC TO SC			\$0.00
264	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER LC TO ST			\$0.00
265	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER LC TO SC			\$0.00

266	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER LC TO LC			\$0.00
267	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER SC TO MTRJ			\$0.00
268	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER LC TO MTRJ			\$0.00
269	20	EA	ALLIED TELESYN ST TO RJ45 FEMALE FIBER MEDIA CONVERTER 10/100MEG PART# AT-FS201 OR EQUAL			\$0.00
270	20	EA	ALLIED TELESYN CENTRE COM MC13 UTP/FIBER ST 10MBPS MEDIA CONVERTER PART# ATMC13-10 OR EQUAL			\$0.00
271	20	EA	TRANSITION NETWORKS ETHERNET 10BASE-T TO 10BASE-FL STAND-ALONE MEDIA CONVERTER; TRANSITION NETWORKS PART# E-TBT-FRL-05 OR EQUAL			\$0.00
272	20	EA	TRANSITION NETWORKS FAST ETHERNET 100BASE-TX TO 100BASE-FX STAND-ALONE MEDIA CONVERTER; TRANSITION NETWORKS PART# E-100BTX-FX-05 OR EQUAL			\$0.00
TOTAL COST OF ALL ITEMS						\$ 0.00

CABLE 11 Statewide Contract

TOTAL EVALUATED BID PRICE SHEET

TOTAL COST OF ALL ITEMS \$0.00

INSIDE DELIVERY CHARGE (Explain) \$0.00

TOTAL EVALUATED BID PRICE **\$0.00**

THERE WILL NOT BE A SPLIT AWARD FOR THIS CONTRACT.

RFQ No. _____

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code §61-5-3*), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: _____

Authorized Signature: _____ Date: _____

State of _____

County of _____, to-wit:

Taken, subscribed, and sworn to before me this ___ day of _____, 20__.

My Commission expires _____, 20__.

AFFIX SEAL HERE

NOTARY PUBLIC _____

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

- 1. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: _____ Signed: _____

Date: _____ Title: _____

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.