



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DEP15396

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
**CHUCK BOWMAN
 304-558-2157**

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

**ENVIRONMENTAL PROTECTION
 DEPARTMENT OF
 OFFICE OF AML&R
 601 57TH STREET SE
 CHARLESTON, WV
 25304 304-926-0499**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
05/04/2011				

BID OPENING DATE: **05/17/2011** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
	*****	*****	*****	ADDENDUM NO. 1	*****	
	ADDENDUM ISSUED FOR THE GORDON "C" REFUSE PILE PROJECT IN BOONE CO., TO DISTRIBUTE THE PRE-BID SIGN-IN SHEETS, THE Q/A, THE REVISED & NEW SPECIFICATIONS, THE REVISED DRAWING, AND THE REVISED BID SCHEDULE AS A RESULT OF THE MANDATORY PRE-BID MEETING ON 04/13/2011. BID OPENING DATE AND TIME ARE EXTENDED FROM 05/12/11 TO 05/17/11 AT 1:30 PM. ***** NO OTHER CHANGES *****					
0001	1	JB		962-73		
	RECLAMATION: RESTORATION OF LAND & OTHER PROPERTIES					
	***** THIS IS THE END OF RFQ DEP15396 ***** TOTAL: _____					

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
5. Payment may only be made after the delivery and acceptance of goods or services.
6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).

DEP15396
Gordon "C" Refuse Pile
Addendum # 1

Item 1: The contractor will have 90 days from the date of the Notice to Proceed to complete construction activities on the project. The \$250 per day liquidated damage clause will be in effect after the 90 days. However, the total performance period will be 365 days from the date of the Notice to Proceed for invoicing purposes.

Item 2: Q) How much soil cover is required?

A) Twelve inches. Please refer to Section 8 of the specifications.

Item 2: Q) Can you clarify the access issues on the lower end of the job, near the county delta route.

A) Access in this area is granted specifically to accommodate the proposed work in the immediate area (installation of the modified G-inlet and the 24-inch HDPE pipe). This area is not to be a construction entrance to access the remainder of the job.

Item 3: Q) Are we responsible for asbestos testing?

A) It is not anticipated that the structures to be demolished contain asbestos. However, if encountered, it is the contractor's responsibility to comply with all Federal, State, and local regulations concerning its disposal.

Item 4: Q) Is a Corps permit required for the temporary crossing?

A) The intent is to construct the temporary crossing with no material being placed below the ordinary high water mark. It is not anticipated that a Corps permit will be required.

Item 5: Q) What permits are required?

A) As referenced in Section 7 of the General Conditions, the Contractor shall procure and pay for all permits, licenses, inspections, conveniences, or approvals necessary for the execution of its contract. The storm water permit (NPDES) has been obtained. A right-of-way encroachment permit application (Division of Highways) has been submitted. The acquisition of all other required permits will be the responsibility of the Contractor.

Item 6: The construction work limits have been modified to accommodate the anticipated drilling operations. A revised plan sheet is included with this addendum.

Item 7: Section 4.0 of the Specifications has been modified. A copy of the revised specifications is included with this addendum.

Item 8: The bid sheet has been modified. Bid Item 4.1, "Clearing and Grubbing", has been deleted and replaced with Bid Item 4.1, "Site Preparation". Bid Item 11.1, "Drilling", has been added. A copy of the revised bid sheet and specifications are included with this addendum. The revised bid sheet supersedes the original bid sheet, as well as, the bid item information shown on the Title Sheet of the project plans.

11.0 DRILLING

11.1 Description

This work consists of drilling bore holes from the ground surface to the base of the mined coal seam and installing and removal of piezometers as directed by these Specifications.

11.2 Materials

11.2.1 Piezometers

Piezometers shall consist of a 3 to 5 foot minimum long tip section of commercial slotted (No. 20 Slot) standard diameter Schedule 40, polyvinyl chloride pipe, meeting the requirements of ASTM D-1784 with solvent cemented slip-on joints or threaded flush-joint pipe or commercially slotted aluminum piezometers. The top of the riser shall be threaded to accept a threaded heavy duty PVC cap with 1/8" diameter vent hole

11.3 Equipment:

Standard rotary type drilling equipment can be used. The drilling equipment must be capable of drilling vertical holes as directed by the WVDEP to the required diameter and depth. At a minimum, the holes must be drilled to accommodate a two-inch piezometer.

The contractor shall furnish a water truck capable of hauling an minimum of 500 gallons as necessary where water supplies are not readily available.

The drilling equipment must be equipped with dust collection and/or control devices capable of minimizing fugitive dust emissions during the drilling operation. All drills utilized on this project should be at a minimum, equipped with dust skirts on the drill table, an exhaust system meeting the original manufacturers recommendations or equipment, dust collars which fit around the drill steel as it passes through the drill table (regardless of top or bottom drive), and water spray bars. Drills shall also be equipped with pressure gauges, which indicate the down hole drilling pressure.

11.4 Procedures

All boreholes drilled shall be drilled to the base of the mined coal seam and shall have a diameter of sufficient size to permit the installation and removal of a piezometer. The contractor shall submit a drilling plan to the engineer for review and approval prior to commencement of drilling operations. The WVDEP engineer reserves the right to: specify the sequence of drilling, terminate the

drilling of any of the holes at any depth, order the drilling of holes, in addition to those specified herein or delete the drilling of holes specified herein, or change the proposed location of any of the holes.

Special provisions or plans needed to avoid existing structures, utilities, etc., shall be approved by WVDEP prior to the Contractor utilizing these provisions or plans to drill the associated boreholes.

Drilling shall be performed in such a manner as to minimize mine roof collapse, such as reducing down pressure, etc., directly above the mine. The Contractor will be responsible for drilling holes as needed to reach the desired point in the mine. The holes shall be drilled with bits and stabilizers or collars (as required) to provide full-diameter, straight holes.

Water encountered in the drilling process and carried to the surface with cuttings shall be contained and filtered by the use silt fence. Silt fence shall be paid under Section 5.0, "**Sediment Control**". Cuttings and dust sludge shall be cleaned from the hole area after drilling is completed and prior to piezometer installation. Water discharged from the immediate work areas shall meet all applicable Federal, State and local effluent limitations.

Drilling records (logs) shall be developed by the Contractor to document the types of soil and rock encountered, the depth of changes in soil and rock types, locations of voids, fractures, and water bearing zones. In every hole, special attention shall be given to the conditions at mine level (i.e. presence of coal, gob, roof falls, voids, mud and water), and the location of abnormal loss or gain of drill water or air. The Contractor shall note on the logs which holes, if any, are interconnected as evidenced by dust or water discharge from hole(s) other than the hole being drilled. Drilling records (logs) shall be provided to the WVDEP engineer within one day of completion of the hole and prior to the injection of material.

Upon completion of mine dewatering and mine seal installation the piezometers will be removed and the drill hole will be grouted. Piezometer Abandonment: Piezometers are to be removed and abandoned by an individual who has been certified by the State of West Virginia in accordance with 47CSR59 "Monitoring Well Regulations.". This certification is required for construction, installation, alteration and/or abandonment of any monitoring wells and select boreholes. Piezometers should not be abandoned until mine dewatering is completed.

11.5 **Method of Measurement:**

The method of measurement for drilling in both soil and rock will be made in linear feet from the ground surface to the actual depth drilled along the axis of the hole.

This shall include the cost of furnishing all labor, materials, tools and equipment required for drilling the holes, installation and removal of piezometers, removing all materials from the casing and maintaining the holes open and clean until no longer required, and all incidental work connected therewith.

11.6 **Basis of Payment**

Payment will be made at the contract unit price per linear foot.

11.7 **Pay Items**

Item 11.1 “Drilling”, per linear foot.

4.0 SITE PREPARATION

4.1 Description

Work performed under this section shall include the removal and disposal of all trees, stumps, shrubs and any other vegetation, wood, debris, abandoned mining structures, refuse and garbage of any nature from the limits of the areas of construction and any other areas as approved by WVDEP. This work shall also include the preservation from injury to all vegetation, utilities or other objects to remain. As directed by the Engineer, exposed refuse material encountered during project construction shall be graded to drain, soil covered, seeded and mulched.

Roads shall be protected as per notes on the attached plans. Stone consisting of a four (4) inch layer of Class I Aggregate shall be placed on disturbed access roads at the completion of the construction as shown on the attached plans or directed by the WVDEP.

4.2 Materials

4.2.1 Tree Wound Dressing

Trunk damage to trees shall be painted with Tree-kote or an equal antiseptic and waterproof paint with an asphaltic base. This paint shall not contain coal-tar creosote, turpentine or other materials harmful to plants or animals.

4.3 Construction Methods

4.3.1 Site Preparation

The specific areas to be cleared and grubbed are as shown on the Contract Drawings and are generally described as, but not limited to, those specific areas of excavation, backfill, or drainage structure installation.

The Contractor shall clear the site within the limits of the areas to be reclaimed. The WVDEP shall exercise control over clearing and shall designate all trees, plants and other objects to be removed or to remain.

Install perimeter erosion and sediment controls (BMP's) prior to clearing and grubbing. These controls shall be approved by the WVDEP inspector before clearing and grubbing begins. Clearing and grubbing shall be completed prior to initiation of earthwork operations. The Contractor shall confine his operations strictly to required areas. If he clears and grubs beyond the required areas, whether knowingly or accidentally, he shall, at his expense, replant and otherwise restore all areas outside the limit lines to a condition equal to that existing prior to start of work.

All stumps, roots, buried logs and brush shall be removed. Grass, however, may be incorporated into the resoiling material. Tap roots and other projections over 1 ½ inches in diameter shall be grubbed out to a depth of at least ten (10) inches below the planned subgrade or slope elevation. All holes remaining after the grubbing operation shall have the sides broken down to flatten out the slopes, and shall be filled with suitable materials, moistened and properly compacted.

Cleared and grubbed areas shall be worked such that positive drainage is provided to prevent ponding of water.

All organic material shall be burned on site. Burning of the combustible material will not be permitted within close proximity to coal seams or structures. The Contractor shall obtain all permits and licenses required prior to burning the material. A plan showing the location of material to be burned and all fire control measures to be implemented, including copies of permits and licenses shall be submitted to the WVDEP's representative at the site for approval. All timber 8" in diameter and larger at stump height shall be cut prior to clearing and grubbing operations. Timber shall be topped with branches removed and stacked and stockpiled in an appropriate manner in an accessible location approved by WVDEP on the property from which it was cut. Timber to be stockpiled shall not be pushed down by equipment prior to being cut nor can it be indiscriminately shoved into a stockpile.

All other materials generated from required clearing and grubbing operations shall be removed and disposed of by the Contractor. All garbage, tires, construction debris, mining debris, mining structures, etc., within the limits of construction, shall be disposed at a licensed landfill. Weigh ticket as receipts for this material will be required.

4.3.2 Access Road

The contractor shall construct, maintain, and reclaim the temporary construction access road. Upon completion of the project, the contractor shall return the disturbed area to the approximate original conditions as approved by the Engineer. Existing site access roads shall provide safe, all-weather access to the site. These existing roads, including paved roads, shall be maintained during construction and left in an equal or improved state of repair after construction.

Construction of the access roads that require access interruption are to be coordinated with residents and utility companies and kept to a minimum. The Contractor is responsible for locating and avoiding all underground

and overhead utilities and constructions during access road upgrading and maintenance.

It shall be the sole responsibility of the Contractor to correctly locate and avoid all underground, on-ground, and overhead utilities, facilities and other structures and constructions, and for that purpose, shall employ all necessary precautions and methods to insure avoidance of and damage to such constructions. In the event damage does occur, the Contractor shall notify the affected Owner and the WVDEP immediately and make or have made all necessary repairs and bear the expense thereof and resulting damage caused thereby. See Division I, Section 1.15, Utilities and Other Obstructions, of the Special Provisions for more information on utilities.

The contractor shall be solely responsible for maintaining roads and driveways during construction.

4.3.3 NEPA Compliance Schedule

The West Virginia Department of Environmental Protection has determined that off-site disposal (or borrow) may be required to complete reclamation on this site. Since the most effective location has not been determined, the following procedures will be observed relative to selection and utilizing any disposal (or borrow location).

No disposal (or borrow) site operations will affect a site listed in, eligible or proposed to be listed in the National Register of Historic Places.

No disposal (or borrow) operations will be located within one-quarter mile of any Federally listed, established or prospective component of the National Wild and Scenic River System under 16 USC 1274 and 1276.

Disposal (or borrow) site operations will not cause a significant encroachment within the base floodplain (E.O. 11988: Floodplain Management). Disposal (or borrow) site operations will not be located in or affect a critical habitat of a Federally listed endangered or threatened species under 16 USC 1531, et. seq.

No disposal (or borrow) operations will occur in wetland areas which are designated by appropriate agencies. Disposal (or borrow) site operations will be consistent with any approved plans governing ambient air quality.

Adherence to these mitigation measures does not relieve the grantee or recipient of the obligation or responsibility to obtain other Federal, State, or local approvals required to use disposal (borrow) and conduct such activities.

Documentation: Copies of disposal (borrow) site approvals, and concurrences will be submitted to the Department of Environmental Protection prior to the commencement of reclamation activities.

Site Monitoring: Disposal (borrow) activities will be monitored by the State to ensure compliance with contractual requirements, applicable Federal, State, and local laws, and any permit conditions.

4.3.4 Temporary Site Access Bridge

The contractor will construct a temporary bridge crossing the creek at the location shown on the plan sheets. The contractor will supply the WVDEP and the engineer with design computations from a Registered West Virginia Professional Engineer for the proposed structure. Computations will demonstrate that the proposed bridge is adequate to carry the contractor's largest anticipated piece of equipment or anticipated loads of materials to be delivered to the site.

The requirements for the proposed temporary bridge also include an open waterway cross section below the structure of at least 96 square feet to maintain the creek channel's existing capacity.

Due to the location of the temporary structure and the configuration of the existing roadway the contractor will provide adequate signing and flagging along the existing roadway to allow construction equipment to safely enter and exit the site. The traffic control method to be utilized in accordance with the WVDOH "Traffic Engineering Manual" Condition will be Case A3. See attached copy in the appendix of this specification.

4.4 Method of Measurement

4.4.1 Site Preparation

The method of measurement for Site Preparation will be on a lump sum basis. Clearing and grubbing, Stockpiling timber, removal of trees, shrubs, equipment, garbage, tires, junk, structures refuse, and debris will not be measured but will be considered incidental to the site preparation operations. The contractor is responsible for maintenance of roads during construction.

4.4.2 Temporary Site Access Bridge

The method of measurement for Temporary Site Access Bridge as shown on the plans, shall be on a lump sum basis for completing, maintaining, removal of the bridge and the maintenance of traffic.

4.5 Basis of Payment

4.5.1 Site Preparation:

The quantity of work done will be paid at the contract lump sum bid for this item, which price and payment shall be full compensation for doing all the work herein prescribed in a workmanlike and acceptable manner; including the furnishing of all labor, materials, tools, equipment, supplies, and incidentals necessary to complete the work.

No deduction will be made, nor will any increase be made, in the lump sum site preparation amount regardless of decreases or increases in the final total contract amount or for any other cause.

4.5.2 Temporary Site Access Bridge


The quantity of work done will be paid at the contract lump sum bid for this item, which price and payment shall be full compensation for doing all the work herein prescribed in a workmanlike and acceptable manner; including the furnishing of all labor, materials, tools, equipment, supplies, and incidentals necessary to complete the work.

No deduction will be made, nor will any increase be made, in the lump sum bid item for the Temporary Site Access Bridge amount regardless of decreases or increases in the final total contract amount or for any other cause.

4.6 Pay Item

Item 4.1, "Site Preparation", per lump sum

Item 4.2, "Temporary Site Access Bridge", per lump sum



LEGEND

---	820	EXISTING MAJOR CONTOUR
---		EXISTING MINOR CONTOUR
---		EDGE OF PAVED ROAD
---		LIMITS OF REFUSE
---		STEEL
---		FENCE
---		TREE LINE
---		EXISTING CULVERT
▲	OP 200	5/8" REBAR
⊥		UTILITY POLE
---		MINE PORTAL
---		LIMITS OF CONSTRUCTION
---		SILT FENCE
---		SUPER SILT FENCE
---		ROUTED REFRAP DITCH
---		REFRAP DITCH



WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF ABANDONED MINE LANDS AND RECLAMATION

**GORDON "C" REFUSE PILE
COMPOSITE SITE PLAN**

BOOK COUNTY WEST VIRGINIA	SCALE 1" = 100'	STARTING DATE JANUARY 2011	Mapping By
	DATE JANUARY 2010	STARTING DATE JANUARY 2010	STARTING DATE

PLANS PREPARED BY
EL ROBINSON
3000 Rockwell Avenue, Suite 200
Charmelle, Pennsylvania 15774-0200

dep DEPARTMENT OF ENVIRONMENTAL PROTECTION

SHEET 2

GORDON "C" REFUSE PILE

PER ADDENDUM NO. 1

Revised Contractor's Bid Sheet

Vendors Name: _____

The DEP reserves the right to request additional information and supporting documentation regarding unit prices when the unit price appears to be unreasonable.

ITEM NO.	QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
1.1	LS	Mobilization & Demobilization (Lump Sum) (Cannot exceed 10% of the Total Amount Bid)	LS	\$
2.1	LS	Construction Layout (Lump Sum) (Cannot exceed 5% of the Total Amount Bid)	LS	\$
3.1	LS	Quality Control (Lump Sum) (Cannot exceed 3% of the Total Amount Bid)	LS	\$
4.1	LS	Site Preparation (Lump Sum)	LS	
4.2	LS	Temporary Site Access Bridge(Lump Sum)	LS	\$
5.1	700 LF	Silt Fence (Per Linear Foot)	\$	\$
5.2	1,700	Super Silt Fence (Per Linear Foot)	\$	\$
5.3	9 EA	Stone Check Dam (Per Each)	\$	\$
5.4	1 EA	Stabilized Construction Entrance (Per Each)	\$	\$
6.1	7 ACRES	Revegetation (Per Acre)	\$	\$
7.1	1,058	Type I RipRap Ditch (Per Linear Foot)	\$	\$
7.2	312 LF	Type II Grouted Riprap Ditch (Per Linear Foot)	\$	\$
7.3	1,085	Type III Ditch Grouted Riprap (Per Linear Foot)	\$	\$
7.4	100 LF	Underdrain (Per Linear Foot)	\$	\$
7.5	50 LF	Underdrain Conveyance Pipe (Per Linear Foot)	\$	\$
7.6	307 LF	24" HDPE Pipe Culvert (Per Linear Foot)	\$	\$
7.7	2 EA	Modified Type 'G Drop Inlet (Per Each)	\$	\$
7.8	1 EA	Splash Pad(Per Each)	\$	\$
8.1	2,500 CY	Unclassified Excavation (Per Cubic Yard)	\$	\$
8.2	1 ACRES	Soil Cover (Per Acre)	\$	\$
10.1	6 EA	Wet Mine Seals (Per Each)	\$	\$
10.2	1 EA	Modified Wet Mine Seal (Per Each)	\$	\$
10.3	400 LF	Mine Seal Conveyance Pipe (Per Linear Foot)	\$	\$
10.4	10 BAG	Acid Mine Drainage Treatment (Per 50 lb. Bag)	\$	\$
11.1	500 LF	Drilling (Per Linear Foot)	\$	\$
		TOTAL		\$

MANDATORY PRE-BID SIGN-IN ATTENDANCE SHEET

PLEASE PRINT LEGIBLY

Req. #: DEP15396
 Project: Gordon "C" Refuse Pile

Pre-Bid Date: 4/13/2011
 Bid Opening Date: 5/12/2011

Name: Dawn Rhodes
 Company: Green Mountain Company
 Address: 511 50th ST.
Charleston WV
 Phone #: 304-925-0253
 Fax #: 304-925-9230
 Email: DHB 722 e Yahoo .com

Name: MIKE BRADFORD
 Company: Pineville Paving & Exc. Inc
 Address: Box 1280
Pineville WV 24874
 Phone #: 304-732-8303
 Fax #: 304 732 7855
 Email: Tony P.R. @ AOL.com

Name: DENNIS ELBON
 Company: COWGIRL UP INC
 Address: PO BOX 243
SIMPSON, WV 26437
 Phone #: 304 739-4397
 Fax #: 304-739-4401
 Email: DCE - COWGIRL UP @ GARTH WVK.NET

Name: Bob Pawlcrbang
 Company: DCI SHIRES
 Address: 1259 Bluefield
W.V.A
 Phone #: 304-679-9388
 Fax #: 804-323-3037
 Email: _____

Name: GEORGE FRESHOUR
 Company: EAGLE EXCAVATION INC.
 Address: P.O. BOX 218
KENNA WV 25248
 Phone #: (304) 372-4378
 Fax #: (304) 372-4378
 Email: ~~ALONE~~

Name: Mark Lester
 Company: Lester's Excavating Inc.
 Address: 221 Foundation Fork
Simon, WV 24882
 Phone #: 304-673-6907
 Fax #: 304-664-3094
 Email: Lester's Excavating @ yahoo.co

Name: Robert Barnes
 Company: Barnes EXC. INC.
 Address: P.O. BOX 13384
Sissonville WV 25360
 Phone #: 304-984-1725
 Fax #: 304-984-0074
 Email: Barnes EXC @ AOL.com

Name: BARBIE F. FOSTER
 Company: EAGLE CONTRACTORS LLC
 Address: 1721 WINFIELD ROAD
WINFIELD WV 25213
 Phone #: 204-552-7781
 Fax #: 304-755-3150
 Email: cdentegefinc.com

MANDATORY PRE-BID SIGN-IN ATTENDANCE SHEET

PLEASE PRINT LEGIBLY

Req. # : DEP15396
 Project : Gordon "C" Refuse Pile

Pre-Bid Date: 4/13/2011
 Bid Opening Date: 5/12/2011

Name: Lloyd McVay
 Company: Wiseman Excavating INC
 Address: Rt 1 Box 190 Liberty
WV 25124
 Phone #: 304-586-3736
 Fax #: 304-586-3789
 Email: Wiseman Farms AOL.com

Name: _____
 Company: _____
 Address: _____
 Phone #: _____
 Fax #: _____
 Email: _____

Name: Bill Hager
 Company: Tri-State Piping Inc.
 Address: 6351 US RT 60 East
Suite 3 Beckmansville
WV
 Phone #: 304 733 6801
 Fax #: 304-521-2249
 Email: Jemascope@TriStatePiping.com

Name: _____
 Company: _____
 Address: _____
 Phone #: _____
 Fax #: _____
 Email: _____

Name: Randy Carpenter
 Company: Carpenter Reclamation
 Address: PO Box 13015
Sissonville, WV 25360
 Phone #: 304-984-1115
 Fax #: 984-2770
 Email: Rcarp@b3@aol.com

Name: _____
 Company: _____
 Address: _____
 Phone #: _____
 Fax #: _____
 Email: _____

Name: Mike Hoffman
 Company: Dunn Excavating
 Address: 7414 Sissonville Dr.
Charleston WV 25320
 Phone #: 984-3246
 Fax #: 984-0319
 Email: dunn@jimmydunnexcavating.com

Name: _____
 Company: _____
 Address: _____
 Phone #: _____
 Fax #: _____
 Email: _____