



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER

09120355

PAGE

1

ADDRESS CORRESPONDENCE TO ATTENTION OF:

ALAN CUMMINGS
304-558-2402

RFQ COPY

TYPE NAME/ADDRESS HERE

V
E
N
D
O
RS
H
I
P
T
O

DIVISION OF HIGHWAYS
JOBSITE
SEE SPECIFICATIONS

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/14/2012				

BID OPENING DATE:

03/14/2012

BID OPENING TIME

01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	SF		210-16		
CONCRETE BEAMS, CHANNELS, PRESTRESSED						
THE WEST VIRGINIA STATE PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF HIGHWAYS, IS SOLICITING BIDS TO PROVIDE THE AGENCY WITH CONCRETE BOX BEAMS PER THE ATTACHED SPECIFICATIONS.						
TECHNICAL QUESTIONS CONCERNING THIS SOLICITATION MUST BE SUBMITTED IN WRITING TO ALAN CUMMINGS IN THE WEST VIRGINIA STATE PURCHASING DIVISION VIA FAX AT 304-558-4115 OR VIA EMAIL AT ALAN.W.CUMMINGS@WV.GOV.						
DEADLINE FOR TECHNICAL QUESTIONS IS 02/29/12 AT THE CLOSE OF BUSINESS.						
ANY TECHNICAL QUESTIONS RECEIVED WILL BE ANSWERED BY FORMAL ADDENDUM TO BE ISSUED BY THE PURCHASING DIVISION AFTER THE DEADLINE HAS LAPSED.						
EXHIBIT 10						
REQUISITION NO.:						
ADDENDUM ACKNOWLEDGEMENT						
I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.						
ADDENDUM NO.'S:						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
 2. The State may accept or reject in part, or in whole, any bid.
 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
 5. Payment may only be made after the delivery and acceptance of goods or services.
 6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
 7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
 10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
 12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
 13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
 14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
 15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
 16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.
- I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
09120355

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
ALAN CUMMINGS 304-558-2402

RFQ COPY
TYPE NAME/ADDRESS HERE

V
E
N
D
O
R

DIVISION OF HIGHWAYS
JOBSITE
SEE SPECIFICATIONS

S
H
I
P
T
O

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/14/2012				

BID OPENING DATE: 03/14/2012 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
	NO. 1					
	NO. 2					
	NO. 3					
	NO. 4					
	NO. 5					
I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.						
VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.						
					SIGNATURE	
					COMPANY	
					DATE	
NOTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED WITH THE BID.						
REV. 09/21/2009						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE		TELEPHONE		DATE
TITLE		FEIN		ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER

09120355

PAGE

3

ADDRESS CORRESPONDENCE TO ATTENTION OF:

ALAN CUMMINGS
304-558-2402

RFQ COPY

TYPE NAME/ADDRESS HERE

V
E
N
D
O
R

S
H
I
P
T
O

DIVISION OF HIGHWAYS
JOBSITE
SEE SPECIFICATIONS

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/14/2012				

BID OPENING DATE:

03/14/2012

BID OPENING TIME

01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
NOTICE A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEALED BID BUYER: ALAN CUMMINGS - FILE 33 RFQ. NO.: 09120355 BID OPENING DATE: 3/14/2012 BID OPENING TIME: 1:30 P.M. PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: ----- CONTACT PERSON (PLEASE PRINT CLEARLY):						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
09120355

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF:
ALAN CUMMINGS 304-558-2402

RFQ COPY
TYPE NAME/ADDRESS HERE

V
E
N
D
O
R

DIVISION OF HIGHWAYS
JOBSITE
SEE SPECIFICATIONS

S
H
I
P
T
O

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/14/2012				

BID OPENING DATE: 03/14/2012 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT

ANY INDIVIDUAL SIGNING THIS BID IS CERTIFYING THAT: (1) HE OR SHE IS AUTHORIZED BY THE BIDDER TO EXECUTE THE BID OR ANY DOCUMENTS RELATED THERETO ON BEHALF OF THE BIDDER, (2) THAT HE OR SHE IS AUTHORIZED TO BIND THE BIDDER IN A CONTRACTUAL RELATIONSHIP, AND (3) THAT THE BIDDER HAS PROPERLY REGISTERED WITH ANY STATE AGENCIES THAT MAY REQUIRE REGISTRATION.						
***** THIS IS THE END OF RFQ 09120355 ***** TOTAL: _____						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE		TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

Specifications

Purpose: To establish a purchase order for concrete box beams

1.0 DEFINITIONS

- A. The "Agency" shall be defined as the West Virginia Division of Highways
- B. The "Vendor" shall be defined as the successful bidder.
- C. The "Purchase Order" shall be defined as the binding agreement that is entered into between the State of West Virginia and the Vendor to provide the services as herein specified.
- D. "Mandatory Requirements: The terms "must", "will", "shall", "minimum", "maximum", or "is/are required" identify a mandatory item or factor. Decisions regarding compliance with any mandatory requirements shall be at the sole discretion of the State.

2.0 SCOPE OF WORK

The successful Vendor shall provide concrete box beams for Paint Creek Bridge replacement

2.1 Technical Requirements:

The vendor shall provide the materials including delivery to the project site. Materials supplied under this contract shall meet the applicable requirements of the West Virginia Dept of Transportation, Division of Highways Standard Specifications Roads and Bridges and the current Supplemental Specifications. Specifications are available on the following website:
www.transportation.wv.gov/highways/engineering/Pages/publications.aspx

2.2 Freight

2.2.1 All shipments are to be FOB Destination

2.2.2 The vendor shall be responsible for all costs associated with delay to delivery to job site.

2.3 Delivery

2.3.1 The above materials are to be delivered to:

Rt 23 MP 8.37
Fayette County

2.3.2 Call Adrian Lusk @ 304-647-7829 with any questions.

2.3.3 Call Adrian Lusk 24 hours prior to delivery @ 304-647-7829

3.0 INVOICING

3.1 Payment

3.1 The Vendor must send an invoice to:

WV Dept of Transportation-Division of Highways
146 Stonehouse Rd
Lewisburg, WV 24901

3.2 Partial Payment of Approved Beams

3.2.1 Upon completion of manufacture and approval by the Division of Highways of all beams specified on an individual Requisition Purchase Order (RPO), the vendor may invoice and the Division will pay for the cost of manufacturing the beams, not to

exceed 65% of the total cost of the delivered beams. The remaining 35% or more may be invoiced when all the beams are delivered. Partial payment for beams shall be subject of the following conditions:

- a. The vendor must request partial payment and furnish an official invoice for the manufactured and approved beams.


4.0 AWARD

Purchase order will be awarded to the lowest responsible bidder meeting specifications, complete and not split

Cost Sheet

RFQ#: 09-12-0355

Item Number	Quantity	Unit of Measure	Description	Unit Price	Extended amount
1	345	linear ft	6 interior LRFD prestressed concrete box beams (57'6" long x 3' wide x 27" deep)--2 beams with access pockets per plans		\$ -
2	115	linear ft	2 exterior LRFD prestressed concrete box beams (57'6" long x 3' wide x 27" deep) w/ 10 sets type TL-2 GR inserts & GR posts per beam INSTALLED		\$ -
3	129.167	linear ft	2 sets type TL-2 GR system INSTALLED--total length of guardrail per plans=129' 2"		\$ -
4	4	each	4 post tensioning bars (1" diameter x 27' long) with two 9" x 9" bearing plates and two hex nuts per bar		\$ -
5	2	each	2 post tensioning bars (1" diameter x 15' long) with one 9" x 9" x 1" bearing plate, one 5" x 5" x 11/4" bearing plate and two hex nuts per bar		\$ -
6	14	each	14 elastomeric bearing pads (4 3/4" x 28" x 1 13/16") with 3 shims each (1/16" x 4 1/2" x 27 3/4")		\$ -
7	4	each	4 elastomeric bearing pads (43/4" x 15 1/2" x 1 13/16") with 3 shims each (1/16" x 4 1/2" x 15 1/4")		\$ -
8	16	each	16 anchor rods (1" diameter x 2' long) grade 60-galvanized		\$ -
			Total Amount		\$ -



GUARDRAIL LENGTHS (FT.)	CLASS	FEET/FT	OFFSET FROM PAVEMENT
L1	25'	111	BUF A1 No to 1
L2	25'	111	BUF A2 No to 1
L3	25'	111	BUF A3 No to 1
L4	25'	111	BUF A4 No to 1
L5 X 2	115	111	---

Note 1 - Four foot (loss based on field conditions) as approved by the Engineer

Minimum lengths of L1, L2, L3, and L4 are 25' unless special circumstances are encountered. Nearby intersections may require shorter lengths and/or curved installations. Refer to Roadside Design Guide to determine point of theoretical need. Length adjustments may be made as per the general notes on Standard 087.

Anchors are to be expanding steel type as manufactured by Phillips Rod Head, Hilti Fastening Systems, Molly Parabolis or equal as approved by the Engineer.


Testing requirements for the bolts and steel angles are waived.

Guardrail to be attached to the structure at a maximum of 6' 3" post spacing along the entire length. All bolts, nuts, washers and plates are to be galvanized and meet strength requirements of similar items as depicted in the Standards.

L1, L2, L3 and L4 to have a minimum length of 25' with the post spacing for the first 18'-9" as per standard sheet 089.

See Framing Plan and Framing Details for additional guardrail requirements on bridge.

Typical (Guardrail) Layout



Typical Approach Roadway (no scale)

- LEGEND
- ① ITEM 401002-001, HOT-MIX ASPHALT WEARING COURSE, STONE OR GRAVEL, TYPE 1
 - ② ITEM 401001-001, HOT-MIX ASPHALT BASE COURSE, STONE OR GRAVEL, TYPE 2
 - ③ ITEM 401001-001, HOT-MIX ASPHALT BASE COURSE, STONE OR GRAVEL, TYPE 1
 - ④ ITEM 307001-000, AGGREGATE BASE COURSE, CLASS 1
 - ⑤ ITEM 207002-000, SUBGRADE
 - ⑥ ITEM 607001-001, TYPE 1 GUARDRAIL, CLASS 111

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION	
DIVISION OF HIGHWAYS	
PAINT CREEK BRIDGE	
OVER	
PAINT CREEK	
ON	
COUNTY ROUTE 23	
TYPICAL SHEET	
PROJECT NO.	10942
DESIGNED BY	ABL
CHECKED BY	ABL
DATE	7/20/09
SCALE	NONE
REVISIONS	2 of 22
DRAWING NUMBER	10942

DATE	BY	REVISION	TOTAL	DATE	BY	REVISION	TOTAL
10/10/09	ABL	1	1	10/10/09	ABL	1	1
10/10/09	ABL	2	2	10/10/09	ABL	2	2

GENERAL NOTES

Project No.	230	Project Name	2011	County	FAVETTE	Sheet No.	4	22
W.V.	0	230	0.37					

USGS BENCHMARK

IF ENCOUNTERED, THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE USGS BENCHMARK ON THIS PROJECT. CONTACT THE NATIONAL GEOLOGICAL SURVEY VIA TELEPHONE (1-800-245-2606) FOR A PROCEDURAL MANUAL PRIOR TO DISTURBANCE.

WASTE MATERIAL

ALL MATERIAL REMOVED AND NOT REUSED IN THE CONSTRUCTION OF THE PROJECT WILL BE REMOVED FROM THE PROJECT AND DISPOSED OF BY THE CONTRACTOR. NO WASTE EXCAVATION MATERIAL SHALL BE PLACED IN THE 100 YEAR FLOOD PLAIN.

CONCRETE (CAST-IN-PLACE)

CONCRETE SHALL BE CURED IN ACCORDANCE WITH SUBSECTION 601.12 OF THE STANDARD SPECIFICATIONS. IF USED, POLYETHYLENE COATED BURLAP SHALL CONFORM TO THE REQUIREMENTS OF SUBSECTION 701.5 OF THE STANDARD SPECIFICATIONS. THE MINIMUM COVERING, MEASURED FROM THE SURFACE OF THE CONCRETE TO THE FACE OF ANY REINFORCING STEEL BAR, SHALL BE 3 INCHES IF THE CONCRETE IS IN CONTACT WITH THE GROUND SURFACE AND 2 INCHES OTHERWISE.

DESIGN/NEW STRUCTURES - STANDARD BRIDGE PLANS OR EQUIVALENT

THE CONTRACT PLANS HAVE BEEN DEVELOPED AS PER CURRENT DIVISION POLICY. THE CONTRACTOR SHALL RESTORE IN AN ACCEPTABLE MANNER ALL PROPERTY, BOTH PUBLIC AND PRIVATE, WHICH HAS BEEN DAMAGED DURING THE PROSECUTION OF WORK AND SHALL LEAVE THE SITE IN A NEAT AND PRESENTABLE CONDITION. PRIVATELY OWNED TREES, SHRUBS, AND FENCES SHALL BE REMOVED, STORED, AND RESET OR REPLACED BY THE CONTRACTOR.

DISMANTLING STRUCTURE

THE CONTRACTOR SHALL DISMANTLE AND REMOVE THE EXISTING STRUCTURE IN ACCORDANCE WITH SECTION 203 OF THE STANDARD SPECIFICATIONS AND SPECIAL PROVISIONS. THE DEMOLITION/DISMANTLING PLANS SHALL BE PROVIDED TO THE DISTRICT BRIDGE ENGINEER AT LEAST SEVEN DAYS PRIOR TO BEGINNING ANY DEMOLITION/DISMANTLING WORK. RECEIPT OF THE DEMOLITION/DISMANTLING PLANS DOESN'T RELIEVE THE CONTRACTOR OF HIS/HER RESPONSIBILITY TO SATISFACTORILY DEMOLISH/DISMANTLE THE STRUCTURE SPECIFIED. THE DEMOLISH/DISMANTLED STRUCTURE SHALL BECOME THE PROPERTY OF THE CONTRACTOR, EXCEPT AS NOTED ON PLANS AND WITH THE EXCEPTION OF THE BRIDGE PLATES, WHICH SHALL BE REMOVED FROM THE PROJECT SITE IN AN APPROVED MANNER AND TURNED OVER TO THE ENGINEER.

REINFORCING STEEL BARS

ALL REINFORCING STEEL BARS SHALL BE INTERMEDIATE GRADE BILLET STEEL, GRADE 60 IN ACCORDANCE WITH SUBSECTION 709.1 OF THE STANDARD SPECIFICATION. THE REQUIREMENT OF SECTION 802 OF THE STANDARD SPECIFICATIONS SHALL BE FOLLOWED. THE MINIMUM SPlice LENGTH OR DOWEL BAR EMBEDMENT SHALL BE 30 BAR DIAMETERS. REINFORCEMENT UNDER THE SHOES OR OTHER BEARING DEVICE SHALL BE SO PLACED SO AS TO AVOID INTERFERENCE WITH DRILLING OF ANCHOR BOLT HOLES.

SUBSTRUCTURE CONCRETE (CAST-IN-PLACE)

ALL CONCRETE IN THE SUBSTRUCTURE SHALL BE CLASS B, AIR ENTRAINED. CHAMFER ALL EXPOSED EDGES OF THE SUBSTRUCTURE CONCRETE 1 INCH, EXCEPT FOR THE ABUTMENT CURBS, WHICH SHALL BE CHAMFERED 1/2 INCH. THE EXPOSED SURFACE OF THE SUBSTRUCTURE SHALL BE CLASS 1, ORDINARY SURFACE FINISH IN ACCORDANCE WITH 601.11.1 OF THE STANDARD SPECIFICATIONS, EXCEPT FOR THE ABUTMENT CURBS AND WING WALLS, WHICH SHALL BE CLASS 2 RUBBED FINISH IN ACCORDANCE WITH SUBSECTION 601.11.2 OF THE STANDARD SPECIFICATION. FILL ANCHOR BOLT HOLES WITH NON-SHRINK GROUT AFTER ANCHOR BOLTS ARE SET. THE NON-SHRINK GROUT SHALL BE PROVIDED FROM AN APPROVED SOURCE.

PILING

PILING SHALL BE 50 KSI STEEL AND SHALL BE INSTALLED PER SECTION 616 OF THE SPECIFICATIONS. PRE-DRILLING MAY BE UTILIZED PROVIDED DIVISION POLICY CRITERIA IS MET. THE PILE DRIVING EQUIPMENT SHALL DELIVER A MINIMUM ENERGY OF 15,000 FT-LBS PER BLOW. REFUSAL IS DEFINED AS 20 BLOWS PER INCH OF PENETRATION WITH A HAMMER RATED AT 15,000 FT-LBS PER BLOW.

TEMPORARY BRIDGE

THE CONTRACTOR SHALL ERECT AND MAINTAIN A TEMPORARY BRIDGE AT THE LOCATION SHOWN ON THE PLANS PRIOR TO CLOSING THE EXISTING BRIDGE. IT SHALL BE MAINTAINED UNTIL THE NEW BRIDGE IS OPEN TO TRAFFIC. THE BRIDGE LENGTH SHALL BE DETERMINED BY APPLYING THE FOLLOWING MINIMUM SUPERSTRUCTURE ELEVATION AND NET WATERWAY OPENING.

THE TEMPORARY BRIDGE SHALL BE PLACED SO AS THE LOWER CHORD MATCHES THE EXISTING STRUCTURE TO THE EXTENT PRACTICAL.

A MINIMUM NET WATERWAY OPENING SHALL MATCH EXISTING TO THE EXTENT PRACTICAL.

THE STRUCTURE SHALL BE DESIGNED FOR HL-93 LIVE LOADING. THE USE OF USED MATERIAL IS ACCEPTABLE. SUCH MATERIAL SHALL BE INSPECTED VISUALLY AND ACCEPTED BY THE ENGINEER PRIOR TO ITS USE. THE DESIGN AND PLANS FOR THE TEMPORARY STRUCTURE SHALL BE SUBMITTED TO THE ENGINEER FOR APPROVAL BEFORE BEGINNING CONSTRUCTION. IF THE PLANS AND CALCULATIONS SUBMITTED FOR REVIEW ARE NOT SATISFACTORY TO THE ENGINEER, THE CONTRACTOR SHALL MAKE SUCH CHANGES IN THEM AS MAY BE REQUIRED.

MAINTENANCE OF TRAFFIC

ALL TRAFFIC CONTROL SHALL BE IN ACCORDANCE WITH THE MANUAL ON TRAFFIC CONTROL FOR STREETS AND HIGHWAYS, 2006 EDITION. THE TRAFFIC CONTROL CASE SHALL BE AS PROVIDED IN THE PLAN NOTES.

THE TRAFFIC CASE TO BE UTILIZED FOR THIS PROJECT IS CASE A12.

BACKFILL AND DRAINAGE

ALL BACKFILL PLACED AROUND ABUTMENTS, WINGWALLS, FOOTINGS AND PILE CAPS OR PLACED UNDER ROADWAYS SHALL BE SELECT BACKFILL WHICH CONFORMS TO THE REQUIREMENTS OF SECTION 212.2 OF THE STANDARD SPECIFICATIONS AND IS PLACED IN ACCORDANCE WITH SECTION 212.10.

DRAINAGE STRUCTURES ARE TO BE INSTALLED BEHIND ABUTMENTS AND WINGWALLS AND SHALL BE IN ACCORDANCE WITH SECTION 212.9 OF THE STANDARD SPECIFICATIONS.


FOUNDATION PROTECTION


FOUNDATION PROTECTION SHALL BE PER SPECIFICATION SECTION 218.4 EXCEPT THAT THE MAXIMUM ROCK SIZE SHALL NOT EXCEED 18" IN ANY ONE DIMENSION. THE FOUNDATION PROTECTION SHALL EXTEND PERPENDICULAR FROM THE ABUTMENTS AND WINGWALLS TO THE OHW AND THE ROCK LAYER SHALL BE AT LEAST 18" THICK. THE DETERMINATION OF THE OHW SHALL BE MADE BY WYDOH FIELD PERSONNEL.

THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS


GENERAL NOTES


SECTION	SHEET	DATE	BY
230	0		
230	1		
230	2		
230	3		
230	4		
230	5		
230	6		
230	7		
230	8		
230	9		
230	10		
230	11		
230	12		
230	13		
230	14		
230	15		
230	16		
230	17		
230	18		
230	19		
230	20		
230	21		
230	22		






WEST VIRGINIA DEPARTMENT OF TRANSPORTATION			
DIVISION OF HIGHWAYS			
PROJECT NO.	BRIDGE NO.	DATE	BRIDGE ELEVATION
PAINT CREEK BRIDGE	10944	7/20/03	6 of 22
OVER			
PAINT CREEK			
ON			
COUNTY ROUTE 23			
BORINGS & BRIDGE ELEVATION			






WEST VIRGINIA DEPARTMENT OF TRANSPORTATION	
DIVISION OF HIGHWAYS	
PROJECT NO.	PAINT CREEK BRIDGE
SECTION NO.	OVER
DATE	PAINT CREEK
BY	ON
CHECKED	COUNTY ROUTE 23
APPROVED	REINFORCING BAR SCHEDULE
BRIDGE NUMBER	10942




PROJECT NUMBER	PROJECT NAME	DATE	DESIGNER	CHECKER	APPROVER	TOTAL SHEETS
WV 9	PAINT CREEK BRIDGE	2011	FAVETTE	11	22	



Concrete Box Beam Plan


Guardrail and Post Tensioning Bar Locations




Guardrail and Post Tensioning Bar Locations

Note: Install Butyl waterproofing membrane per Detail A before placing the HIBC wearing course.


Bearing Pad Details



Detail A




Horizontal clearance - 24' 0"



Deck Cross Section


WEST VIRGINIA DEPARTMENT OF TRANSPORTATION		PROJECT NO.	10942
DIVISION OF HIGHWAYS		BRIDGE NUMBER	10942
PAINT CREEK BRIDGE		DATE	7/20/09
OVER		PROJECT NO.	11 of 22
PAINT CREEK		BRIDGE NO.	10942
ON		BRIDGE NO.	10942
COUNTY ROUTE 23		BRIDGE NO.	10942
CONCRETE BOX BEAMS		BRIDGE NO.	10942




Locations of Post Tensioning Sleeves

Plan View - Concrete Box Beam


Locations of Guardrail Inserts



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS		SECTION	KD
PAINT CREEK BRIDGE OVER PAINT CREEK ON COUNTY ROUTE 23	SECTION	DJC	KD
	REPRESENTATIVE	ABEL	KD
	DATE	7/20/08	
	NO.	None	
	ISSUE NO.	12.07.22	
CONCRETE BOX BEAM DETAILS		BRIDGE NUMBER 10942	



Project No.	2310-23-8.37	Project Name	FAVETTE
Sheet No.	9	Sheet Total	22
Date	8.37	Drawn By	13



Substructure Layout

HYDRAULIC DATA	
Discharge Q_m	3002 cfs
Elevation Q_m - Existing Bridge	1631.19
Elevation Q_m - Proposed Bridge	1630.89

For all design floods, the change in water surface elevation Δz is positive (lowering of water surface) or negative (lowering of water surface).

THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

SITUATION PLAN

St. Proj. No. 2310-23-8.37 July, 2009
Rte. No. CR 23 FAYETTE County

DESIGNED BY	CHECKED BY	DATE

- NOTES:
- The actual thicknesses of the abutment walls and footings are unknown. The dashed lines are shown for illustrative purposes.
 - The depth of the footings was obtained from cores drilled in 1992.

TYPICAL CROSS-SECTION WITH GUARDRAIL



TYPICAL CROSS-SECTION WITH PARAPET OR CURB

BEAM PLAN VIEW - SKEWED ENDS


DECK PLAN VIEW

NOTES:

- WHICH BRIDGE GUARDRAIL IS TO BE SUPPLIED BY THE BEAM FABRICATOR. COST OF ALL BRIDGE GUARDRAIL SHALL BE INCLUDED IN THE PRICE OF THE BEAM. TO COMPLETELY INSTALL BRIDGE GUARDRAIL SHALL BE INCLUDED IN ITEM 6030B "PRESTRESSED CONCRETE BOX BEAM".
- THIS SHEET SHALL BE USED IN CONJUNCTION WITH STANDARD SHEETS BR-810A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z, AA, AB, AC, AD, AE, AF, AG, AH, AI, AJ, AK, AL, AM, AN, AO, AP, AQ, AR, AS, AT, AU, AV, AW, AX, AY, AZ, BA, BB, BC, BD, BE, BF, BG, BH, BI, BJ, BK, BL, BM, BN, BO, BP, BQ, BR, BS, BT, BU, BV, BW, BX, BY, BZ, CA, CB, CC, CD, CE, CF, CG, CH, CI, CJ, CK, CL, CM, CN, CO, CP, CQ, CR, CS, CT, CU, CV, CW, CX, CY, CZ, DA, DB, DC, DD, DE, DF, DG, DH, DI, DJ, DK, DL, DM, DN, DO, DP, DQ, DR, DS, DT, DU, DV, DW, DX, DY, DZ, EA, EB, EC, ED, EE, EF, EG, EH, EI, EJ, EK, EL, EM, EN, EO, EP, EQ, ER, ES, ET, EU, EV, EW, EX, EY, EZ, FA, FB, FC, FD, FE, FF, FG, FH, FI, FJ, FK, FL, FM, FN, FO, FP, FQ, FR, FS, FT, FU, FV, FW, FX, FY, FZ, GA, GB, GC, GD, GE, GF, GG, GH, GI, GJ, GK, GL, GM, GN, GO, GP, GQ, GR, GS, GT, GU, GV, GW, GX, GY, GZ, HA, HB, HC, HD, HE, HF, HG, HH, HI, HJ, HK, HL, HM, HN, HO, HP, HQ, HR, HS, HT, HU, HV, HW, HX, HY, HZ, IA, IB, IC, ID, IE, IF, IG, IH, II, IJ, IK, IL, IM, IN, IO, IP, IQ, IR, IS, IT, IU, IV, IW, IX, IY, IZ, JA, JB, JC, JD, JE, JF, JG, JH, JI, JJ, JK, JL, JM, JN, JO, JP, JQ, JR, JS, JT, JU, JV, JW, JX, JY, JZ, KA, KB, KC, KD, KE, KF, KG, KH, KI, KJ, KK, KL, KM, KN, KO, KP, KQ, KR, KS, KT, KU, KV, KW, KX, KY, KZ, LA, LB, LC, LD, LE, LF, LG, LH, LI, LJ, LK, LL, LM, LN, LO, LP, LQ, LR, LS, LT, LU, LV, LW, LX, LY, LZ, MA, MB, MC, MD, ME, MF, MG, MH, MI, MJ, MK, ML, MM, MN, MO, MP, MQ, MR, MS, MT, MU, MV, MW, MX, MY, MZ, NA, NB, NC, ND, NE, NF, NG, NH, NI, NJ, NK, NL, NM, NN, NO, NP, NQ, NR, NS, NT, NU, NV, NW, NX, NY, NZ, OA, OB, OC, OD, OE, OF, OG, OH, OI, OJ, OK, OL, OM, ON, OO, OP, OQ, OR, OS, OT, OU, OV, OW, OX, OY, OZ, PA, PB, PC, PD, PE, PF, PG, PH, PI, PJ, PK, PL, PM, PN, PO, PP, PQ, PR, PS, PT, PU, PV, PW, PX, PY, PZ, QA, QB, QC, QD, QE, QF, QG, QH, QI, QJ, QK, QL, QM, QN, QO, QP, QQ, QR, QS, QT, QU, QV, QW, QX, QY, QZ, RA, RB, RC, RD, RE, RF, RG, RH, RI, RJ, RK, RL, RM, RN, RO, RP, RQ, RR, RS, RT, RU, RV, RW, RX, RY, RZ, SA, SB, SC, SD, SE, SF, SG, SH, SI, SJ, SK, SL, SM, SN, SO, SP, SQ, SR, SS, ST, SU, SV, SW, SX, SY, SZ, TA, TB, TC, TD, TE, TF, TG, TH, TI, TJ, TK, TL, TM, TN, TO, TP, TQ, TR, TS, TT, TU, TV, TW, TX, TY, TZ, UA, UB, UC, UD, UE, UF, UG, UH, UI, UJ, UK, UL, UM, UN, UO, UP, UQ, UR, US, UT, UY, UZ, VA, VB, VC, VD, VE, VF, VG, VH, VI, VJ, VK, VL, VM, VN, VO, VP, VQ, VR, VS, VT, VU, VV, VW, VX, VY, VZ, WA, WB, WC, WD, WE, WF, WG, WH, WI, WJ, WK, WL, WM, WN, WO, WP, WQ, WR, WS, WT, WU, WV, WW, WX, WY, WZ, XA, XB, XC, XD, XE, XF, XG, XH, XI, XJ, XK, XL, XM, XN, XO, XP, XQ, XR, XS, XT, XU, XV, XW, XX, XY, XZ, YA, YB, YC, YD, YE, YF, YG, YH, YI, YJ, YK, YL, YM, YN, YO, YP, YQ, YR, YS, YT, YU, YV, YW, YX, YY, YZ, ZA, ZB, ZC, ZD, ZE, ZF, ZG, ZH, ZI, ZJ, ZK, ZL, ZM, ZN, ZO, ZP, ZQ, ZR, ZS, ZT, ZU, ZV, ZW, ZX, ZY, ZZ.



SIDE VIEW




42" OC JAMS
BLOCKOUT DETAILS

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
ENGINEERING DIVISION


PAINT CREEK BRIDGE	DESIGNATED BY: TWA	
OVER	DRAWN BY: TNU	
PAINT CREEK	CHECKED BY: TM	
ON	NOTED BY: TWA	
COUNTY ROAD 23	DATE:	
	SCALE:	
	SHEET	OF
PRESTRESSED CONCRETE BEAM	UNIQUE NO.	
SKINNED END REINFORCING	10912	
WISC. DESIGN AND ASSEMBLY DETAILS		

APPROVED	<i>James B. Batts</i>	DATE	10-25-07
SPECIAL AGENT IN CHARGE		PREPARED	07-02-07
NORTH CAROLINA STATE POLICE		BY	
WEST VIRGINIA DEPARTMENT OF TRANSPORTATION			
DIVISION OF HIGHWAYS			
ENGINEERING DIVISION			
PRESTRESSED CONCRETE BEAM			
SIGNED END REINFORCING			
MISCELLANEOUS AND ASSEMBLY DETAILS			
STANDARD SHEET BR-B102A			


THIS SHEET SHALL BE USED IN CONJUNCTION WITH STANDARD
SPECS OR-017A & B THRU OR-842A & B, UR-8100, UR-0101, BR-01020,
UR-0103, OR-0104, UR-0105A & B AND BR-0106 AS APPROPRIATE.




END BEARING DETAIL WITH BACKWALL




REINFORCING BAR DETAIL




SHEAR KEY DETAIL




BARS SPA, PER INDIVIDUAL BEAM SHEET




END BLOCK DETAIL - SKEWED BEAMS




PROJECT NUMBER	DISTRICT	COUNTY	SHEET NO.	TOTAL
STATE FEDERAL	9	FAVETTE	22	22




PLAN



ELEVATION



SECTION A-A



SECTION B-B

NOTES

1. THIS GUARDRAIL TRANSITION IS APPROPRIATE FOR CONNECTION TO GUARDRAIL ON BRIDGE.
2. W-BEAM IS NOT BOLTED TO POSTS AT POSTS 2 THROUGH 4 AND POST 6.
3. SEE STANDARD SHEET BR-B104 FOR ANCHOR DETAILS.
4. THERE IS NO SEPARATE PAY ITEM FOR THIS CONNECTION AND ALL COMPONENTS AS DETAILED HEREIN SHALL BE INCLUDED IN THE CONTRACT PRICE FOR GUARDRAIL.

THIS SHEET SHALL BE USED IN CONJUNCTION WITH STANDARD SHEETS BR-D17A & B THRU BR-B42A & B, BR-B100, BR-B101, BR-B102A & B, BR-B103 AND BR-B104 AS APPLICABLE.

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS ENGINEERING DIVISION		PAINT CREEK BRIDGE OVER PAINT CREEK ON COUNTY ROUTE 23		BRIDGE NO. 10942	
DESIGNED BY: TWT	CHECKED BY: TWT	REVIEWED BY: TWT	DATE:	SCALE:	SHEET OF
STANDARD SHEET BR-B105					

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1. Application is made for 2.5% resident vendor preference for the reason checked:

- ____ Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,
 ____ Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or** 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,
 ____ Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; **or**,

2. Application is made for 2.5% resident vendor preference for the reason checked:

- ____ Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,

3. Application is made for 2.5% resident vendor preference for the reason checked:

- ____ Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,

4. Application is made for 5% resident vendor preference for the reason checked:

- ____ Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; **or**,

5. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:

- ____ Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; **or**,

6. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:

- ____ Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: _____ **Signed:** _____

Date: _____ **Title:** _____

**Check any combination of preference consideration(s) indicated above, which you are entitled to receive.*

RFQ No. _____

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: _____

Authorized Signature: _____ Date: _____

State of _____

County of _____, to-wit:

Taken, subscribed, and sworn to before me this ____ day of _____, 20__.

My Commission expires _____, 20__.

AFFIX SEAL HERE

NOTARY PUBLIC _____

Please use this document for technical questions, posing in a question format

Please refer to the section your question is in reference to.

Technical questions for RFQ# _____

Vendor Name: _____

Questions:
