



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Solicitation

NUMBER
09120540

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
ALAN CUMMINGS 304-558-2402

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

DIVISION OF HIGHWAYS
 DISTRICT NINE
 146 STONEHOUSE ROAD
 LEWISBURG, WV
 24901 304-647-7457

DATE PRINTED
06/13/2012

BID OPENING DATE: 06/27/2012 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		210-16		
	CONCRETE BOX BEAMS					
<p>THE WEST VIRGINIA STATE PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF HIGHWAYS, IS SOLICITING BIDS TO PROVIDE THE AGENCY WITH CONCRETE BOX BEAMS AND ACCESSORIES PER THE ATTACHED SPECIFICATIONS.</p>						
<p>***** THIS IS THE END OF RFQ 09120540 ***** TOTAL:</p>						

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

INSTRUCTIONS TO VENDORS SUBMITTING BIDS

1. **REVIEW DOCUMENTS THOROUGHLY:** The attached documents contain a solicitation for bids. Please read these instructions and all documents attached in their entirety. These instructions provide critical information about requirements that if overlooked could lead to disqualification of a Vendor's bid. All bids must be submitted in accordance with the provisions contained in these instructions and the Solicitation. Failure to do so may result in disqualification of Vendor's bid.

2. **MANDATORY TERMS:** The Solicitation may contain mandatory provisions identified by the use of the words "must," "will," and "shall." Failure to comply with a mandatory term in the Solicitation will result in bid disqualification.

3. **PREBID MEETING:** The item identified below shall apply to this Solicitation.

[x] A pre-bid meeting will not be held prior to bid opening.

[] A **NON-MANDATORY PRE-BID** meeting will be held at the following place and time:

insert date and time
insert address of pre-bid

[] A **MANDATORY PRE-BID** meeting will be held at the following place and time:

insert date and time
insert address of pre-bid

All Vendors submitting a bid must attend the mandatory pre-bid meeting. Failure to attend the mandatory pre-bid meeting shall result in disqualification of the Vendor's bid. No one person attending the pre-bid meeting may represent more than one Vendor.

An attendance sheet provided at the pre-bid meeting shall serve as the official document verifying attendance. The State will not accept any other form of proof or documentation to verify attendance. Any person attending the pre-bid meeting on behalf of a Vendor must list on the attendance sheet his or her name and the name of the Vendor he or she is representing. Additionally, the person attending the pre-bid meeting should include the Vendor's E-Mail address and Fax number on the attendance sheet. It is the Vendor's responsibility to locate the attendance sheet and provide the required information. Failure to complete the attendance sheet as required may result in disqualification of Vendor's bid.

All Vendors should arrive prior to the starting time for the pre-bid. Vendors who arrive after the starting time but prior to the end of the pre-bid will be permitted to sign in, but are charged with knowing all matters discussed at the pre-bid.

Questions submitted at least five business days prior to a scheduled pre-bid will be discussed at the pre-bid meeting if possible. Any discussions or answers to questions at

the pre-bid meeting are preliminary in nature and are non-binding. Official and binding answers to questions will be published in a written addendum to the Solicitation prior to bid opening.

4. **VENDOR QUESTION DEADLINE:** Vendors may submit questions relating to this Solicitation to the Purchasing Division. Questions must be submitted in writing. All questions must be submitted on or before the date listed below and to the address listed below in order to be considered. A written response will be published in a Solicitation addendum if a response is possible and appropriate. Non-written discussions, conversations, or questions and answers regarding this Solicitation are preliminary in nature and are non-binding.

Question Submission Deadline: **06/25/2012**

Submit Questions to: Alan Cummings – File 33
2019 Washington Street, East
P.O. Box 50130
Charleston, WV 25305
Fax: (304)-558-3970
Email: Alan.W.Cummings@WV.Gov

5. **VERBAL COMMUNICATION:** Any verbal communication between the Vendor and any State personnel is not binding, including that made at the mandatory pre-bid conference. Only information issued in writing and added to the Solicitation by an official written addendum by the Purchasing Division is binding.
6. **BID SUBMISSION:** All bids must be signed and delivered by the Vendor to the Purchasing Division at the address listed below on or before the date and time of the bid opening. Any bid received by the Purchasing Division staff is considered to be in the possession of the Purchasing Division and will not be returned for any reason. The bid delivery address is:

Department of Administration, Purchasing Division
2019 Washington Street East
P.O. Box 50130,
Charleston, WV 25305-0130

The bid should contain the information listed below on the face of the envelope or the bid may not be considered:

SEALED BID

BUYER: Alan Cummings – File 33
SOLICITATION NO.: 09120540
BID OPENING DATE: 06/27/2012
BID OPENING TIME: 1:30 P.M.
FAX NUMBER: (304)-558-3970

In the event that Vendor is responding to a request for proposal, the Vendor shall submit one original technical and one original cost proposal plus [redacted] convenience copies of each to the Purchasing Division at the address shown above. Additionally, the Vendor should identify the bid type as either a technical or cost proposal on the face of each bid envelope submitted in response to a request for proposal or expression of interest as follows:

BID TYPE: [] Technical
[] Cost

7. **BID OPENING:** Bids submitted in response to this Solicitation will be opened at the location identified below on the date and time listed below. Delivery of a bid after the bid opening date and time will result in bid disqualification. For purposes of this Solicitation, a bid is considered delivered when time stamped by the official Purchasing Division time clock.

Bid Opening Date and Time: 06/27/2012 - 1:30 P.M.

Bid Opening Location: Department of Administration, Purchasing Division
2019 Washington Street East
P.O. Box 50130,
Charleston, WV 25305-0130

8. **ADDENDUM ACKNOWLEDGEMENT:** Changes or revisions to this Solicitation will be made by an official written addendum issued by the Purchasing Division. Vendor should acknowledge receipt of all addenda issued with this Solicitation by completing an Addendum Acknowledgment Form, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

9. **BID FORMATTING:** Vendor should type or electronically enter the information onto its bid to prevent errors in the evaluation. Failure to type or electronically enter the information may result in bid disqualification.

GENERAL TERMS AND CONDITIONS:

1. **CONTRACTUAL AGREEMENT:** Issuance of a Purchase Order signed by the Purchasing Division Director, or his designee, and approved as to form by the Attorney General's office constitutes acceptance of this Contract made by and between the State of West Virginia and the Vendor. Vendor's signature on its bid signifies Vendor's agreement to be bound by and accept the terms and conditions contained in this Contract.

2. **DEFINITIONS:** As used in this Solicitation / Contract, the following terms shall have the meanings attributed to them below. Additional definitions may be found in the specifications included with this Solicitation / Contract.
 - 2.1 **"Agency" or "Agencies"** means the agency, board, commission, or other entity of the State of West Virginia that is identified on the first page of the Solicitation or any other public entity seeking to procure goods or services under this Contract.

 - 2.2 **"Contract"** means the binding agreement that is entered into between the State and the Vendor to provide the goods and services requested in the Solicitation.

 - 2.3 **"Director"** means the Director of the West Virginia Department of Administration, Purchasing Division.

 - 2.4 **"Purchasing Division"** means the West Virginia Department of Administration, Purchasing Division.

 - 2.5 **"Purchase Order"** means the document signed by the Agency and the Purchasing Division, and approved as to form by the Attorney General, that identifies the Vendor as the successful bidder and Contract holder.

 - 2.6 **"Solicitation"** means the official solicitation published by the Purchasing Division and identified by number on the first page thereof.

 - 2.7 **"State"** means the State of West Virginia and/or any of its agencies, commissions, boards, etc. as context requires.

 - 2.8 **"Vendor" or "Vendors"** means any entity submitting a bid in response to the Solicitation, the entity that has been selected as the lowest responsible bidder, or the entity that has been awarded the Contract as context requires.

3. **CONTRACT TERM; RENEWAL; EXTENSION:** The term of this Contract shall be determined in accordance with the category that has been identified as applicable to this Contract below:

Term for Open End, Service, and Similar Contracts

Initial Contract Term: This Contract becomes effective on ~~the date the purchase order is issued, the date the notice to proceed is received, etc.~~ and extends for a period of ~~insert number of years~~ year(s).

Renewal Term: This Contract may be renewed upon the mutual written consent of the Agency, and the Vendor, with approval of the Purchasing Division and the Attorney General's office (Attorney General approval is as to form only). Any request for renewal must be submitted to the Purchasing Division Director thirty (30) days prior to the expiration date of the initial contract term or appropriate renewal term. A Contract renewal shall be in accordance with the terms and conditions of the original contract. Renewal of this Contract is limited to ~~insert number of years~~ successive one (1) year periods. Automatic renewal of this Contract is prohibited. Notwithstanding the foregoing, Purchasing Division approval is not required on agency delegated or exempt purchases. Attorney General approval may be required for vendor terms and conditions.

Reasonable Time Extension: At the sole discretion of the Purchasing Division Director, and with approval from the Attorney General's office (Attorney General approval is as to form only), this Contract may be extended for a reasonable time after the initial Contract term or after any renewal term as may be necessary to obtain a new contract or renew this Contract. Any reasonable time extension shall not exceed twelve (12) months. Vendor may avoid a reasonable time extension by providing the Purchasing Division Director with written notice of Vendor's desire to terminate this Contract 30 days prior to the expiration of the then current term. During any reasonable time extension period, the Vendor may terminate this Contract for any reason upon giving the Purchasing Division Director 30 days written notice. Automatic extension of this Contract is prohibited. Notwithstanding the foregoing, Purchasing Division approval is not required on agency delegated or exempt purchases, but Attorney General approval may be required.

- One Time Purchase:** The term of this Contract shall run for one year from the date the Purchase Order is issued or from the date the Purchase Order is issued until all of the goods contracted for have been delivered, whichever is shorter.

4. **QUANTITIES:** The quantities required under this Contract shall be determined in accordance with the category that has been identified as applicable to this Contract below.

Open End Contract: Quantities listed in this Solicitation are approximations only, based on estimates supplied by the Agency. It is understood and agreed that the Contract shall cover the quantities actually ordered for delivery during the term of the Contract, whether more or less than the quantities shown.

Service: The scope of the service to be provided will be more clearly defined in the specifications included herewith.

Combined Service and Goods: The scope of the service and deliverable goods to be provided will be more clearly defined in the specifications included herewith.

One Time Purchase: This Contract is for the purchase of a set quantity of goods that are identified in the specifications included herewith. Once those items have been delivered, no additional goods may be procured under this Contract without an appropriate change order approved by the Vendor, Agency, Purchasing Division, and Attorney General's office.

5. **PRICING:** The pricing set forth herein is firm for the life of the Contract, unless specified elsewhere within this Solicitation/Contract by the State. A Vendor's inclusion of price adjustment provisions in its bid, without an express authorization from the State in the Solicitation to do so, may result in bid disqualification.

6. **EMERGENCY PURCHASES:** The Purchasing Division Director may authorize the Agency to purchase goods or services in the open market that Vendor would otherwise provide under this Contract if those goods or services are for immediate or expedited delivery in an emergency. Emergencies shall include, but are not limited to, delays in transportation or an unanticipated increase in the volume of work. An emergency purchase in the open market, approved by the Purchasing Division Director, shall not constitute a breach of this Contract and shall not entitle the Vendor to any form of compensation or damages. This provision does not excuse the State from fulfilling its obligations under a One Time Purchase contract.

7. **REQUIRED DOCUMENTS:** All of the items checked below must be provided to the Purchasing Division by the Vendor as specified below.

BID BOND: All Vendors shall furnish a bid bond in the amount of five percent (5%) of the total amount of the bid protecting the State of West Virginia. The bid bond must be submitted with the bid.

PERFORMANCE BOND: The apparent successful Vendor shall provide a performance bond in the amount of ~~100% of the Contract value or \$~~. The performance bond must be issued and received by the Purchasing Division prior to Contract award. On construction contracts, the performance bond must be 100% of the Contract value.

LABOR/MATERIAL PAYMENT BOND: The apparent successful Vendor shall provide a labor/material payment bond in the amount of 100% of the Contract value. The labor/material payment bond must be issued and delivered to the Purchasing Division prior to Contract award.

In lieu of the Bid Bond, Performance Bond, and Labor/Material Payment Bond, the Vendor may provide certified checks, cashier's checks, or irrevocable letters of credit. Any certified check, cashier's check, or irrevocable letter of credit provided in lieu of a bond must be of the same amount and delivered on the same schedule as the bond it replaces. A letter of credit submitted in lieu of a performance and labor/material payment bond will only be allowed for projects under \$100,000. Personal or business checks are not acceptable.

[] **MAINTENANCE BOND:** The apparent successful Vendor shall provide a two (2) year maintenance bond covering the roofing system. The maintenance bond must be issued and delivered to the Purchasing Division prior to Contract award.

[] **WORKERS' COMPENSATION INSURANCE:** The apparent successful Vendor shall have appropriate workers' compensation insurance and shall provide proof thereof upon request.

[] **INSURANCE:** The apparent successful Vendor shall furnish proof of the following insurance prior to Contract award:

[] **Commercial General Liability Insurance:** ~~insert coverage required (at least \$500,000, but agency can request more)~~ or more.

[] **Builders Risk Insurance:** builders risk – all risk insurance in an amount equal to 100% of the amount of the Contract.

[] ~~insert required insurance~~

[] ~~insert required insurance~~

[] ~~insert required insurance~~

[] ~~insert required insurance~~

[] ~~insert required insurance~~

The apparent successful Vendor shall also furnish proof of any additional insurance requirements contained in the specifications prior to Contract award regardless of whether or not that insurance requirement is listed above.

[] **LICENSE(S) / CERTIFICATIONS:** In addition to anything required under Section 39, entitled Licensing, of the General Terms and Conditions, the apparent successful Vendor shall furnish proof of the following licenses prior to Contract award, in a form acceptable to the Purchasing Division.

[] ~~insert required license or certification~~

[] ~~insert required license or certification~~

[] ~~insert required license or certification~~

[] ~~insert required license or certification~~

The apparent successful Vendor shall also furnish proof of any additional licenses or certifications contained in the specifications prior to Contract award regardless of whether or not that requirement is listed above.

- 8. LITIGATION BOND:** The Director reserves the right to require any Vendor that files a protest of an award to submit a litigation bond in the amount equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. The entire amount of the bond shall be forfeited if the hearing officer determines that the protest was filed for frivolous or improper purpose, including but not limited to, the purpose of harassing, causing unnecessary delay, or needless expense for the Agency. All litigation bonds shall be made payable to the Purchasing Division. In lieu of a bond, the protester may submit a cashier's check or certified check payable to the Purchasing Division. Cashier's or certified checks will be deposited with and held by the State Treasurer's office. If it is determined that the protest has not been filed for frivolous or improper purpose, the bond or deposit shall be returned in its entirety.
- 9. ALTERNATES:** Any model, brand, or specification listed herein establishes the acceptable level of quality only and is not intended to reflect a preference for, or in any way favor, a particular brand or vendor. Vendors may bid alternates to a listed model or brand provided that the alternate is at least equal to the model or brand and complies with the required specifications. The equality of any alternate being bid shall be determined by the State at its sole discretion. Any Vendor bidding an alternate model or brand should clearly identify the alternate items in its bid and should include manufacturer's specifications, industry literature, and/or any other relevant documentation demonstrating the equality of the alternate items. Failure to provide information for alternate items may be grounds for rejection of a Vendor's bid.
- 10. EXCEPTIONS AND CLARIFICATIONS:** The Solicitation contains the specifications that shall form the basis of a contractual agreement. Vendor shall clearly mark any exceptions, clarifications, or other proposed modifications in its bid. Exceptions to, clarifications of, or modifications of a requirement or term and condition of the Solicitation may result in bid disqualification.
- 11. LIQUIDATED DAMAGES:** Vendor shall pay liquidated damages in the amount of 2% of the contract total for delays over 120 days. This clause shall in no way be considered exclusive and shall not limit the State or Agency's right to pursue any other available remedy.
- 12. ACCEPTANCE/REJECTION:** The State may accept or reject any bid in whole, or in part. Vendor's signature on its bid signifies acceptance of the terms and conditions contained in the Solicitation and Vendor agrees to be bound by the terms of the Contract, as reflected in the Purchase Order, upon receipt.
- 13. REGISTRATION:** Prior to Contract award, the apparent successful Vendor must be properly registered with the West Virginia Purchasing Division and must have paid the \$125 fee if applicable.
- 14. COMMUNICATION LIMITATIONS:** In accordance with West Virginia Code of State Rules §148-1-6.6, communication with the State of West Virginia or any of its employees regarding this Solicitation during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited without prior Purchasing Division approval. Purchasing Division approval for such communication is implied for all agency delegated and exempt purchases.
- 15. FUNDING:** This Contract shall continue for the term stated herein, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise made available, this Contract becomes void and of no effect beginning on July 1 of the fiscal year for which funding has not been appropriated or otherwise made available.

- 16. PAYMENT:** Payment in advance is prohibited under this Contract. Payment may only be made after the delivery and acceptance of goods or services. The Vendor shall submit invoices, in arrears, to the Agency at the address on the face of the purchase order labeled "Invoice To."
- 17. UNIT PRICE:** Unit prices shall prevail in cases of a discrepancy in the Vendor's bid.
- 18. DELIVERY:** All quotations are considered freight on board destination ("F.O.B. destination") unless alternate shipping terms are clearly identified in the bid. Vendor's listing of shipping terms that contradict the shipping terms expressly required by this Solicitation may result in bid disqualification.
- 19. INTEREST:** Interest attributable to late payment will only be permitted if authorized by the West Virginia Code. Presently, there is no provision in the law for interest on late payments.
- 20. PREFERENCE:** Vendor Preference may only be granted upon written request and only in accordance with the West Virginia Code § 5A-3-37 and the West Virginia Code of State Rules. A Resident Vendor Certification form has been attached hereto to allow Vendor to apply for the preference. Vendor's failure to submit the Resident Vendor Certification form with its bid will result in denial of Vendor Preference. Vendor Preference does not apply to construction projects.
- 21. SMALL, WOMAN-OWNED, OR MINORITY-OWNED BUSINESSES:** For any solicitations publicly advertised for bid on or after July 1, 2012, in accordance with West Virginia Code §5A-3-37(a)(7) and W. Va. CSR § 148-22-9, any non-resident vendor certified as a small, women-owned, or minority-owned business under W. Va. CSR § 148-22-9 shall be provided the same preference made available to any resident vendor. Any non-resident small, women-owned, or minority-owned business must identify itself as such in writing, must submit that writing to the Purchasing Division with its bid, and must be properly certified under W. Va. CSR § 148-22-9 prior to submission of its bid to receive the preferences made available to resident vendors. Preference for a non-resident small, woman-owned, or minority owned business shall be applied in accordance with W. Va. CSR § 148-22-9.
- 22. TAXES:** The Vendor shall pay any applicable sales, use, personal property or any other taxes arising out of this Contract and the transactions contemplated thereby. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 23. CANCELLATION:** The Purchasing Division Director reserves the right to cancel this Contract immediately upon written notice to the vendor if the materials or workmanship supplied do not conform to the specifications contained in the Contract. The Purchasing Division Director may cancel any purchase or Contract upon 30 days written notice to the Vendor in accordance with West Virginia Code of State Rules § 148-1-7.16.2.
- 24. WAIVER OF MINOR IRREGULARITIES:** The Director reserves the right to waive minor irregularities in bids or specifications in accordance with West Virginia Code of State Rules § 148-1-4.6.
- 25. TIME:** Time is of the essence with regard to all matters of time and performance in this Contract.

- 11
- 26. APPLICABLE LAW:** This Contract is governed by and interpreted under West Virginia law without giving effect to its choice of law principles. Any information provided in specification manuals, or any other source, verbal or written, which contradicts or violates the West Virginia Constitution, West Virginia Code or West Virginia Code of State Rules is void and of no effect.
- 27. COMPLIANCE:** Vendor shall comply with all applicable federal, state, and local laws, regulations and ordinances. By submitting a bid, Vendors acknowledge that they have reviewed, understand, and will comply with all applicable law.
- 28. PREVAILING WAGE:** On any contract for the construction of a public improvement, Vendor and any subcontractors utilized by Vendor shall pay a rate or rates of wages which shall not be less than the fair minimum rate or rates of wages (prevailing wage), as established by the West Virginia Division of Labor under West Virginia Code §§ 21-5A-1 et seq. and available at <http://www.sos.wv.gov/administrative-law/wagerates/Pages/default.aspx>. Vendor shall be responsible for ensuring compliance with prevailing wage requirements and determining when prevailing wage requirements are applicable. The required contract provisions contained in West Virginia Code of State Rules § 42-7-3 are specifically incorporated herein by reference.
- 29. ARBITRATION:** Any references made to arbitration contained in this Contract, Vendor's bid, or in any American Institute of Architects documents pertaining to this Contract are hereby deleted, void, and of no effect.
- 30. MODIFICATIONS:** This writing is the parties' final expression of intent. Notwithstanding anything contained in this Contract to the contrary, no modification of this Contract shall be binding without mutual written consent of the Agency, and the Vendor, with approval of the Purchasing Division and the Attorney General's office (Attorney General approval is as to form only). **No Change shall be implemented by the Vendor until such time as the Vendor receives an approved written change order from the Purchasing Division.** Notwithstanding the foregoing, Purchasing Division approval may or may not be required on certain agency delegated or exempt purchases.
- 31. WAIVER:** The failure of either party to insist upon a strict performance of any of the terms or provision of this Contract, or to exercise any option, right, or remedy herein contained, shall not be construed as a waiver or a relinquishment for the future of such term, provision, option, right, or remedy, but the same shall continue in remain in full force and effect. Any waiver must be expressly stated in writing and signed by the waiving party.
- 32. SUBSEQUENT FORMS:** The terms and conditions contained in this Contract shall supersede any and all subsequent terms and conditions which may appear on any form documents submitted by Vendor to the Agency or Purchasing Division such as price lists, order forms, invoices, sales agreements, or maintenance agreements, and includes internet websites or other electronic documents. Acceptance or use of Vendor's forms does not constitute acceptance of the terms and conditions contained thereon.
- 33. ASSIGNMENT:** Neither this Contract nor any monies due, or to become due hereunder, may be assigned by the Vendor without the express written consent of the Agency, the Purchasing Division, the Attorney General's office (as to form only), and any other government agency or office that may be

required to approve such assignments. Notwithstanding the foregoing, Purchasing Division approval may or may not be required on certain agency delegated or exempt purchases.

34. **WARRANTY:** The Vendor expressly warrants that the goods and/or services covered by this Contract will: (a) conform to the specifications, drawings, samples, or other description furnished or specified by the Agency; (b) be merchantable and fit for the purpose intended; and (c) be free from defect in material and workmanship.
35. **STATE EMPLOYEES:** State employees are not permitted to utilize this Contract for personal use and the Vendor is prohibited from permitting or facilitating the same.
36. **BANKRUPTCY:** In the event the Vendor files for bankruptcy protection, the State of West Virginia may deem this Contract null and void, and terminate this Contract without notice.
37. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at <http://www.state.wv.us/admin/purchase/vrc/hipaa.html> and is hereby made part of the agreement provided that the Agency meets the definition of a Covered entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the Vendor.
38. **CONFIDENTIALITY:** The Vendor agrees that it will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the Agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the Agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/default.html>.
39. **DISCLOSURE:** Vendor's response to the Solicitation and the resulting Contract are considered public documents and will be disclosed to the public in accordance with the laws, rules, and policies governing the West Virginia Purchasing Division. Those laws include, but are not limited to, the Freedom of Information Act found in West Virginia Code § 29B-1-1 et seq.

If a Vendor considers any part of its bid to be exempt from public disclosure, Vendor must so indicate by specifically identifying the exempt information, identifying the exemption that applies, providing a detailed justification for the exemption, segregating the exempt information from the general bid information, and submitting the exempt information as part of its bid but in a segregated and clearly identifiable format. Failure to comply with the foregoing requirements will result in public disclosure of the Vendor's bid without further notice. A Vendor's act of marking all or nearly all of its bid as exempt is not sufficient to avoid disclosure and WILL NOT BE HONORED. Vendor's act of marking a bid or any part thereof as "confidential" or "proprietary" is not sufficient to avoid disclosure and WILL NOT BE HONORED. In addition, a legend or other statement indicating that all or substantially all of the bid is exempt from disclosure is not sufficient to avoid disclosure and WILL NOT BE HONORED. Vendor will be required to defend any claimed exemption for nondisclosure in the event of an administrative or judicial challenge to the State's nondisclosure. Vendor must indemnify the State for any costs incurred related to any exemptions claimed by Vendor. Any questions regarding the

13 applicability of the the various public records laws should be addressed to your own legal counsel prior to bid submission.

- 40. LICENSING:** In accordance with West Virginia Code of State Rules §148-1-6.1.7, Vendor must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agency or political subdivision. Upon request, the Vendor must provide all necessary releases to obtain information to enable the Purchasing Division Director or the Agency to verify that the Vendor is licensed and in good standing with the above entities.
- 41. ANTITRUST:** In submitting a bid to, signing a contract with, or accepting a Purchase Order from any agency of the State of West Virginia, the Vendor agrees to convey, sell, assign, or transfer to the State of West Virginia all rights, title, and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to Vendor.
- 42. VENDOR CERTIFICATIONS:** By signing its bid or entering into this Contract, Vendor certifies (1) that its bid was made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, person or entity submitting a bid for the same material, supplies, equipment or services; (2) that its bid is in all respects fair and without collusion or fraud; (3) that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; and (4) that it has reviewed this RFQ in its entirety; understands the requirements, terms and conditions, and other information contained herein. Vendor's signature on its bid also affirms that neither it nor its representatives have any interest, nor shall acquire any interest, direct or indirect, which would compromise the performance of its services hereunder. Any such interests shall be promptly presented in detail to the Agency.
- The individual signing this bid on behalf of Vendor certifies that he or she is authorized by the Vendor to execute this bid or any documents related thereto on Vendor's behalf; that he or she is authorized to bind the Vendor in a contractual relationship; and that, to the best of his or her knowledge, the Vendor has properly registered with any State agency that may require registration.
- 43. PURCHASING CARD ACCEPTANCE:** The State of West Virginia currently utilizes a Purchasing Card program, administered under contract by a banking institution, to process payment for goods and services. The Vendor must accept the State of West Virginia's Purchasing Card for payment of all orders under this Contract.
- 44. VENDOR RELATIONSHIP:** The relationship of the Vendor to the State shall be that of an independent contractor and no principal-agent relationship or employer-employee relationship is contemplated or created by this Contract. The Vendor as an independent contractor is solely liable for the acts and omissions of its employees and agents. Vendor shall be responsible for selecting, supervising, and compensating any and all individuals employed pursuant to the terms of this Solicitation and resulting contract. Neither the Vendor, nor any employees or subcontractors of the

Vendor, shall be deemed to be employees of the State for any purpose whatsoever. Vendor shall ~~be~~^{be} exclusively responsible for payment of employees and contractors for all wages and salaries, taxes, withholding payments, penalties, fees, fringe benefits, professional liability insurance premiums, contributions to insurance and pension, or other deferred compensation plans, including but not limited to, Workers' Compensation and Social Security obligations, licensing fees, *etc.* and the filing of all necessary documents, forms and returns pertinent to all of the foregoing. Vendor shall hold harmless the State, and shall provide the State and Agency with a defense against any and all claims including, but not limited to, the foregoing payments, withholdings, contributions, taxes, Social Security taxes, and employer income tax returns.

- 45. INDEMNIFICATION:** The Vendor agrees to indemnify, defend, and hold harmless the State and the Agency, their officers, and employees from and against: (1) Any claims or losses for services rendered by any subcontractor, person, or firm performing or supplying services, materials, or supplies in connection with the performance of the Contract; (2) Any claims or losses resulting to any person or entity injured or damaged by the Vendor, its officers, employees, or subcontractors by the publication, translation, reproduction, delivery, performance, use, or disposition of any data used under the Contract in a manner not authorized by the Contract, or by Federal or State statutes or regulations; and (3) Any failure of the Vendor, its officers, employees, or subcontractors to observe State and Federal laws including, but not limited to, labor and wage and hour laws.
- 46. PURCHASING AFFIDAVIT:** In accordance with West Virginia Code § 5A-3-10a, all Vendors are required to sign, notarize, and submit the Purchasing Affidavit stating that neither the Vendor nor a related party owe a debt to the State in excess of \$1,000. The affidavit must be submitted prior to award, but should be submitted with the Vendor's bid. A copy of the Purchasing Affidavit is included herewith.
- 47. ADDITIONAL AGENCY AND LOCAL GOVERNMENT USE:** This Contract may be utilized by and extends to other agencies, spending units, and political subdivisions of the State of West Virginia; county, municipal, and other local government bodies; and school districts ("Other Government Entities"). This Contract shall be extended to the aforementioned Other Government Entities on the same prices, terms, and conditions as those offered and agreed to in this Contract. If the Vendor does not wish to extend the prices, terms, and conditions of its bid and subsequent contract to the Other Government Entities, the Vendor must clearly indicate such refusal in its bid. A refusal to extend this Contract to the Other Government Entities shall not impact or influence the award of this Contract in any manner.
- 48. CONFLICT OF INTEREST:** Vendor, its officers or members or employees, shall not presently have or acquire any interest, direct or indirect, which would conflict with or compromise the performance of its obligations hereunder. Vendor shall periodically inquire of its officers, members and employees to ensure that a conflict of interest does not arise. Any conflict of interest discovered shall be promptly presented in detail to the Agency.
- 49. BACKGROUND CHECK:** In accordance with W. Va. Code § 15-2D-3, the Director of the Division of Protective Services may require any service provider whose employees are regularly employed on the grounds or in the buildings of the Capitol complex or who have access to sensitive or critical

15 information to submit to a fingerprint-based state and federal background inquiry through the state repository.

After the contract for such services has been approved, but before any such employees are permitted to be on the grounds or in the buildings of the Capitol complex or have access to sensitive or critical information, the service provider shall submit a list of all persons who will be physically present and working at the Capitol complex to the Director of the Division of Protective Services for purposes of verifying compliance with this provision.

The State reserves the right to prohibit a service provider's employees from accessing sensitive or critical information or to be present at the Capitol complex based upon results addressed from a criminal background check.

1. **NOTICE TO PROCEED:** The Vendor shall begin performance of this Contract immediately upon receiving notice to proceed. Unless otherwise specified, the fully executed Purchase Order will be considered notice to proceed.

2. **CONTRACTOR'S LICENSE:** West Virginia Code § 21-11-2 requires that all persons desiring to perform contracting work in this state be licensed. The West Virginia Contractors Licensing Board is empowered to issue the contractor's license. Applications for a contractor's license may be made by contacting the West Virginia Division of Labor.
West Virginia Code § 21-11-11 requires any prospective Vendor to include the contractor's license number on its bid. Failure to include a contractor's license number on the bid shall result in Vendor's bid being disqualified. Vendors should include a contractor's license number in the space provided below.

Contractor's Name: _____

Contractor's License No. _____

The apparent successful Vendor must furnish a copy of its contractor's license prior to the issuance of a purchase order/contract.

3. **DRUG-FREE WORKPLACE:** W. Va. Code § 21-1D-5 provides that any solicitation for a public improvement contract requires each Vendor that submits a bid for the work to submit at the same time an affidavit that the Vendor has a written plan for a drug-free workplace policy. To comply with this law, Vendor must either complete the enclosed drug-free workplace affidavit and submit the same with its bid or complete a similar affidavit that fulfills all of the requirements of the applicable code. Failure to submit the signed and notarized drug-free workplace affidavit, or a similar affidavit that fully complies with the requirements of the applicable code, with the bid shall result in disqualification of Vendor's bid.

4. **PREFERENCE FOR USE OF DOMESTIC STEEL PRODUCTS:** Except when authorized by the Director of the Purchasing Division pursuant to W. Va. Code § 5A-3-56, no contractor may use or supply steel products for a State Contract Project other than those steel products made in the United States. A contractor who uses steel products in violation of this section may be subject to civil penalties pursuant to W. Va. Code § 5A-3-56. As used in this section:
 - a. "State Contract Project" means any erection or construction of, or any addition to, alteration of or other improvement to any building or structure, including, but not limited to, roads or highways, or the installation of any heating or cooling or ventilating plants or other equipment, or the supply of and materials for such projects, pursuant to a contract with the State of West Virginia for which bids were solicited on or after June 6, 2001.
 - b. "Steel Products" means products rolled, formed, shaped, drawn, extruded, forged, cast, fabricated or otherwise similarly processed, or processed by a combination of two or more or

such operations, from steel made by the open heath, basic oxygen, electric furnace, Bessemer or other steel making process.

The Purchasing Division Director may, in writing, authorize the use of foreign steel products if:

- a. The cost for each contract item used does not exceed one tenth of one percent (.1%) of the total contract cost or two thousand five hundred dollars (\$2,500.00), whichever is greater. For the purposes of this section, the cost is the value of the steel product as delivered to the project; or
- b. The Director of the Purchasing Division determines that specified steel materials are not produced in the United States in sufficient quantity or otherwise are not reasonably available to meet contract requirements.

5. PREFERENCE FOR USE OF DOMESTIC ALUMINUM, GLASS, AND STEEL: In Accordance with W. Va. Code § 5-19-1 et seq., and W. Va. CSR § 148-10-1 et seq., for every contract or subcontract, subject to the limitations contained herein, for the construction, reconstruction, alteration, repair, improvement or maintenance of public works or for the purchase of any item of machinery or equipment to be used at sites of public works, only domestic aluminum, glass or steel products shall be supplied unless the spending officer determines, in writing, after the receipt of offers or bids, (1) that the cost of domestic aluminum, glass or steel products is unreasonable or inconsistent with the public interest of the State of West Virginia, (2) that domestic aluminum, glass or steel products are not produced in sufficient quantities to meet the contract requirements, or (3) the available domestic aluminum, glass, or steel do not meet the contract specifications. This provision only applies to public works contracts awarded in an amount more than fifty thousand dollars (\$50,000) or public works contracts that require more than ten thousand pounds of steel products.

The cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than twenty percent (20%) of the bid or offered price for foreign made aluminum, glass, or steel products. If the domestic aluminum, glass or steel products to be supplied or produced in a "substantial labor surplus area", as defined by the United States Department of Labor, the cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than thirty percent (30%) of the bid or offered price for foreign made aluminum, glass, or steel products.

This preference shall be applied to an item of machinery or equipment, as indicated above, when the item is a single unit of equipment or machinery manufactured primarily of aluminum, glass or steel, is part of a public works contract and has the sole purpose or of being a permanent part of a single public works project. This provision does not apply to equipment or machinery purchased by a spending unit for use by that spending unit and not as part of a single public works project.

All bids and offers including domestic aluminum, glass or steel products that exceed bid or offer prices including foreign aluminum, glass or steel products after application of the preferences provided in this provision may be reduced to a price equal to or lower than the lowest bid or offer price for foreign aluminum, glass or steel products plus the applicable preference. If the reduced bid or offer prices are made in writing and supersede the prior bid or offer prices, all bids or offers, including the reduced bid or offer prices, will be reevaluated in accordance with this rule.

6. **AIA DOCUMENTS:** All construction contracts will be governed by the AIA A101-2007 and A201¹⁸ 2007 documents, as amended by the Supplementary Conditions for the State of West Virginia, in addition to the terms and conditions contained herein.
7. **SUBCONTRACTOR LIST SUBMISSION:** In accordance with W. Va. Code § 5-22-1, The apparent low bidder on a contract for the construction, alteration, decoration, painting or improvement of a new or existing building or structure valued at more than \$500,000.00 shall submit a list of all subcontractors who will perform more than \$25,000.00 of work on the project including labor and materials. This provision shall not apply to any other construction projects, such as highway, mine reclamation, water or sewer projects.
- a. **Required Information.** The subcontractor list shall contain the following information:
- i. Bidder's name
 - ii. Name of each subcontractor
 - iii. License numbers as required by W. Va. Code § 21-11-1 et. seq.
 - iv. Notation that no subcontractors will be used if the bidder will perform the work
- b. **Submission.** The completed subcontractor list shall be provided to the Purchasing Division within one business day of the opening of bids for review. Failure to submit the subcontractor list within one business day after the deadline for submitting bids shall result in disqualification of the bid.
- c. **Substitution of Subcontractor.** Written approval must be obtained from the Purchasing Division before any subcontractor substitution is permitted. Substitutions are not permitted unless:
- i. The subcontractor listed in the original bid has filed for bankruptcy;
 - ii. The subcontractor in the original bid has been debarred or suspended; or
 - iii. The contractor certifies in writing that the subcontractor listed in the original bill fails, is unable, or refuses to perform his subcontract.
8. **GREEN BUILDINGS MINIMUM ENERGY STANDARDS:** In accordance with § 22-29-4, all new building construction projects of public agencies that have not entered the schematic design phase prior to July 1, 2012, or any building construction project receiving state grant funds and appropriations, including public schools, that have not entered the schematic design phase prior to July 1, 2012, shall be designed and constructed complying with the ICC International Energy Conservation Code, adopted by the State Fire Commission, and the ANSI/ASHRAE/IESNA Standard 90.1-2007: *Provided*, That if any construction project has a commitment of federal funds to pay for a portion of such project, this provision shall only apply to the extent such standards are consistent with the federal standards.

ADDITIONAL TERMS AND CONDITIONS (Architectural and Engineering Contracts Only)

1. **NOTICE TO PROCEED:** The Vendor shall begin performance of this Contract immediately upon receiving notice to proceed. Unless otherwise specified, the fully executed Purchase Order will be considered notice to proceed.
2. **PLAN AND DRAWING DISTRIBUTION:** All plans and drawings must be completed and available for distribution at least five business days prior to a scheduled pre-bid meeting for the construction or other work related to the plans and drawings.
3. **PROJECT ADDENDA REQUIREMENTS:** The Architect/Engineer and/or Agency shall be required to abide by the following schedule in issuing construction project addenda:
 - a. The Architect/Engineer shall prepare any addendum materials for which it is responsible, and a list of all vendors that have obtained drawings and specifications for the project. The Architect/Engineer shall then send a copy of the addendum materials and the list of vendors to the State Agency for which the contract is issued to allow the Agency to make any necessary modifications. The addendum and list shall then be forwarded to the Purchasing Division buyer by the Agency. The Purchasing Division buyer shall send the addendum to all interested vendors and, if necessary, extend the bid opening date. Any addendum should be received by the Purchasing Division at least fourteen (14) days prior to the bid opening date.
4. **PRE-BID MEETING RESPONSIBILITIES:** The Architect/Engineer shall be available to attend any pre-bid meeting for the construction or other work resulting from the plans, drawings, or specifications prepared by the Architect/Engineer.
5. **AIA DOCUMENTS:** All contracts for architectural and engineering services will be governed by the AIA document B101-2007, as amended by the Supplementary Conditions for the State of West Virginia, in addition to the terms and conditions contained herein.
6. **GREEN BUILDINGS MINIMUM ENERGY STANDARDS:** In accordance with § 22-29-4, all new building construction projects of public agencies that have not entered the schematic design phase prior to July 1, 2012, or any building construction project receiving state grant funds and appropriations, including public schools, that have not entered the schematic design phase prior to July 1, 2012, shall be designed and constructed complying with the ICC International Energy Conservation Code, adopted by the State Fire Commission, and the ANSI/ASHRAE/IESNA Standard 90.1-2007: *Provided*, That if any construction project has a commitment of federal funds to pay for a portion of such project, this provision shall only apply to the extent such standards are consistent with the federal standards.

CERTIFICATION AND SIGNATURE PAGE

09120540

By signing below, I certify that I have reviewed this Solicitation in its entirety; understand the requirements, terms and conditions, and other information contained herein; that I am submitting this bid or proposal for review and consideration; that I am authorized by the bidder to execute this bid or any documents related thereto on bidder's behalf; that I am authorized to bind the bidder in a contractual relationship; and that to the best of my knowledge, the bidder has properly registered with any State agency that may require registration.

(Company)

(Representative Name, Title)

(Contact Phone/Fax Number)

(Date)

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: 09120540

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|---|--|
| <input type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Company

Authorized Signature

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

Specifications

Purpose: To establish a purchase order for concrete box beams

1.0 DEFINITIONS

- A. The "Agency" shall be defined as the West Virginia Division of Highways
- B. The "Vendor" shall be defined as the successful bidder.
- C. The "Purchase Order" shall be defined as the binding agreement that is entered into between the State of West Virginia and the Vendor to provide the services as herein specified.
- D. "Mandatory Requirements: The terms "must", "will", "shall", "minimum", "maximum", or "is/are required" identify a mandatory item or factor. Decisions regarding compliance with any mandatory requirements shall be at the sole discretion of the State.

2.0 SCOPE OF WORK

The successful Vendor shall provide concrete box beams for Paint Creek Bridge replacement

2.1 Technical Requirements:

The vendor shall provide the materials including delivery to the project site. Materials supplied under this contract shall meet the applicable requirements of the West Virginia Dept of Transportation, Division of Highways Standard Specifications Roads and Bridges and the current Supplemental Specifications. Specifications are available on the following website:
www.transportation.wv.gov/highways/engineering/Pages/publications.aspx

2.2 Freight

2.2.1 All shipments are to be FOB Destination

2.2.2 The vendor shall be responsible for all costs associated with delay to delivery to job site.

2.3 Delivery

2.3.1 The above materials are to be delivered to:

County route 61/5
Fayette County

2.3.2 Call Adrian Lusk @ 304-647-7829 with any questions.

2.3.3 Call Adrian Lusk 24 hours prior to delivery @ 304-647-7829

3.0 INVOICING

3.1 Payment

3.1 The Vendor must send an invoice to:

WV Dept of Transportation-Division of Highways
146 Stonehouse Rd
Lewisburg, WV 24901

3.2 Partial Payment of Approved Beams

3.2.1 Upon completion of manufacture and approval by the Division of Highways of all beams specified on an individual Requisition Purchase Order (RPO), the vendor may invoice and the Division will pay for the cost of manufacturing the beams, not to

exceed 65% of the total cost of the delivered beams. The remaining 35% or more may be invoiced when all the beams are delivered. Partial payment for beams shall be subject of the following conditions:

- a. The vendor must request partial payment and furnish an official invoice for the manufactured and approved beams.

4.0 AWARD

Purchase order will be awarded complete and not split

Cost Sheet

Item Number	Quantity	Unit of Measure	Description	Unit Price	Extended amount
1	217.5	linear ft	5 interior LRFD prestressed concrete box beams (43'6" long x 3' wide x 21" deep)--1 beam with extra inserts per plans		\$
2	87	linear ft	2 exterior LRFD prestressed concrete box beams (43'6" long x 3' wide x 21" deep) w/ 7 sets type TL-2 GR inserts & GR posts per beam INSTALLED		\$
3	100	linear ft	2 sets type TL-2 GR system INSTALLED--total length of guardrail per plans=100'		\$
4	4	each	4 post tensioning bars (1" diameter x 24' long) with two 9" x 9" x 1" bearing plates and two hex nuts per bar		\$
5	4	each	4 post tensioning bars (1" diameter x 15' long)		\$
6	10	each	10 elastomeric bearing pads (4 3/4" x 28" x 1 13/16") with 3 shims each (1/16" x 4 1/2" x 27 3/4")		\$
7	8	each	8 elastomeric bearing pads (4 3/4" x 15 1/2" x 1 13/16") with 3 shims each (1/16" x 4 1/2" x 15 1/4")		\$
8	14	each	14 anchor rods (1" diameter x 2' long) grade 60-galvanized		\$
9					
10					
			Total Amount		\$

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

- 1. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: _____ Signed: _____
Date: _____ Title: _____

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. **"Political subdivision"** means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. **"Related party"** means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code §61-5-3*), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: _____

Authorized Signature: _____ Date: _____

State of _____

County of _____, to-wit:

Taken, subscribed, and sworn to before me this ____ day of _____, 20__.

My Commission expires _____, 20__.

AFFIX SEAL HERE

NOTARY PUBLIC _____



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS PLANS FOR CONSTRUCTION

OF STATE HIGHWAY

FEDERAL PROJECT NO. NA
STATE PROJECT NO. S310-61/5-0.04
COUNTY ROUTE NO. 61/5
VALLEY DISTRICT
FAYETTE COUNTY




LOOP CREEK BRIDGE SUPERSTRUCTURE

	Station	Station	f. t.	mile(s)
Roadway	11+56	to 12+31	75	0.014
Bridge	12+31	to 12+76	45	0.009
Roadway	12+76	to 13+26	50	0.009
Total Project Length *			170	0.032



TYPE OF CONSTRUCTION
ABUTMENT MODIFICATION AND SUPERSTRUCTURE REPLACEMENT - BRIDGE 8609.1

UTILITIES
AMERICAN ELECTRIC POWER
PAIGE-KINCADE PSD (WATER)
FRONTIER COMMUNICATIONS (TELEPHONE)



DESIGN DESIGNATION

A. D. T (2005)	400
A. D. T (2025)	490
D. H. V	
D	
T	
V	

INDEX TO SHEETS

NO.	DESCRIPTION
1	TITLE SHEET
2	GENERAL NOTES
3	RIGHT OF WAY PLAT
4	PROFILE SHEET
5	PLAN SHEET
6	GEOMETRIC LAYOUT
7	PHASE 1 CONSTRUCTION
8	PHASE 2 CONSTRUCTION
9	PHASE 3 CONSTRUCTION
10	TEMPORARY GUARDRAIL DETAILS
11	ABUTMENT 2 WINGWALL DETAILS
12	DETAILS & QUANTITIES
13	CONCRETE BOX BEAMS
14-22	CONCRETE BOX BEAMS, POST TENSIONING, GUARDRAILS

REVISION NUMBER	SHEET NUMBER	REVISIONS	DATE	BY

20
I HEREBY CERTIFY THAT THIS IS A CORRECT COPY OF THE PLANS
OF PROJECT S310-61/5-0.04
EXECUTIVE SECRETARY

ADRIAN B. LUSK
REGISTERED
15707
STATE OF WEST VIRGINIA
PROFESSIONAL ENGINEER

SIGNED: *[Signature]*
RESPONSIBLE CHARGE ENGINEER
DATE: 3/28/12

RECOMMENDED: *[Signature]*
PROJECT ENGINEER
APPROVED: *[Signature]*
DISTRICT ENGINEER

GENERAL NOTES

Public Roads Div.	State Dist. No.	State Project No.	Federal Project No.	Fiscal Year	County	Sheet No.	Total Sheets
W. V.	9	S310-61/5-0.04	N/A	2012	FAYETTE	2	22

GOVERNING SPECIFICATIONS

THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION, DIVISION OF HIGHWAYS, STANDARD SPECIFICATIONS ROADS AND BRIDGES, ADOPTED 2010, AS AMENDED BY WEST VIRGINIA DEPARTMENT OF TRANSPORTATION, DIVISION OF HIGHWAYS AND SUPPLEMENTAL SPECIFICATIONS, DATED JANUARY 1, 2012 THE CONTRACT DOCUMENTS AND THE CONTRACT PLANS ARE THE GOVERNING PROVISIONS APPLICABLE TO THIS PROJECT

STANDARD DETAILS

THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION, DIVISION OF HIGHWAYS, STANDARD DETAILS BOOK DATED JANUARY 1, 2000 & VOLUME II DATED JANUARY 1, 1994, AND VOLUME III, DATED AUGUST 1, 1999 SHALL APPLY TO THIS PROJECT. STANDARD DETAILS DRAWINGS CAN BE FOUND AT:

<http://www.transportation.wv.gov/highways/engineering/Pages/publications.aspx>

TRAFFIC CONTROL DURING CONSTRUCTION

CONSTRUCTION OF THE NEW SUPERSTRUCTURE WILL BE COMPLETED IN PHASES ALLOWING TRAFFIC TO USE ONE 10 FT WIDE LANE DURING EACH PHASE. FLAGGERS WILL BE REQUIRED TO CONTROL TRAFFIC DURING WORKING HOURS. USE CASE A10B, MODIFIED AS NEEDED FOR ACTUAL SITE CONDITIONS.

WASTE MATERIAL

ALL MATERIAL REMOVED AND NOT REUSED IN THE CONSTRUCTION OF THE PROJECT WILL BE REMOVED FROM THE PROJECT AND DISPOSED OF. NO WASTE EXCAVATION MATERIAL SHALL BE PLACED IN THE 100 YEAR FLOOD PLAIN.

CONCRETE (CAST-IN-PLACE)

CONCRETE SHALL BE CURED IN ACCORDANCE WITH SUBSECTION 601.12 OF THE STANDARD SPECIFICATIONS. IF USED, POLYETHYLENE COATED BURLAP SHALL CONFORM TO THE REQUIREMENTS OF SUBSECTION 707.5 OF THE STANDARD SPECIFICATIONS. THE MINIMUM COVERING, MEASURED FROM THE SURFACE OF THE CONCRETE TO THE FACE OF ANY REINFORCING STEEL BAR, SHALL BE 3 INCHES IF THE CONCRETE IS IN CONTACT WITH THE GROUND SURFACE AND 2 INCHES OTHERWISE.

REINFORCING STEEL BARS

ALL REINFORCING STEEL BARS SHALL BE INTERMEDIATE GRADE BILLET STEEL, GRADE 60 IN ACCORDANCE WITH SUBSECTION 709.1 OF THE STANDARD SPECIFICATIONS. THE REQUIREMENTS OF SECTION 602 OF THE STANDARD SPECIFICATIONS SHALL BE FOLLOWED. THE MINIMUM SPLICE LENGTH OR DOWEL BAR EMBEDMENT SHALL BE 30 BAR DIAMETERS. REINFORCEMENT UNDER THE SHOES OR OTHER BEARING DEVICE SHALL BE SO PLACED SO AS TO AVOID INTERFERENCE WITH DRILLING OF ANCHOR BOLT HOLES.

SUBSTRUCTURE CONCRETE (CAST-IN-PLACE)

ALL CONCRETE IN THE SUBSTRUCTURE SHALL BE CLASS B, AIR ENTRAINED. CHAMFER ALL EXPOSED EDGES OF THE SUBSTRUCTURE CONCRETE 1 INCH, EXCEPT FOR THE ABUTMENT CURBS, WHICH SHALL BE CHAMFERED 3/4 INCH. THE EXPOSED SURFACE OF THE SUBSTRUCTURE SHALL BE CLASS 1, ORDINARY SURFACE FINISH IN ACCORDANCE WITH 601.11.1 OF THE STANDARD SPECIFICATIONS, EXCEPT FOR THE ABUTMENT CURBS AND WING WALLS, WHICH SHALL BE CLASS 2 RUBBED FINISHED IN ACCORDANCE WITH SUBSECTION 601.11.2 OF THE STANDARD SPECIFICATIONS.

FILL ANCHOR BOLT HOLES AT THE FIXED END OF THE BRIDGE WITH NON-SHRINK GROUT AFTER ANCHOR BOLTS ARE SET. THE NON-SHRINK GROUT SHALL BE PROVIDED FROM AN APPROVED SOURCE.

NAIL LAMINATED TIMBER DECK

PINE BRIDGE LUMBER SHALL BE NO. 1 DENSE OR BETTER, SURFACED FOUR SIDES AND TREATED IN ACCORDANCE WITH AWPA STANDARD C-14 TO .60 POUNDS PER CUBIC FOOT SALT RETENTION. THE LUMBER SHALL BE PRESSURE TREATED USING CHROMATED COPPER ARSENATE (CCA) - TYPE B OR C, 100 % PURE OXIDE FORMULATION ONLY AS THE PRESERVING SALT. KILN DRYING AFTER TREATMENT WILL NOT BE NECESSARY. THE LUMBER SHALL MEET THE APPLICABLE REQUIREMENTS OF SECTION 710 OF THE GOVERNING SPECIFICATIONS. ALL BOARDS SHALL BE FULL LENGTH BOARDS WITH NO SPLICES PERMITTED.

STRUCTURAL STEEL

ALL STRUCTURAL STEEL SHALL CONFORM TO THE REQUIREMENTS OF AASHTO M270 GRADE 50 (ASTM A709 GRADE 50)

TEMPORARY GUARDRAIL

GALVANIZED STEEL DEEP BEAM GUARDRAIL, FASTENERS AND ANCHOR BOLTS SHALL CONFORM TO AASHTO M180, TYPE 1, CLASS III. THE GUARDRAIL, BUFFER END TERMINAL SECTIONS, POSTS AND ANCHORS SHALL CONFORM TO THE REQUIREMENTS AS SET FORTH BY THE WEST VIRGINIA DEPARTMENT OF HIGHWAYS STANDARD DETAILS BOOK (STANDARD SHEETS G.R.1 THROUGH G.R.7 AS APPLICABLE)

WELDING

ALL WELDING SHALL CONFORM TO THE APPLICABLE SUBSECTIONS OF SECTION 615 OF THE GOVERNING SPECIFICATIONS

CONCRETE BOX BEAMS AND PERMANENT GUARDRAIL

SEE SHEET 14 FOR NOTES CONCERNING THE PRECAST CONCRETE BOX BEAMS AND PERMANENT GUARDRAIL.

REVISED STANDARD DRAWINGS USED	
DRAWING	REVISION DATE
BR-B100 (SHEET 14)	9/10
BR-B21B (SHEET 15)	9/10
BR-B102A (SHEET 18)	12/27/10
BR-B102B (SHEET 19)	12/27/10

REVISION NUMBER	SHEET NUMBER	REVISION	DATE	BY

THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS


GENERAL NOTES

Public Roads Div.	State Dist. No.	State Project No.	Federal Project No.	Fiscal Year	County	Sheet No.	Total Sheets
W. V.	9	S310-61/5-0.04	NA	2012	FAYETTE	3	22

R/W 3



CURVE *1	CURVE *2	CURVE *3	CURVE *4
PI = 10+95.78	PI = 12+34.11	PI = 13+06.14	PI = 14+14.09
Δ = 19° 04' 017" Right	Δ = 01° 57' 36" Left	Δ = 14° 33' 57" Left	Δ = 36° 55' 42" Right
D = 12° 03' 44"	D = 16° 22' 13"	D = 22° 55' 06"	D = 47° 44' 47"
R = 475.00'	R = 350.00'	R = 250.00'	R = 120.00'
L = 158.11'	L = 11.97'	L = 63.56'	L = 77.14'
T = 79.79'	T = 5.99'	T = 31.95'	T = 40.07'




UTILITIES		
STATION	DESCRIPTION	DISPOSITION
12+15	Frontier Telephone Pole	To Be Relocated by Owner
11+75 to 12+75	AEP Power Line	To Be Sleeved by Owner

TCE = Temporary Construction Easement TE = Temporary Easement

PARCEL No.	TRACT No.	PLAN SHEET No.	TITLEHOLDER	RECORDED		AREAS: In Square Feet (SF) and/or Acres (AC) as noted							RW DEED RECORD				
				DEED BOOK	PAGE No.	C/A	NON-C/A	EASEMENT		REMAINING			TOTAL TAKEN	PARCEL TOTAL	REMARKS	DEED BOOK	PAGE No.
								TYPE	AREA	LEFT	RIGHT	TOTAL					
1-1			POCAHONTAS LAND CORP.	262	231			TCE	1190 SF 0.03 A								
1-2			POCAHONTAS LAND CORP.	262	231			TCE	483 SF								
2			State of West Virginia Department of Commerce Division of Natural Resources Office of Land and Streams					TE	319 SF								
3			SuddenLink Cable														

I certify that I am engaged in surveying exclusively for the West Virginia Division of Highways on Project No. S310-61/5-0.04 and believe I am exempt from regulations and licensing under West Virginia Code 30-13A-36.

Adrian B. Lusk
ADRIAN B. LUSK
3/28/12
DATE



DESIGNED	DATE
DRAWN	
CHECKED	
CHECKED	

THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS


LOOP CREEK BRIDGE OVER LOOP CREEK COUNTY ROUTE 61/5

RIGHT OF WAY PLAT

SHEET 3 of 22
BRIDGE NO. 8609.1

Public Roads Div.	State Dist. No.	State Project No.	Federal Project No.	Fiscal Year	County	Sheet No.	Total Sheets
W. V.	9	S310-61/5-0.04	NA	2012	FAYETTE	4	22


PROFILE ALONG CENTERLINE




REVISION NUMBER	SHEET NUMBER	REVISION	DATE	BY
THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS LOOP CREEK BRIDGE OVER LOOP CREEK COUNTY ROUTE 61/5				
DESIGNED KD DATE _____				SHEET _____ OF _____
DRAWN KD _____				BRIDGE NO. 8609.1
CHECKED _____				PROFILE SHEET
CHECKED _____				_____

Public Roads Div.	State Dist. No.	State Project No.	Federal Project No.	Fiscal Year	County	Sheet No.	Total Sheets
W. V.	9	S310-61/5-0.04	NA	2012	FAYETTE	5	22

CURVE *1	CURVE *2	CURVE *3	CURVE *4
PI - 10+95.78	PI - 12+34.11	PI - 13+06.14	PI - 14+14.09
Δ - 19° 04' 017" Right	Δ - 01° 57' 36" Left	Δ - 14° 33' 57" Left	Δ - 36° 55' 42" Right
D - 12° 03' 44"	D - 16° 22' 13"	D - 22° 55' 06"	D - 47° 44' 47"
R - 475.00'	R - 350.00'	R - 250.00'	R - 120.00'
L - 158.11'	L - 11.97'	L - 63.56'	L - 77.14'
T - 79.79'	T - 5.99'	T - 31.95'	T - 40.07'



LOOP CREEK
 COORDINATE VALUES
 NAD83 (2007)
 COORDINATES WERE DERIVED FROM GPS METHODS
 ADJUSTED BY THE
 NATIONAL GEODETIC SURVEY
 ON-LINE POSITIONING USER SERVICE (OPUS)
 VALUES ARE:
 WV SOUTH STATE PLANE 4702
 VERTICAL DATUM IS NAVD88



DESIGNED	DATE
KD	
DRAWN	
KD	
CHECKED	
CHECKED	

REVISION NUMBER	SHEET NUMBER	REVISION	DATE	BY

THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
 DIVISION OF HIGHWAYS




LOOP CREEK BRIDGE OVER LOOP CREEK COUNTY ROUTE 61/5

PLAN SHEET

SHEET
 OF
 BRIDGE NO.
 8609.1

Public Roads Div.	State Dist. No.	State Project No.	Federal Project No.	Fiscal Year	County	Sheet No.	Total Sheets
W. V.	9	S310-61/5-0.04	NA	2013	FAYETTE	6	22

CURVE #2	CURVE #3
PI = 12+34.11	PI = 13+06.14
Δ = 01° 57' 36" Left	Δ = 14° 33' 57" Left
D = 16° 22' 13"	D = 22° 55' 06"
R = 350.00'	R = 250.00'
L = 11.97'	L = 63.56'
T = 5.99'	T = 31.95'





DESIGNED	DATE
KD	
DRAWN	
KD	
CHECKED	
CHECKED	


REVISION NUMBER	SHEET NUMBER	REVISION	DATE	BY
THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS				
LOOP CREEK BRIDGE OVER LOOP CREEK COUNTY ROUTE 61/5				
DESIGNED				SHEET
DRAWN				OF
CHECKED				BRIDGE NO.
CHECKED				8609.1

Public Roads Div.	State Dist. No.	State Project No.	Federal Project No.	Fiscal Year	County	Sheet No.	Total Sheets
W. V.	9	S310 -61/5- 0.04	N/A	2012	FAYETTE	7	22


PLAN VIEW - PHASE 1



SECTION A-A (ABUT. 1)
(Shaded elements are new construction)



SECTION B-B (ABUT. 2)
(Shaded elements are new construction)



DETAIL A

Construction Sequence - Phase 1

1. Divert traffic to upstream side of existing bridge.
2. Install temporary W8x40 columns and W24x76 Girder under bridge at specified locations. Shim as necessary to support each existing floor beam and weld for lateral stiffness.
3. Construct new wingwall on downstream side of abutment 2. (See this Sheet & Sheet 11)
4. Cut slot in existing wingwall on left side of Abut 1 to support temporary W24x76 Girder.
5. Install temporary W24x76 Girder to widen the downstream side of bridge at the location shown
6. Install C12x20.7 diaphragms at locations shown.
7. Install W8x24 next to existing girder and supported on the C12x20.7 diaphragms.
8. Install 2 x 6 wood deck on new temporary bypass bridge.
9. Install guardrail on temporary W24x76 girder and on upstream side of steel grid deck. See Sheet 10 for details.
10. Move traffic onto temporary bypass bridge.

Notes:
A. Add 4"x1/2" stiffeners to both sides of the W24x76 girder at each intersection with a floorbeam.
B. Remove top of concrete wingwall where it interferes with placement of deck boards.

DESIGNED KD	DATE
DRAWN KD	
CHECKED	
CHECKED	

REVISION NUMBER	SHEET NUMBER	REVISION	DATE	BY


THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

LOOP CREEK BRIDGE OVER LOOP CREEK COUNTY ROUTE 61/5


**PHASE 1
CONSTRUCTION**

SHEET _____ OF _____
BRIDGE NO. 8609.1


Public Roads Div.	State Dist. No.	State Project No.	Federal Project No.	Fiscal Year	County	Sheet No.	Total Sheets
W. V.	9	S310-61/5-0.04	NA	2012	FAYETTE	8	22



Remove deteriorated concrete




Construct new 4-box beam bridge




W24X76 SUPPORT BY WINGWALL @ Abutment 1

ABUTMENT 1 - ELEVATION VIEWS



Remove deteriorated concrete



Construct new 4-box beam bridge

ABUTMENT 2 - ELEVATION VIEWS

Construction Sequence - Phase 2

1. Remove all deteriorated concrete to a point below the existing bridge seat as needed. (See Note A this sheet)
2. Cast a new bridge seat at each abutment to the elevations indicated.
3. Install the first 4 box beams on the new bridge seat.
4. Install the post tension rods (15' long) and complete the grouting between beams.
5. Construct new backwalls and top portions of wingwalls as needed.
6. Install temporary guardrail posts on Box Beam #4 before lifting in place. See Note C for caution.
7. Remove superstructure and steel support elements on remaining portion of steel bridge.

Notes:

A. Cut lines on breast walls and wingwalls to be determined in the field.

B. A small section of the bottom flange of the W8x31 needs to be removed where it interferes with the tie rod installation nearest to Abutment 1.

C. A small section of the top and bottom flange of the W8x31 may need to be removed to provide room for the guardrail posts attached to Box Beam 4.

DESIGNED	DATE
DRAWN	
CHECKED	
CHECKED	

REVISION NUMBER	SHEET NUMBER	REVISION	DATE	BY

THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS


**LOOP CREEK BRIDGE
OVER
LOOP CREEK
COUNTY ROUTE 61/5**

**PHASE 2
CONSTRUCTION**


DESIGNED: KD
DATE: _____
DRAWN: KD
CHECKED: _____
CHECKED: _____

SHEET _____ OF _____
BRIDGE NO. 8609.1

Public Road Div.	State Dist. No.	State Project No.	Federal Project No.	Fiscal Year	County	Sheet No.	Total Sheets
W. V.	9	S310-61/5-0.04	NA	2012	FAYETTE	9	22




Remove deteriorated bridge seat




Complete box beam bridge

ABUTMENT 1 - ELEVATION VIEWS



Remove deteriorated bridge seat



Complete box beam bridge

ABUTMENT 2 - ELEVATION VIEWS

Construction Sequence - Phase 3

1. Remove all deteriorated concrete to a point below the existing bridge seat as needed. (See Note this sheet)
2. Cast a new bridge seat at each abutment to the elevations indicated.
3. Remove 15' long post tensioning rods and temporary guardrail on Beam 4.
4. Install the remaining 3 box beams on the new bridge seat.
5. Install post tension rods (24' long) and complete the grouting between beams.
6. Construct new backwalls and top portions of wingwalls as needed.
7. Install AntiRock membrane, pavement and approach guardrails.

Note:
Cut lines on breastwalls and wingwalls to be determined in the field.

DESIGNED	DATE
KD	
DRAWN	
KD	
CHECKED	
CHECKED	

REVISION NUMBER	SHEET NUMBER	REVISION	DATE	BY



THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

**LOOP CREEK BRIDGE
OVER
LOOP CREEK
COUNTY ROUTE 61/5**

**PHASE 3
CONSTRUCTION**


SHEET _____ OF _____
BRIDGE NO. 8609.1

Public Roads Div.	State Dist. No.	State Project No.	Federal Project No.	Fiscal Year	County	Sheet No.	Total Sheets
W. V.	9	S310-61/5-0.04	NA	2013	FAYETTE	10	22




DETAIL "A" - Top Plate

Note: The bottom plate is 1/2 of the top plate and includes both holes.



PLACEMENT OF MOUNTING PLATE ON GRID DECK

TEMPORARY GUARDRAIL POST AND MOUNTING PLATES FOR GRID DECK




'STANDARD' BOX BEAM INSERT FOR BOX BEAM #4

DESIGNED	DATE
KD	
DRAWN	
KD	
CHECKED	
CHECKED	


REVISION NUMBER	SHEET NUMBER	REVISION	DATE	BY
THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS				
LOOP CREEK BRIDGE OVER LOOP CREEK COUNTY ROUTE 61/5				
TEMPORARY GUARDRAIL DETAILS				SHEET
				OF
				BRIDGE NO.
				8609.1

S:\3171042\Loop Creek Bridge\Loop Creek Bridge 10-11-13-01.VWY_LoopCreek_Bridge.dwg 10/11/13 10:48:00 AM


Public Roads Div.	State Dist. No.	State Project No.	Federal Project No.	Fiscal Year	County	Sheet No.	Total Sheets
W. V.	9	S310-61/5-0.04	NA	2012	FAYETTE	11	22




PLAN VIEW
NEW WINGWALL @ ABUTMENT 2



SECTION C-C
ELEVATION VIEW - ABUTMENT 2



SECTION D-D



SECTION D-D
REBAR - NEW LEFT WINGWALL

Note:






1. Top of wingwall elevation (El 913.78) established to accommodate the temporary W24x76 Girder. During Phase 3, after the box beams are installed, increase wingwall elevation to match Abutment 2 backwall. (El 915.39)
2. When casting new wingwall during Phase 1, block out any section that will interfere with the installation of the box beams during Phase 3.
3. Tie new wingwall and footing into existing abutment with dowels at 1 ft c-c.

DESIGNED	DATE
KD	
DRAWN	
KD	
CHECKED	
CHECKED	

REVISION NUMBER	SHEET NUMBER	REVISION	DATE	BY
THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS				
LOOP CREEK BRIDGE OVER LOOP CREEK COUNTY ROUTE 61/5				
ABUTMENT 2				SHEET
WINGWALL DETAILS				OF
				BRIDGE NO.
				8609.1

REINFORCING BAR SCHEDULE							
MARK	SIZE OF BAR	TYPE OF BAR	LENGTH OF BAR	NUMBER OF BARS ABUT. 1	NUMBER OF BARS ABUT. 2	NUMBER OF BARS TOTAL	WEIGHT OF BARS TOTAL
F 501	#5	STRAIGHT	5' 9"		18	18	108
F 502	#5	STRAIGHT	5' 6"		17	17	98
F 503	#5	BENT	3' 5"		6	6	22
F 604	#6	BENT	6' 9"		6	6	61
A605	#6	STRAIGHT	8' 0"		6	6	73
A506	#5	STRAIGHT	8' 0"		6	6	50
A507	#5	STRAIGHT	5' 9"		18	18	108
A508E	#5	BENT	10' 3"	21	21	42	449
A509E	#5	STRAIGHT	20' 6"	9	9	18	385
A510E	#5	BENT	4' 2"	21	21	42	183
A511	#5	BENT	2' 6"		22	22	58
A512E	#5	STRAIGHT	20' 0"	4	4	8	167
						TOTAL	1762

ESTIMATE OF QUANTITIES				
CATEGORY	DESCRIPTION	SIZE	UNIT	QUANTITY
STRUCTURAL STEEL	GIRDER	W24X76 @ 48' +/-	EACH	1
	GIRDER	W24X76 @ 39' +/-	EACH	1
	STRINGER	W8X24 @ 46' +/-	EACH	1
	DIAPHRAGMS	C12X20.7 @ 3' 4"	EACH	5
	DIAPHRAGM	C12X20.7 @ 4.5' +/-	EACH	1
	STIFFENERS	FLAT BAR 1/2" X 4" @ 25 1/4"	EACH	7
	STIFFENERS	FLAT BAR 1/2" X 4" @ 23"	EACH	15
	GUARDRAIL POSTS (BRIDGE ONLY)	W6X9 @ 4' +/-	EACH	12
	GUARDRAIL POSTS (ON GRID DECK)	W6X9 @ 2.5' +/-	EACH	6
	GUARDRAIL SUPPORTS	C7x12.25 @ 1' 2"	EACH	8
	VERTICAL SUPPORTS	W8X40 @ 6.5' +/-	EACH	2
	STEEL PLATE	12" x 12" x 1/2"	EACH	6
STEEL PLATE	12" x 6" x 1/2"	EACH	6	
DECKING	LAMINATED TIMBER DECKING	TIMBER PLANKS 2" X 6" @ 4' - 0"	EACH	384
REINFORCING STEEL	SUBSTRUCTURE REBARS	SEE REBAR SCHEDULE	LBS	1740
GALVANIZED GUARDRAIL	STEEL DEEP BEAM GUARDRAIL	TEMPORARY BRIDGE GUARDRAIL	FEET	100
		APPROACH GUARDRAIL	FEET	100



SLOPE BRIDGE SEATS

BRIDGE SEAT/BACKWALL DETAIL (TYP)

WINGWALL REHAB DETAIL (TYP)

DESIGNED	DATE	
DRAWN		
CHECKED		
CHECKED		


THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

**LOOP CREEK BRIDGE
OVER
LOOP CREEK
COUNTY ROUTE 61/5**


**DETAILS &
QUANTITIES**

SHEET _____ OF _____
BRIDGE NO. **8609.1**

Public Roads Div.	State Dist. No.	State Project No.	Federal Project No.	Fiscal Year	County	Sheet No.	Total Sheets
W. V.	9	S310 -61/5- 0.04	NA	2012	FAYETTE	13	22




PLAN VIEW - CONCRETE BOX BEAMS




Station Ahead


Station Ahead




PHASE 2 BOX BEAMS



PHASE 3 BOX BEAMS




ELEVATION - GUARDRAIL INSERTS & POST-TENSION BAR SLEEVES - BEAMS 1 AND 7



'STANDARD' GUARDRAIL POST INSERTS ON DOWNSTREAM FACE OF BEAM 4

(Guardrail Posts and Temporary Guardrail to be provided by owner.)

Note: All Box Beams are 36" wide by 21" deep.



SUPERSTRUCTURE CROSS-SECTION

DESIGNED KD	DATE	REVISION	DATE	BY
DRAWN KD				
CHECKED				
CHECKED				

THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

**LOOP CREEK BRIDGE
OVER
LOOP CREEK
COUNTY ROUTE 61/5**

**CONCRETE
BOX BEAMS**

SHEET
OF
BRIDGE NO.
8609.1

STATE PROJECT NUMBER	FEDERAL PROJECT NUMBER	STATE DIST. NO.	COUNTY	SHEET NO.	TOTAL SHEETS
S310-61/5-0.04	N/A	9	FAYETTE	14	22

GOVERNING SPECIFICATIONS

THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION, DIVISION OF HIGHWAYS STANDARD SPECIFICATIONS FOR ROADS AND BRIDGES, ADOPTED 2000 AS AMENDED BY THE CURRENT SUPPLEMENTAL SPECIFICATIONS. THE CONTRACT PLANS AND CONTRACT SPECIAL PROVISIONS ARE THE GOVERNING PROVISIONS APPLICABLE TO THIS PROJECT.

ALL BEAMS ARE DESIGNED IN ACCORDANCE WITH THE AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS, DATED 1998 AS AMENDED BY THE 2003 INTERIM SPECIFICATIONS.

DESIGN NOTES

ALL STANDARD ADJACENT PRESTRESSED CONCRETE BRIDGE BEAMS ARE DESIGNED TO MEET THE FOLLOWING CRITERIA:

- DESIGN LOADS:
 - HL-93 LIVE LOAD IN ACCORDANCE WITH THE AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS.
 - FUTURE WEARING SURFACE OF 50 PSF OF ROADWAY.
 - TYPE F PARAPET WEIGHING 321 PLF.
 - DIAPHRAGM DEAD LOAD, NUMBER REQUIRED BASED ON 15'-0" MAX. SPACING.
 - PROJECT SPECIFIC DESIGN LOADS:
 - HLBC WEARING COURSE WEIGHING 75 PLF PER BEAM.
 - TL-2 GUARDRAIL SYSTEM WEIGHING 9 PLF PER BEAM.
- TWO LANE BRIDGE WITH AN OVERALL WIDTH OF 24'-5" (INCL. 1/4" GAP BETWEEN ADJ. BEAMS). A CURB-TO-CURB WIDTH OF 22'-1". TRANSVERSE POST-TENSIONING, AND ZERO SKEW.
- DESIGN STRENGTH AND UNIT STRESSES:

MINIMUM CONCRETE STRENGTH @ STRAND RELEASE	5500 PSI
MINIMUM CONCRETE STRENGTH @ 28 DAYS	8000 PSI
TEMPORARY STRESS LIMITS IN CONCRETE BEFORE LOSSES:	
COMPRESSION STRESS LIMIT @ STRAND RELEASE	3600 PSI
TENSION STRESS LIMIT @ STRAND RELEASE	-200 PSI
COMPRESSIVE STRESS LIMITS IN CONCRETE @ SERVICE 1 AFTER LOSSES:	
@ FINAL 1 (PS·DL·LL)	4800 PSI
@ FINAL 2 (PS·DL)	3600 PSI
@ FINAL 3 [50% (PS·DL)·LL]	3200 PSI
TENSILE STRESS LIMIT IN CONCRETE @ SERVICE 111 AFTER LOSSES:	
@ FINAL 1 (PS·DL·LL)	-270 PSI
TENDON STRESS LIMIT PRIOR TO TRANSFER	202.5 KSI
TENDON STRESS LIMIT AFTER ALL LOSSES	168.6 KSI
- DEBONDING OR SHIELDING OF STRANDS TO REDUCE TEMPORARY TENSILE STRESSES IS PERMITTED, HOWEVER DEBONDING IS LIMITED TO 40% PER ROW AND 25% TOTAL. IN NO INSTANCES SHALL OUTER STRANDS BE DEBONDED. DEBONDED STRANDS SHALL BE SEPARATED BY AT LEAST ONE FULLY BONDED STRAND AND SHALL BE SYMMETRICAL ABOUT THE C OF THE BEAM. SHIELDING OF STRANDS SHALL BE ACCOMPLISHED BY TAPING OR TIGHT FITTING PLASTIC TUBES TAPED AT EACH END.
- THE ELASTOMERIC BEARING PADS PROVIDED IN THE STANDARD DESIGNS ARE BASED ON ZERO GRADE AND ARE LIMITED TO A MAXIMUM OF 5% GRADE. IN INSTANCES OF GRADES EXCEEDING THIS LIMIT, PADS SHALL BE SPECIFICALLY DESIGNED. INDIVIDUAL PAD DESIGNS SHALL BE IN ACCORDANCE WITH SECTION 14, AASHTO LRFD. BEVELED SOLE PLATES ARE PERMITTED.
- MAXIMUM BEAM SKEW SHALL BE 30 DEGREES.
- WHEN ALTERNATE DESIGNS OR SITE SPECIFIC DESIGNS ARE PROVIDED, CRITERIA SET FORTH IN THESE STANDARDS SHALL APPLY.
- NEGATIVE DESIGN CAMBER AFTER ALL LOSSES IS NOT PERMITTED.
- EACH BEAM PROVIDED IN THESE STANDARD DESIGNS HAS BEEN LOAD RATED IN ACCORDANCE WITH SECTION 3.15 OF THE WEST VIRGINIA DIVISION OF HIGHWAYS BRIDGE DESIGN MANUAL, 2004. ADDITIONALLY, LOAD RATING PROCEDURES ARE IN ACCORDANCE WITH THE AASHTO MANUAL FOR CONDITION EVALUATION AND LOAD AND RESISTANCE FACTOR RATING OF HIGHWAY BRIDGES, 2003.

MATERIALS & FABRICATION NOTES

• THE PRESTRESSED CONCRETE BEAMS SHALL CONFORM TO ALL APPLICABLE PROVISIONS OF SECTION 603 OF THE STANDARD SPECIFICATIONS.

MILD REINFORCEMENT:

- ALL MILD REINFORCING STEEL SHALL BE GRADE 60, DEFORMED BILLET STEEL AND SHALL BE EPOXY COATED EXCEPT WHERE NOTED. ALL UNCOATED REINFORCING SHALL MEET THE REQUIREMENTS OF AASHTO M31. ALL EPOXY COATED REINFORCING SHALL MEET THE REQUIREMENTS OF AASHTO M284, EXCEPT WHERE AMENDED BY SECTION 709.1 OF THE STANDARD SPECIFICATIONS.
- ALL TENSION LAP SPLICES SHALL BE A CLASS B, CONTACT TYPE. MINIMUM LAP SPLICE LENGTHS SHALL BE AS GIVEN IN THE "LAP SPLICE TABLE", THIS SHEET, ADDITIONALLY, IF LAP SPLICING OF ET, LR, AND BT BARS IS USED, TERMINATION OF THE SPLICE SHALL BE NO CLOSER TO THE END OF THE BEAM THAN 1/10 OF THE SPAN LENGTH.
- MINIMUM BAR BENDING DIAMETER SHALL BE 6 BAR DIAMETERS, EXCEPT THAT NO. 4 AB BARS MAY HAVE A MINIMUM BEND DIAMETER OF 4 BAR DIAMETERS.
- MINIMUM CONCRETE COVER SHALL BE AS SPECIFIED IN SECTION 603.5 OF THE STANDARD SPECIFICATIONS, EXCEPT WHERE NOTED ON THE PLANS.

PRESTRESSING STRAND:

- ALL PRESTRESSING STEEL SHALL BE 1/4" Ø, GRADE 270, 7 WIRE UNCOATED, LOW-RELAXATION STRAND MEETING THE REQUIREMENTS OF AASHTO M203, SUPPLEMENT S1.
- ALL BEAMS DESIGNED IN THESE STANDARDS UTILIZE STRANDS WITH A NOMINAL AREA OF 0.167 SQ. IN. STRANDS WITH A NOMINAL AREA OF 0.153 SQ. IN. IS PERMITTED FOR INDIVIDUAL OR ALTERNATE DESIGNS, HOWEVER THE DESIGNER IS ENCOURAGED TO USE THE LARGER STRAND FOR UNIFORMITY REASONS. IN NO CASES WILL STRESS-RELIEVED STRAND BE PERMITTED.
- ALL STRANDS SHALL BE ENCLOSED INSIDE THE STIRRUP CAGE FOR THE FULL LENGTH OF THE BEAM.
- ALL EXPOSED PRESTRESSING STRAND AT EACH BEAM END SHALL BE SHOP COATED WITH A LIQUID COLD-APPLIED BITUMINOUS ELASTOMERIC WATERPROOFING MEMBRANE. MATERIAL SHALL MEET ASTM C836-84.

CONCRETE:

- ALL CONCRETE USED IN MANUFACTURING PRESTRESSED CONCRETE BEAMS SHALL MEET THE REQUIREMENTS OF SECTION 603.6 OF THE STANDARD SPECIFICATIONS. DESIGN STRENGTHS SHALL MEET OR EXCEED THE MINIMUM VALUES SET FORTH IN THESE PLANS.
- ALL CONCRETE USED IN PARAPETS AND CURBS SHALL BE CLASS K CONCRETE.

ELASTOMERIC BEARING PADS:

- ALL BEARING PADS SHALL MEET THE APPLICABLE REQUIREMENTS AS SET FORTH IN SECTION 18.2 OF THE AASHTO LRFD BRIDGE CONSTRUCTION SPECIFICATIONS, 1998 EDITION WITH CURRENT INTERIMS. ALL BEARINGS SHALL BE STEEL REINFORCED LAMINATED BEARINGS.
- THE ELASTOMER MATERIAL SHALL BE 60 DUROMETERS WITH A MINIMUM LOW TEMPERATURE GRADE OF 3 (ZONE C).
- ALL STEEL REINFORCING SHALL MEET THE REQUIREMENTS OF AASHTO M270, GRADE 36.

GUARDRAIL, GUARDRAIL POSTS, TUBING & INSERTS:

- ALL W-BEAM GUARDRAIL AND ATTACHMENT HARDWARE SHALL BE IN ACCORDANCE WITH SECTION 712.4 OF THE STANDARD SPECIFICATIONS. GUARDRAIL POSTS, STRUCTURAL TUBING, POST ATTACHMENT INSERTS, AND HARDWARE SHALL MEET THE LISTED MATERIAL AND COATING SPECIFICATIONS:

ITEM	DESCRIPTION	MATERIAL SPEC.	COATING SPEC.
POST	W6x25	AASHTO M270, GR 36	AASHTO M111
PLATE	1/2" x 7"	AASHTO M270, GR 36	AASHTO M111
TUBING	TS 8x4x3/16	ASTM A500, GR B	AASHTO M111
CHANNEL	C7x9.8	AASHTO M270, GR 36	AASHTO M111
FERRULE	TYPE 2A 1/4" Ø x 2 1/2" MIN LEN.	ASTM A108 (11L17 STEEL)	AASHTO M232
		ASTM A510 (1018 STEEL)	AASHTO M232
WIRE	ANCHOR 3/8" Ø	ASTM A510 (1018 STEEL)	AASHTO M232
		AASHTO M291, CLASS C	AASHTO M232
STUDS	1/4" Ø x 8" LONG	ASTM A108 (1045 C.D. STEEL)	AASHTO M232
		AASHTO M291, CLASS C	AASHTO M232
COUPLERS	TYPE 1A 1/4" Ø x 5" LONG	ASTM A108 (12L14 STEEL)	AASHTO M232
		AASHTO M164 (TYPE 1, HH)	AASHTO M232
BOLTS	1/4" Ø x 12" LONG	AASHTO M164 (TYPE 1, HH)	AASHTO M232
		AASHTO M164 (TYPE 1, HH)	AASHTO M232
NUTS	3/8" Ø x ALL LEN.	AASHTO M164 (TYPE 1, HH)	AASHTO M232
WASHERS	3/8" Ø	AASHTO M291, CLASS C	AASHTO M232
		AASHTO M293	AASHTO M232

WELDING:

- TACK WELDING OF REINFORCEMENT IS NOT PERMITTED. REINFORCING CAGES AND LONGITUDINAL STEEL SHALL BE ADEQUATELY TIED WITH APPROVED MEANS TO PREVENT RACKING AND MISALIGNMENT.
- ALL WELDING OF FABRICATED ITEMS, AS SHOWN IN THESE PLANS SHALL BE IN ACCORDANCE WITH ALL APPLICABLE PROVISIONS OF AASHTO/AWS D1.5, 2002.

POST-TENSIONING BARS:

- POST - TENSIONING THREAD BARS SHALL BE ONE INCH DIAMETER, 150 KSI STEEL, AND SHALL CONFORM TO AASHTO M275, TYPE 11. STEEL THREAD BARS SHALL BE DESIGNED TO ALLOW THE USE OF HEAVY HEX NUTS AND COUPLERS THAT THREAD ONTO THE END OF THE DEFORMATIONS. HEAVY HEX NUTS AND COUPLERS SHALL BE OF A DESIGN AND MATERIAL RECOMMENDED BY THE BAR MANUFACTURER TO DEVELOP THE FULL TENSILE STRENGTH OF THE BAR. PROPERLY DOCUMENTED CERTIFIED MILL TEST REPORTS SHALL BE PROVIDED FOR EACH HEAT OF STEEL THREAD BARS.
- ALL POST-TENSIONING THREAD BARS, NUTS, BEARING PLATES, COUPLERS, AND ANCILLARY HARDWARE SHALL BE HOT-DIPPED GALVANIZED IN ACCORDANCE WITH AASHTO M111. THE GALVANIZING PLANT SHALL ADMINISTER ADEQUATE QUALITY CONTROL MEASURES TO SAFEGUARD AGAINST HYDROGEN EMBRITTEMENT. QUALITY CONTROL MEASURES SHALL COMPLY WITH ASTM A-143. CERTIFICATION FOR HOT-DIP GALVANIZING SHALL BE PROVIDED BY THE GALVANIZING PLANT.
- ALL POST-TENSIONING BEARING PLATES SHALL CONFORM TO AASHTO M270, GRADE 36.

SHEAR KEY GROUT:

- SHEAR KEY GROUT SHALL BE A GROUT THAT IS RECOMMENDED BY THE MANUFACTURER FOR A POURABLE GROUT APPLICATION AND THAT BASED ON THE MANUFACTURER'S TEST DATA WILL ATTAIN A MINIMUM OF 4500 PSI COMPRESSIVE STRENGTH IN 3 DAYS UNDER CONDITIONS REPRESENTATIVE OF THE CONDITIONS TO BE EXPERIENCED AT THE SITE. THE GROUT MUST BE LISTED ON THE APPROVED LIST OF GROUTS PUBLISHED BY THE WEST VIRGINIA DIVISION OF HIGHWAYS, MATERIALS CONTROL, SOIL AND TESTING DIVISION. THE CONTRACTOR SHALL PRE-TEST THE PROPOSED GROUT FOR COMPRESSIVE STRENGTH AT 3 AND 7 DAYS AND SUBMIT THE RESULTS TO THE BRIDGE PROJECT MANAGER FOR APPROVAL PRIOR TO INSTALLATION OF THE GROUT IN THE STRUCTURE. THE TESTS WILL BE BASED ON A POURABLE CONSISTENCY WITH THE SAME WATER/GROUT MIXTURE RATIO TO BE USED IN THE STRUCTURE.
- THE CONTRACTOR SHALL BE REQUIRED TO SUBMIT FOR EACH PROJECT, THE GROUT PRE-TEST RESULTS OBTAINED IN THE NOTE ABOVE. THE CONTRACTOR SHALL BE REQUIRED TO PERFORM A NEW PRE-TEST AND SUBMISSION FOR APPROVAL UNDER ANY OF THE FOLLOWING CONDITIONS:
 - A PERIOD OF 18 MONTHS HAS ELAPSED SINCE LAST PRE-APPROVAL TESTING.
 - GROUT MANUFACTURER HAS REVISED OR CHANGED THE GROUT SPECIFICATIONS.
 - THE CONTRACTOR ALTERS THE WATER/GROUT MIXTURE RATIO.
 - THE CONTRACTOR CHANGES GROUT MANUFACTURER.
 - THE CONTRACTOR IS REQUIRED TO COMPLETE THE GROUT STRENGTH TABLE ON BR-B103.
- TEST PROCEDURE FOR DETERMINING THE COMPRESSIVE STRENGTH OF GROUT SHALL USE CUBE SPECIMENS IN ACCORDANCE WITH ASTM C109, AS MODIFIED BY ASTM C1107. GROUT TESTING IN ACCORDANCE WITH AASHTO T23 (STANDARD CYLINDER TEST) IS NOT ACCEPTABLE.

PROTECTIVE SURFACE TREATMENT:


- EACH PRESTRESSED CONCRETE BEAM SHALL BE TREATED BY THE MANUFACTURER AT THE FABRICATION PLANT WITH AN APPROVED CONCRETE SEALER (SILANE). AN APPROVED LIST OF CONCRETE SEALERS ARE ON FILE AT THE WEST VIRGINIA DIVISION OF HIGHWAYS, MATERIALS CONTROL, SOIL AND TESTING DIVISION. COVERAGE SHALL INCLUDE TOP AND BOTTOM OF INTERIOR BEAMS, AND TOP, BOTTOM AND EXTERIOR SIDE OF EXTERIOR BEAM. APPLICATION RATE SHALL BE PER TREATMENT MANUFACTURER'S RECOMMENDATION.
- AFTER COMPLETION OF THE SILANE TREATMENT BY FABRICATOR AND A MAXIMUM OF FIVE WORKING DAYS PRIOR TO SHIPMENT OF THE BEAMS, THE FABRICATOR SHALL BE RESPONSIBLE FOR ABRASIVE BLAST CLEANING TO CLEAN WHITE CONCRETE THE INTERIOR SIDES OF BEAMS FOR THE FULL LENGTH. CLEAN WHITE CONCRETE SHALL MEAN REMOVAL OF ALL DIRT, GREASE, OIL, AND LOOSE CONCRETE LAITANCE AND PROVIDE A ROUGHENED CONCRETE SURFACE. BLASTING MEDIUM SHALL BE APPROVED BY THE DIVISION OF HIGHWAYS.

SHOP DRAWINGS:

THE FABRICATOR SHALL BE RESPONSIBLE FOR THE PREPARATION OF SHOP DRAWINGS IN ACCORDANCE WITH THE WEST VIRGINIA DIVISION OF HIGHWAYS DOCUMENTS, DD-102 AND THE STANDARD SPECIFICATIONS. ADDITIONAL INFORMATION IS PROVIDED IN SECTION 7 OF THE BRIDGE DESIGN MANUAL. SHOP DRAWINGS SHALL INCLUDE THE FABRICATOR'S DETENSIONING PLAN.

BAR SIZE	NO. 3	NO. 4	NO. 5	NO. 6
SPLICE LEN.	21"	28"	34"	41"

THIS SHEET SHALL BE USED IN CONJUNCTION WITH STANDARD SHEETS BR-B17A & B THRU BR-B42A & B, BR-B101, BR-B102A & B, BR-B103, BR-B104, BR-B105A & B AND BR-B106 AS APPLICABLE.


 DATE: 10-25-07
 DIRECTOR, ENGINEERING DIVISION
 WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
 DIVISION OF HIGHWAYS
 ENGINEERING DIVISION
 PREPARED: 07-02-07
 REVIEWED: 9/10 TW
 PRESTRESSED CONCRETE BEAM
 DESIGN & ASSEMBLY NOTES
 STANDARD SHEET BR-B100

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
 DIVISION OF HIGHWAYS
 ENGINEERING DIVISION
LOOP CREEK BRIDGE OVER LOOP CREEK
 PRESTRESSED CONCRETE BEAM
 DESIGN & ASSEMBLY NOTES
 DESIGNED BY: THB/
 DRAWN BY: THB/
 CHECKED BY: TW/
 REVIEWED BY: TW/
 DATE: 11/2010
 SCALE: NONE
 SHEET NO 14
 BRIDGE NO. 8609.1

STATE PROJECT NUMBER	FEDERAL PROJECT NUMBER	STATE DIST. NO.	COUNTY	SHEET NO.	TOTAL SHEETS
S310-61/5-0.04	N/A	9	FAYETTE	15	22

DESIGN DATA FOR 21" DEPTH ADJACENT BOX BEAM

SPAN LENGTH ϕ TO ϕ BEARING	30'-0"	32'-0"	34'-0"	36'-0"	38'-0"	40'-0"	42'-0"	44'-0"	46'-0"	48'-0"	50'-0"						
OVERALL LENGTH OF BEAM	31'-6"	33'-6"	35'-6"	37'-6"	39'-6"	41'-6"	43'-6"	45'-6"	47'-6"	49'-6"	51'-6"						
NO. OF 270 KSI, 1/2" ϕ LOW-RELAXATION STRANDS, AREA/STRAND = 0.167 SQ. IN.	10	10	10	12	12	14	14	14	16	16	16						
STRAND POSITION NUMBER	ROW 1	1,2,11,12	1,2,11,12	1,2,11,12	1,2,7,8,13,14	1,2,7,8,13,14	1,2,7,8,13,14	1,2,7,8,13,14	1,2,5,6,9,13,14	1,2,5,6,9,13,14	1,2,5,6,9,13,14	10					
	ROW 2	15,16,25,26	15,16,25,26	15,16,25,26	15,16,27,28	15,16,27,28	15,16,27,28	15,16,27,28	15,16,27,28	15,16,27,28	15,16,27,28	22					
	ROW 3	---	---	---	---	---	---	---	---	---	---						
	ROW 4	33,34	33,34	33,34	33,34	33,34	33,34	33,34	33,34	33,34	33,34	33,34					
PRESTRESSING FORCE IMMEDIATELY AFTER STRAND RELEASE, Ppt. (KIPS/BEAM)	327	328	328	391	391	453	454	454	515	516	517						
EFFECTIVE PRESTRESSING FORCE AFTER ALL LOSSES, Ppe. (KIPS/BEAM)	297	298	298	350	352	403	404	406	454	456	458						
REQUIRED FACTORED MOMENT ϕ STRENGTH I, Mu (FT-KIPS/BEAM)	359	393	427	465	504	545	588	639	693	746	800						
FACTORED FLEXURAL RESISTANCE, Mr (FT-KIPS/BEAM)	527	527	527	644	644	743	743	743	853	853	853						
TOTAL NO. DEBONDED STRANDS	---	---	---	---	---	---	---	---	---	---	---						
DEBONDED STRAND POSITION NUMBER & SHIELDING LENGTH FROM EACH END	ROW 1	---	---	---	---	---	---	---	---	---	---						
	ROW 2	---	---	---	---	---	---	---	---	---	---						
NUMBER & LENGTH #4 ET TOP TENSION BARS ϕ EACH END	3 - #4 x 4'-6"	3 - #4 x 4'-6"	3 - #4 x 5'-0"	3 - #4 x 5'-0"	3 - #4 x 5'-0"	3 - #4 x 5'-6"	3 - #4 x 5'-6"	3 - #4 x 6'-0"	3 - #4 x 6'-0"	3 - #4 x 6'-0"	3 - #4 x 6'-6"						
NUMBER & LENGTH #5 BT BOTTOM TENSION BARS ϕ EACH END	2 - #5 x 5'-0"	2 - #5 x 5'-0"	2 - #5 x 6'-0"	2 - #5 x 6'-0"	2 - #5 x 6'-0"	2 - #5 x 6'-0"	2 - #5 x 6'-0"	2 - #5 x 6'-0"	2 - #5 x 6'-0"	2 - #5 x 6'-0"	2 - #5 x 6'-0"						
DESIGN CAMBER + = POSITIVE (UP) (INCHES)	ϕ RELEASE	0.15	0.15	0.15	0.26	0.27	0.37	0.38	0.38	0.55	0.55	0.54					
	ϕ ERECTION	0.23	0.23	0.22	0.40	0.39	0.56	0.55	0.52	0.79	0.76	0.71					
	ϕ FINAL	0.24	0.22	0.18	0.40	0.36	0.55	0.49	0.40	0.70	0.59	0.45					
NUMBER & SPACING OF TL-2 GUARDRAIL INSERTS SEE NOTE 6	NO OF INSERTS REQD.							7									
	END OF BEAM TO ϕ OF FIRST INSERT EA. END							1'9"									
	ϕ OF 1st INSERT TO ϕ 2nd INSERT EA. END							6'3"									
WEIGHT OF TYPICAL BEAM INCLUDING DIAPHRAGM (TONS)	9.2	9.8	10.4	10.9	11.5	12.0	12.6	13.1	13.8	14.3	14.9						

MIN. CONCRETE STRENGTH @ RELEASE= 5500 PSI
 MIN. CONCRETE STRENGTH @ 28 DAYS= 8000 PSI
 INITIAL PULL/STRAND = 33,820 LBS
 CROSS-SECTION AREA/STRAND = 0.167 SQ. IN.

NOTES

- BEAM WEIGHTS LISTED IN THE DESIGN TABLE ARE BASED ON ZERO SKEW, 2 FT. LONG ENDBLOCK AND DIAPHRAGMS SPACED @ 15 FT C/C. WEIGHTS FOR SKEWED BEAMS, LONGER ENDBLOCKS AND ADDITIONAL DIAPHRAGMS SHOULD BE ADJUSTED ACCORDINGLY.
 FOR ADDITIONAL DIAPHRAGMS, ADD 226 LBS/DIAPHRAGM.
 FOR SKEW ADD 21 LBS/DEGREE OF SKEW/END.
 FOR LONGER ENDBLOCK, ADD 271 LBS/LF/END.
- DESIGNERS SHOULD NOTE THAT DATA IN STANDARD TABLE IS BASED ON EVEN SPAN LENGTHS, A TWO LANE STRUCTURE 8 BEAMS WIDE AND ZERO SKEW. SUPERIMPOSED DEAD LOADS INCLUDE TYPE F PARAPET (321 PLF) AND A FWS OF 50 PSF. FOR NON-STANDARD BRIDGES DATA SHOULD BE VERIFIED AND IF REQUIRED NEW DESIGN DATA ENTERED INTO BLANK COLUMNS. IN NO CASE SHALL THE STANDARD DESIGN TABLE BE ALTERED.
- IF BEAM DOES NOT MEET ALL TOLERANCES REFER TO MP 603.10.40 FOR GUIDANCE. MEASUREMENT OF CAMBER FOR COMPARISON TO PREDICTED DESIGN VALUES SHOULD BE COMPLETED WITHIN 72 HOURS OF RELEASE ADDITIONALLY. CAMBER SHOULD BE EVALUATED UNDER CONDITIONS THAT MINIMIZE THE EFFECT OF TEMPERATURE VARIATION.

- DESIGNER, FABRICATOR, AND ERECTOR SHALL BE AWARE THAT SKEWED END BEAMS MAY TWIST OR WARP, CAUSING UNEVEN BEAM SEATING AT THE BEARINGS. THE CONTRACTOR IS REQUIRED TO CORRECT AT THE TIME OF ERECTION, BEFORE THE BEAMS ARE SECURED IN PLACE. METHOD OF CORRECTION SHALL PROVIDE AN EVEN, TOTAL BEARING AND A LEVEL TOP BEAM SURFACE. TOLERANCE, AFTER CORRECTION, SHALL BE (+/-) 1/4 INCH. THE FABRICATOR SHALL NOTIFY THE CONTRACTOR AND DESIGNER IF CORRECTIONS ARE REQUIRED PRIOR TO SHIPMENT.
- MAXIMUM BEAM SKEW SHALL BE 30 DEGREES.
- DESIGNER INPUT VALUES OF NUMBER OF INSERTS, DISTANCE FROM END OF BEAM TO ϕ FIRST INSERT, AND ϕ FIRST INSERT TO ϕ SECOND INSERT. ABOVE VALUES SHALL BE BASED ON THE REQUIRED 6'-3" GUARDRAIL POST SPACING ACROSS THE BRIDGE.
- THIS SHEET SHALL BE USED IN CONJUNCTION WITH STANDARD SHEETS BR-B21A, BR-B100, BR-B101, BR-B102A & B, BR-B103, BR-B104, BR-B105A & B AND BR-B106 AS APPLICABLE.

APPROVED: *[Signature]* DATE: 10-25-07
 DIRECTOR, ENGINEERING DIVISION

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
 DIVISION OF HIGHWAYS
 ENGINEERING DIVISION

DESIGN TABLE FOR 21"
 PRESTRESSED BOX BEAM

STANDARD SHEET BR-B21B

PREPARED: 07-02-07
 REVISION: 9/10 TW


**WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
 DIVISION OF HIGHWAYS
 ENGINEERING DIVISION**

**LOOP CREEK BRIDGE
 OVER
 LOOP CREEK**


**DESIGN TABLE FOR 21"
 PRESTRESSED BOX BEAM**

DESIGNED BY: TW/
 DRAWN BY: THB/
 CHECKED BY: TW/
 REVIEWED BY: THB/
 DATE: 11/2010
 SCALE: NONE
 SHEET NO 15
 BRIDGE NO. 8609.1


PROJECT NUMBERS		DISTRICT	COUNTY	SHEET NO.	TOTAL
STATE	FEDERAL	9	FAYETTE	16	22
5310	NA				
-5175-					
0.04					




GENERAL ELEVATION VIEW




BEAM PRESTRESSING
TYPICAL BEAM END & MIDSPAN




SECTION A-A




REINFORCING STEEL ELEVATION



DETAIL "A"



SECTION B-B



REINFORCING BAR DETAIL

NOTES:

- REFER TO SHEET BR-B102A FOR SHEAR KEY DETAILS.
- DESIGNER SHALL USE THE FOLLOWING KEY TO INDICATE STRAND AND DEBONDING PATTERN ON "BEAM PRESTRESSING VIEW", THIS SHEET.
 - ACTIVE STRAND
 - ▽—DEBOND STRAND: LENGTH FROM END OF BEAM
 - △—DEBOND STRAND: LENGTH FROM END OF BEAM
 - DEBOND STRAND: LENGTH FROM END OF BEAM
- THIS SHEET SHALL BE USED IN CONJUNCTION WITH STANDARD SHEETS BR-B21B, BR-B100, BR-B101, BR-B102A & B, BR-B103, BR-B104, BR-B105A & B AND BR-B106 AS APPLICABLE.

WHEN A POST-TEN ACCESS POCKET IS USED AS DETAILED ON SHEET BR-B103 STRANDS IN ROWS 3 AND 4 SHALL BE ELIMINATED. THE BEAM SHALL BE REDESIGNED AS NECESSARY.

APPROVED: *Gregory Bailey* DIRECTOR, ENGINEERING DIVISION DATE: 10-25-07

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS ENGINEERING DIVISION

21" PRESTRESSED CONCRETE BOX BEAMS DESIGN AND ASSEMBLY DETAILS

STANDARD SHEET BR-B21A

PREPARED: 07-02-07

REVISOR:


WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS ENGINEERING DIVISION

LOOP CREEK BRIDGE OVER LOOP CREEK ON COUNTY ROUTE 61/5


21" PRESTRESSED BOX BEAM DESIGN AND ASSEMBLY DETAILS

DESIGNED BY: TW/
DRAWN BY: BH/
CHECKED BY: TW/
REVIEWED BY: THB/
DATE:
SCALE:
SHEET 16
BRIDGE NO. R600 1

STATE PROJECT NUMBER	FEDERAL PROJECT NUMBER	STATE DIST. NO.	COUNTY	SHEET NO.	TOTAL SHEETS
5310-61/5-0.04	N/A	9	FAYETTE	17	22




TYPICAL CROSS-SECTION WITH GUARDRAIL




TYPICAL CROSS-SECTION WITH PARAPET OR CURB

CONTROL DIMENSIONS		
DESCRIPTION	CODE	VALUE
OVERALL BEAM LENGTH	A	43' 6"
SPAN LENGTH, ϕ BEARING TO ϕ BEARING	B	42' 0"
SUPERSTRUCTURE WIDTH - OUT TO OUT	C	21' 0"
ROADWAY WIDTH - FACE GR/PARAPET TO FACE GR/PARAPET	D	21' 0"
NUMBER OF BEAMS REQUIRED		7
BEAM SIZE (WIDTH x DEPTH)		36"x21"
SKEW ANGLE (NORMAL, DEG. RFS OR DEG. LFS)	E	0°
PERPENDICULAR DISTANCE FROM FACE OF BEAM TO ϕ BEARING	F	9"
HLBC WEARING COURSE REQUIRED (YES/NO)		YES
THICKNESS OF WEARING COURSE ϕ ϕ OF DECK OR ROADWAY	G	3"
THICKNESS OF WEARING COURSE ϕ EDGE OF DECK OR PARAPET	H	1"
TL-2 BRIDGE GUARDRAIL SYSTEM REQUIRED (YES/NO)		YES
FABRICATOR TO SUPPLY TL-2 BRIDGE GUARDRAIL (YES/NO)		YES
FABRICATOR TO INSTALL BRIDGE GUARDRAIL PRIOR TO SHIPMENT (YES/NO) (IF NO, FABRICATOR TO SHIP LOOSE)		YES
NUMBER OF GUARDRAIL POST INSERTS REQUIRED PER SIDE		7'
TYPE F PARAPET REQUIRED (YES/NO)		NO
DRAINS REQUIRED (YES/NO)		NO
NUMBER OF DRAINS REQUIRED PER SIDE		N/A
10' CURB REQUIRED (YES/NO)		NO

*See Sheet 13 for details of 'Standard' Inserts on Beam #4.



DECK PLAN VIEW



BEAM PLAN VIEW - SKEWED ENDS

ESTIMATE OF QUANTITIES

ITEM NO.	DESCRIPTION	UNITS	QUANTITY
603016	PRESTRESSED CONCRETE BOX BEAM	LF	304.5

NOTES:

- WHEN BRIDGE GUARDRAIL IS TO BE SUPPLIED BY THE BEAM FABRICATOR, COST OF ALL BRIDGE GUARDRAIL ITEMS TO INCLUDE POSTS, RAIL ELEMENTS, ATTACHMENT HARDWARE, AND MISCELLANEOUS ITEMS NEEDED TO COMPLETELY INSTALL BRIDGE GUARDRAIL SHALL BE INCLUDED IN ITEM 603016 "PRESTRESSED CONCRETE BOX BEAM."
- THIS SHEET SHALL BE USED IN CONJUNCTION WITH STANDARD SHEETS BR-B17A & B THRU BR-B42A & B, BR-B100, BR-B102A & B, BR-B103, BR-B104, BR-B105A & B AND BR-B106.

APPROVED: [Signature] DIRECTOR, ENGINEERING DIVISION DATE: 10-25-07

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS ENGINEERING DIVISION

PREPARED: [Signature] DATE: 07-02-07

DESIGN AND ASSEMBLY NOTES

STANDARD SHEET BR-B101


WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS ENGINEERING DIVISION

LOOP CREEK BRIDGE OVER LOOP CREEK ON COUNTY ROUTE 61/5


PRESTRESSED CONCRETE BEAM DESIGN & ASSEMBLY NOTES

DESIGNED BY: THB/ DRAWN BY: THB/ CHECKED BY: TW/ REVIEWED BY: TW/ DATE: SCALE: SHEET NO 17 BRIDGE NUMBER 8609.1


STATE PROJECT NUMBER	FEDERAL PROJECT NUMBER	STATE DIST. NO.	COUNTY	SHEET NO.	TOTAL SHEETS
S310-61/5-0.04	N/A	9	FAYETTE	18	22



END BEARING DETAIL WITH BACKWALL




END BEARING DETAIL WITHOUT BACKWALL




REINFORCING BAR DETAIL


SKEWED BEAMS




SHEAR KEY DETAIL




END VIEW



SIDE VIEW



LIFTING DETAILS



END BLOCK DETAIL - SKEWED BEAMS

WO/POST-TEN. ACCESS POCKET

THIS SHEET SHALL BE USED IN CONJUNCTION WITH STANDARD SHEETS BR-B17A & B THRU BR-B42A & B, BR-B100, BR-B101, BR-B102B, BR-B103, BR-B104, BR-B105A & B AND BR-B106 AS APPROPRIATE.

APPROVED: *Gregory Bailey* DATE: 10-25-07
DIRECTOR, ENGINEERING DIVISION

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
ENGINEERING DIVISION

PREPARED: 07-02-07

REVISIONS:

NO.	DATE	DESCRIPTION
1	12/27/10	T.K.

PRESTRESSED CONCRETE BEAM
SKEWED END REINFORCING
MISC. DESIGN AND ASSEMBLY DETAILS

STANDARD SHEET BR-B102A









WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
ENGINEERING DIVISION

LOOP CREEK BRIDGE OVER LOOP CREEK

DESIGNED BY: THB/
DRAWN BY: THB/
CHECKED BY: TW/
REVIEWED BY: TW/
SCALE: NONE
SHEET 18
BRIDGE NO. 8609.1

PRESTRESSED CONCRETE BEAM
SKEWED END REINFORCING
MISC. DESIGN AND ASSEMBLY DETAILS

STATE PROJECT NUMBER	FEDERAL PROJECT NUMBER	STATE DIST. NO.	COUNTY	SHEET NO.	TOTAL SHEETS
S310-61/5-0-04	N/A	9	FAYETTE	19	22



PAD	LENGTH	WIDTH	HEIGHT	NO. SHMS	SHM SIZE	SPAN RANGES	MAXIMUM REACTION	MAXIMUM MOVEMENT ONE DIRECTION
A1	4 1/4"	20"	1 1/4"	2	1/8" x 4 1/2" x 2'-3 3/4"	20' - 30'	55 KIPS	0.39"
B1	4 1/4"	28"	1 3/8"	3	1/8" x 4 1/2" x 2'-3 3/4"	40' - 78'	75 KIPS	0.80"
C1	4 1/4"	28"	2 1/8"	4	1/8" x 4 1/2" x 2'-3 3/4"	80' - 100'	80 KIPS	1.02"
A2	4 1/4"	15 1/2"	1 1/4"	2	1/8" x 4 1/2" x 1'-3 3/4"	20' - 30'	20 KIPS	0.39"
B2	4 1/4"	15 1/2"	1 3/8"	3	1/8" x 4 1/2" x 1'-3 3/4"	40' - 78'	38 KIPS	0.80"
C2	4 1/4"	15 1/2"	2 1/8"	4	1/8" x 4 1/2" x 1'-3 3/4"	80' - 100'	45 KIPS	1.02"

- NOTES:**
- ELASTOMERIC BEARING PADS ARE DESIGNED IN ACCORDANCE WITH DESIGN METHOD B CONTAINED IN SECTION 14 OF THE AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS. FABRICATION SHALL BE IN ACCORDANCE WITH SECTION 18 OF THE AASHTO LRFD BRIDGE CONSTRUCTION SPECIFICATIONS.
 - ALL BEARINGS ARE DESIGNED FOR A LOW TEMPERATURE ZONE C AND SHALL HAVE A DUROMETER HARDNESS OF 60. METALLIC REINFORCEMENT SHALL HAVE A MINIMUM YIELD STRENGTH OF 36 KSI.
 - BEARING PADS ARE DESIGNED FOR ZERO BRIDGE GRADE. FOR BRIDGE GRADES GREATER THAN 5 %, PADS SHALL BE SPECIFICALLY DESIGNED FOR THE GRADE. AS AN ALTERNATE, CAST-IN-PLACE BEVELED SOLE PLATES MAY BE USED.
 - DESIGNER, FABRICATOR AND ERECTOR SHALL BE AWARE THAT SKEWED END BEAMS MAY TWIST OR WARP, CAUSING UNEVEN BEAM SEATING AT THE BEARINGS. THE CONTRACTOR IS REQUIRED TO CORRECT AT THE TIME OF ERECTION, BEFORE THE BEAMS ARE SECURED IN PLACE. METHOD OF CORRECTION SHALL PROVIDE AN EVEN, TOTAL BEARING AND A LEVEL TOP BEAM SURFACE. TOLERANCE AFTER CORRECTION SHALL BE ± 1/8 INCH. THE FABRICATOR SHALL NOTIFY THE CONTRACTOR AND DESIGNER FOR CORRECTIONS ARE REQUIRED PRIOR TO SHIPMENT.
 - FOR BEAMS WITH STEPPED ENDS USE PADS A2, B2, OR C2 ON BOTH SIDES OF EACH BEAM.
 - ELASTOMERIC BEARING PADS SHALL BE INCLUDED IN THE PRICE OF THE BEAMS.
 - THIS SHEET SHALL BE USED IN CONJUNCTION WITH STANDARD SHEETS BR-B17A & B THRU BR-B42A & B, BR-B100, BR-B101, BR-B102A, BR-B103, BR-B104, BR-B105A & B AND BR-106 AS APPROPRIATE.

APPROVED: *Gregory Bailey*
DIRECTOR, ENGINEERING DIVISION DATE: 10-25-07

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
ENGINEERING DIVISION

PREPARED: 07-02-07

REVISED: T.W. 12/27/10

PRESTRESSED CONCRETE BEAM
ELASTOMERIC BEARING PAD DETAILS
MISC. DESIGN AND ASSEMBLY DETAILS












STANDARD SHEET BR-B102B

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
ENGINEERING DIVISION

LOOP CREEK BRIDGE
OVER
LOOP CREEK

DESIGNED BY: THB/
DRAWN BY: THB/
CHECKED BY: TM/
REVIEWED BY: THB/
DATE:
SCALE: NONE
SHEET 19
BRIDGE NO. 8609.1


STATE PROJECT NUMBER	FEDERAL PROJECT NUMBER	STATE DIST. NO.	COUNTY	SHEET NO.	TOTAL SHEETS
5310-61/5-0.04	N/A	9	FAYETTE	21	22




APPROVED: *David Bailey* DIRECTOR, ENGINEERING DIVISION DATE: 10-25-07
 WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAY'S ENGINEERING DIVISION PREPARED: 1-14-05
 PRESTRESSED CONCRETE BEAM TYPE TL-2 GUARDRAIL SYSTEM DESIGN & ASSEMBLY DETAILS STANDARD SHEET BR-B104

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS ENGINEERING DIVISION
LOOP CREEK BRIDGE OVER LOOP CREEK ON COUNTY ROUTE 61/5
 PRESTRESSED CONCRETE BEAM TYPE TL-2 GUARDRAIL SYSTEM DESIGN & ASSEMBLY DETAILS
 DESIGNED BY: THB/
 DRAWN BY: THB/
 CHECKED BY: TV/
 REVIEWED BY:
 DATE:
 SCALE:
 SHEET NO 21
 BRIDGE NUMBER 8609.1

PROJECT NUMBERS		DISTRICT	COUNTY	SHEET NO.	TOTAL
STATE	FEDERAL				
5310 -61/5- 0.04	N/A	9	FAYETTE	22	22





PLAN



NOTES

1. THIS GUARDRAIL TRANSITION IS APPROPRIATE FOR CONNECTION TO GUARDRAIL ON BRIDGE.
2. W-BEAM IS NOT BOLTED TO POSTS AT POSTS 2 THROUGH 4 AND POST 6.
3. SEE STANDARD SHEET BR-B104 FOR ANCHOR DETAILS.
4. THERE IS NO SEPARATE PAY ITEM FOR THIS CONNECTION AND ALL COMPONENTS AS DETAILED HEREIN SHALL BE INCLUDED IN THE CONTRACT PRICE FOR GUARDRAIL.



THIS SHEET SHALL BE USED IN CONJUNCTION WITH STANDARD SHEETS BR-B17A & B THRU BR-B42A & B, BR-B100, BR-B101, BR-B102A & B, BR-B103 AND BR-B104 AS APPLICABLE.

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
ENGINEERING DIVISION

**LOOP CREEK BRIDGE
OVER
LOOP CREEK
ON
COUNTY ROUTE 61/5**

DESIGNED BY: TW/
DRAWN BY: BH/
CHECKED BY: TW/
REVIEWED BY: THB/
DATE:
SCALE:
SHEET 22

APPROVED: *Gregory Bailey* DATE: 10-25-07
DIRECTOR, ENGINEERING DIVISION

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
ENGINEERING DIVISION

PREPARED: 07-02-07
REVISED:

PRESTRESSED CONCRETE BEAM
TYPE TL-2 GUARDRAIL SYSTEMS
DESIGN & ASSEMBLY DETAILS

STANDARD SHEET BR-B106

TYPE TL-2 GUARDRAIL TRANSITION

BRIDGE NO.
8609 1