

VENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

6612C017

PAGE

ALAN CUMMINGS 304-558-2402

AN CUMMINGS

RFQ COPY TYPE NAME/ADDRESS HERE

SHIP TO

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRIN	TED	TER	MS OF SAL	E	SHIP VI	A	F.O.B,		FREIGHT TERMS
01/23/	2012								
BID OPENING DATE:		02/29/	2012			BID	OPENING TIME	01:3	OPM
LINE	QUAN	NTITY	UOP	CAT. NO.	ITEM NUM	BER	UNIT PRICE		AMOUNT
0001	ASPHAL		TN NCRET	1	745-21 T LAID				
	AGENCY SOLICI CONTRA NECESS	, THE TING B CT TO ARY TO	WEST IDS T PROVI LAY	STAT VIRGI O PRO DE MA DOWN	NIA DIVIS VIDE THE A TERIALS, I	ING DIV ION OF AGENCY EQUIPME SPHALT	ISION FOR THE HIGHWAYS, IS WITH AN OPEN NT AND LABOR FOR ALL TEN ONS.	END	
	BE SUB VIRGIN 304-55	MITTED IA STA 8-4115	IN W TE PU OR V	RITIN RCHAS IA EM	G TO ALAN ING DIVIS AIL AT ALA	CUMMIN ION VIA AN.W.CU	MMINGSƏWV.GOV	Т	
	CLOSE ANY TE	OF BUS CHNICA	INESS L QUE	STION		O WILL	/16/12 AT THE BE ANSWERED B	Y	
		ON AFT			DLINE HAS				
	YEAR O	AND EX R UNTI ESSARY	TENDS L SUC TO O	FOR H "RE BTAIN	A PERIOD (ASONABLE A NEW COI	OF ONE TIME" T NTRACT	ES EFFECTIVE (1) HEREAFTER AS OR RENEW THE ME" PERIOD SH		
				SEE RE	VERSE SIDE FOR TE	******************	NDITIONS		
SIGNATURE						TELEPHONE		DATE	
TITLE		FE	EIN				ADDRESS CH	ANGES TO I	BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government H!PAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



AESDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for REQNUMBER GLOSS

6612C017

***ADDRESS CORRESPONDENCE TO ATTENTION OF

ALAN CUMMINGS 304-558-2402

GH-P Ö

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRINT	reo	TE	RMS OF SAL	E	SHIP V	A		F.O.B.		FREIGHT TERMS
01/23/										
BID OPENING DATE:		02/29	/2012	500000000000000		BID	OPE	NING TIME	01	:30PM
LINE	QUAI	NTITY	UOP	ÇAT. NO.	ITEM NUM	BER		UNIT PRICE		AMOUNT
	TIME"	THE VI	NDOR GIVIN	MAY T	ERMINATE	THIS CO	NTRA	IS "REASON ACT FOR AN' SING 30 DA	Υ	
	THIS C	ONTRA ENCIE: IONS	T DOC S, OR AND PR	UMENT POLIT ICING	BY THE S ICAL SUBD SET FORT	TATE OF IVISION	WES,	ELSEWHERE ST VIRGINI THE TERMS, RE FIRM FO	Α,	
	WRITTE SUBMIT DAYS P BE IN ORIGIN	N CONSTED TO	SENT OTHE DANCE	F THE DIREC EXPI WITH AND	SPENDING TOR OF PU RATION DA	UNIT A RCHASIN TE. SU AND CO LIMITED	ND ' G TI CH I NDI'	HIRTY (30) RENEWAL SH TIONS OF T	ALL	
٠	RIGHT NOTICE SUPPLI	TO CAL TO TI ED AR	NCEL THE VEN	HIS C DOR I N INF	ONTRACT I F THE COM ERIOR QUA	MMEDIAT MODITIE LITY OR	ELY S AI DO	RESERVES UPON WRIT ND/OR SERV NOT CONFO NTRACT HER	TEN ICES RM	,
	AUTHOR MARKET ESTIMA IMMEDI CAUSES	IZE A , WITE , I ATE D (INC	SPEND HOUT T TEMS S ELIVER LUDING ION OR	ING U HE FI PECIF Y IN BUT	IED ON TH	RCHASE REQUIS IS CONT ES DUE ED TO D	ON ITI RAC TO ELA	THE OPEN ON OR COST T FOR UNFORESEEN YS IN		-
				RCIAL	GENERAL	LIABILI	TY			
SIGNATURE				SEERE	VERSE SIDE FOR TO	TELEPHONE	NDITION	NS.	DATE	
						LEEFHONE			DATE	
TITLE			FEIN					ADDRESS CH	ANGES	TO BE NOTED ABOVE



PERCOR

DATE PRINTED

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

TERMS OF SALE

Request for Quotation

6612C017

20000	PAGE
	1.0554.00
	3

FREIGHT TERMS

ADDRESS CORRESPONDENCE TO ATTENTION OF

ALAN CUMMINGS 304-558-2402

8 H - P T O

SHIP VIA

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

F.O.B.

RFC	COPY	
TYPE	NAME/ADDRESS	HERE

01/23/	2012										
ID OPENING DATE:		02/29/	2012			BID	OPEN	ING	TIME	01	:30PM
LINE	QUAI	VTITY	UOP	CAT. NO.	ITEM NUM	BER		UNIT	PRICE		AMOUNT
	SPECIF INSURA	IED IN	THE VERAG	OF T BID D E REQ	HE CONTRA OCUMENTS, UIRED IS	THE MI \$250,00	NIMU 0.	M AM	DUNT O)F	
					VENDOR I R'S COMPE						
	FOR BA	NKRUPT NULL A	CY PR	OTECT	ENT THE V ION, THIS ND IS TER	CONTRA	CT I	S AU	TOMATI	-	
	REV. 9										
	EXHIBI	201	MENT	DODIE	e. IINI E	CC TUE	VEND	nnp t	NDICAI	EC	5
	IN THE AND CO AND OT TO POLITI CLEARL	BID H NDITIO HER LO ITICAL IA. I , TERM CAL SU Y INDI NOT PR	IS RE NS OF CAL G SUBD F THE S, AN BDIVI CATE	FUSAL THE OVERN IVISI VEND CON SIONS SUCH	S: UNLE TO EXTEN BID TO CO MENT BODI ONS OF TH OR DOES N DITIONS O OF THE S REFUSAL I E AWARD O	D THE PUNTY, SES, THE E STATE OT WISH F THE BTATE, THE	RICE CHOO BID OF TO BID T HE V	S, T DL, M D SHA WEST EXTE O AL VENDO SUC	ERMS, UNICIF LL EXT ND THE L R MUST H REFL	PAL TEND	
	REV. 3 EXHIBI				DE OUT	CITION	WG .				
	ADDEND	UM ACK	NOWLE	DGEME		SITION	MU.:	•••	• • • • •	• • •	
	I HERE	BY ACK	NOWLE	981	ECEIPT OF				CHECKE	D	
IONATIOE				SEERE	VERSE SIDE FOR T	ERMS AND CO	NOITION	S		DATE	
IGNATURE						IELEPHONE				DATE	
ITLE	>	FE	IIN					ADD	RESS CHA	NGES	TO BE NOTED ABOVE



VENDOR

TITLE

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

6612C017

PAG	E	
	6	

ADDRESS CORRESPONDENCE TO ATTENTION OF

ALAN CUMMINGS 304-558-2402

SH-P

Ţ

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

ADDRESS CHANGES TO BE NOTED ABOVE

DATE PRINT	TED.	TERM	IS OF SALE		SHIP	VIA	F.O.	8.	FREIGHT TERMS	
01/23/						D T D	PENING T	TIME 01	:30PM	
BID OPENING DATE:	530000000000000000000000000000000000000	02/29/2		CAT	ITCK KILL		UNITED IN UNITED		AMOUNT	
LINE	QUA	NTITY	UOP	NO.	HEMNO	MBEN				
	ADDEND MY PRO ADDEND NO. 1 NO. 2 NO. 3 NO. 4 NO. 5 I UNDI THE AD	DPOSAL, DUM NO.	AND HAY PLANS 'S:	FAILUI Y BE (RE TO C CAUSE F ERSTAND	ONFIRM TO BE M	Y REVISION, ETC. HE RECEITION OF Y VERBAL ADE DURI	PT OF BIDS.	AMOUNT	
	ORAL AND A	DISCUSS NY STAT MATION	ION HE E PERS ISSUED	ONNEL DNNEL	TWEEN V IS NOT RITING	ENDOR'S BINDING AND ADDE	REPRESEN	THE		
					• • •	SI	GNATURE		•	
					• • •	CC	MPANY	• • • • • • •		
					••••		ATE		•	
SIGNATURE	1			SEE REVE	ERSE SIDE FOI	TERMS AND CO	NDITIONS	DATE		

FEIN



>mzoor

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

6612C017

PAGE 5

ADDRESS CORRESPONDENCE TO ATTENTION OF

304-558-2402

ALAN CUMMINGS

RFQ COPY TYPE NAME/ADDRESS HERE

aH-p Ţ DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

01/23/	*******	IEH	MS OF SAL	<u> </u>	SHIP VIA	F.O.B.	FACION TENNS
BID OPENING DATE:		02/29/	2012		BID	OPENING TIME	01:30PM
LINE	QUA	NTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
	NOTE: WITH T			UM AC	KNOWLEDGEMENT SH	OULD BE SUBMITT	ED
٥	CURREN IS ISS MUST A	SING C TLY UT UED TH CCEPT	ARD A ILIZE ROUGH THE S	S A V A BA Tate	ANCE: THE STATE ISA PURCHASING C NK. THE SUCCESS OF WEST VIRGINIA	ARD PROGRAM WHI FUL VENDOR VISA PURCHASIN	СН
*	THE TO SHIP DEPOSE - 10 - 15	AS A	CONDI		L ORDERS PLACED OF AWARD.	BY ANY STATE	
y	D P	EPARTM URCHAS	ENT O ING D	BE S F ADM	UBMITTED TO: INISTRATION		
	2		SHING		TREET, EAST 5305-0130		
		VELOPE			THIS INFORMATIOD MAY NOT BE CON)F
	BUYER:			А	LAN CUMMINGS - F	ILE 33	
	RFQ. N	0.:			612C017		
SIGNATURE				SEE RE	VERSE SIDE FOR TERMS AND CO		πE ,
TITLE		F	EIN			ADDRESS CHAN	GES TO BE NOTED ABOVE



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

TERMS OF SALE

Request for Quotation

6612C017

6

FREIGHT TERMS

ADDRESS CORR	PORONINELL	CETOATTER	TION OF
AUUHESSCORR	COLONDEN	CEIGAILE	ALION OF

ALAN CUMMINGS

304-558-2402

	R	1
	TYP	1
٧		
E		
öl		
ġ:		
н		

DATE PRINTED

FQ COPY E NAME/ADDRESS HERE

OH-P Ť

SHIP VIA

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

F.O.B.

01/23/									
BID OPENING DATE:		02/29/	2012			BID	OPENING	TIME C)1:30PM
LINE	QUAN	ITITY	UOP	CAT. NO.	ITEM NUM	/BER	UNI	T PRICE	AMOUNT
	BID OP			2	/29/12 :30 P.M.				
					UMBER IN NG YOUR B		IS NECE	SSARY	
	CONTAC -	T PERS	ON (P	LEASE	PRINT CL	EARLY):			
	(1) HE THE BI THE BI THE BI THE BI	OR SH D OR A DDER, DDER I DDER H	E IS NY DO (2) T N A C AS PR	AUTHO CUMEN HAT H ONTRA OPERL	THIS BID RIZED BY TS RELATE E OR SHE CTUAL REL Y REGISTE IRE REGIS	THE BID D THERE IS AUTH ATIONSH RED WIT	DER TO E TO ON BE ORIZED T IP, AND H ANY ST	EXECUTE HALF OF O BIND (3) THA	Г
	*****	THIS	IS T	HE EN	D OF RFQ	6612C	017 ***	€¥¥ TOTAI	
				SEERE	VERSE SIDE FOR T		NDITIONS		_
SIGNATURE						TELEPHONE		DAT	E
TITLE		FI	EIN				ADI	DRESS CHANG	ES TO BE NOTED ABOVE

1. SPECIFICATIONS

The following sections of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2010 as modified by the January 1, 2011 Supplemental Specifications shall apply to the administration of the Contract: Sections 101, 102.4,102.5, 105.1, 105.3, 105.4, 105.10, 105.11, 105.12, 105.13, 106.3, 106.4, 106.5, 106.6, 106.7, 106.9, 107.1, 107.2, 107.3, 107.12, 107.14, 107.15, 107.16, 107.19, 107.20, 107.23, 108.3, 108.5,108.6, 108.7, 108.8.

The terms "Contractor" and "Vendor" used in the above specifications and throughout this Contract are interchangeable. Contractor shall mean Vendor and Vendor shall mean Contractor.

West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2010 as modified by the January 1, 2011 Supplemental Specifications may be obtained from:

West Virginia Division of Highways Contract Administration Division Building Five, Room 722 1900 Kanawha Boulevard, East Charleston, West Virginia 25305

http://www.transportation.wv.gov/highways/contractadmin/specifications/2010StandSpec/Pages/default.aspx

All material, except Plant Run, Item P, shall be furnished in accordance with the requirements of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2010 as modified by the January 1, 2011 Supplemental Specifications.

Plant Run, Item P shall meet West Virginia Division of Highways' Specifications, specifications of adjacent state highway departments or specifications acceptable to the WV Division of Highways Engineer for similar material as bid in Items A through O.

The Division of Highways may purchase Hot-Mix Asphalt F.O.B. Vendor's plant. The bid price F.O.B. Vendor's plant shall include the loading of Division of Highways', owned or rented, trucks and the furnishing of a coating solution in accordance with Section 401.9.7 of the Specifications by Vendor.

2. SCOPE OF WORK

The purpose of this contract is to establish unit prices for Items A through AO on the Bid Schedule which are to be used as the basis for requisitioning Hot-Mix Asphalt and Warm-Mix Asphalt for use on various maintenance and repair projects throughout the Division of Highways' Districts.

The State of West Virginia reserves the right to make multiple awards on this Contract when it is in the best interest of the State to do so.

3. <u>BIDDING INSTRUCTIONS</u>

Any qualification of bids or any modification of the specifications or conditions governing the bids, by the vendor, shall be cause to reject bids.

If a Vendor will be supplying materials from more than one plant, the bid prices that apply to each plant shall be clearly indicated in the bid and <u>MUST</u> be submitted separately for each plant bid. <u>If separate schedules are not submitted, the plant not appearing on a separate schedule will be disqualified from that Vendor's award.</u>

4. <u>DETERMINING LOW BID</u>

An Agency Release for individual paving projects will be based on the lowest overall total cost of the pick-up price of material, Items A through O, plus shoulder paving, Item S, T, and U plus the haul cost, Item V, plus the lay down cost, Item W, plus cleaning and sweeping, Item X, tack material, Item Y, mobilization for paving, Items Z or AA, off-season plant opening, Item AB, additional heel-in joints, Item AC, skip paving surcharge, Item AD, mobilization for profiling, Item AE, pavement profiling, Item AF, Traffic Control, Items AG, AH, AI and AJ and pavement repair, Item AM, however Items A through R may be furnished from any approved production location. Items S through AO shall be shown on the Agency Release as a separate pay item when requested by the Division of Highways' District Engineer.

Agency Releases for material to be picked up at the Vendor's plant by the Division of Highways will be based on the lowest unit price of Items A through R and the Division of Highway's most economical haul cost from the Vendor's plant to individual job sites. Factors to be considered shall include but not be limited to; bid price of material, haul cost @ \$0.25 for each additional ton-mile, loading and transportation delays and availability of material.

The distances allowed for haul costs will be over suitable routes selected by the Division of Highways District Engineer that provides the lowest total cost to the Division of Highways and shall be measured from the Vendor's plant location to the Division of Highways' mid-point of the project utilizing the Division of Highways Straight Line Diagrams. These Diagrams for WV Primary Routes and WV Secondary Routes are available in each Division of Highways District office and the Division of Highways Central Office. The Division of Highways will determine the route to be taken due to bridge and/or road restrictions which shall have acceptable load limits for both roads and bridges.

Out-of-state delivery route mileage will be calculated by the Division of Highways utilizing "MapQuest" or a similar source for routing from the Vendor's plant location to the WV State line at which time, the Straight Line Diagrams will be sourced to the Division of Highways mid-point of the project location.

The Division of Highways reserves the right to request any one or combination of items for which bids are received at the lowest overall total as set forth above.

Acceptance of a bid for any one item shall not be dependent upon the acceptance of a bid for any other item or any combination of items. However, Plant Run, Item P shall not be requested except when determined by the Division of Highways District Engineer that all other equivalent items of material are not available, then only on a pick-up basis. Also, Haul by Vendor, Item V will only be requested in combination with other quoted items.

Upon receipt of an Agency Release for lay down of Hot Mix Asphalt or pavement profiling, the Vendor shall advise the Division of Highways, in writing, within five (5) calendar days of their acceptance of the Agency Release. Failure to acknowledge shall result in cancellation of the Agency Release and re-award to the next lowest bidder.

CONTRACT CONDITIONS

Vendors may bid any or all items on the bid schedule. However, the amount bid on any one item may not be conditioned on the acceptance of the bid on any other item or items.

All qualified Vendors who submit a valid bid "F.O.B. Vendor's Plant" will be awarded a Contract for those items bid.

In the event a Contractor fails to conform to the requirements set out in this contract document, the Agency Release or the governing specifications, and this Purchase Order may be canceled and awarded to the next lowest bidder.

All labor rates paid by Vendor under Items S, T, U, W, X, Y, AC, AE, AF, AG, AH, AI, AJ, AK, and AM of this contract must be in compliance with the West Virginia Department of Labor Prevailing Rates, Chapter 21-5A, Series 15, 2006.

The Vendor is not authorized to ship, nor is the Division of Highways authorized to receive materials prior to the issuance of an Agency Release.

CONTRACT COMPLETION

All Agency Releases for lay down and profiling work shall specify a starting date and a completion date based on the Vendor's acceptance of the Agency Release. If work is not started by the Vendor, by the specified starting date in the Agency Release, the Agency Release shall be cancelled and reissued to the next low bidder. If work is not completed by the completion date as specified in the Agency Release, liquidated damages will be assessed in accordance with Section 108.7 of the Standard Specifications Roads and Bridges, Adopted 2010 as modified by the January 1, 2011 Supplemental Specifications.

7. GENERAL PROVISIONS

7.1 Lay Down

Lay Down as noted in Item W shall be provided by the Vendor as requested by the Division of Highways at projects designated by the Division of Highways District Engineer.

When directed to in the Agency Release, the Lay Down contractor shall construct the Hot-Mix Asphalt Lay Down with a safety edge at no additional cost.

7.2 Skip Paving

The Vendor may be required to perform Skip Paving projects at a paving location, provided the distance between the end of one skip and the beginning of the next does not exceed 2500 feet. When Skip Paving is requested, the Vendor shall be paid the Skip Paving Surcharge, Item AD for each ton of final surface course material completed in place on the project. Patching and leveling in preparation for resurfacing of a project shall not be considered Skip Paving.

7.3 Heel - In

Heel-In of joints at the beginning and the end of each paving location, will be performed by the Vendor in accordance with the Resurfacing Heel-In Detail.

Payment for beginning and ending Heel-In joints shall be included in the unit price bid for Item W.

Additional Heel-In Joints, Item AC, constructed in accordance with the Resurfacing Heel-In Detail may be required as directed by the Division of Highways District Engineer at intersecting roadways, at the beginning and end of each paving skip and other designated locations. Payment of additional Heel-In Joints shall be paid per lineal foot as measured along the joint, which shall be full payment for complete construction of the joint.

7.4 Cleaning and Sweeping

Cleaning and Sweeping may be performed by the Division of Highways. However, Cleaning and Sweeping, if provided by the Vendor, shall be performed in accordance with Subsection 401.10.1 of the Standard Specifications. Payment shall be calculated as the paving length times the width swept in accordance with subsection 401.10.1.

7.5 Off Season Plant Opening

If the Vendor is required to open his plant in the off-season to service the needs of the Division of Highways, an additional payment will be made under Item AB, off-season plant opening. Vendor will be paid additional day charge for each additional consecutive day that the plant is open after the first day to serve the needs of the Division of Highways.

If the plant produces no material for any user on any calendar day, either during the week or on the weekend, the Division of Highways will pay the first day rate for off-season plant opening on the next day of the Division of Highways usage. Payment for this item is subject to the following conditions:

7.5.1 Payment for Item AB can only be authorized and made during the winter months, i.e., between December 15 and March 15, and then only if the plant would not have otherwise been open.

These dates may be revised by the Division of Highways District Engineer, if necessary, to meet specific needs in the field. Any such revision of dates will be in writing and shall be attached to the Vendor's invoice at the time payment is requested.

- 7.5.2 Payment will always be made in the full contract bid price amount for first day of plant opening; however, the amount paid from each additional day of plant opening will be reduced as follows:
- a. Payment for additional day charge will not be made if the plant has produced over 500 tons on that particular day. If between 300 and 500 tons have been produced, payment for additional day charge will be made equal to one-half of the amount bid for additional day charge. The quantity produced to make this determination shall include all material produced that day, which includes tonnage bought by the State, the various local governments and all private work.
- b. The State will only pay its share of the amount determined to be due for additional day charge in paragraph 7.5.2a above. For example, if the plant produces 375 tons and the Division of Highways takes 150 tons of the total, in this illustration 40% of the plant's daily production, payment for additional day charge would be calculated as follows: Since the total daily production is between 300 and 500 tons, the Vendor is due one-half (50%) of the additional day charge in accordance with paragraph 7.5.2a. Because

the Division of Highway's share of this daily production is 40%, the Division of Highways would pay 40% of one-half of the additional day charge, or in this case, 20% of the additional day charges.

7.5.3 In order to be paid for additional day charge, a certified statement shall accompany the invoice stating the total quantity produced on that day. If payment for additional day of plant opening is not made due to tonnage produced, the next consecutive day of plant operation, if any, will only qualify for payment at the additional day rate, not the first day rate for plant opening.

7.6 Pavement Profiling (Milling)

7.6.1 Description of Work: This work shall consist of profiling the existing pavement to the specified grade and cross slope by grinding, planning or milling. The profiling equipment shall be capable of accurately establishing profile grades (1/4 inch plus or minus) along each edge of the machine by reference from the existing pavement by use of ski or matching shoe or by reference to independent grade control. The equipment shall have an automatic system for controlling grade and cross slope. The Vendor shall provide adequate manpower and auxiliary equipment to control dust and remove cutting from the project site. Stockpiling of cuttings on the project site will not be permitted. All cuttings on the property of the Vendor. The Vendor shall be responsible for damage to drainage facilities, manholes or other appurtenances within the pavement area.

7.6.2 Method of Measurement:

- 7.6.2.1 Mobilization for Profiling: The work shall consist of preparatory operations including movement of necessary personnel and equipment onto the project site to begin the profiling work. Only one Mobilization for Profiling per Agency Release shall be paid when Pavement Profiling (Milling) is required.
- 7.6.2.2 Pavement Profiling (Milling): Pavement Profiling (Milling) shall be measured as the total number of square yards planed or ground to a depth not exceeding two (2) inches. Should the required removal depth exceed two (2) inches, additional quantities shall be measured for each additional two (2) inch increment.
- 7.6.2.3 Haul of Profiled Cuttings: Hauling of cuttings from project site to the Vendor's nearest production facility shall be paid under Item V, Haul by Vendor, and weighted on truck scales in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2010 as modified by the January 1, 2011 Supplemental Specifications.

7.7 Maintenance of Traffic

Maintenance of Traffic: Traffic Control and Temporary Pavement Marking Paint may be furnished by the Division of Highways. When Items AG, AH, AI, and AJ are requested, traffic shall be maintained by the Vendor in accordance with Section 636 of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2010 as modified by the January 1, 2011 Supplemental Specifications.

The project, while undergoing improvement, shall be kept open to traffic in such condition that both local and through traffic will be adequately and safely accommodated. All construction operations shall be scheduled by the Contractor to keep traffic delay to a minimum.

7.8 HMA Base 1 Shoulder Paving

Item T is a surcharge for work performed to pave road shoulders. Work shall consist of installing and compacting Base 1 HMA to the elevation of the existing pavement in the shoulder that is being paved.

HMA will be paid for with Item A. Hauling of HMA will be paid for with Item V. Lay Down will be paid for with Item W. Excavation will be paid for with Item S.

HMA Base 2 Shoulder Paving

Item U is a surcharge for work performed to pave shoulders. Work shall consist of installing and compacting Base 2 HMA to the elevation of the existing pavement in the shoulder that is being paved.

HMA will be paid for with Item C. Hauling of HMA will be paid for with Item V. Lay Down will be paid for with Item W. Excavation will be paid for with Item S.

7.8.1 Excavation for shoulder paving: Work shall consist of removing existing shoulder material for a length and width as directed by the Division of Highways' District Engineer in two (2) inches vertical increments. Cost of loading, hauling and disposing of the excavated material shall be included in the unit bid price for Excavation for Shoulder Paving, Item S.

7.9 Pavement Repair

Work shall consist of squaring up the repair area, removing damaged material to a depth directed by the Division of Highways' District Engineer, hauling and disposing of existing pavement, tacking of existing surfaces and placing and compacting Base 2 HMA in lifts not exceeding two (2) inches to the level of the existing pavement. The cost of squaring, removing, hauling and disposing of the existing pavement, supplying, tacking, placing and compacting the Base 2 HMA shall be included in the bid price for Pavement Repair, Item AM. There will be no price adjustment to the asphalt used for Item AM, Pavement Repair.

7.10 Surcharge for Parking lot and Facilities Paving

A surcharge to be applied to Items A-O when material is used to pave parking lots.

7.11 Price Adjustment of Asphalt Cement

Due to the uncertainty in estimating the cost of petroleum products that will be used during the life of this contract, adjustment in compensation for contract Items A through P is provided for in The Special Provision for Section 109 as Section 109.10 with the "C" factor being defined as the Average Asphalt Content (AC) from the table below multiplied by the Price index for bidding (lb).

Item	Description	AC (Average Asphalt Content)
Α	Section 401 Base I	3.9
В	Section 401 37.5mm Superpave	4.1
С	Section 401 Base II	5.0
D	Section 401 Patch and Level	5.0
Е	Section 401 Wearing IV	5.0

F	Section 402 Wearing IV	4.9
G	Section 401 19mm Superpave	5.0
Н	Section 401 Scratch Course	5.7
1	Section 402 9.5mm Superpave	6.1
J	Section 401 Wearing I	5.7
K	Section 402 Wearing I	6.2
L	Section 401 4.75mm Superpave	*
М	Section 402 4.75 mm Superpave	*
Ν	Section 401 Wearing III	7.6
0	Section 402 Wearing III	*
Р	Plant Run	5.7

^{*}values will be supplied when mix designs are approved.

7.12 Price Adjustment of Fuel Oil No. 2 (Diesel Fuel)

Because of the uncertainty in estimating the cost of diesel fuel that will be used during the life of this contract, adjustment in compensation for contract Items A through O is provided for in The Special Provision for Section 109 as Section 109.9.

7.13 Surcharge for Warm-Mix Asphalt

The cost difference for supplying Items A through O as Warm-Mix Asphalt instead of Hot-Mix Asphalt(+) plus for increased cost (-) minus for decreased cost.

7.14 Milled Rumble Strip

Milled Rumble Strips shall be constructed in accordance with "Rumble Strip Special Detail". (See Figure 1 at the end of the Specifications).

7.14.1 Mobilization for Milled Rumble Strips: Work shall consist of preparatory operations including movement of necessary personnel and equipment onto project site to begin the work of milling rumble strips. Only one mobilization for milling rumble strips per Agency Release shall be paid when milled rumble strips are required.

8. MOBILIZATION FOR PAVING LIMITS

Mobilization for Paving, Items Z and AA will be paid when Vendor is required to place lay down quantities, Item W, under 500 tons. In addition, nighttime mobilization for paving, Item AA, will only be paid when Vendor is directed by the Division of Highways' District Engineer to perform lay down at night.

Only one mobilization for paving per day of operation will be paid, unless moves of over five (5) miles between individual paving locations are required. In cases where a Vendor is required to move from one roadway to the adjacent roadway of a divided highway, additional mobilization for paving will only be paid if the nearest interchange or crossing point that will accommodate the Vendor's equipment is over five (5) miles from the paving locations. (This provision may require roundtrip moves of up to ten (10) miles with no additional mobilization for paving payment).

At an individual paving location where the Vendor is required to place quantities of less than 500 tons on successive days and/or nights, mobilization for paving will only be paid for the initial day's and/or night's operation.

An individual paving location shall be defined as a paving job where no skips exceeding 2500 feet are involved, except between the approach slabs of a bridge or parallel pair of bridges.

9. WEIGHING MATERIALS DELIVERED BY TRUCK

Material delivered by truck shall be weighed in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2010 as modified by the January 1, 2011 Supplemental Specifications.

ACCEPTANCE PLAN

Quality control at the plant and in the field shall be the responsibility of the Vendor and shall meet the requirements of MP 401.03.50.

Compaction quality control shall be in accordance with MP 401.05.20. Acceptance testing shall be the responsibility of the Division of Highways.

Quality assurance of the material shall be as set forth in MP 401.02.27 for Marshall mix designs or MP 401.02.29 for Superpave mix designs.

WARM MIX ASPHALT

Warm-Mix Asphalt (WMA) produced using a water injection system may be substituted for Hot-Mix Asphalt (HMA), at the discretion of the Division of Highways' District Engineer; using Division of Highways approved HMA designs. When WMA is used, the temperature of the completed mixture at the plant may be lowered to an established range that has previously been determined through trial production. The allowable temperature range specified on the approved T400 mix design form shall be adjusted accordingly when using WMA. In addition, typical minimum HMA compaction temperatures shall be waived as long as additional density can be obtained at lower temperatures without damaging the pavement.

12. SUPPLYING OTHER ORGANIZATION ENTITIES

County Courts, Municipalities, School Boards and other political subdivision and governmental entities, etc, may have a need for these materials, and Vendors may wish to supply that need.

Accordingly, bidders may wish to extend their contract prices to these other entities. If the bidder wishes to supply these other entities, but with prices different from quoted for the Division of Highways, the bidder shall include a set of bid schedules clearly and unambiguously marked for the express use of the entities other than the Division of Highways. Failure by the bidder to include a set of bid schedules for other entities will be taken to mean that the bid schedules extended to the Division of Highways will also be extended to these other entities.

In the event any Vendor does not wish to extend the prices, terms and conditions of his bid and subsequent contract to other entities of the State, he must so indicate in a clear and unambiguous manner in his bid. This indication does not prejudice the award of the contract. If a Vendor does not indicate his refusal to extend the prices, terms and conditions of his bid to other entities of the State, he is bound to extend them upon issuance of a purchase order by these other entities.

Other organizational entities using this provision of the contract shall do so without any involvement of the Division of Highways. That is, the entity shall make its own purchase arrangements with the Vendor and shall make its own arrangement for payment.

13. <u>VENDOR'S INVOICES</u>

Separate invoices must be submitted for Items A through R and for Items S through AO. Vendor's invoices must be submitted in original and one copy and contain the following:

- a. All weigh ticket numbers for material delivered and cuttings hauled during the invoicing period.
- b. Division of Highways' Agency Release number and this contract number.
- c. Total quantity and unit price with the total cost of each type of material furnished.
- d. Vendors shall show all weigh ticket numbers on their individual invoices.
- e. No payment will be made to a Contractor for Item Z or AA unless he performs the lay down operation and the quantity involved is less than 500 tons for Item Z.

Under no circumstance will the Division of Highways accept, or pay for, quantities of material in excess of the quantity stated on the Agency Release.

PURCHASING CARD ACCEPTANCE

The State of West Virginia currently utilizes a VISA Purchasing Card Program which is issued through a bank. The successful vendor(s) must accept the State of West Virginia VISA Purchasing Card for payment of orders placed by any State Agency for order as a condition of award.


NOTE: Vendor should type Bid Schedule.

Submit a current Certificate of Liability Insurance and WV Workers' Compensation Certificate with bid.

Certificate Holder to read: WV Division of Highways
Building 5, Room A-220
1900 Kanawha Boulevard, East
Charleston, WV 25305-0430

The "Bid Schedule" is available for download on Purchasing's Web site at www.state.wv.us/admin/purchase

GURE



RUMBLE STRIP FOR HOT MIX ASPHALT SHOULDERS

1,2" TO 5,8" SECTION C-C (M)LLED RUMBLE STRIP) 12" R-Edge of trove! may dirite aldmur bellim-Shoulder width MIN. ľġ. Transverse joint (For conc. shid only) . 9 Povement shoulder Joint Tronsverse-Joint

MILL/SAW SHOULDER RUMBLE. SIRPS AS NAMEATED BY USHIO A MACHRIE CHAPATE OF PROVIDED AS A SHADOLL STRIPS AS HAMBOLT FLOWING OF STANDARDS, AND THOUSHISH RINGLE STRIPS AS HAMBOLTO CLAY WITHOUT EARLY OF A SHADOLL STRIPS AND A SHADOLL STRIPS AND A SHADOLL STRIPS OF A SHADOLL STRIPS OF A SHADOLL STRIPS OF SHADOLS STRIPS OF SHADOLL STRIPS OF SHADOLS STRIPS OF SHADOLL STRIPS OF SHADOLS STRIPS S

TUMBLE STRIP WIDTH IS TO BE 2', EXCEPT MALED ITUMPLE STRIP WHICH WAL BE 18"-17".

RUMBLE STRIPS MAY BE SAWED OR MILLED UMLESS UTHERWISE FRHILATED, THE TUP OF MAY FAULT OR HIGHER THAN THE TOP STAFF OF LIPE WILL BE NO HOUSE THAN THE TOP STAFF OF HIGHER THAN THE TOP STAFF OF HIGHER THAN MAY FAULT OR HIGHERTHAN MAILED RUMBLE STRIPS WILL BE CONTISETED OF THE CONTINCTOR AT MES EXPENSE.

NUMBLE STRES SHALL NOT BE FLACED AT THE FULLOWING ADEAS FOR HATGERAY PROJECTS, OHLY TO STORING A CHARROW CLIMPHY LAMES THAT ARE 5"OR LESS IN WOTH, TRIGHT OF TRAFFIC FLOW. BYE, SHOULDER TRANSHORM MY, RIGHT OF TRAFFIC FLOW. BETWEEN A FULL PAYED SHOULDER WITH OF 10" AND NATROW BRITNER WITH UF 4".

RUMBILE STRIP FLACEMENT WILL BS. CONTINUOUS UN HUT-MIX ASPITAL, T SHUULUERS, EXCEPT AS NOTED BELOW.

RUMARIE STRIPS SHALL BE MILLED OR SAWED TYPE PLACED M SHOWLDERS UNDER THE FOLLOWING COMPUTIONS, IN ACCOMMANCE WHIT THIS SPECIAL, DETAIL SHOWLDERS WITH IS D'OR MARKET.

- MERIAM SHOWLDERS ON BYNDED HIRMMYS, IF SHOWLDERS WITH IS J'OR DREATEUR.

- SHOWLDERS ADJACEST TO DIVE WAY RAMPS WHICH COMMECT TO ARTERMY, INCHINAVA, F TYPOCAL SHOWLDER IS J'OR ORGATER.

THRELE STRIPS IN PAYED SHOULDERS

* 7"±1/2" For conc. shid. 2"±1/2" For dephoit shid.

MILLED RUMBLE STRIP FOR PORTLAND CEMENT AND HOT MIX ASPHALT SHOULDERS

DETAIL THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHNAYS SPECIAL STRIP RUMBLE

6612C017

<u>District 1</u> - Boone County, Clay County, Kanawha County, Mason County and Putnam County

ltem	Items A - P shall include FOB Vendor's Plant Item Description	Unit of Measure	Cost Per Unit
A	Hot-Mix Asphalt Section 401 - Base I	TON	Ollit
В	Hot-Mix Asphalt Section 401 - 37.5mm Superpave	TON	
C	Hot-Mix Asphalt Section 401 - Base II	TON	
D	Hot-Mix Asphalt Section 401 - Patch and Level	TON	
Е	Hot-Mix Asphalt Section 401 - Wearing IV	TON	
F	Hot-Mix Asphalt Section 402 - Wearing IV	TON	
G	Hot-Mix Asphalt Section 401 - 19mm Superpave	TON	
Н	Hot-Mix Asphalt Section 401 - Scratch Course	TON	
J	Hot-Mix Asphalt Section 402 - 9.5mm Superpave Hot-Mix Asphalt Section 401 - Wearing I	TON	
K	Hot-Mix Asphalt Section 401 - Wearing I	TON	
L	Hot-Mix Asphalt Section 401 - 4.75mm Superpave	TON	a con a secon
M	Hot-Mix Asphalt Section 402 - 4.75 mm Superpave	TON	-
N	Hot-Mix Asphalt Section 401 - Wearing III	TON	
0	Hot-Mix Asphalt Section 402 - Wearing III	TON	
Р	Hot-Mix Asphalt - Plant Run	TON	
Q	Surcharge for PG70-22 Binder	TON	
R	Surcharge for PG76-22 Binder - Ordered in 400 Ton increments	TON	
S	Excavation for Shoulder Paving		
	a) 0-1000	SQ YARD	
	b) 1001-2000	SQ YARD	
	c) 2001-3000	SQ YARD	
	d) 3001 and greater	SQ YARD	
T	Hot-Mix Asphalt Base 1 Shoulder Paving Surcharge		
	a) 0-100	TON	
	b) 101-200	TON	
	c) 201-500	TON	
	d) 501 and greater	TON	
U	Hot-Mix Asphalt Base 2 Shoulder Paving Surcharge	-telet-grape-to-grape	***************************************
	a) 0-100	TON	
	b) 101-200	TON	
	c) 201-500	TON	
	d) 501 and greater	TON	
٧	Haul by Vendor		
	a) First Ton Mile	MILE	Y
	b) Each Additional Mile	MILE	
	Lay Down of Materials - Items A thru O, Each Site		
202000	a) 0-100	TON	
W	b) 101-200	TON	
	c) 201-500	TON	

15 Bid Schedule -- HOT MIX ASPHALT 6612C017 <u>District 1</u> - Boone County, Clay County, Kanawha County, Mason County and Putnam County

Y fu wi di Di A A A Di pa AB A) b)	Item Description Iteming and Sweeping Ituminous Material for Tack Coat or Prime Material Irnished and applied under Item Y to be in accordance Ith Section 408 of the referenced specifications, as Irected by the Division of Highways' District Engineer. Italian and Mobilization Italian and Mobilization Italian and Mobilization and Mobilization is less Italian and Mobilization and Mobilization is less Italian and Mobilization and Mobilization Italian and Mobilization It	Measure SQ YARD GALLON See Description DAY DAY LINEAL FOOT	Unit
Y fu wi di A A A Di pa AB A) b)	ituminous Material for Tack Coat or Prime Material irnished and applied under Item Y to be in accordance ith Section 408 of the referenced specifications, as irected by the Division of Highways' District Engineer. aytime Paving Mobilization Mobilibation for Paving Charge may be made when the gency Release order quantity per paving location is less iran 500 tons of Hot-Mix Asphalt and night-time paving is obt specified. ighttime Paving Mobilization Mobilibation for Paving Charge may be made when the ivision of Highways' District Engineer directs that the aving is to be done at night. iff-Season Plant Opening First Day Each Additional Day	GALLON See Description See Description DAY DAY	
Y Windi di A A A Di pa A A Di pa b)	ituminous Material for Tack Coat or Prime Material irnished and applied under Item Y to be in accordance ith Section 408 of the referenced specifications, as irected by the Division of Highways' District Engineer. aytime Paving Mobilization Mobilibation for Paving Charge may be made when the gency Release order quantity per paving location is less iran 500 tons of Hot-Mix Asphalt and night-time paving is obt specified. ighttime Paving Mobilization Mobilibation for Paving Charge may be made when the ivision of Highways' District Engineer directs that the aving is to be done at night. iff-Season Plant Opening First Day Each Additional Day	See Description See Description DAY DAY	
Z Agenth no AA Dipa	ith Section 408 of the referenced specifications, as irected by the Division of Highways' District Engineer. Paytime Paving Mobilization Moblibation for Paving Charge may be made when the gency Release order quantity per paving location is less an 500 tons of Hot-Mix Asphalt and night-time paving is ot specified. Ighttime Paving Mobilization Moblibation for Paving Charge may be made when the ivision of Highways' District Engineer directs that the aving is to be done at night. Iff-Season Plant Opening First Day Each Additional Day	See Description See Description DAY DAY	
Z Aquath no AA Di pa	irected by the Division of Highways' District Engineer. aytime Paving Mobilization Mobilibation for Paving Charge may be made when the gency Release order quantity per paving location is less nan 500 tons of Hot-Mix Asphalt and night-time paving is of specified. ighttime Paving Mobilization Mobilibation for Paving Charge may be made when the ivision of Highways' District Engineer directs that the aving is to be done at night. off-Season Plant Opening First Day Each Additional Day	See Description See Description DAY DAY	
Z Aquath no AA Di pa AB a) b)	aytime Paving Mobilization Moblibation for Paving Charge may be made when the gency Release order quantity per paving location is less an 500 tons of Hot-Mix Asphalt and night-time paving is ot specified. ighttime Paving Mobilization Moblibation for Paving Charge may be made when the ivision of Highways' District Engineer directs that the aving is to be done at night. off-Season Plant Opening First Day Each Additional Day	See Description DAY DAY	
Z Aç th no Ni AA Di pa AB a) b)	Moblibation for Paving Charge may be made when the gency Release order quantity per paving location is less an 500 tons of Hot-Mix Asphalt and night-time paving is ot specified. ighttime Paving Mobilization Moblibation for Paving Charge may be made when the ivision of Highways' District Engineer directs that the aving is to be done at night. off-Season Plant Opening First Day Each Additional Day	See Description DAY DAY	
Z Aq th no Ni AA Di pa O AB a) b)	gency Release order quantity per paving location is less an 500 tons of Hot-Mix Asphalt and night-time paving is of specified. ighttime Paving Mobilization Mobilibation for Paving Charge may be made when the ivision of Highways' District Engineer directs that the aving is to be done at night. iff-Season Plant Opening First Day Each Additional Day	See Description DAY DAY	
AA Di pa	lan 500 tons of Hot-Mix Asphalt and night-time paving is of specified. ighttime Paving Mobilization Moblibation for Paving Charge may be made when the ivision of Highways' District Engineer directs that the aving is to be done at night. off-Season Plant Opening First Day Each Additional Day	See Description DAY DAY	
AA Di pa	ot specified. ighttime Paving Mobilization Moblibation for Paving Charge may be made when the ivision of Highways' District Engineer directs that the aving is to be done at night. off-Season Plant Opening First Day Each Additional Day	DAY DAY	
AA Di pa O AB a) b)	ighttime Paving Mobilization Moblibation for Paving Charge may be made when the ivision of Highways' District Engineer directs that the aving is to be done at night. iff-Season Plant Opening First Day Each Additional Day	DAY DAY	
AA Di pa	Moblibation for Paving Charge may be made when the ivision of Highways' District Engineer directs that the aving is to be done at night. Off-Season Plant Opening First Day Each Additional Day	DAY DAY	
AA Di pa O AB a) b)	ivision of Highways' District Engineer directs that the aving is to be done at night. Iff-Season Plant Opening First Day Each Additional Day	DAY DAY	
AB a)	aving is to be done at night. Off-Season Plant Opening First Day Each Additional Day	DAY	
AB a)	off-Season Plant Opening First Day Each Additional Day	DAY	
AB a)) First Day) Each Additional Day	DAY	
b)	Each Additional Day	DAY	
		LINEAL FOOT	
THE RESERVE OF THE PERSON	kip Paving Surcharge	TON	
AE M	lobilization for Profiling	Per Agency Release	
	ayment Profiling (Milling)		
a)	Less than 250	SQ YARD	
(b)		SQ YARD	
AF c)		SQ YARD	
<u>d)</u>	119 A635 (10. 71.100 A10.00)	SQ YARD	
(e)	2501-5000	SQ YARD	
1)	5001 and greater	SQ YARD	
A DRIVEY	ilot Truck and Driver	PER DAY	
	raffic Control Devices	UNIT	
	agger	HOUR	
	rrow Board	DAY	
	illed Rumble Strips	LINEAL FOOT	
	obilization for Milled Rumble Strips	Per Agency Release	
	avement Repair - Hot-Mix Asphalt Base 2	TON	
	urcharge for Warm-Mix Asphalt - Item A thru O	TON	
	urcharge for Parking Lot and Facility Paving - Item A thru O	TON	
Ve	endor's Plant Location: SEE NOTE BELOW		

6612C017

<u>District 2</u> - Cabell County, Lincoln County, Logan County,

Mingo County and Wayne County

B C D E F G H	Item Description Hot-Mix Asphalt Section 401 - Base I Hot-Mix Asphalt Section 401 - 37.5mm Superpave Hot-Mix Asphalt Section 401 - Base II Hot-Mix Asphalt Section 401 - Patch and Level Hot-Mix Asphalt Section 401 - Wearing IV Hot-Mix Asphalt Section 402 - Wearing IV Hot-Mix Asphalt Section 401 - 19mm Superpave Hot-Mix Asphalt Section 401 - Scratch Course Hot-Mix Asphalt Section 402 - 9.5mm Superpave	Measure TON	Unit
B C D E F G H	Hot-Mix Asphalt Section 401 - 37.5mm Superpave Hot-Mix Asphalt Section 401 - Base II Hot-Mix Asphalt Section 401 - Patch and Level Hot-Mix Asphalt Section 401 - Wearing IV Hot-Mix Asphalt Section 402 - Wearing IV Hot-Mix Asphalt Section 401 - 19mm Superpave Hot-Mix Asphalt Section 401 - Scratch Course Hot-Mix Asphalt Section 402 - 9.5mm Superpave	TON TON TON TON TON TON TON	
C D E F G H	Hot-Mix Asphalt Section 401 - Base II Hot-Mix Asphalt Section 401 - Patch and Level Hot-Mix Asphalt Section 401 - Wearing IV Hot-Mix Asphalt Section 402 - Wearing IV Hot-Mix Asphalt Section 401 - 19mm Superpave Hot-Mix Asphalt Section 401 - Scratch Course Hot-Mix Asphalt Section 402 - 9.5mm Superpave	TON TON TON TON TON	
D E F G H	Hot-Mix Asphalt Section 401 - Patch and Level Hot-Mix Asphalt Section 401 - Wearing IV Hot-Mix Asphalt Section 402 - Wearing IV Hot-Mix Asphalt Section 401 - 19mm Superpave Hot-Mix Asphalt Section 401 - Scratch Course Hot-Mix Asphalt Section 402 - 9.5mm Superpave	TON TON TON TON	
E F G H	Hot-Mix Asphalt Section 401 - Wearing IV Hot-Mix Asphalt Section 402 - Wearing IV Hot-Mix Asphalt Section 401 - 19mm Superpave Hot-Mix Asphalt Section 401 - Scratch Course Hot-Mix Asphalt Section 402 - 9.5mm Superpave	TON TON TON	
G H I	Hot-Mix Asphalt Section 401 - 19mm Superpave Hot-Mix Asphalt Section 401 - Scratch Course Hot-Mix Asphalt Section 402 - 9.5mm Superpave	TON	
H	Hot-Mix Asphalt Section 401 - Scratch Course Hot-Mix Asphalt Section 402 - 9.5mm Superpave		
1	Hot-Mix Asphalt Section 402 - 9.5mm Superpave	TON	
		The state of the s	
		TON	
	Hot-Mix Asphalt Section 401 - Wearing I	TON	
	Hot-Mix Asphalt Section 402 - Wearing I Hot-Mix Asphalt Section 401 - 4.75mm Superpave	TON	
	Hot-Mix Asphalt Section 402 - 4.75 mm Superpave	TON	
	Hot-Mix Asphalt Section 401 - Wearing III	TON	· · · · · · · · · · · · · · · · · · ·
	Hot-Mix Asphalt Section 402 - Wearing III	TON	
	Hot-Mix Asphalt - Plant Run	TON	
	Surcharge for PG70-22 Binder	TON	
	Surcharge for PG76-22 Binder - Ordered in 400 Ton increments	TON	
	Excavation for Shoulder Paving	1011	
	a) 0-1000	SQ YARD	
	b) 1001-2000	SQ YARD	
	c) 2001-3000	SQ YARD	
	d) 3001 and greater	SQ YARD	
	Hot-Mix Asphalt Base 1 Shoulder Paving Surcharge	OQ TAND	
<u> </u>	a) 0-100	TON	
-	b) 101-200	TON	
	c) 201-500	TON	
-	d) 501 and greater	TON	
	Hot-Mix Asphalt Base 2 Shoulder Paving Surcharge	7011	
-	a) 0-100	TON	
-	b) 101-200	TON	
-	c) 201-500	TON	
	d) 501 and greater	TON	
-	Haul by Vendor	.,	
-	a) First Ton Mile	MILE	
	b) Each Additional Mile	MILE	
	Lay Down of Materials - Items A thru O, Each Site		
-	a) 0-100	TON	
-	b) 101-200	TON	
	c) 201-500 d) 501 and greater	TON	

Bid Schedule -- HOT MIX ASPHALT 6612C017 <u>District 2</u> - Cabell County, Lincoln County, Logan County, Mingo County and Wayne County

15

	wingo County and wayne County	Unit of	Cost Per
Item	Item Description	Measure	Unit
Х	Cleaning and Sweeping	SQ YARD	
	Bituminous Material for Tack Coat or Prime Material		
Υ	furnished and applied under Item Y to be in accordance	GALLON	
TE.	with Section 408 of the referenced specifications, as	GALLON	
	directed by the Division of Highways' District Engineer.		
	Daytime Paving Mobilization		
	A Mobilibation for Paving Charge may be made when the		
Z	Agency Release order quantity per paving location is less	See Description	
	than 500 tons of Hot-Mix Asphalt and night-time paving is		
	not specified.		
	Nighttime Paving Mobilization		
AA	A Moblibation for Paving Charge may be made when the Division of Highways' District Engineer directs that the	See Description	
	paving is to be done at night.		
	Off-Season Plant Opening		
AB	a) First Day	DAY	
,	b) Each Additional Day	DAY	
AC	Additional Heel-In Joints	LINEAL FOOT	
AD	Skip Paving Surcharge	TON	
AE	Mobilization for Profiling	Per Agency Release	
	Payment Profiling (Milling)		
	a) Less than 250	SQ YARD	
	b) 251-500	SQ YARD	
AF	c) 501-1000	SQ YARD	
	d) 1001-2500	SQ YARD	
	e) 2501-5000	SQ YARD	
	f) 5001 and greater	SQ YARD	
AG	Pilot Truck and Driver	PER DAY	
AH	Traffic Control Devices	UNIT	
Al	Flagger	HOUR	
AJ	Arrow Board	DAY	
AK	Milled Rumble Strips	LINEAL FOOT	
AL	Mobilization for Milled Rumble Strips	Per Agency Release	
AM	Pavement Repair - Hot-Mix Asphalt Base 2	TON	
AN	Surcharge for Warm-Mix Asphalt - Item A thru O	TON	
AO	Surcharge for Parking Lot and Facility Paving - Item A thru O	TON	
	Vendor's Plant Location: SEE NOTE BELOW		

6612C017

<u>District 3</u> - Calhoun County, Jackson County, Pleasants County, Ritchie County, Roane County, Wirt County and Wood County

	Items A - P shall include FOB Vendor's Plant	Unit of	Cost Per
Item	Item Description	Measure	Unit
Α	Hot-Mix Asphalt Section 401 - Base I	TON	
В	Hot-Mix Asphalt Section 401 - 37.5mm Superpave	TON	
С	Hot-Mix Asphalt Section 401 - Base II	TON	
D	Hot-Mix Asphalt Section 401 - Patch and Level	TON	
E F	Hot-Mix Asphalt Section 401 - Wearing IV Hot-Mix Asphalt Section 402 - Wearing IV	TON	
G	Hot-Mix Asphalt Section 402 - Wearing IV	TON	
Н	Hot-Mix Asphalt Section 401 - Scratch Course	TON	
1	Hot-Mix Asphalt Section 402 - 9.5mm Superpave	TON	
j	Hot-Mix Asphalt Section 401 - Wearing I	TON	
K	Hot-Mix Asphalt Section 402 - Wearing I	TON	
L	Hot-Mix Asphalt Section 401 - 4.75mm Superpave	TON	
М	Hot-Mix Asphalt Section 402 - 4.75 mm Superpave	TON	
N	Hot-Mix Asphalt Section 401 - Wearing III	TON	
0	Hot-Mix Asphalt Section 402 - Wearing III	TON	
Р	Hot-Mix Asphalt - Plant Run	TON	
Q	Surcharge for PG70-22 Binder	TON	
R	Surcharge for PG76-22 Binder - Ordered in 400 Ton increments	TON	
S	Excavation for Shoulder Paving	a special control of the control of	
	a) 0-1000	SQ YARD	
	b) 1001-2000	SQ YARD	
	c) 2001-3000	SQ YARD	
	d) 3001 and greater	SQ YARD	
T	Hot-Mix Asphalt Base 1 Shoulder Paving Surcharge		
	a) 0-100	TON	
	b) 101-200	TON	
	c) 201-500	TON	
	d) 501 and greater	TON	
U	Hot-Mix Asphalt Base 2 Shoulder Paving Surcharge		
	a) 0-100	TON	
	b) 101-200	TON	
	c) 201-500	TON	
	d) 501 and greater	TON	
٧	Haul by Vendor	- 	
	a) First Ton Mile	MILE	
	b) Each Additional Mile	MILE	
	Lay Down of Materials - Items A thru O, Each Site	TON	
W	a) 0-100 b) 101-200	TON	
٧٧	b) 101-200 c) 201-500	TON	
	d) 501 and greater	TON	

15 Bid Schedule -- HOT MIX ASPHALT 6612C017 <u>District 3</u> - Calhoun County, Jackson County, Pleasants County, Ritchie County, Roane County, Wirt County and Wood County

Item	Item Description	Unit of Measure	Cost Per Unit
X		SQ YARD	Oilit
^	Cleaning and Sweeping Bituminous Material for Tack Coat or Prime Material	JQ TAND	
Υ	furnished and applied under Item Y to be in accordance with Section 408 of the referenced specifications, as directed by the Division of Highways' District Engineer.	GALLON	
Z	Daytime Paving Mobilization A Moblibation for Paving Charge may be made when the Agency Release order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and night-time paving is not specified.	See Description	
AA	Nighttime Paving Mobilization A Moblibation for Paving Charge may be made when the Division of Highways' District Engineer directs that the paving is to be done at night.	See Description	
	Off-Season Plant Opening		
AB	a) First Day	DAY	
	b) Each Additional Day	DAY	
AC	Additional Heel-In Joints	LINEAL FOOT	
AD	Skip Paving Surcharge	TON	
AE	Mobilization for Profiling	Per Agency Release	
	Payment Profiling (Milling) a) Less than 250 b) 251-500	SQ YARD SQ YARD	
AF	c) 501-1000	SQ YARD	
Al	d) 1001-2500	SQ YARD	
	e) 2501-5000	SQ YARD	
	f) 5001 and greater	SQ YARD	
AG	Pilot Truck and Driver	PER DAY	
AH	Traffic Control Devices	UNIT	
Al	Flagger	HOUR	
AJ	Arrow Board	DAY	
AK	Milled Rumble Strips	LINEAL FOOT	
AL	Mobilization for Milled Rumble Strips	Per Agency Release	
AM	Pavement Repair - Hot-Mix Asphalt Base 2	TON	
AN	Surcharge for Warm-Mix Asphalt - Item A thru O	TON	
	Surcharge for Parking Lot and Facility Paving - Item A thru O	TON	
AO	Vendor's Plant Location: SEE NOTE BELOW	TON	

15 Bid Schedule -- HOT MIX ASPHALT 6612C017 <u>District 4</u> - Doddridge County, Harison County, Marion County,

Monongalia County, Preston County and Taylor County

	Items A - P shall include FOB Vendor's Plant	Unit of	Cost Per
Item	Item Description	Measure	Unit
Α	Hot-Mix Asphalt Section 401 - Base I	TON	
В	Hot-Mix Asphalt Section 401 - 37.5mm Superpave	TON	
С	Hot-Mix Asphalt Section 401 - Base II	TON	
D	Hot-Mix Asphalt Section 401 - Patch and Level	TON	
E F	Hot-Mix Asphalt Section 401 - Wearing IV Hot-Mix Asphalt Section 402 - Wearing IV	TON	
G	Hot-Mix Asphalt Section 402 - Wearing 17	TON	4 ,
Н	Hot-Mix Asphalt Section 401 - Scratch Course	TON	
1	Hot-Mix Asphalt Section 402 - 9.5mm Superpave	TON	
J	Hot-Mix Asphalt Section 401 - Wearing I	TON	
K	Hot-Mix Asphalt Section 402 - Wearing I	TON	
L	Hot-Mix Asphalt Section 401 - 4.75mm Superpave	TON	
М	Hot-Mix Asphalt Section 402 - 4.75 mm Superpave	TON	
N	Hot-Mix Asphalt Section 401 - Wearing III	TON	
0	Hot-Mix Asphalt Section 402 - Wearing III	TON	
Р	Hot-Mix Asphalt - Plant Run	TON	
Q	Surcharge for PG70-22 Binder	TON	
R	Surcharge for PG76-22 Binder - Ordered in 400 Ton increments	TON	
S	Excavation for Shoulder Paving		
	a) 0-1000	SQ YARD	
	b) 1001-2000	SQ YARD	
	c) 2001-3000	SQ YARD	
	d) 3001 and greater	SQ YARD	
T	Hot-Mix Asphalt Base 1 Shoulder Paving Surcharge		
	a) 0-100	TON	
	b) 101-200	TON	
	c) 201-500	TON	
	d) 501 and greater	TON	
U	Hot-Mix Asphalt Base 2 Shoulder Paving Surcharge		
	a) 0-100	TON	
	b) 101-200	TON	
	c) 201-500	TON	
	d) 501 and greater	TON	
٧	Haul by Vendor		
	a) First Ton Mile	MILE	
	b) Each Additional Mile	MILE	
	Lay Down of Materials - Items A thru O, Each Site	TOU	
	a) 0-100	TON	
W	b) 101-200	TON	
	c) 201-500		-
	d) 501 and greater	TON	

15 Bid Schedule -- HOT MIX ASPHALT 6612C017 <u>District 4</u> - Doddridge County, Harison County, Marion County, Monongalia County, Preston County and Taylor County

		Unit of	Cost Per
Item	Item Description	Measure	Unit
X	Cleaning and Sweeping	SQ YARD	
	Bituminous Material for Tack Coat or Prime Material	00.1711/2	
Υ	furnished and applied under Item Y to be in accordance	CALLON	
1	with Section 408 of the referenced specifications, as	GALLON	
	directed by the Division of Highways' District Engineer.		
	Daytime Paving Mobilization		
_	A Moblibation for Paving Charge may be made when the		
Z	Agency Release order quantity per paving location is less	See Description	
	than 500 tons of Hot-Mix Asphalt and night-time paving is		
	not specified.		
	Nighttime Paving Mobilization		
AA	A Moblibation for Paving Charge may be made when the Division of Highways' District Engineer directs that the	See Description	
	paving is to be done at night.		
	Off-Season Plant Opening		
AB	a) First Day	DAY	6 Me
	b) Each Additional Day	DAY	
AC	Additional Heel-In Joints	LINEAL FOOT	
AD	Skip Paving Surcharge	TON	
AE	Mobilization for Profiling	Per Agency Release	
	Payment Profiling (Milling)		Name and the second
	a) Less than 250	SQ YARD	
. –	b) 251-500	SQ YARD	
AF	c) 501-1000	SQ YARD	
	d) 1001-2500 e) 2501-5000	SQ YARD	
	e) 2501-5000 f) 5001 and greater	SQ YARD SQ YARD	
AG	Pilot Truck and Driver		
	C. SECTION OF THE PROPERTY OF	PER DAY	
AH	Traffic Control Devices	UNIT	
AI AJ	Flagger	HOUR	
	Arrow Board	DAY	
AK	Milled Rumble Strips	LINEAL FOOT	
AL	Mobilization for Milled Rumble Strips	Per Agency Release	
AM	Pavement Repair - Hot-Mix Asphalt Base 2	TON	
AN	Surcharge for Warm-Mix Asphalt - Item A thru O	TON	
AO	Surcharge for Parking Lot and Facility Paving - Item A thru O	TON	
	Vendor's Plant Location: SEE NOTE BELOW		

6612C017

<u>District 5</u> - Berkeley County, Grant County, Hampshire County, Hardy County, Jefferson County, Mineral County and Morgan County

Item Description Hot-Mix Asphalt Section 401 - Base I Hot-Mix Asphalt Section 401 - 37.5mm Superpave Hot-Mix Asphalt Section 401 - Base II Hot-Mix Asphalt Section 401 - Patch and Level Hot-Mix Asphalt Section 401 - Wearing IV Hot-Mix Asphalt Section 402 - Wearing IV Hot-Mix Asphalt Section 401 - 19mm Superpave Hot-Mix Asphalt Section 401 - Scratch Course Hot-Mix Asphalt Section 402 - 9.5mm Superpave Hot-Mix Asphalt Section 402 - Wearing I Hot-Mix Asphalt Section 402 - Wearing I Hot-Mix Asphalt Section 401 - 4.75mm Superpave Hot-Mix Asphalt Section 402 - 4.75 mm Superpave Hot-Mix Asphalt Section 402 - 4.75 mm Superpave Hot-Mix Asphalt Section 401 - Wearing III	Measure TON	Unit
Hot-Mix Asphalt Section 401 - 37.5mm Superpave Hot-Mix Asphalt Section 401 - Base II Hot-Mix Asphalt Section 401 - Patch and Level Hot-Mix Asphalt Section 401 - Wearing IV Hot-Mix Asphalt Section 402 - Wearing IV Hot-Mix Asphalt Section 401 - 19mm Superpave Hot-Mix Asphalt Section 401 - Scratch Course Hot-Mix Asphalt Section 402 - 9.5mm Superpave Hot-Mix Asphalt Section 401 - Wearing I Hot-Mix Asphalt Section 402 - Wearing I Hot-Mix Asphalt Section 401 - 4.75mm Superpave Hot-Mix Asphalt Section 402 - 4.75 mm Superpave	TON	
Hot-Mix Asphalt Section 401 - Base II Hot-Mix Asphalt Section 401 - Patch and Level Hot-Mix Asphalt Section 401 - Wearing IV Hot-Mix Asphalt Section 402 - Wearing IV Hot-Mix Asphalt Section 401 - 19mm Superpave Hot-Mix Asphalt Section 401 - Scratch Course Hot-Mix Asphalt Section 402 - 9.5mm Superpave Hot-Mix Asphalt Section 401 - Wearing I Hot-Mix Asphalt Section 402 - Wearing I Hot-Mix Asphalt Section 401 - 4.75mm Superpave Hot-Mix Asphalt Section 402 - 4.75 mm Superpave	TON	
Hot-Mix Asphalt Section 401 - Patch and Level Hot-Mix Asphalt Section 401 - Wearing IV Hot-Mix Asphalt Section 402 - Wearing IV Hot-Mix Asphalt Section 401 - 19mm Superpave Hot-Mix Asphalt Section 401 - Scratch Course Hot-Mix Asphalt Section 402 - 9.5mm Superpave Hot-Mix Asphalt Section 401 - Wearing I Hot-Mix Asphalt Section 402 - Wearing I Hot-Mix Asphalt Section 401 - 4.75mm Superpave Hot-Mix Asphalt Section 402 - 4.75 mm Superpave	TON	
Hot-Mix Asphalt Section 402 - Wearing IV Hot-Mix Asphalt Section 401 - 19mm Superpave Hot-Mix Asphalt Section 401 - Scratch Course Hot-Mix Asphalt Section 402 - 9.5mm Superpave Hot-Mix Asphalt Section 401 - Wearing I Hot-Mix Asphalt Section 402 - Wearing I Hot-Mix Asphalt Section 401 - 4.75mm Superpave Hot-Mix Asphalt Section 402 - 4.75 mm Superpave	TON TON TON TON TON TON TON TON TON	
Hot-Mix Asphalt Section 401 - 19mm Superpave Hot-Mix Asphalt Section 401 - Scratch Course Hot-Mix Asphalt Section 402 - 9.5mm Superpave Hot-Mix Asphalt Section 401 - Wearing I Hot-Mix Asphalt Section 402 - Wearing I Hot-Mix Asphalt Section 401 - 4.75mm Superpave Hot-Mix Asphalt Section 402 - 4.75 mm Superpave	TON TON TON TON TON TON TON	
Hot-Mix Asphalt Section 401 - Scratch Course Hot-Mix Asphalt Section 402 - 9.5mm Superpave Hot-Mix Asphalt Section 401 - Wearing I Hot-Mix Asphalt Section 402 - Wearing I Hot-Mix Asphalt Section 401 - 4.75mm Superpave Hot-Mix Asphalt Section 402 - 4.75 mm Superpave	TON TON TON TON TON	
Hot-Mix Asphalt Section 402 - 9.5mm Superpave Hot-Mix Asphalt Section 401 - Wearing I Hot-Mix Asphalt Section 402 - Wearing I Hot-Mix Asphalt Section 401 - 4.75mm Superpave Hot-Mix Asphalt Section 402 - 4.75 mm Superpave	TON TON TON TON	
Hot-Mix Asphalt Section 401 - Wearing I Hot-Mix Asphalt Section 402 - Wearing I Hot-Mix Asphalt Section 401 - 4.75mm Superpave Hot-Mix Asphalt Section 402 - 4.75 mm Superpave	TON TON TON	
Hot-Mix Asphalt Section 402 - Wearing I Hot-Mix Asphalt Section 401 - 4.75mm Superpave Hot-Mix Asphalt Section 402 - 4.75 mm Superpave	TON TON	
Hot-Mix Asphalt Section 401 - 4.75mm Superpave Hot-Mix Asphalt Section 402 - 4.75 mm Superpave	TON	
Hot-Mix Asphalt Section 402 - 4.75 mm Superpave		
	TON	
Hot-Mix Asphalt Section 402 - Wearing III	TON	
Hot-Mix Asphalt - Plant Run	TON	
Surcharge for PG70-22 Binder	TON	
Surcharge for PG76-22 Binder - Ordered in 400 Ton increments	TON	
Excavation for Shoulder Paving		
a) 0-1000	SQ YARD	
b) 1001-2000	SQ YARD	
c) 2001-3000	SQ YARD	
d) 3001 and greater	SQ YARD	
Hot-Mix Asphalt Base 1 Shoulder Paving Surcharge		
a) 0-100	TON	
		-
	TON	
	TON	
	TON	197
	TON	
a) First Ton Mile	MILE	
b) Each Additional Mile	MILE	
Lay Down of Materials - Items A thru O, Each Site		
a) 0-100	TON	
b) 101-200	TON	
	Hot-Mix Asphalt Section 402 - Wearing III Hot-Mix Asphalt - Plant Run Surcharge for PG70-22 Binder Surcharge for PG76-22 Binder - Ordered in 400 Ton increments Excavation for Shoulder Paving a) 0-1000 b) 1001-2000 c) 2001-3000 d) 3001 and greater Hot-Mix Asphalt Base 1 Shoulder Paving Surcharge a) 0-100 b) 101-200 c) 201-500 d) 501 and greater Hot-Mix Asphalt Base 2 Shoulder Paving Surcharge a) 0-100 b) 101-200 c) 201-500 d) 501 and greater Haul by Vendor a) First Ton Mile b) Each Additional Mile Lay Down of Materials - Items A thru O, Each Site a) 0-100	Hot-Mix Asphalt Section 401 - Wearing III Hot-Mix Asphalt Section 402 - Wearing III Hot-Mix Asphalt - Plant Run Surcharge for PG70-22 Binder TON Surcharge for PG76-22 Binder - Ordered in 400 Ton increments Excavation for Shoulder Paving a) 0-1000 SQ YARD b) 1001-2000 SQ YARD c) 2001-3000 SQ YARD d) 3001 and greater Hot-Mix Asphalt Base 1 Shoulder Paving Surcharge a) 0-100 TON c) 201-500 TON d) 501 and greater Hot-Mix Asphalt Base 2 Shoulder Paving Surcharge a) 0-100 TON d) 501 and greater TON Hot-Mix Asphalt Base 2 Shoulder Paving Surcharge a) 0-100 TON d) 501 and greater TON Hot-Mix Asphalt Base 2 TON Hot-Mix Asphalt Base 3 TON Hot-Mix Asphalt Base 4 TON Hot-Mix Asphalt Base 5 TON Hot-Mix Asphalt Base 6 TON Hot-Mix Asphalt Base 7 TON Hot-Mix Asphalt Base 8 TON Hot-Mix Asphalt Base 9 ToN Hot-M

6612C017

<u>District 5</u> - Berkeley County, Grant County, Hampshire County, Hardy County, Jefferson County, Mineral County and Morgan County

*		Unit of	Cost Per
Item	Item Description	Measure	Unit
Χ	Cleaning and Sweeping	SQ YARD	
Υ	Bituminous Material for Tack Coat or Prime Material furnished and applied under Item Y to be in accordance with Section 408 of the referenced specifications, as directed by the Division of Highways' District Engineer.	GALLON	
Z	Daytime Paving Mobilization A Moblibation for Paving Charge may be made when the Agency Release order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and night-time paving is not specified.	See Description	
AA	Nighttime Paving Mobilization A Moblibation for Paving Charge may be made when the Division of Highways' District Engineer directs that the paving is to be done at night.	See Description	
1000	Off-Season Plant Opening		
AB	a) First Day	DAY	
	b) Each Additional Day	DAY	
AC	Additional Heel-In Joints	LINEAL FOOT	
AD	Skip Paving Surcharge	TON	
AE	Mobilization for Profiling	Per Agency Release	
AF	Payment Profiling (Milling) a) Less than 250 b) 251-500 c) 501-1000 d) 1001-2500 e) 2501-5000 f) 5001 and greater	SQ YARD	
AG	Pilot Truck and Driver	PER DAY	
AH	Traffic Control Devices	UNIT	
Al	Flagger	HOUR	
AJ	Arrow Board	DAY	
AK	Milled Rumble Strips	LINEAL FOOT	
AL	Mobilization for Milled Rumble Strips	Per Agency Release	
AM	Pavement Repair - Hot-Mix Asphalt Base 2	TON	
AN	Surcharge for Warm-Mix Asphalt - Item A thru O	TON	
AO	Surcharge for Parking Lot and Facility Paving - Item A thru O	TON	
	Vendor's Plant Location: SEE NOTE BELOW		

6612C017

<u>District 6</u> - Brooke County, Hancock County, Marshall County,

Ohio County, Tyler County and Wetzel County

	Items A - P shall include FOB Vendor's Plant	Unit of	Cost Per
Item	Item Description	Measure	Unit
Α	Hot-Mix Asphalt Section 401 - Base I	TON	
В	Hot-Mix Asphalt Section 401 - 37.5mm Superpave	TON	
С	Hot-Mix Asphalt Section 401 - Base II	TON	
D	Hot-Mix Asphalt Section 401 - Patch and Level	TON	
E F	Hot-Mix Asphalt Section 401 - Wearing IV Hot-Mix Asphalt Section 402 - Wearing IV	TON	
G	Hot-Mix Asphalt Section 402 - Wearing TV	TON	
Н	Hot-Mix Asphalt Section 401 - Scratch Course	TON	
'	Hot-Mix Asphalt Section 402 - 9.5mm Superpave	TON	
j	Hot-Mix Asphalt Section 401 - Wearing I	TON	
K	Hot-Mix Asphalt Section 402 - Wearing I	TON	
L	Hot-Mix Asphalt Section 401 - 4.75mm Superpave	TON	
М	Hot-Mix Asphalt Section 402 - 4.75 mm Superpave	TON	
N	Hot-Mix Asphalt Section 401 - Wearing III	TON	
0	Hot-Mix Asphalt Section 402 - Wearing III	TON	
Р	Hot-Mix Asphalt - Plant Run	TON	
Q	Surcharge for PG70-22 Binder	TON	
R	Surcharge for PG76-22 Binder - Ordered in 400 Ton increments	TON	
S	Excavation for Shoulder Paving		
	a) 0-1000	SQ YARD	
	b) 1001-2000	SQ YARD	
	c) 2001-3000	SQ YARD	
	d) 3001 and greater	SQ YARD	
T	Hot-Mix Asphalt Base 1 Shoulder Paving Surcharge		
	a) 0-100	TON	
	b) 101-200	TON	55410-2-14
	c) 201-500	TON	
	d) 501 and greater	TON	
U	Hot-Mix Asphalt Base 2 Shoulder Paving Surcharge		
	a) 0-100	TON	
	b) 101-200	TON	
	c) 201-500	TON	
	d) 501 and greater	TON	
٧	Haul by Vendor		·
	a) First Ton Mile	MILE	
	b) Each Additional Mile	MILE	
	Lay Down of Materials - Items A thru O, Each Site		
900197	a) 0-100	TON	
W	b) 101-200	TON	
	c) 201-500	TON	
	d) 501 and greater	TON	

15 Bid Schedule -- HOT MIX ASPHALT 6612C017 <u>District 6</u> - Brooke County, Hancock County, Marshall County, Ohio County, Tyler County and Wetzel County

		Unit of	Cost Per
ltem	Item Description Measure		Unit
X	Cleaning and Sweeping	SQ YARD	
	Bituminous Material for Tack Coat or Prime Material		
	furnished and applied under Item Y to be in accordance	CALLON	
Υ	with Section 408 of the referenced specifications, as	GALLON	
	directed by the Division of Highways' District Engineer.		
	Daytime Paving Mobilization		
	A Moblibation for Paving Charge may be made when the		
Z	Agency Release order quantity per paving location is less	See Description	
	than 500 tons of Hot-Mix Asphalt and night-time paving is		
	not specified.		
	Nighttime Paving Mobilization		
AA	A Moblibation for Paving Charge may be made when the	See Description	
AA	Division of Highways' District Engineer directs that the	Oce Description	
	paving is to be done at night.		
	Off-Season Plant Opening		
AB	a) First Day	DAY	
	b) Each Additional Day	DAY	
AC	Additional Heel-In Joints	LINEAL FOOT	
AD	Skip Paving Surcharge	TON	
AE	Mobilization for Profiling	Per Agency Release	
	Payment Profiling (Milling)	T CO VADD	
	a) Less than 250	SQ YARD SQ YARD	
A P	b) 251-500	SQ YARD	
AF	c) 501-1000	SQ YARD	
	d) 1001-2500 e) 2501-5000	SQ YARD	
	f) 5001 and greater	SQ YARD	
40	Pilot Truck and Driver	PER DAY	
AG	Fig. 84-Fig. South Southern W. Addition of the Section 1990 Section 19	UNIT	
AH	Traffic Control Devices	HOUR	
AI	Flagger		
AJ	Arrow Board	DAY	
AK	Milled Rumble Strips	LINEAL FOOT	
AL	Mobilization for Milled Rumble Strips	Per Agency Release	
AM	Pavement Repair - Hot-Mix Asphalt Base 2	TON	
AN	Surcharge for Warm-Mix Asphalt - Item A thru O	TON	
AO	Surcharge for Parking Lot and Facility Paving - Item A thru O	TON	
	Vendor's Plant Location: SEE NOTE BELOW		

6612C017

<u>District 7</u> - Barbour County, Braxton County, Gilmer County, Lewis County, Upshur County and Webster County

	Items A - P shall include FOB Vendor's Plant	Unit of	Cost Per
Item	Item Description	Measure	Unit
Α	Hot-Mix Asphalt Section 401 - Base I	TON	
В	Hot-Mix Asphalt Section 401 - 37.5mm Superpave	TON	
С	Hot-Mix Asphalt Section 401 - Base II	TON	
D	Hot-Mix Asphalt Section 401 - Patch and Level	TON	
E	Hot-Mix Asphalt Section 401 - Wearing IV	TON	
F	Hot-Mix Asphalt Section 402 - Wearing IV Hot-Mix Asphalt Section 401 - 19mm Superpave	TON	
G H	Hot-Mix Asphalt Section 401 - Scratch Course	TON	
n	Hot-Mix Asphalt Section 402 - 9.5mm Superpave	TON	
j	Hot-Mix Asphalt Section 401 - Wearing I	TON	
K	Hot-Mix Asphalt Section 402 - Wearing I	TON	
L	Hot-Mix Asphalt Section 401 - 4.75mm Superpave	TON	
М	Hot-Mix Asphalt Section 402 - 4.75 mm Superpave	TON	
N	Hot-Mix Asphalt Section 401 - Wearing III	TON	
0	Hot-Mix Asphalt Section 402 - Wearing III	TON	
Р	Hot-Mix Asphalt - Plant Run	TON	
Q	Surcharge for PG70-22 Binder	TON	
R	Surcharge for PG76-22 Binder - Ordered in 400 Ton increments	TON	
S	Excavation for Shoulder Paving		
	a) 0-1000	SQ YARD	
	b) 1001-2000	SQ YARD	
	c) 2001-3000	SQ YARD	
	d) 3001 and greater	SQ YARD	
T	Hot-Mix Asphalt Base 1 Shoulder Paving Surcharge		
	a) 0-100	TON	
	b) 101-200	TON	
	c) 201-500	TON	
	d) 501 and greater	TON	
U	Hot-Mix Asphalt Base 2 Shoulder Paving Surcharge		
	a) 0-100	TON	
	b) 101-200	TON	
	c) 201-500	TON	
	d) 501 and greater	TON	
٧	Haul by Vendor		
	a) First Ton Mile	MILE	
	b) Each Additional Mile	MILE	
	Lay Down of Materials - Items A thru O, Each Site		
	a) 0-100	TON	
W	b) 101-200	TON	
	c) 201-500	TON	
	d) 501 and greater	LION	

15 Bid Schedule -- HOT MIX ASPHALT 6612C017 <u>District 7</u> - Barbour County, Braxton County, Gilmer County, Lewis County, Upshur County and Webster County

		Unit of	Cost Per
Item	Item Description	Measure	
Χ	Cleaning and Sweeping	SQ YARD	
	Bituminous Material for Tack Coat or Prime Material		
Υ	furnished and applied under Item Y to be in accordance	GALLON	
1	with Section 408 of the referenced specifications, as	OALLON	
	directed by the Division of Highways' District Engineer.		
	Daytime Paving Mobilization		
	A Moblibation for Paving Charge may be made when the		
Z	Agency Release order quantity per paving location is less	See Description	
	than 500 tons of Hot-Mix Asphalt and night-time paving is		
	not specified.		
	Nighttime Paving Mobilization		
AA	A Moblibation for Paving Charge may be made when the	See Description	
, ,	Division of Highways' District Engineer directs that the		
	paving is to be done at night.		
	Off-Season Plant Opening	T DAY	
AB	a) First Day	DAY DAY	
40	b) Each Additional Day		
AC	Additional Heel-In Joints	LINEAL FOOT TON	
AD	Skip Paving Surcharge		
AE	Mobilization for Profiling	Per Agency Release	
	Payment Profiling (Milling) a) Less than 250	SQ YARD	
	b) 251-500	SQ YARD	
AF	c) 501-1000	SQ YARD	3
ZII	d) 1001-2500	SQ YARD	
	e) 2501-5000	SQ YARD	
	f) 5001 and greater	SQ YARD	
AG	Pilot Truck and Driver	PER DAY	
AH	Traffic Control Devices	UNIT	
Al	Flagger	HOUR	
AJ	Arrow Board	DAY	
AK	Milled Rumble Strips	LINEAL FOOT	
AL	Mobilization for Milled Rumble Strips	Per Agency Release	
AM	Pavement Repair - Hot-Mix Asphalt Base 2	TON	
AN	Surcharge for Warm-Mix Asphalt - Item A thru O	TON	
AO	Surcharge for Parking Lot and Facility Paving - Item A thru O	TON	
AU	Vendor's Plant Location: SEE NOTE BELOW	I TON	
	Volidor of Tarit Location. OLL HOTE DELOW		

TON

15 Bid Schedule -- HOT MIX ASPHALT <u>District 8</u> - Pendleton County, Pocahontas County, Randolph County and Tucker County

d) 501 and greater

Items A - P shall include FOB Vendor's Plant **Cost Per** Unit of **Item Description** Unit Measure Item Hot-Mix Asphalt Section 401 - Base I TON Α Hot-Mix Asphalt Section 401 - 37.5mm Superpave В TON Hot-Mix Asphalt Section 401 - Base II TON C Hot-Mix Asphalt Section 401 - Patch and Level TON D Hot-Mix Asphalt Section 401 - Wearing IV TON E Hot-Mix Asphalt Section 402 - Wearing IV TON Hot-Mix Asphalt Section 401 - 19mm Superpave TON G Hot-Mix Asphalt Section 401 - Scratch Course TON H Hot-Mix Asphalt Section 402 - 9.5mm Superpave TON Hot-Mix Asphalt Section 401 - Wearing I TON J Hot-Mix Asphalt Section 402 - Wearing I TON K Hot-Mix Asphalt Section 401 - 4.75mm Superpave TON L Hot-Mix Asphalt Section 402 - 4.75 mm Superpave TON M TON N Hot-Mix Asphalt Section 401 - Wearing III TON 0 Hot-Mix Asphalt Section 402 - Wearing III P TON Hot-Mix Asphalt - Plant Run TON Q Surcharge for PG70-22 Binder TON R Surcharge for PG76-22 Binder - Ordered in 400 Ton increments S **Excavation for Shoulder Paving** SQ YARD a) 0-1000 SQ YARD b) 1001-2000 SQ YARD c) 2001-3000 d) 3001 and greater SQ YARD Hot-Mix Asphalt Base 1 Shoulder Paving Surcharge T TON a) 0-100 TON b) 101-200 c) 201-500 TON TON d) 501 and greater U Hot-Mix Asphalt Base 2 Shoulder Paving Surcharge TON a) 0-100 TON b) 101-200 c) 201-500 TON d) 501 and greater TON Haul by Vendor MILE a) First Ton Mile b) Each Additional Mile MILE Lay Down of Materials - Items A thru O, Each Site a) 0-100 TON b) 101-200 TON W c) 201-500 TON

15 Bid Schedule -- HOT MIX ASPHALT 6612C017 <u>District 8</u> - Pendleton County, Pocahontas County, Randolph County and Tucker County

		Unit of	Cost Per
ltem	Item Description	Measure	Unit
X	Cleaning and Sweeping	SQ YARD	
	Bituminous Material for Tack Coat or Prime Material		
Υ	furnished and applied under Item Y to be in accordance	GALLON	
Ţ	with Section 408 of the referenced specifications, as	GALLON	
	directed by the Division of Highways' District Engineer.		
	Daytime Paving Mobilization		
	A Moblibation for Paving Charge may be made when the		
Z	Agency Release order quantity per paving location is less	See Description	
	than 500 tons of Hot-Mix Asphalt and night-time paving is		
	not specified.		
	Nighttime Paving Mobilization		
AA	A Mobilibation for Paving Charge may be made when the	See Description	
	Division of Highways' District Engineer directs that the paving is to be done at night.		
	Off-Season Plant Opening		
AB	a) First Day	DAY	
ΛD	b) Each Additional Day	DAY	
AC	Additional Heel-In Joints	LINEAL FOOT	
AD	Skip Paving Surcharge	TON	
AE	Mobilization for Profiling	Per Agency Release	
	Payment Profiling (Milling)		
	a) Less than 250	SQ YARD	
	b) 251-500	SQ YARD	
AF	c) 501-1000	SQ YARD	
	d) 1001-2500	SQ YARD	
	e) 2501-5000	SQ YARD	
	f) 5001 and greater	SQ YARD	
AG	Pilot Truck and Driver	PER DAY	
AH	Traffic Control Devices	UNIT	
Al	Flagger	HOUR	
AJ	Arrow Board	DAY	
AK	Milled Rumble Strips	LINEAL FOOT	
AL	Mobilization for Milled Rumble Strips	Per Agency Release	
AM	Pavement Repair - Hot-Mix Asphalt Base 2	TON	
AN	Surcharge for Warm-Mix Asphalt - Item A thru O	TON	
AO	Surcharge for Parking Lot and Facility Paving - Item A thru O	TON	
	Vendor's Plant Location: SEE NOTE BELOW		
(31)			

6612C017

<u>District 9</u> - Fayette County, Greenbrier County, Monroe

County, Nicholas County and Summers County

	Items A - P shall include FOB Vendor's Plant	Unit of	Cost Per
ltem	Item Description	Measure	Unit
Α	Hot-Mix Asphalt Section 401 - Base I	TON	
В	Hot-Mix Asphalt Section 401 - 37.5mm Superpave	TON	
С	Hot-Mix Asphalt Section 401 - Base II	TON	
D	Hot-Mix Asphalt Section 401 - Patch and Level	TON	
E	Hot-Mix Asphalt Section 401 - Wearing IV Hot-Mix Asphalt Section 402 - Wearing IV	TON	
F G	Hot-Mix Asphalt Section 401 - 19mm Superpave	TON	
H	Hot-Mix Asphalt Section 401 - Scratch Course	TON	
	Hot-Mix Asphalt Section 402 - 9.5mm Superpave	TON	
J	Hot-Mix Asphalt Section 401 - Wearing I	TON	
K	Hot-Mix Asphalt Section 402 - Wearing I	TON	
L	Hot-Mix Asphalt Section 401 - 4.75mm Superpave	TON	
М	Hot-Mix Asphalt Section 402 - 4.75 mm Superpave	TON	
N	Hot-Mix Asphalt Section 401 - Wearing III	TON	
0	Hot-Mix Asphalt Section 402 - Wearing III	TON	
Р	Hot-Mix Asphalt - Plant Run	TON	
Q	Surcharge for PG70-22 Binder	TON	
R	Surcharge for PG76-22 Binder - Ordered in 400 Ton increments	TON	
S	Excavation for Shoulder Paving		
	a) 0-1000	SQ YARD	
	b) 1001-2000	SQ YARD	
	c) 2001-3000	SQ YARD	
	d) 3001 and greater	SQ YARD	
T	Hot-Mix Asphalt Base 1 Shoulder Paving Surcharge		
	a) 0-100	TON	
	b) 101-200	TON	
	c) 201-500	TON	
	d) 501 and greater	TON	
U	Hot-Mix Asphalt Base 2 Shoulder Paving Surcharge		
	a) 0-100	TON	
	b) 101-200	TON	
	c) 201-500	TON	
	d) 501 and greater	TON	
V	Haul by Vendor		
	a) First Ton Mile	MILE	
	b) Each Additional Mile	MILE	
	Lay Down of Materials - Items A thru O, Each Site	TOU	1
14/	a) 0-100	TON	
W	b) 101-200	TON	
	c) 201-500 d) 501 and greater	TON	

15 Bid Schedule -- HOT MIX ASPHALT 6612C017 <u>District 9</u> - Fayette County, Greenbrier County, Monroe County, Nicholas County and Summers County

		Unit of	Cost Per
Item	Item Description	Measure	Unit
X	Cleaning and Sweeping	SQ YARD	
	Bituminous Material for Tack Coat or Prime Material		
	furnished and applied under Item Y to be in accordance	0411041	
Υ	with Section 408 of the referenced specifications, as	GALLON	
	directed by the Division of Highways' District Engineer.		
	Daytime Paving Mobilization		
	A Moblibation for Paving Charge may be made when the		
Z	Agency Release order quantity per paving location is less	See Description	
	than 500 tons of Hot-Mix Asphalt and night-time paving is		
	not specified.		
	Nighttime Paving Mobilization		
AA	A Moblibation for Paving Charge may be made when the	See Description	
AA	Division of Highways' District Engineer directs that the	OGG DGSGIIPIIOII	
	paving is to be done at night.		
2010000	Off-Season Plant Opening		
AB	a) First Day	DAY	
	b) Each Additional Day	DAY	
AC	Additional Heel-In Joints	LINEAL FOOT	
AD	Skip Paving Surcharge	TON	
AE	Mobilization for Profiling	Per Agency Release	
	Payment Profiling (Milling)	L OO VADD	
	a) Less than 250	SQ YARD	
A (=	b) 251-500	SQ YARD SQ YARD	
AF	c) 501-1000	SQ YARD SQ YARD	
	d) 1001-2500 e) 2501-5000	SQ YARD	
	e) 2501-5000 f) 5001 and greater	SQ YARD	
10	Pilot Truck and Driver	PER DAY	
AG	A SHOWN BY AND THE SHOWN AND THE SHOWN AS A	A CONTRACTOR OF THE PARTY OF TH	
AH	Traffic Control Devices	HOUR	
Al	Flagger		
AJ	Arrow Board	DAY	
AK	Milled Rumble Strips	LINEAL FOOT	
AL	Mobilization for Milled Rumble Strips	Per Agency Release	
AM	Pavement Repair - Hot-Mix Asphalt Base 2	TON	
AN	Surcharge for Warm-Mix Asphalt - Item A thru O	TON	
AO	Surcharge for Parking Lot and Facility Paving - Item A thru O	TON	
	Vendor's Plant Location: SEE NOTE BELOW		

6612C017

Bid Schedule -- HOT MIX ASPHALT <u>District 10</u> - McDowell County, Mercer County, Raleigh County and Wyoming County

15

Items A - P shall include FOB Vendor's Plant Unit of Cost Per Item Description Item Measure Unit Hot-Mix Asphalt Section 401 - Base I TON Hot-Mix Asphalt Section 401 - 37.5mm Superpave TON Hot-Mix Asphalt Section 401 - Base II C TON Hot-Mix Asphalt Section 401 - Patch and Level D TON Hot-Mix Asphalt Section 401 - Wearing IV E TON Hot-Mix Asphalt Section 402 - Wearing IV TON Hot-Mix Asphalt Section 401 - 19mm Superpave G TON Hot-Mix Asphalt Section 401 - Scratch Course TON H Hot-Mix Asphalt Section 402 - 9.5mm Superpave TON Hot-Mix Asphalt Section 401 - Wearing I TON Hot-Mix Asphalt Section 402 - Wearing I TON K Hot-Mix Asphalt Section 401 - 4.75mm Superpave TON Hot-Mix Asphalt Section 402 - 4.75 mm Superpave TON M N Hot-Mix Asphalt Section 401 - Wearing III TON TON 0 Hot-Mix Asphalt Section 402 - Wearing III P TON Hot-Mix Asphalt - Plant Run TON Q Surcharge for PG70-22 Binder R Surcharge for PG76-22 Binder - Ordered in 400 Ton increments TON S **Excavation for Shoulder Paving** SQ YARD a) 0-1000 SQ YARD b) 1001-2000 c) 2001-3000 SQ YARD d) 3001 and greater SQ YARD T Hot-Mix Asphalt Base 1 Shoulder Paving Surcharge TON a) 0-100 b) 101-200 TON c) 201-500 TON d) 501 and greater TON U Hot-Mix Asphalt Base 2 Shoulder Paving Surcharge TON a) 0-100 TON b) 101-200 c) 201-500 TON d) 501 and greater TON Haul by Vendor a) First Ton Mile MILE MILE b) Each Additional Mile Lay Down of Materials - Items A thru O, Each Site a) 0-100 TON b) 101-200 TON W c) 201-500 TON d) 501 and greater TON

Bid Schedule -- HOT MIX ASPHALT **District 10 - McDowell County, Mercer County, Raleigh County and Wyoming County**

15

Item Description Paning and Sweeping Juminous Material for Tack Coat or Prime Material Inished and applied under Item Y to be in accordance In Section 408 of the referenced specifications, as Jected by the Division of Highways' District Engineer. Justime Paving Mobilization Moblibation for Paving Charge may be made when the Jency Release order quantity per paving location is less In 500 tons of Hot-Mix Asphalt and night-time paving is Jespecified. Justime Paving Mobilization Moblibation for Paving Charge may be made when the Justime Paving Mobilization Moblibation for Paving Charge may be made when the Justime Paving Mobilization Moblibation for Paving Charge may be made when the Justime Paving Mobilization Moblibation for Paving Charge may be made when the Justime Paving Mobilization Moblibation for Paving Charge may be made when the Justime Paving Mobilization Moblibation for Paving Charge may be made when the Justime Paving Mobilization Moblibation for Paving Charge may be made when the Justime Paving Mobilization Moblibation for Paving Charge may be made when the Justime Paving Mobilization Moblibation for Paving Charge may be made when the Justime Paving Mobilization Moblibation for Paving Charge may be made when the Justime Paving Mobilization Moblibation for Paving Charge may be made when the Justime Paving Mobilization Moblibation for Paving Charge may be made when the Justime Paving Mobilization Moblibation for Paving Charge may be made when the Justime Paving Mobilization Moblibation for Paving Charge may be made when the Justime Paving Mobilization Moblibation for Paving Charge may be made when the Justime Paving Mobilization Moblibation for Paving Charge may be made when the Justime Paving Mobilization Moblibation for Paving Charge may be made when the Justime Paving Mobilization Moblibation for Paving Charge may be made when the Justime Paving Mobilization Moblibation for Paving Charge may be made when the Justime Paving Mobilization Moblibation for	Measure SQ YARD GALLON See Description DAY DAY LINEAL FOOT TON Per Agency Release	Unit
uminous Material for Tack Coat or Prime Material hished and applied under Item Y to be in accordance h Section 408 of the referenced specifications, as ected by the Division of Highways' District Engineer. ytime Paving Mobilization Moblibation for Paving Charge may be made when the ency Release order quantity per paving location is less in 500 tons of Hot-Mix Asphalt and night-time paving is especified. Inttime Paving Mobilization Moblibation for Paving Charge may be made when the rision of Highways' District Engineer directs that the ring is to be done at night. Season Plant Opening First Day Each Additional Day ditional Heel-In Joints p Paving Surcharge bilization for Profiling yment Profiling (Milling)	GALLON See Description DAY DAY LINEAL FOOT TON Per Agency Release	
uminous Material for Tack Coat or Prime Material hished and applied under Item Y to be in accordance h Section 408 of the referenced specifications, as ected by the Division of Highways' District Engineer. ytime Paving Mobilization Moblibation for Paving Charge may be made when the ency Release order quantity per paving location is less in 500 tons of Hot-Mix Asphalt and night-time paving is especified. Inttime Paving Mobilization Moblibation for Paving Charge may be made when the rision of Highways' District Engineer directs that the ring is to be done at night. Season Plant Opening First Day Each Additional Day ditional Heel-In Joints p Paving Surcharge bilization for Profiling yment Profiling (Milling)	See Description See Description DAY DAY LINEAL FOOT TON Per Agency Release	
Moblibation for Paving Charge may be made when the ency Release order quantity per paving location is less in 500 tons of Hot-Mix Asphalt and night-time paving is especified. In this paving Mobilization Moblibation for Paving Charge may be made when the rision of Highways' District Engineer directs that the rision of Highways' District Engineer directs that the rision is to be done at night. Season Plant Opening First Day Each Additional Day ditional Heel-In Joints p Paving Surcharge bilization for Profiling yment Profiling (Milling)	DAY DAY LINEAL FOOT TON Per Agency Release	
Moblibation for Paving Charge may be made when the rision of Highways' District Engineer directs that the ring is to be done at night. -Season Plant Opening First Day Each Additional Day ditional Heel-In Joints p Paving Surcharge bilization for Profiling yment Profiling (Milling)	DAY DAY LINEAL FOOT TON Per Agency Release	
First Day Each Additional Day ditional Heel-In Joints p Paving Surcharge bilization for Profiling yment Profiling (Milling)	DAY LINEAL FOOT TON Per Agency Release	
Each Additional Day ditional Heel-In Joints p Paving Surcharge bilization for Profiling yment Profiling (Milling)	DAY LINEAL FOOT TON Per Agency Release	
ditional Heel-In Joints p Paving Surcharge bilization for Profiling yment Profiling (Milling)	LINEAL FOOT TON Per Agency Release	
p Paving Surcharge bilization for Profiling yment Profiling (Milling)	TON Per Agency Release	
bilization for Profiling yment Profiling (Milling)	Per Agency Release	
yment Profiling (Milling)		
	SQ YARD	
251-500	SQ YARD	
501-1000	SQ YARD	
1001-2500	SQ YARD	
2501-5000	SQ YARD	
5001 and greater	SQ YARD	
ot Truck and Driver	PER DAY	
and street and a s		
2 (Marie 1970) 1970 (Marie 197		
(200 MB 1400		
ndor's Plant Location: SEE NOTE BELOW	I ION	
	ffic Control Devices gger ow Board ed Rumble Strips oilization for Milled Rumble Strips rement Repair - Hot-Mix Asphalt Base 2 charge for Warm-Mix Asphalt - Item A thru O charge for Parking Lot and Facility Paving - Item A thru O idor's Plant Location: SEE NOTE BELOW	gger HOUR DAY ed Rumble Strips LINEAL FOOT pilization for Milled Rumble Strips Per Agency Release rement Repair - Hot-Mix Asphalt Base 2 charge for Warm-Mix Asphalt - Item A thru O TON charge for Parking Lot and Facility Paving - Item A thru O

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

	1.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preced-
		ing the date of this certification; or , Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or , Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4)
		years immediately preceding the date of this certification; or,
10	2. ——	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
	3.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
	4.	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
	5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
	6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
	require agains or ded	understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the ments for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency acted from any unpaid balance on the contract or purchase order.
	the red deeme	mission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and zes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid uired business taxes, provided that such information does not contain the amounts of taxes paid nor any other information d by the Tax Commissioner to be confidential.
	and a	penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true curate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate es during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.
	Bidde	: Signed:
	Date:	Title:

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ	No.		

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name:			The second secon
Authorized Signature:		_ Date:	
State of			
County of, to-wit:			
Taken, subscribed, and sworn to before me this day o	of		_, 20
My Commission expires	, 20		
AFFIV CEAL HERE	MOTARY BURLIC		

Please use this document for technical questions, posing in a question format

Please refer to the section your question is in referer	nce to.			
Technical questions for RFQ#				
Vendor Name:			(9) 8	~ ,
Questions:				T. 10*
		*		
				-
				_
				_
				_
		-		