



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Solicitation

NUMBER
ABCA122

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
CONNIE HILL 304-558-2157

RFQ COPY  
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

ALCOHOL BEVERAGE CONTROL  
 COMMISSION  
 322 70TH STREET, S.E.  
 CHARLESTON, WV  
 25304-2900 558-2487

DATE PRINTED
06/26/2012

BID OPENING DATE: 06/28/2012

BID OPENING TIME

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 3						
1.				LEAD PAINT ANALYSIS REPORT (SEE ATTACHED) FOR THE WV ABCA WAREHOUSE LOCATED IN NITRO, WV.		
2.				ADDENDUM ACKNOWLEDGEMNT IS ATTACHED. THIS DOCUMENT SHOULD BE SIGNED AND RETURNED WITH YOUR BID. FAILURE TO RETURN THE ACKNOWLEDGEMENT WITH YOUR BID MAY RESULT IN DISQUALIFICATION OF YOUR BID.		
END OF ADDENDUM NO. 3						

SIGNATURE		TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

SOLICITATION NUMBER: ABCA122

Addendum Number: 03

---

The purpose of this addendum is to modify the solicitation identified as (“Solicitation”) to reflect the change(s) identified and described below.

**Applicable Addendum Category:**

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

**Description of Modification to Solicitation:** Exterior Lead Paint Sampling Results of the WVABCA Warehouse in Nitro, WV.

**Additional Documentation:** Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

**Terms and Conditions:**

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

# ATTACHMENT A

**ENVIROPROBE**  
**INTEGRATED SOLUTIONS, INC.**  
DRILLING + ENGINEERING + ENVIRONMENTAL PROFESSIONALS

June 25, 2012

WV ABCA  
Attn: Belinda Burdette  
322 70<sup>th</sup> Street S.E.  
Charleston, WV 25304

Re: Exterior Lead Sampling Results  
WVABCA Warehouse  
Nitro, West Virginia  
Project No. 12-0045-002

Dear Belinda:

Attached are the lead sampling results for the exterior of the WVABCA warehouse in Nitro, West Virginia. The Occupational Safety and Health Administration's Lead in Construction Standard (CFR 1926.62) applies at worksites where any lead is present in the sample. Only paint samples collected from the northern wall of the warehouse met this criterion. The southern, eastern, and western walls all contained detectable concentrations of lead. Water valves on the southern wall of the building also met the Housing and Urban Development definition of lead-based paint of 5,000 µg/g.

Should you have any questions or comments about the results please do not hesitate to contact me via the telephone number below or by email at [nacapper@enviroprobeinc.com](mailto:nacapper@enviroprobeinc.com).

Sincerely,



Neil A. Capper, LRS  
Environmental Toxicologist

# SCHNEIDER LABORATORIES GLOBAL

INCORPORATED

2512 W. Cary Street • Richmond, Virginia • 23220-5117  
804-353-6778 • 800-785-LABS (5227) • (FAX) 804-359-1475

*Over 25 Years of Excellence in Service and Technology*

AIHA/ELLAP 100527, ISO/IEC 17025, NVLAP 101150-0, VELAP 460135, NYELAP/NELAC 11413

## LABORATORY ANALYSIS REPORT

Lead Analysis based on EPA 7000B Method

Using SLI P26 A14

**ACCOUNT #:** 3699-12-14

**CLIENT:** EnviroProbe Integrated Solutions, Inc.

**ADDRESS:** 630 Cross Lanes Drive

Nitro, WV 25143

**DATE RECEIVED:** 6/21/2012

**DATE ANALYZED:** 6/21/2012

**DATE REPORTED:** 6/21/2012

**PROJECT NAME:** WVA BCA

**JOB LOCATION:** Nitro, WV

**PROJECT NO.:** 12-0045-002

**PO NO.:**

**Sample Type:** PAINT

SLI Sample No.	Client Sample No.	Collection Date	Sample Description	Sample Wt (mg)	Total Lead (µg)*	Lead Conc (% by wt)	Lead Conc PPM
31506644	1	6/20/2012 11:00 AM	East Wall	336	14.4	0.004	43
31506645	2	6/20/2012 11:00 AM	East Wall	334	21.9	0.007	66
31506646	3	6/20/2012 11:00 AM	East Wall	313	14.4	0.005	46
31506647	4	6/20/2012 11:00 AM	East Wall	320	18.1	0.006	57
31506648	5	6/20/2012 11:00 AM	South Wall	321	20.0	0.006	62
31506649	6	6/20/2012 11:00 AM	South Wall	343	21.9	0.006	64
31506650	7	6/20/2012 11:00 AM	South Wall	338	18.1	0.005	54
31506651	8	6/20/2012 11:00 AM	South Wall	323	14.4	0.004	44
31506652	9	6/20/2012 11:00 AM	Value-South Wall	333	3,655.1	1.098	10,976

### Total Number of Pages in Report: 2

Results relate only to samples as received by the laboratory.

*Minimum Reporting Limit: 10.0 µg. Lead Based Paint contains 0.5% lead by weight per Federal statute. The OSHA Lead in Construction Standard, 29 CFR 1926.62, is invoked if any lead is present in the sample. Lead-free paint is defined as <0.009% by weight (CPSC). \*Data precision justifies 2 significant figures. All internal QC parameters were met. Unusual sample conditions, if any, are described.*

SLI Sample No.	Client Sample No.	Collection Date	Sample Description	Sample Wt (mg)	Total Lead (µg)*	Lead Conc (% by wt)	Lead Conc PPM
31506653	10	6/20/2012 11:00 AM	West Wall	335	< 10.0	< 0.003	< 30
31506654	11	6/20/2012 11:00 AM	West Wall	354	16.3	0.005	46
31506655	12	6/20/2012 11:00 AM	West Wall	319	18.1	0.006	57
31506656	13	6/20/2012 11:00 AM	West Wall	331	< 10.0	< 0.003	< 30
31506657	14	6/20/2012 11:00 AM	North Wall	366	< 10.0	< 0.003	< 27
31506658	15	6/20/2012 11:00 AM	North Wall	332	< 10.0	< 0.003	< 30
31506659	16	6/20/2012 11:00 AM	North Wall	325	< 10.0	< 0.003	< 31
31506660	17	6/20/2012 11:00 AM	North Wall	337	< 10.0	< 0.003	< 30

Analysis Run ID: 50134

Analyst: Omar H. Elshowaya

Total Number of Pages in Report: 2

Results relate only to samples as received by the laboratory.



Reviewed By

Musaab Hashim, Analyst

Visit [www.slabinc.com](http://www.slabinc.com) for current certifications.

Minimum Reporting Limit: 10.0 µg. Lead Based Paint contains 0.5% lead by weight per Federal statute. The OSHA Lead in Construction Standard, 29 CFR 1926.62, is invoked if any lead is present in the sample. Lead-free paint is defined as <0.009% by weight (CPSC). \*Data precision justifies 2 significant figures. All internal QC parameters were met. Unusual sample conditions, if any, are described.



**SCHNEIDER LABORATORIES GLOBAL, INC.**  
 2512 West Cary Street, Richmond, Virginia 23220-5117  
 804-353-6778 • 800-785-LABS (5227) • Fax 804-359-1475  
 www.slabinc.com e-mail: info@slabinc.com

WO Label:  
 WorkOrderKey  
  
 V : \ 892 \ 892636

Submitting Co. <b>EquivaProbe Integrated Soln.</b>	Lab Use- WO# <b>3699-12-14</b>	Phone #
<b>630 Cross Lanes Drive</b>	Acct#	Fax # & E-mail
<b>Nitro WV 25143</b>		
Project Name: <b>WVABCA</b>	Special Instructions (include requests for special reporting or data packages)	
Project Location: <b>Nitro WV</b>	<b>email results address on file</b>	
Project Number: <b>12-0045-002</b>		
PO Number:	State Of Collection <b>WV</b>	

Turn Around Time	Matrix / Sample Type (Select ONE)	Tests / Analytes (Select ALL that Apply)		
<input type="checkbox"/> 2 hours* <input type="checkbox"/> Same day* <input checked="" type="checkbox"/> 1 business day* <input type="checkbox"/> 2 business day* <input type="checkbox"/> 3 business days* <input checked="" type="checkbox"/> 4 business days* <input type="checkbox"/> Full TCLP (10d) <input type="checkbox"/> Weekend* <small>* not available for all tests</small> <small>Schedule rush organics, multi-metals &amp; weekend tests in advance.</small>	<small>All samples on form should be of SAME matrix type. Use additional forms as needed.</small> <input type="checkbox"/> Air <input type="checkbox"/> Solid <input type="checkbox"/> Aqueous <input type="checkbox"/> Waste <input type="checkbox"/> Bulk <input type="checkbox"/> Wastewater <input type="checkbox"/> Hi-Vol Filter (PM10) <input type="checkbox"/> Water, Drinking <input type="checkbox"/> Hi-Vol Filter (TSP) <input type="checkbox"/> Compliance <input type="checkbox"/> Oil <input type="checkbox"/> Wipe <input checked="" type="checkbox"/> Paint <input type="checkbox"/> Wipe, Composite <input type="checkbox"/> Sludge <input type="checkbox"/> Soil	<b>Asbestos Air / Fiber Counts</b> <input type="checkbox"/> PCM (NIOSH 7400) <input type="checkbox"/> TEM (AHERA) <input type="checkbox"/> TEM (EPA Level II)  <b>Miscellaneous Tests</b> <input type="checkbox"/> Total Dust (NIOSH 0500) <input type="checkbox"/> Resp. Dust (NIOSH 0600) <input type="checkbox"/> Silica - FTIR (NIOSH 7602) <input type="checkbox"/> Silica - XRD (NIOSH 7600)	<b>Asbestos Bulk / Aes ID</b> <input type="checkbox"/> PLM (EPA 600/R-93/116) <input type="checkbox"/> PLM (EPA Point Count) <input type="checkbox"/> PLM (Qualitative only) <input type="checkbox"/> NYELAP 198.11/4/8 <input type="checkbox"/> CAELAP (EPA Interim) <input type="checkbox"/> TEM (Chalfield)	<b>Metals-Total Conc.</b> <input checked="" type="checkbox"/> Lead <input type="checkbox"/> RCRA Metals  <b>Metals-Extract</b> <input type="checkbox"/> TCLP / Lead <input type="checkbox"/> TCLP / RCRA Metals <input type="checkbox"/> TCLP / Full (w/ organics)  <b>Others</b> <input type="checkbox"/>

Sample #	Date Sampled	Time Sampled	Sample Identification (e.g. Employee, SSN, Bldg, Material)	Wiped Area (ft²)	Type¹ A,B,P,E	Time²		Flow Rate³		Total⁴ Air Vol
						Start	Stop	Start	Stop	
01	06/20/12	1100	East Wall							
02			↓							
03			↓							
04			↓							
05			South Wall							
06			↓							
07			↓							
08			↓							
09			Value - South Wall							
10			West Wall							
11			↓							
12			↓							

¹Type: A=area B=blank P=personal E=excursion    ²Beginning/End of Sample Period    ³Pump Calibration in Liters/Minute    ⁴Volume in Liters [time in min \* flow in L/min]

Sampled by NAME <b>Neil A. Carver</b> SIGNATURE DATE/TIME <b>06/20/12 1200</b>	Relinquished to lab by NAME <b>Neil A. Carver</b> SIGNATURE DATE/TIME <b>06/20/12 1200</b>	<input type="checkbox"/> FX <input checked="" type="checkbox"/> UP6 <input type="checkbox"/> USM <input type="checkbox"/> HD <input type="checkbox"/> DB  <b>WB: 6182</b>
---	---	---



**SCHNEIDER LABORATORIES GLOBAL, INC.**

2512 West Cary Street, Richmond, Virginia 23220-5117  
 804-353-6778 • 800-785-LABS (5227) • Fax 804-359-1475  
 www.slabinc.com e-mail: info@slabinc.com

WO Label:  
 \_\_\_\_\_

Submitting Co. EnviroProbe Integrated Soln.  
630 Cross Lanes Drive  
Nitro, WV 25143

Lab Use- WO # \_\_\_\_\_  
 Acct# \_\_\_\_\_

Phone # \_\_\_\_\_  
 Fax # \_\_\_\_\_  
 &  
 E-mail \_\_\_\_\_

Project Name: LIVARCA Special Instructions (include requests for special reporting or data packages)  
 Project Location: Nitro, WV email results address on file  
 Project Number: 12-0045-002  
 PO Number: \_\_\_\_\_ State Of Collection: WV

Turn Around Time	Matrix / Sample Type (Select ONE)	Tests / Analytes (Select ALL that Apply)																																	
<input type="checkbox"/> 2 hours* <input type="checkbox"/> Same day* <input checked="" type="checkbox"/> 1 business day* <input type="checkbox"/> 2 business day* <input type="checkbox"/> 3 business days* <input type="checkbox"/> 5 business days* <input type="checkbox"/> Full TCLP (10d) <input type="checkbox"/> Weekend* * not available for all tests Schedule rush organics, multi-metals & weekend tests in advance.	All samples on form should be of SAME matrix type. Use additional forms as needed. <input type="checkbox"/> Air <input type="checkbox"/> Solid <input type="checkbox"/> Aqueous <input type="checkbox"/> Waste <input type="checkbox"/> Bulk <input type="checkbox"/> Wastewater <input type="checkbox"/> Hi-Vol Filter (PM10) <input type="checkbox"/> Water, Drinking <input type="checkbox"/> Hi-Vol Filter (TSP) <input type="checkbox"/> Compliance <input type="checkbox"/> Oil <input type="checkbox"/> Wipe <input checked="" type="checkbox"/> Paint <input type="checkbox"/> Wipe, Composite <input type="checkbox"/> Sludge <input type="checkbox"/> _____ <input type="checkbox"/> Soil <input type="checkbox"/> _____	<table border="1"> <thead> <tr> <th>Asbestos Air / Fiber Counts</th> <th>Asbestos Bulk / Asb ID</th> <th>Metals-Total Conc.</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/> PCM (NIOSH 7400)</td> <td><input type="checkbox"/> PLM (EPA 600/R-93/116)</td> <td><input checked="" type="checkbox"/> Lead</td> </tr> <tr> <td><input type="checkbox"/> TEM (AHERA)</td> <td><input type="checkbox"/> PLM (EPA Point Count)</td> <td><input type="checkbox"/> RCRA Metals</td> </tr> <tr> <td><input type="checkbox"/> TEM (EPA Level II)</td> <td><input type="checkbox"/> PLM (Qualitative only)</td> <td><input type="checkbox"/> _____</td> </tr> <tr> <td><input type="checkbox"/> _____</td> <td><input type="checkbox"/> NYELAP 198.1/4.6</td> <td><input type="checkbox"/> _____</td> </tr> <tr> <td colspan="2">Miscellaneous Tests</td> <td><b>Metals-Extract</b></td> </tr> <tr> <td><input type="checkbox"/> Total Dust (NIOSH 0500)</td> <td><input type="checkbox"/> CAELAP (EPA Interim)</td> <td><input type="checkbox"/> TCLP / Lead</td> </tr> <tr> <td><input type="checkbox"/> Resp. Dust (NIOSH 0600)</td> <td><input type="checkbox"/> TEM (Chaffield)</td> <td><input type="checkbox"/> TCLP / RCRA Metals</td> </tr> <tr> <td><input type="checkbox"/> Silica - FTIR (NIOSH 7602)</td> <td><b>FOR ASBESTOS AIR:</b></td> <td><input type="checkbox"/> TCLP / Full (w/ organics)</td> </tr> <tr> <td><input type="checkbox"/> Silica - XRD (NIOSH 7500)</td> <td>TYPE OF RESPIRATOR</td> <td><b>Others</b></td> </tr> <tr> <td></td> <td>USED:</td> <td><input type="checkbox"/> _____</td> </tr> </tbody> </table>	Asbestos Air / Fiber Counts	Asbestos Bulk / Asb ID	Metals-Total Conc.	<input type="checkbox"/> PCM (NIOSH 7400)	<input type="checkbox"/> PLM (EPA 600/R-93/116)	<input checked="" type="checkbox"/> Lead	<input type="checkbox"/> TEM (AHERA)	<input type="checkbox"/> PLM (EPA Point Count)	<input type="checkbox"/> RCRA Metals	<input type="checkbox"/> TEM (EPA Level II)	<input type="checkbox"/> PLM (Qualitative only)	<input type="checkbox"/> _____	<input type="checkbox"/> _____	<input type="checkbox"/> NYELAP 198.1/4.6	<input type="checkbox"/> _____	Miscellaneous Tests		<b>Metals-Extract</b>	<input type="checkbox"/> Total Dust (NIOSH 0500)	<input type="checkbox"/> CAELAP (EPA Interim)	<input type="checkbox"/> TCLP / Lead	<input type="checkbox"/> Resp. Dust (NIOSH 0600)	<input type="checkbox"/> TEM (Chaffield)	<input type="checkbox"/> TCLP / RCRA Metals	<input type="checkbox"/> Silica - FTIR (NIOSH 7602)	<b>FOR ASBESTOS AIR:</b>	<input type="checkbox"/> TCLP / Full (w/ organics)	<input type="checkbox"/> Silica - XRD (NIOSH 7500)	TYPE OF RESPIRATOR	<b>Others</b>		USED:	<input type="checkbox"/> _____
Asbestos Air / Fiber Counts	Asbestos Bulk / Asb ID	Metals-Total Conc.																																	
<input type="checkbox"/> PCM (NIOSH 7400)	<input type="checkbox"/> PLM (EPA 600/R-93/116)	<input checked="" type="checkbox"/> Lead																																	
<input type="checkbox"/> TEM (AHERA)	<input type="checkbox"/> PLM (EPA Point Count)	<input type="checkbox"/> RCRA Metals																																	
<input type="checkbox"/> TEM (EPA Level II)	<input type="checkbox"/> PLM (Qualitative only)	<input type="checkbox"/> _____																																	
<input type="checkbox"/> _____	<input type="checkbox"/> NYELAP 198.1/4.6	<input type="checkbox"/> _____																																	
Miscellaneous Tests		<b>Metals-Extract</b>																																	
<input type="checkbox"/> Total Dust (NIOSH 0500)	<input type="checkbox"/> CAELAP (EPA Interim)	<input type="checkbox"/> TCLP / Lead																																	
<input type="checkbox"/> Resp. Dust (NIOSH 0600)	<input type="checkbox"/> TEM (Chaffield)	<input type="checkbox"/> TCLP / RCRA Metals																																	
<input type="checkbox"/> Silica - FTIR (NIOSH 7602)	<b>FOR ASBESTOS AIR:</b>	<input type="checkbox"/> TCLP / Full (w/ organics)																																	
<input type="checkbox"/> Silica - XRD (NIOSH 7500)	TYPE OF RESPIRATOR	<b>Others</b>																																	
	USED:	<input type="checkbox"/> _____																																	

Sample #	Date Sampled	Time Sampled	Sample Identification (e.g. Employee, SSN, Bldg, Material)	Wiped Area (ft²)	Type¹ A,B,P,E	Time²		Flow Rate³		Total⁴ Air Vol
						Start	Stop	Start	Stop	
13	06/20/12	1100	West Wall							
14	↓	↓	North Wall							
15	↓	↓								
16	↓	↓								
17	↓	↓								

¹Type: A=area B=blank P=personal E=excursion ²Beginning/End of Sample Period ³Pump Calibration in Liters/Minute ⁴Volume in Liters (Time in min \* flow in L/min)

Sampled by: NAME Neil A. Capow Relinquished to lab by: NAME Neil A. Capow  
 SIGNATURE [Signature] SIGNATURE [Signature]  
 DATE/TIME 06/20/12 1200 DATE/TIME 06/20/12 1200

Sample return requested  Ambient temp  Ice °C pH Cl  RT  IS  OX  FX  UPS  USM  HD  DB

6-21-12 0182



**ADDENDUM ACKNOWLEDGEMENT FORM**  
**SOLICITATION NO.: ABCA122**

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

**Addendum Numbers Received:**

(Check the box next to each addendum received)

- |   |  |
|---|--|
| <input type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6  |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7  |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8  |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9  |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

\_\_\_\_\_  
Company

\_\_\_\_\_  
Authorized Signature

\_\_\_\_\_  
Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.  
Revised 6/8/2012