

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Solicitation

NUMBER
ABCA137

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF:

CONNIE OSWALD

ALCOHOL BEVERAGE CONTROL
COMMISSION
VARIOUS LOCALES AS INDICATED
BY ORDER

RFQ COPY
TYPE NAME/ADDRESS HERE

DATE PRINTED

05/16/20 BID OPENING DATE:	13 05/28/2	2013			RTD (PENING TIME	1.30DM
LINE	QUANTITY	UOP	CAT.	ITEM NUM		UNIT PRICE	AMOUNT
1. 2. 3. 4.	TO PROVII THIS SOLI TO PROVII ATTACHED. TO PROVII TO PROVII DOCUMENT BID. FAII	ADDI CITAT E REV DE A I DE THI SHOUL JURE T	ENDUM WERS TION. VISED REVISE E ADDE TO SIG	NO. 2 TO QUESTI SPECIFICA ED PRICING ENDUM ACKN SIGNED AN	CONS REC ATIONS I S PAGE. NOWLEDGN ID RETUR TURN MAY	EIVED FOR	
SIGNATURE					TELEPHONE		DATE
TITLE	FE	EIN				4000500 044	NOTO TO BE NOTED ABOVE

SOLICITATION NUMBER: ABCA137 Addendum Number: 02

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:

	Modify bid opening date and time
[🗸]	Modify specifications of product or service being sought
[🗸]	Attachment of vendor questions and responses
[]	Attachment of pre-bid sign-in sheet
[]	Correction of error
[/]	Other

Description of Modification to Solicitation:

- TO PROVIDE ANSWERS TO QUESTIONS RECEIVED FOR THIS SOLICITATION.
- TO PROVIDE REVISED SPECIFICATIONS PER THE ATTACHED.
- 3. TO PROVIDE A REVISED PRICING PAGE.
- 4. TO PROVIDE THE ADDENDUM ACKNOWLEDGMENT.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

- 1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
- 2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

ATTACHMENT A

Questions & Answers

ABCA137 - ADDENDUM #2

QUESTION AND ANSWER

Question: On page 22, section 3.1.1.7, Must be installed by a Liebert factory trained and certified technician. Being that it must be important to be a separate requirement, do we need to attach our certificates with the bid. Also how current does the certification need to be? 2 yrs, 5 yrs?

ANSWER: SEE THE REVISION OF 3.1.1.7 OF THIS ADDENDUM

Clarifications to Specifications

ABCA137 - ADDENDUM #2

The language in # 1, Purpose and Scope has been revised as follows:

Three year maintenance agreement will start when unit is started up and owner training is complete. Maintenance should entail the following:

- 1. Quarterly filter changes evaporator (Merv 8)
- 2. Semiannual filter changes on condenser intake (Merv 3)
- 3. Annual Humidifier drum changes
- 4. All motor direct drive no belt changes
- 5. Quarterly check out of system operation

The language in section 3.1.1.7 has been revised to read as follows:

Must be installed by a Liebert factory trained and certified technician. A copy of the technicians most current certification must be attached.

Add: Section 3.1.1.30 has been added to this solicitation and reads as follows:

Duct work: Supply and return duct for condenser to be ducted to the outside with fusible link fire dampers. Condenser intake to have a mery 3 filter installed in the duct work above the ceiling.

ADD: A REVISED COST SHEET

REQUEST FOR QUOTATION ABCA137 LIEBERT COOLING SYSTEM MMD24E7PHED0

7. PRICING PAGE

Revised 5/16/13 Addendum No. 2

1. ALL INCLUSIVE PRICE FOR MATERIALS, PARTS, LABOR, AND PERMITS TO INSTALL A TWO-TON LIEBERT MINI-MATE2 PRECISION COOLING SYSTEM MODEL MD24E7PHED0	\$
2. THREE (3) YEAR MAINTENANCE	\$
GRAND TOTAL (ITEMS 1 & 2)	\$
(EREMIED I W/M)	
COMPANY NAME	
ADDRESS	
CITY / STATE / ZIP CODE	
CONTACT PERSON	
SIGNATURE	
DATE	
PHONE NUMBER	
EMAIL ADDRESS	
FAX NUMBER	

Contract will be awarded to the Vendor with the lowest Grand Total meeting specifications.

ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.: ABCA137

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

•										
Addendum Numbers Received:										
(Check the	e bo	x next to each addendum rece	ivec	l)						
1]	Addendum No. 1	1]	Addendum No. 6					
]]	Addendum No. 2	[]	Addendum No. 7					
]]	Addendum No. 3	I]	Addendum No. 8					
[]	Addendum No. 4	[]	Addendum No. 9					
	1	Addendum No. 5	1]	Addendum No. 10					
I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.										
					Company					
			-		Authorized Signature					
					Date					

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing. Revised 6/8/2012