



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Solicitation

NUMBER
BPH14010

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
ROBERTA WAGNER 304-558-0067

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - OFFICE OF EMERGENCY
 MEDICAL SERVICES
 190 HART FIELD ROAD
 MORGANTOWN, WV
 26505 304-581-2900

DATE PRINTED
05/14/2013

BID OPENING DATE: 05/28/2013

BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 1						
1.				ADDENDUM IS ISSUED TO PROVIDE THE VENDORS ANSWER TO QUESTIONS REGARDING THE ORIGINAL SOLICITAION.		
2.				TO PROVIDE A COPY OF THE MANDATORY PRE-BID MEETING SIGN-IN SHEETS. QUESTION AND ANSWER PAGE AND THE PRE-BID SIGN-IN SHEET ARE ATTACHED.		
3.				TO PROVIDE ADDENDUM ACKNOWLEDGEMENT. THIS DOCUMENT SHOULD BE SIGNED AND RETURNED WITH YOUR BID. FAILURE TO SIGN AND RETURN MAY RESULT IN THE DISQUALIFICATION OF YOUR BID.		
END OF ADDENDUM NO. 1						

SIGNATURE		TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Solicitation

NUMBER
BPH14010

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
ROBERTA WAGNER 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - OFFICE OF EMERGENCY
 MEDICAL SERVICES
 190 HART FIELD ROAD
 MORGANTOWN, WV
 26505 304-581-2900

DATE PRINTED
05/14/2013

BID OPENING DATE: 05/28/2013 BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	JB	906-29	HOI TO PROVIDE ENGINEERING SERVICES FOR SIX (6)		
0002	1	JB	906-29	HOI FOR ENGINEERING SERVICES FOR ELEVEN (11)		
0003	1	JB	906-29	HOI FOR ENGINEERING SERVICES FOR NINETY-THREE (93)		
0004	1	JB	906-29	HOI FOR ENGINEERING SERVICES FOR SEVEN (7)		

SIGNATURE		TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Solicitation

NUMBER
BPH14010

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
ROBERTA WAGNER 304-558-0067

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - OFFICE OF EMERGENCY
 MEDICAL SERVICES
 190 HART FIELD ROAD
 MORGANTOWN, WV
 26505 304-581-2900

DATE PRINTED
05/14/2013

BID OPENING DATE: 05/28/2013 BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0005	1	JB		906-29		
HOI FOR ENGINEERING SERVICES FOR TWENTY-ONE (21)						
***** THIS IS THE END OF RFQ BPH14010 ***** TOTAL:						

SIGNATURE		TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

SOLICITATION NUMBER: BPH14010

Addendum Number: 1

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

Description of Modification to Solicitation:

1. To provide Vendors answer to questions regarding the solicitation.
2. To provide a copy of the mandatory pre-bid sign-in sheets.
3. To provide Addendum Acknowledgement.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

ATTACHMENT A

ADDENDUM #1 – BPH14010

Vendor Question #1:

Does the EOI (BPH14010) include the remaining work for the middle-mile fiber build under the ARRA grant?

BPH Response to Vendor Question #1:

Yes, the remaining work for the middle-mile fiber build under the ARRA grant is included in this EOI (BPH14010).

Vendor Question #2:

Top of pg 8, Sect 6 – the RFP appears to be missing the mandatory info that must be included with the bid. Can you please provide that?

BPH Response to Vendor Question #2:

This requisition is an Expression of Interest, not an RFP.

Sealed Bid Buyer: Roberta Wagner

Solicitation No.: BPH14010

Bid Opening Date: 05/28/2013

Bid Opening Time: 1:30 PM

Fax Number: 304-558-4115

Vendor Question #3:

What is SLA that the network is expected to operate at? The answer is typically stated in the form of 99.xxx % or something similar.

BPH Response to Vendor Question #3:

The SLA the system is expected to run at is 99.99999% “five nines” .

Downtime per year: 5.26 minutes

Downtime per month: 25.9 seconds

Downtime per week: 6.05 seconds

Vendor Question #4:

What bandwidth is the network expected to carry? Is there a backbone network that has one capacity and maybe a sub network or spurs that have a different bandwidth?

BPH Response to Vendor Question 4:

The TDM network capacity is 4XDS3 and the broadband capacity is capped at 320Mbps for the backbone in most places. There are spurs, but the bandwidth varies considerably depending on the needs for that location.

Vendor Question #5:

What frequencies does your current network operate at? There is mention of moving 2.4 Ghz paths – is this the current network?

BPH Response to Vendor Question #5:

The current network operates at: Upper and Lower 6GHz, 11GHz and 18GHz. The 2.4GHz paths are being removed.

Vendor Question #6:

Are the bidders required to attend the bid opening? What will be publicly available after the bid opening meeting for any bidder that does not attend the opening? Will this be the same information as what is available to a bidder that attends the opening?

BPH Response to Vendor Question #6:

Bidders are not required to attend the bid opening. Bids received are posted on the WV Department of Administration Purchasing Division website at:
<http://www.state.wv.us/admin/purchase/Bids/default.html> for public review. Yes, this is the same information as what is available to a bidder that attends the opening.

SIGN IN SHEET

Page 1 of 2

Request for Proposal No. BPH 14010

PLEASE PRINT

Date: 5/6/13

* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>JRC ENGINEERS INC</u>	<u>975 W. Bitters Rd.</u>	PHONE <u>210-496-3200 x118</u>
Rep: <u>DAN R. BANKS</u>	<u>San Antonio, TX 78216</u>	TOLL FREE <u>210-771-5228</u>
Email Address: <u>drbanks@trcsolutions.com</u>		FAX <u>210-494-9987</u>
Company: <u>Mead & Hunt Inc.</u>	<u>400 Tracey Way Suite 200</u>	PHONE <u>304-345-6712 x103</u>
Rep: <u>Teresa Schuller</u>	<u>Charleston WV 25301</u>	TOLL FREE <u>—</u>
Email Address: <u>Teresa.Schuller@meadhunt.com</u>		FAX <u>304-345-6714</u>
Company: <u>WVOT</u>		PHONE
Rep: <u>Cindy Smith</u>		TOLL
Email Address: _____		FREE
		FAX
Company: <u>Potesta & Assoc</u>	<u>7012 MacCorkle, SE</u>	PHONE <u>304-342-1400</u>
Rep: <u>Pat Taylor</u>	<u>Charleston, WV 25304</u>	TOLL FREE
Email Address: <u>pataylor@potesta.com</u>		FAX <u>304-343-9631</u>
Company: <u>Charles Straley</u>	<u>300 Summers St, Suite 1108</u>	PHONE <u>304-926-8100</u>
Rep: <u>GAF Consultants, Inc.</u>	<u>Charleston, WV 25301</u>	TOLL FREE
Email Address: <u>c.straley@gaiconsultants.com</u>		FAX <u>304-926-8180</u>

SIGN IN SHEET

Page 2 of 2

Request for Proposal No. BPH14010

PLEASE PRINT

Date: 5/6/13

* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>Mead & Hunt</u>	<u>400 Tray Way Suite 200</u>	PHONE <u>304-553-8103 (M)</u>
Rep: <u>Curtis Paxton</u>	<u>Charleston WV 25311</u>	TOLL FREE <u>304-345-6712</u>
Email Address: <u>curtis.paxton@meadhunt.com</u>		FAX <u>304-345-6714</u>
Company: <u>GAI CONSULTANTS</u>	<u>300 Summers St</u>	PHONE <u>304-926-8100</u>
Rep: <u>JASON GREEN</u>	<u>Suite 1100</u>	TOLL FREE
Email Address: <u>J.GREEN@GAiconsultants.com</u>	<u>CHARLESTON WV 25301</u>	FAX <u>304-926-8190</u>
Company: <u>GAI Consultants</u>	<u>300 Summers St</u>	PHONE <u>304-926-8100</u>
Rep: <u>Matthew Tanner</u>	<u>Suite 1100</u>	TOLL FREE
Email Address: <u>m.tanner@gaiconsultants.com</u>	<u>Charleston, WV 25301</u>	FAX <u>304-926-8180</u>
Company: <u>Communications Infrastructure Corp</u>	<u>PO Box 7086</u>	PHONE <u>678-709-9600</u>
Rep: <u>RANDALL P. MUESCH</u>	<u>Santa Barbara CA</u>	TOLL FREE <u>-</u>
Email Address: <u>RMUESCH@CICUSA.COM</u>		FAX
Company: _____	_____	PHONE
Rep: _____	_____	TOLL FREE
Email Address: _____	_____	FAX



Teresa A. Schuller, LRS
Environmental Project Manager

Mead & Hunt, Inc.
400 Tracy Way, Suite 200
Charleston, WV 25311
phone: 304-345-6712
cell: 304-415-9484
teresa.schuller@meadhunt.com



Dan R. Banks, RCDD
Manager, Communication Engineering

975 W. Bitters Road
San Antonio, TX 78216

MAIN 210.496.3200 EXT 118
CELL 210.771.5228
FAX 210.494.9987

drbanks@trcsolutions.com

10



gai consultants

Charles P. Straley, PE, P.G.
Engineering Manager
Geotechnical & Construction Services Manager

300 Summers Street, Suite 1100
Charleston, WV 25301
T 304.926.8100 ext. 2633
C 304.541.0834
F 304.926.8190
www.gaiconsultants.com
c.straley@gaiconsultants.com



ENGINEERS AND ENVIRONMENTAL CONSULTANTS

Potesta & Associates, Inc.
7012 MacCorkle Avenue, S. E.
Charleston, WV 25304
Office: (304) 342-1400
Fax: (304) 343-9031
E-mail: pataylor@potesta.com

Patrick A. Taylor, P.E.
Senior Engineer



gai consultants

Jason T. Green
Senior Project Technical Specialist

Charleston Office
300 Summers Street, Suite 1100
Charleston, WV 25301
T 304.926.8100 ext. 2623
C 304.539.6166
F 304.926.8180
www.gaiconsultants.com
j.green@gaiconsultants.com



Curtis Paxton
Survey Project Manager

Mead & Hunt, Inc.
400 Tracy Way, Suite 200
Charleston, WV 25311
phone: 304-345-6712
cell: 304-553-8103
curtis.paxton@meadhunt.com



gai consultants

Michael J. Muench, P.E.
Project Engineer

300 Summers Street, Suite 1100
Charleston, WV 25301
T 304.926.8100 ext. 3110
F 304.926.8190
www.gaiconsultants.com
m.j.muench@gaiconsultants.com



Communication Infrastructure Corporation®

Randall P. Muench
Vice President,
Business Development

P.O. Box 6816
Santa Barbara, CA 93160
618-709-9600
cell 344-578-0957
fax 805.961.4821
www.cicusa.com
rmuench@cicusa.com

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: BPH14010

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|---|--|
| <input type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Company

Authorized Signature

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.
 Revised 6/8/2012