

AREA H, ROOF FRAMING PLAN
1/8" = 1'-0"

1. DESIGN LIVE LOAD: 70 PSF INCL SNOW (SNOW DRIFTING WARD: CH 30 PER CHINA SNOW LOAD)
2. TOP OF STEEL AND GUEST BEARING ELEVATION 1544'-4" EXCEPT AS SHOWN OTHERWISE
3. JOIST: 34" X 20" ON METAL ROOF DECK. PROVIDE 3" X 20" GA ACUSTICAL METAL ROOF DECK WHERE INDICATED ON PLAN.
4. SPECIAL JOIST ARE SHALL BE WITH PARTIALLY AND BOTTOM CHORD BEARING JOIST. CONTRACTOR TO BE RESPONSIBLE FOR ALL LOCAL ALLOWABLE DEFLECTIONS FOR UNIFORM LOADS. OBSERVATION AT JOG OF CAMPLANDS MAY TO ROAD AND LIVE LOAD NOT TO EXCEED ONE INCH.
5. INDICATED NUMBER OF JOG OF TOP AND BOTTOM HORIZONTAL BRACING IS 2 X 2 X 1/8 EXCEPT AS SHOWN.
6. INDICATED LEVELS ONLY. SEE COMMENTS ON SO.2.
7. REFERENCES: GEN. STND. DIVISION 50.1.
8. INDICATED DIMENSIONS FOR WELDING FRAME USING L6 X 3 X 3 L6W - A HITEP. CONTRACTOR COORDINATES SIZES WITH MECHANICAL AND ELECTRICAL REQUIREMENTS.
9. INDICATED ROOF DRAIN - PROVIDE FRAME FOR DRAIN.
10. SEE IT AND SO.2 FOR LATERAL SUPPORT AT TOP OF JOIST PERFECTIONS.

SAI SILLING ASSOCIATES, INC.
ARCHITECTS - PLANNERS
400 CAPITOL STREET - SUITE 200 - 801 ST
CHARLESTON, W. V. 25301 - (304) 566-0800

ROSSER FABRAP

Rosser Fabrap International
Architects, engineers, and planners
10000 Southpark Tower, Suite 1000
Atlanta, Georgia 30338-0000
404.876.3000




REVISIONS

RECORD DRAWING 9-5-95

**MOUNT OLIVE
CORRECTIONAL COMPLEX**

WEST VIRGINIA REGIONAL JAIL & CORRECTIONAL FACILITY AUTHORITY



DRAWING TITLE
ROOF FRAMING PLAN

AREA H
DATE DECEMBER 9, 1991

DRAWING NO.
53.29