

# ATTACHMENT

# O

## KITCHEN EQUIPMENT LIST

ITEM 1:                   SHELVING UNIT, WIRE

Quantity:               One (1)  
 Manufacturer:       Nexel  
 Model:                 24428N5

1.       Five (5) ea Starter Shelving Unit, wire, 5 shelves, 4 posts and plastic shelf clips, 86"H, 24"W, 42"L, blue metallic epoxy powder coated zinc-chromate plated finish w/chemical conversion under coat, Nexelon.

ITEM 2/3:               COOLER-FREEZER

Quantity:               One (1)  
 Manufacturer:       Harford DuraCool  
 Model:                 CUSTOM

1.       Walk-in Cooler/Freezer - 15' 6" X 8' 5-5/8" x 8' 6" split in the configuration as shown on equipment plan; 4" thick, interlocking, modular panel construction, all-urethane foamed-in-place (Class 1), Wall and floor panels are to have cam locking devices for positive panel locking system. See bid documents and drawings for configuration.

Exterior exposed finish is to be white stucco aluminum; interior finish and ceiling is to be white stucco aluminum. Unexposed exterior is to be 26 ga. Stucco galvanized finish.  
 The cooler/freezer is to be furnished with a modular panel floor with NSF, .100 Aluminum treadbrite, foamed-in-place floor panel surface.

Provide (2) - 34" X 78" Flush Mounted Entrance Door(s), with automatic door closers, standard hardware, pilot light & switch assembly, vapor proof light, and dial thermometer. NSF LISTED; One (1) heated pressure relief vent for freezer section; easily replaceable, anti-condensate door heater, 12 Gauge stainless steel thresholds at each door. Each door shall have aluminum treadbrite interior & exterior kickplates 36" high, Center VP lights above doors. Provide (2) vapor proof lights in freezer and (2) in cooler.

Provide refrigeration systems as follows:

Harford Dual-Pak System  
 DPR-69M/199L-OP-3 (208-230/3/60) 3/4 HP, Medium Temp,  
 Pre-Assembled Remote Hermetic Air Cooled, R404A Condensing  
 Unit Assembly; 2 HP, Low Temp, Pre-Assembled Remote Hermetic  
 Air Cooled, R404A Condensing Unit Assembly;  
 (1) EL26-92-2EC-PR-4, 208-230/1/60 Electronic Commutated Motors  
 Evaporator Assembly  
 (1) AM16-58-1EC-PR-4, 115/1/60 Electronic Commutated Motors  
 Evaporator Assembly.

Approved Equal: Southern Stainless

## ITEM 4: SINK 4-COMPARTMENT

Quantity: One (1)  
 Manufacturer: John Boos  
 Model: 44PB1824-2D24

1. Sink, (4) 18" wide x 24" front-to-back x 12" dp compartments, (2) 24" drainboards, 10"H boxed backsplash with 45° top & 2" return, (2) sets faucet holes, 14/300 stainless steel, 1-5/8" OD stainless steel legs with 1-1/4" OD adjustable side & front bracing, fully welded front apron & adjustable stainless steel feet, NSF.
2. Lever Waste, 2", straight action.
3. T & S Brass Model B-0231-CC Sink Mixing Faucet, with 12" swing nozzle, wall mounted, 8" centers on sink faucet with 1/2" IPS CC male inlets, lever handles.
4. T & S Brass Model B-2187 Wall Mount Prerinse Unit, 8" centers, add-on faucet with 14" swing nozzle, 44" flexible rubber hose with spray valve, wall bracket & lever handles.
5. Shelf, wall mount, 12"W x 96"L, 14/304 stainless steel, Stallion safety edge front, 1-1/2" turned up backsplash, NSF.

Approved Equal: Southern Stainless

## ITEM 5: SHELVING, WALL-MOUNTED

Quantity: One (1)  
 Manufacturer: Metro  
 Model: SWP1872-2K3

1. SmartWall Plus™ Shelving Starter Kit, 18" D x 72" L, 2-tiers, consists of wall track, (2) shelves, post, and (2) post brackets, Super Erecta® Metroseal 3 finish.

## ITEM 6: DISHWASHER, DOOR TYPE

Quantity: One (1)  
 Manufacturer: Hobart  
 Model: AM15T-2

1. Dishwasher, Door Type, Tall Chamber, hot water/chemical sanitizing, 58-65 racks/hour, straight-thru or corner, solid-state controls w/digital status, with booster heater, electric tank heat, auto-fill, s/s tank, frame, doors & feet, 208-240/60/3, sheet pan rack.
2. 1-Year parts, labor & travel time during normal working hours.
3. (1) Combination rack.
4. (1) Rack peg type tray.
5. (1) pan rack.

No Approved Equal

## ITEM 7: SOILED DISH TABLE

Quantity: One (1)  
 Manufacturer: Southern Stainless  
 Model: CUSTOM

1. Soiled Dishtable By Southern Stainless. Unit shall be size and shape as per plan including pass-thru window sill. Unit shall be constructed with 300 series 14 gauge stainless steel top, top has a 10" backsplash at rear and right end with a 45 degree turn back at top. Top shall be sloped to dishwasher and include (1) 20"X20"X 8" pre-rinse sink with rack slide. Unit to set on 1 5/8" diameter stainless steel "H" legs furnished completed with stainless steel bullet feet.
2. T & S Brass Model B-0133-CC EasyInstall Pre-rinse Unit, wall mount with base faucet with spring check cartridges & lever handles, 1"L 1/2" NPT male inlets, 35-1/2"H, 15" overhang, 8-1/4" clearance, 18" riser, B-0107 spray valve, B-0044-H flex stainless steel hose.
3. T & S Brass Model B-0109-01 Wall Bracket, 6"

## ITEM 7A: CLEAN DISH TABLE

Quantity: One (1)  
 Manufacturer: Southern Stainless  
 Model: CUSTOM

1. Clean Dishtable by Southern Fabco, Unit shall be size and shape as per plan. Unit shall be constructed with 300 series 14 gauge stainless steel top, top has a 10" backsplash at rear with a 45 degree turn back at top. Unit top shall be sloped to dishwasher. Unit to set on 1 5/8" diameter stainless steel "H" legs furnished completed with stainless steel bullet feet. Stainless steel under-shelf to be total length of table.

## ITEM 8: SINK, HAND

Quantity: Three (3)  
 Manufacturer: John Boos  
 Model: PBHS-W-1410-4D

1. Three (3) ea Sink, Hand, wall mount, 14" wide x 10" front-to-back x 5" deep, 3-1/2" drain, all stainless steel construction.
2. Three (3) ea Faucet, splash-mounted, 4" centers, 5" gooseneck spout, (BKF-4SM-XX & BKF-SPT-5G)
3. Three (3) ea Lever Waste, 2", with overflow for hand sinks, with 3-1/2" drain hole.

## ITEM 9: ICE MAKER, CUBE-STYLE

Quantity: Two (2)  
 Manufacturer: Manitowoc  
 Model: SY-0454A

1. S-Series Ice Maker, cube-style, air-cooled, self-contained condenser, up to 450-lb approximately/24 hours, stainless steel finish, half-dice size cubes, ENERGY STAR® Qualified.
2. 3 year parts & labor warranty.
3. 5 year parts & labor warranty on evaporator.
4. 5- year parts & 3- year labor warranty on compressor.
5. 115v/60/1ph, std. 13.6 amps.
6. Ice Bin, w/top-hinged front-opening door, approximately 430 lb ice storage capacity, for top-mounted ice maker, stainless steel exterior.
7. 3 year parts & labor warranty.
8. 6" adjustable stainless steel legs
9. Arctic Pure® Primary Water Filter Assembly, includes head, shroud, hardware, mounting assembly, and one filter cartridge, 14,000 gallon capacity, 0-600 lbs./ice per day.

ITEM 10:                   DISPENSER, TRAY

Quantity:               Two (2)  
 Manufacturer:       Delfield  
 Model:                 TT-2020

1. Two (2) ea Dispenser, Tray, open frame mobile design, single self-leveling tray platform, for 20" x 21" trays, 4" casters.
2. Two (2) ea Wrap-around bumpers
3. Two (2) ea 8 hole silverware bin.

Approved Equal: Color Point

ITEM 11:                   SERVING COUNTER, CASHIER STATION

Quantity:               One (1)  
 Manufacturer:       Delfield  
 Model:                 SCS-30

1. Shelleysteel™ Cashier Counter, 30" deep, stainless steel top, locking cash drawer, shelf, & base, 5" swivel casters, NSF.

Approved Equal: Color Point

ITEM 12:                   COOLER SHELVING

Quantity:               One (1)  
 Manufacturer:       Nexel  
 Model:                 24487N

1. Two (2) ea Starter Shelving Unit, wire, 4 shelves, 4 posts and plastic shelf clips, 74"H, 24"W, 48"L, blue metallic epoxy powder coated zinc-chromate plated finish w/chemical conversion under coat, Nexelon.

## ITEM 13: FREEZER SHELVING

Quantity: One (1)  
 Manufacturer: Nexel  
 Model: 24487N

1. Two (2) ea Starter Shelving Unit, wire, 4 shelves, 4 posts and plastic shelf clips, 74"H, 24"W, 48"L, blue metallic epoxy powder coated zinc-chromate plated finish w/chemical conversion under coat, Nexelon.

## ITEM 14: RANGE, RESTAURANT, GAS, 36"

Quantity: One (1)  
 Manufacturer: Southbend  
 Model: 536D

1. Range, Gas, 36" (6) 27,000 BTU open burners, electronic pilot ignition, built-in safety, standard oven base, porcelain interior, stainless steel construction, casters, 207,000 BTU.
2. Standard two year limited warranty (range)
3. Natural Gas.
4. Lift-off s/s tubular type high shelf.
5. Casters in lieu of legs (2) locking.
6. Dormont Manufacturing Model 1675KIT48 Safety System Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, 1 SnapFast™ QD, 1 full port valve, (2) 90° elbows, coiled restraining cable with hardware, limited lifetime warranty.

## ITEM 15: CONVECTION OVEN, GAS

Quantity: One (1)  
 Manufacturer: Southbend  
 Model: SLGS/22SC

1. SilverStar Convection Oven, Gas, double-deck, standard depth, solid state controls, with s/s front, top & sides, 60/40 dependent doors, interior light, 144,000 BTU.
2. **Two Year Factory Parts and Labor Warranty.**
3. Natural Gas.
4. 120/60/1
5. Casters in lieu of legs.
6. Dormont Manufacturing Model 1675KIT48 Safety System Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, 1 SnapFast™ QD, 1 full port valve, (2) 90° elbows, coiled restraining cable with hardware, limited lifetime warranty.

## ITEM 16: BRAISING PAN, GAS

Quantity: Two (2)  
 Manufacturer: Cleveland Range Inc.  
 Model: SGL30TR

1. Two (2) ea Tilting Skillet, Gas, 30-gallon capacity, modular open base, standard with electric tilt mechanism, stainless steel construction, includes spring-assisted cover, gallon markings and electronic spark ignition, s/s level adjustable feet.
2. Two (2) ea One year limited warranty, standard.
3. Two (2) ea Natural Gas.
4. Two (2) ea 120v/60/1-ph, 1.8 amps
5. Two (2) ea **Sliding Drain Drawer**.
6. Two (2) ea Pan Carrier, for floor models.
7. Two (2) ea Double Pantry Faucet w/ 3/4" swing spout & bracket.
8. Two (2) ea Dormont Manufacturing Model 1675KIT48 Safety System Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, 1 SnapFast™ QD, 1 full port valve, (2) 90° elbows, coiled restraining cable with hardware, limited lifetime warranty.

## ITEM 17: REFRIG... REACH-IN

Quantity: Two (2)  
 Manufacturer: Traulsen  
 Model: G10000

1. Two (2) ea Dealer's Choice Refrigerator, Reach-in, One-Section, self-contained refrigeration w/Microprocessor control, s/s front & half height doors (hinged right), anodized aluminum sides & interior, (3) epoxy coated shelves (factory installed), 6" high casters, ENERGY STAR®, UL & NSF listed.
2. Two (2) ea 115v/60/1ph, 7.0 amps, NEMA 5-15P
3. Two (2) ea 1 yr service/labor & 5 yr compressor warranty

No Approved Equal

## ITEM 18: WORK TABLE, 60" LONG

Quantity: One (1)  
 Manufacturer: John Boos  
 Model: S14026

1. Work Table, 30"W x 60"L, 14/300 stainless steel top with 6" backsplash, Stallion safety edge front, 90° turndown on sides, stainless steel legs, fixed undershelf & bullet feet, NSF.
2. Drawer Unit, 3-tier, 21"H x 19-1/2"W x 24"D.

Approved Equal: Southern Stainless

3. Shelf, wall mount, 12" W x 60" L, 14/304 stainless steel, Stallion safety edge front, 1-1/2" turned up backsplash, NSF.

## ITEM 19: SINK 2-COMPARTMENT

Quantity: One (1)  
 Manufacturer: John Boos  
 Model: 42PB18244-2D18

1. Sink, (2) 18" wide x 24" front-to-back x 14" deep compartments, (2) 18" drainboards, 10"H boxed backsplash with 45° top & 2" return, (1) set faucet holes, 14/300 stainless steel, 1-5/8" OD stainless steel legs with 1-1/4" OD adjustable side & front bracing, fully welded front apron & adjustable stainless steel feet, NSF.
2. Lever Waste, 2", straight action.
3. Lever waste support arm bracket.
4. Shelf, wall mount, 12"W x 72"L, 14/304 stainless steel, Stallion safety edge front, 1-1/2" turned up backsplash, NSF.
5. T & S Brass Model B-0230-CC Sink Mixing Faucet, with 18" swing nozzle, wall mounted, 8" centers on sink faucet with 1/2" IPS CC male inlets, lever handles.

Approved Equal: Southern Stainless

## ITEM 20: KETTLE, ELECTRIC

Quantity: One (1)  
 Manufacturer: Cleveland Range Inc.  
 Model: KEL-25

1. Kettle, Electric, 25-gallon capacity, 2/3 steam jacket design, open tri-leg base, faucet bracket, strainer, w/flanged feet, 50 psi rating, 2" tangent draw-off, spring-assisted cover, stainless steel construction.
2. One year limited warranty
3. Standard wattage.
4. 208v/60/3-ph, 9.8kw, 27.2 amps
5. 2" Tangent draw-off
6. Perforated drain strainer -2" draw-off, 3/16" strainer holes.
7. Double Pantry Faucet, with swing spout for stationary kettles.
8. P/N 40880 Kettle accessory kit includes: clean up brush, paddle, s/s whip, brush, draw-off brush, ladle.
9. Piper Products/Servolift Eastern Model 325-3560 **Kettle Drainer Cart**, height of handle from floor 31-1/2", NSF, OA dimensions inc. bumper 22-1/4" x 17-1/4"

## ITEM 21: SPLIT POT FRYER

Quantity: One (1)  
 Manufacturer: Frymaster  
 Model: RE22-2-SC

1. Fryer, Dual Deep Fat, Electric, heavy duty floor model, 25-lb. capacity per pot, solid state controls with fat melt cycle, stainless pot, door and cabinet, 11kw each side, ENERGY STAR®.
2. 208v/3-ph, 11 kw per side total 22 kw, 61.0 amps, (3-wire) plus ground wire, std.
3. Portable Fryer Filter, 50 lb fat capacity, cover and fold down handle, reversible pump, casters, 1/2 hp.
4. 120v/60/1-ph, 9.0 amps w/cord & plug, for filter unit.

5. FM-A Filter Magic Paper, box of 100 sheets, fits original Filter Magic before 5/90.
6. Filter Powder, box of 80 1 oz. applications.
7. Adjustable legs, standard.

## ITEM 22: COUNTER, COLD FOOD

Quantity: One (1)  
 Manufacturer: Delfield  
 Model: SCSC-60-EF

1. Shelleysteel™ LiquiTec™ Cold Food Serving Counter, 4-pan size accommodates 6" deep pans, drain with valve, 18 ga stainless steel base, 5" casters, eutectic fluid self-contained refrigeration, R404A, NSF-7, 1/4 hp.
2. 115v/60/1-ph, 8 amps, NEMA 5-15P, standard.
3. Sneeze Guard, single service, flip-up.
4. Incandescent light fixture.
5. Line-Up Interlock Device.

## ITEM 23: BUFFET, HOT FOOD, ELECTRIC

Quantity: One (1)  
 Manufacturer: Delfield  
 Model: SH-5

1. Shelleysteel™ Hot Food Serving Counter, Electric, 5-pan size, stainless steel enclosed heated storage base, 5" swivel casters.
2. 120/208-230v/60/1-ph, 31 amps, NEMA 14-50P, standard.
3. Drains from food wells, plumbed to common valve.
4. Top Extension, 24" added to left side facing customer.
5. Line-Up Interlock Device.
6. Sneeze Guard, single service, flip-up.
7. Incandescent light fixture.

## ITEM 24: SLICER, FOOD

Quantity: One (1)  
 Manufacturer: Hobart  
 Model: 2712-1

1. Slicer, semi-automatic, angle feed, 12" s/s CleanCut™ knife, MICROBAN® antimicrobial protection, Poly-V-belt, permanent ring guard, 2-speed auto. s/s carriage, s/s knife cover, top mounted sharpener, low fence, aluminum base with tilt, 120/60/1, 1/2 hp.
2. 1-Year parts, labor & travel time during normal working hours.
3. Food chute.
4. Adjustable low fence (each)
5. Lakeside Manufacturing Model 947 Tough Transport Utility Cart, 2 shelf, open base, shelf size 24" x 36", stainless steel angle frame w/push handle, 1000 lb. capacity, (2) 5" swivel and (2) 8" fixed casters, NSF.
6. Lakeside Manufacturing Casters, (2) 5" swivel, (2) 8" fixed cushion tread

No approved Equal

## ITEM 25: POT RACK, TABLE MOUNTED

Quantity: One (1)  
 Manufacturer: John Boos  
 Model: PRB02

1. Pot Rack, table mount, boat-shaped, 60"L, 3/16" x 2" stainless steel flat bar, includes (15) stainless steel double hooks.
2. For floor style pot racks with uprights going through table top and mounting to lower shelf or lower bracing in lieu of standard mount

To be mounted on table as shown on drawing.

## ITEM 26: SALAD BAR

Quantity: One (1)  
 Manufacturer: Delfield  
 Model: SCSC-60-EF

1. Shelleysteel LiquiTec Cold Food Serving Counter, 4-pan size accommodates 6" deep pans, drain w/valve, 18 ga. Stainless steel base, 5" casters, eutectic fluid self-contained refrigeration, R404A, NSF-7, ¼ hp.
2. 1 yr. service and labor warranty.
3. Work Shelf, 10" fold-down, stainless steel.
4. Five (5) ft 2" x 4" high backsplash.
5. Sneeze Guard, single service, flip-up.
6. Incandescent light fixture.

## ITEM 27: BEVERAGE COUNTER

Quantity: One (1)  
 Manufacturer: Delfield  
 Model: SCU-60

1. Shelleysteel™ Beverage Serving Counter, 48" urn trough w/removable stainless steel anti-splash drip grate, drain & valve, w/storage unit, 5" swivel casters, NSF.
2. Five (5) ft 2" x 4" high backsplash.
3. Three (3) ea 3" Grommet holes.

## ITEM 28: TRAY SLIDES

Quantity: Two (2)  
 Manufacturer: Southern Stainless  
 Model: CUSTOM

1. Two (2) ea Stainless steel Tray Slides to be mounted on the wall per drawings.

ITEM 29: CAN OPENER, ELECTRIC

Quantity: One (1)  
 Manufacturer: Edlund  
 Model: 270/115V

1. Can Opener, Electric, for heavy volume, 2-speed motor, knife and gear assemblies that are removable for cleaning, recommended for up to 200 cans per day, NSF certified, 115v.
2. 3 yr. limited warranty

ITEM 30: OVEN, MICROWAVE

Quantity: One (1)  
 Manufacturer: Amana Commercial Products  
 Model: ALD10T

1. Commercial Microwave Oven, 1000 watts, s/s interior & exterior, 10 menu pads with capacity to program 20 menus, 4 power levels, X2 quantity pad, side hinged door, limited 3-yr warranty, 15 amp, 120V, 60Hz, NEMA 5-15.

ITEM 31: MIXER, FOOD

Quantity: One (1)  
 Manufacturer: Hobart  
 Model: HL400-1STD

1. Legacy Planetary Mixer, 1.5 hp, 200-240/50/60/3, 40-qt. capacity, three fixed speeds, gear-driven transmission, 20 min. timer, #12 taper attachment hub, manual bowl lift, bowl guard, SS Bowl, "B" beater, "D" whip, "ED" dough hook.

**No Approved Equal**

ITEM 32: FOOD PROCESSOR, ELECTRIC

Quantity: One (1)  
 Manufacturer: Hobart  
 Model: FP100-1B

1. Food Processor, angled continuous feed design, half-size hopper, 11 lb per/min production cap., 396 rpm, s/s cutting surfaces, planetary gear transmission, triple safety interlocks, aluminum housing, rubber feet, PLATE-6PACK, 120/60/1, 1/2 h.p.
2. 1-Year parts, labor & travel time during normal working hours.

## No Approved Equal

ITEM 33: DISPOSER  
Quantity: Two (2)  
Manufacturer: Salvajor  
Model: 200-SA-3-MRSS

1. Two (2) ea Disposer, with 3-1/2" sink assembly, 2 Hp motor, start/stop push button manual reversing MRSS control, includes fixed nozzle, vacuum breaker, solenoid valve, sink stopper and flow control, heat treated aluminum alloy housing.
2. Two (2) ea 208v/60hz/3-ph, 6.6 amps.

ITEM 34: WORK TABLE, 48" LONG  
Quantity: One (1)  
Manufacturer: John Boos  
Model: ST4R5-3048SSK

1. Work Table, 30"W x 48"L, 14/300 stainless steel top with 6" backsplash, Stallion safety edge front, 90° turndown on sides, stainless steel legs, fixed undershelf & bullet feet, NSF.
2. Drawer Unit, 3-tier, 21"H x 19-1/2"W x 24"D.

Approved Equal: Southern Stainless

END OF SECTION