



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Solicitation

NUMBER
DEFK13015

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
TARA LYLE 304-558-2544

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

DIV ENGINEERING & FACILITIES
 ARMORY BOARD SECTION
 1707 COONSKIN DRIVE
 CHARLESTON, WV
 25311-1099 304-341-6368

DATE PRINTED
04/19/2013

BID OPENING DATE: 04/30/2013 BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
				ADDENDUM NO. 2		
				SEE ATTACHED PAGES.		
				END OF ADDENDUM NO. 2		
0001	1	JB		285-39		
				RELOCATE GENERATOR		
0002	1	JB		285-39		
				PURCHASE & INSTALL NEW GENERATOR AT GLEN JEAN AFRC		
***** THIS IS THE END OF RFQ DEFK13015 ***** TOTAL:						

SIGNATURE		TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

SOLICITATION NUMBER: DEFK13015

Addendum Number: 2

The purpose of this addendum is to modify the solicitation identified as DEFK13015 ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

Description of Modification to Solicitation:

1. To issue vendor questions and responses.
2. Attach sign-in sheets from mandatory pre-bid meetings.
3. Attach revised bid form.
4. Provide modifications and revisions to the specifications.

See Attachment A for further information.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

ATTACHMENT A

The Construction Contract Documents shall be amended as follows.

GENERAL TERMS AND CONDITIONS:

3. Contract Term; Renewal; Extension

Fixed Period Contract:

Please amend language to read: "This contract becomes effective upon Vendor's receipt of the notice to proceed and must be completed within 60 days; however, an 800kW generator at Glen Jean must be installed and operational by July 4, 2013."

8. Required Documents

The apparent successful vendor should furnish all required documents within 3 business days of the official request from the Purchasing Division. Failure to do so may result in disqualification of bid.

12. Liquidated Damages

The vendor shall pay liquidated damages in the amount of \$1,500 for the first day and \$1,000.00 every day thereafter.

REVISED SCOPE OF WORK:

Provide all labor, materials, and associated costs to remove a 150kw generator and ATS from the Glen Jean Armory, to provide, install, and connect a new 800kW diesel generator and accessories at the same Glen Jean Armory location, and to connect an owner supplied and delivered operational 200kW diesel powered generator and accessories at the Braxton County Armory at 1072 State St., Gassaway, WV 26624.

Glen Jean AFRC located at 409 Wood Mountain Rd, Glen Jean, WV

- Remove existing enclosed Caterpillar model D150P4 diesel powered packaged generator set rated at 150kw continuous standby @ 277/480V, 3-phase, 4-wire and 60Hz, the automatic transfer switch (ATS), and remote enunciator
- Provide, install, and connect a new 800kW, 3-phase, diesel generator set in a sound attenuated enclosure as specified.
- Provide a 2,000 gallon dual wall, sub-base fuel tank.
- Provide a 2000 amp/480V automatic transfer switch (ATS).
- Provide a remote enunciator in the caretaker area of the facility.
- Provide additional concrete as needed to generator and ATS pads.
- Provide additional chain-link security fencing as needed for generator enclosure.
- Relocate and install power company ST Cabinet and Meter Point.
- Provide an alternate bid to supply an 800kW natural gas powered packaged generator set in lieu of diesel powered with the same specified performance capabilities.

Braxton County Armory located at 1072 State St. Gassaway, WV

- Connect 200kW generator, supplied and shipped by owner, to existing panel for manual operation.
- Provide earthwork and concrete as needed to extend existing generator pad.
- Relocate (3) existing bollards to the west of their current location to allow proper clearance from existing transformer.

SPECIFICATION REVISIONS:

Page 21 of RFQ:

DELETE: "The project is to be completed within 60 calendar days of the notice to proceed."
Refer to General Terms and Conditions: 3. Contract Term; Renewal; Extension-Fixed Period Contract amended language per this addendum.

Page 21 of RFQ: Scope of Work at Glen Jean AFRC

DELETE: "Provide a 48-hour 2,000 gallon fuel tank

ADD: Provide a 2,000 gallon dual wall, sub-base fuel tank.

Page 22 of RFQ: Scope of Work at Glean Jean AFRC

DELETE: "Provide a remote enunciator in a 'to be determined' visible area of the facility"

ADD: Provide a remote enunciator in the caretaker area of the facility

Page 22 of RFQ: Scope of Work at Braxton Co. Armory

DELETE: "Relocate, install, and connect 150kW generator, ATS, and remote enunciator from the Glen Jean AFRC"

ADD: Connect owner supplied and delivered 200kw generator to existing panel onsite.

DELETE: "and ATS" from the statement "Provide earthwork and concrete as needed for generator and ATS pads"

ADD: Connect 200kw generator directly to outside panel for manual operation.

DELETE: "Provide chain-link security fencing as needed for generator enclosure."

ADD: Relocate (3) existing bollards to the west of their current location to allow proper clearance from existing transformer.

Diesel Generator Set: Part 2- Products, Section 2.11 Tank (Page 32 of the RFQ):

DELETE: Entire Section

ADD: A. The fuel tank system shall be supplied by the engine generator set supplier.
B. Refer to Section 2.13, E. for fuel tank components and capacity.

Weatherproof Housing with Fuel Base: Section 2.13, A. (Page 32 of the RFQ):

DELETE: "walk-in type" from the description of the enclosure.

Weatherproof Housing with Fuel Base: Section 2.13, E. (Page 33 of RFQ):

ADD: "dual wall" to the following: a U.L. Listed (per U.L. 142) above-ground 2,000 gallon capacity rectangular tank of minimum 12 ga steel "dual wall" construction.

Cast-in-Place Concrete Part 1- General Section 1.1 Work Included (Page 42 of the RFQ):

DELETE: "Extend existing concrete pad at Glen Jean AFRC and construct a new concrete pad at Braxton Co. Armory in Gassaway."

ADD: Extend existing concrete pads at Glen Jean AFRC and the Braxton Co. Armory in Gassaway.

Cast-in-Place Concrete Part 1- General Section 1.2 Description of Work (Page 42 of the RFQ):

DELETE: "to construct a duplicate of the existing concrete pad from Glen Jean at the Braxton CO. Armory to install the 150 ekW generator from Glen Jean at the Braxton Co. Armory.

ADD: to extend the existing concrete pad at the Braxton Co. Armory to install the owner supplied and delivered 200kw generator

Cast-in-Place Concrete Part 3- Execution 3.2 Installation, A. (Page 43 of the RFQ):

ADD: "and Braxton Co. Armory" to the following: All new concrete at Glen Jean AFRC "and Braxton Co. Armory" shall be bonded to previously placed concrete per ACI recommendations and standard practices.

QUESTIONS:

Q1: Glen Jean: For the diesel generator option, who provides the fuel for testing and final fill up?

A1: The winning bidder will be responsible for all fuel for both testing and final fill up.

Q2: Glen Jean: Normal lead times for 800KW diesel generators are minimum 60- 120 days after submittal approval. Does a rental generator need to be provided to back up the facility after the original 60 days until the permanent generator is available?

At Glen Jean – If new Generator cannot be delivered within the 60days can a Temporary generator be set up until new Generator is delivered?

A2: Answer: By whatever means available to them, it is the Contractor's responsibility to have an 800kW diesel generator installed and operational at the Glen Jean AFRC by July 4, 2013.

Q3: Glen Jean: Please specify copper or aluminum wire to be used in general construction.

A3: Copper

Q4: Glen Jean: Please specify if a service entrance disconnect is required before the new ATS.

A4: Yes

Q5: Glen Jean: Please specify 3 or 4 pole ATS. If 4 pole please specify ground grid requirements.

A5: A 3 pole ATS is all that is required.

Q6: Glen Jean: Please specify Allowable conduit types: Would suggest PVC is only allowed underground.

A6: PVC

Q7: Sutton: ATS to be used on this project from Glen Jean is 400 Amps 480/277 volts. Requirements for Sutton are 800 Amps 120/208 volts. Please clarify.

At Braxton Co. – Will we need to provide a new 800amp ATS to meet the size of the existing MTS and emergency panel?

A7: There will no longer be an ATS installed at the Braxton County Armory. The owner supplied and delivered 200kW generator will be directly connected to the outside panel for manual operation.

Q8: Sutton: Generator to be used for this project is 480/277 volts, Requirements for Sutton is 120/208 volts. Please clarify.

The Generator at Glen Jean is 277/480volts and the voltage at Braxton Co. is 120/208. Do we reconfigure the Generator to be moved or do we furnish new? If we furnish a new Generator what size will it be?

A8: The 150kw generator will no longer be used at the Braxton County Armory.

Q9: Sutton: Is load bank testing required on this generator also?

A9: No, this will not be required.

Q10: Sutton: Who is responsible for Diesel fuel for this unit?

A10: The winning bidder will be responsible for all fuel for both testing and final fill up.

Q11: At Glen Jean, has the location for the remote enunciator been determined?

At Glen Jean – Does the enunciator mount where maintenance office is?

A11: The enunciator is to be mounted in the Caretaker area of the building.

Q12: Please clarify the statement to relocate power company ST cabinet and meter point.

A12: The ST cabinet and meter point only need to be relocated if affected by the placement of the generator.

Q13: Is it acceptable to tap into the main gas service line at the building and install the line to the generator from that point?

A13: Yes

Q14: The relocated generator from Glen Jean does not have the capacity or the proper voltage to meet the load at Braxton Armory. How do you prefer this generator be altered? (Rewire, transformer or other means).

A14: The 150kw generator and ATS are no longer being relocated to the Braxton County Armory.

Q15: At Glen Jean – Is gas line to be tapped across road at back of building?

A15: The gas line can be accessed either at the main across the road or at the main gas service line at the corner of the building.

Q16: At Glen Jean – Does the Fence need to be moved if all clearances are met around Generator?

A16: No, the fence can remain as is if the clearances are met.

Q17: General - Is Certified Payroll required every week?

A17: No, we will require certified payroll before payment.

Q18: At Braxton Co. - What is on the emergency panel now is all that needs to be on emergency Power?

A18: Yes, those items currently on the emergency panel will require emergency power.

OTHER:

1. The bid opening was extended to 04/30/2013 by Addendum No. 1 issued on 04/17/2013
2. Revised bid form attached.
3. Sign-in sheets for all of the pre-bid meetings are attached.

ADDENDUM #2 REVISED
RFQ # DEFK13015

ALL LABOR, MATERIALS, EQUIPMENT, AND SUPPLIES NECESSARY TO REMOVE 150kW EMERGENCY GENERATOR FROM GLEN JEAN AFRC, PROVIDE AND INSTALL NEW 800kW EMERGENCY GENERATOR AT GLEN JEAN AFRC, AND INSTALL AN OWNER SUPPLIED AND DELIVERED 200kW GENERATOR AND ACCESSORIES AT BRAXTON CO. ARMORY

BID FORM

The undersigned, hereafter called the Bidder, being familiar with and understanding the bidding documents; and being familiar with the site and all local conditions affecting the Project, hereby proposes to furnish labor, material, equipment, supplies, and transportation to perform the work as described in the bidding documents

BIDDERS COMPANY NAME: _____

VENDOR ADDRESS: _____

TELEPHONE: _____

FAX NUMBER: _____

E-MAIL ADDRESS: _____

WV CONTRACTOR'S LICENSE NO. _____

CONTRACT TOTAL BID: (Project as designed with **diesel powered** 800kW generator)

(\$ _____) *******(Contract bid to be written in words and numbers.)

ALTERNATE TOTAL BID: (Project substituting a **natural gas powered** 800kW generator)

(\$ _____) *******(Contract bid to be written in words and numbers.)

The contract will be awarded to the Bidder with the lowest contract total bid meeting all of the specifications. Bidder understands that to the extent allowed by the West Virginia Code, the OWNER reserves the right to waive any informality or irregularity in any bid, or bids, and to reject any and all bids in whole or in part; to reject a bid not accompanied by the required bid security or by other data required by the bidding documents; to reject any conditions of the bid by the Bidder that is any way inconsistent with the requirements, terms, and conditions of the bidding documents; or to reject a bid that is in any way incomplete or irregular.

Failure to use this bid form may result in bid disqualification.

SIGNATURE: _____ DATE: _____

NAME: _____
(Please Print)

TITLE: _____

SIGN IN SHEET

Request for Proposal No. DEFK13015 PLEASE PRINT

Page 1 of 2

Date: 4/9/13

* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>Master Service M.d. Atlantic</u> Rep: <u>Kevin Pell</u> Email Address: <u>Kevin.pell@mcwntameerqs.com</u>	<u>1945 Harrison Ave</u> <u>Elkins, WV 26421</u>	PHONE <u>304-636-8170</u> TOLL FREE FAX <u>304-636-8206</u>
Company: <u>N Powell Co</u> Rep: <u>Wm M Varkony</u> Email Address: <u>joe@npowell.com</u>	<u>3828 Main St</u> <u>Weirton WV 26062</u>	PHONE <u>304 748 3338 ext 477</u> TOLL FREE FAX <u>304 748 2307</u>
Company: <u>Walker Engine Power</u> Rep: <u>Judy Pauley</u> Email Address: <u>jpauley@walker-ut.com</u>	<u>112 Carbide Dr</u> <u>Rolle, WV 25085</u>	PHONE <u>304-949-1600</u> TOLL FREE FAX <u>304-949-7380</u>
Company: <u>Paramount Builders</u> Rep: <u>Chris Shaw</u> Email Address: <u>cshaw@paramountwv.com</u>	<u>501 6TH AVE</u> <u>St. Albans, W 25177</u>	PHONE <u>304-727-2770</u> TOLL FREE FAX <u>304-727-0302</u>
Company: <u>PARAMOUNT BUILDERS</u> Rep: <u>SHAWN FOX</u> Email Address: <u>SFOX@PARAMOUNTWV.COM</u>	<u>501 6TH AVE</u> <u>ST. ALBANS, WV 25177</u>	PHONE <u>304-727-2770</u> TOLL FREE FAX <u>304-727-0302</u>

000010

SIGN IN SHEET

Request for Proposal No. DEFK13015 PLEASE PRINT

Page 2 of 2

Date: 4/9/13

* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>The Summit Electric Group</u>	<u>Bx 254</u>	PHONE <u>304-562-7091</u>
Rep: <u>Richard Milam</u>	<u>Hurricane WV 25526</u>	TOLL
Email Address: <u>rm@tseginc.com</u>		FREE
		FAX <u>304-562-7137</u>
Company: <u>Kenny Smith</u>		PHONE
Rep: <u>City Electric Co</u>		TOLL
Email Address: <u>Service@cityelectricwv.com</u>		FREE
		FAX
Company: <u>Empire Electric Inc.</u>	<u>464 19th str.</u>	PHONE <u>304 315-3497</u>
Rep: <u>Adonis A. Smith</u>		TOLL
Email Address: <u>Adonis Smith 3@gmail.com</u>		FREE
		FAX
Company: <u>Danhill Const Co</u>	<u>304-632-1600</u>	PHONE <u>304-632-1600</u>
Rep: <u>Dan Hill</u>	<u>PO Box 685</u>	TOLL
Email Address: <u>Rdanhill@hotmail.com</u>	<u>Gauley Bridge</u>	FREE
		FAX <u>632-1501</u>
Company:		PHONE
Rep:		TOLL
Email Address:		FREE
		FAX

SIGN IN SHEET

Page 1 of 2

PLEASE PRINT

Date: 4/10/13

Request for Proposal No. DEFK13015
CASSAWAY Prebid Site Visit

* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>DAN HILL CONST</u> Rep: <u>MIKE SIEMIACZKO</u> Email Address: <u>rdanhill@hotmail.com</u>	<u>PO Box 685</u> <u>GLADLEY BRIDGE, WV</u> <u>25085</u>	PHONE <u>1-304-632-1600</u> TOLL FREE FAX <u>1-304-632-1501</u>
Company: <u>The Summit Electric Group</u> Rep: <u>Richard Milam</u> Email Address: <u>rm@tseginc.com</u>		PHONE <u>304-562-7091</u> TOLL FREE FAX <u>304-562-7137</u>
Company: <u>CITY ELECTRIC CO.</u> Rep: <u>ALAN W MYERS</u> Email Address: <u>AMYERS@CITYELECTRICWV.COM</u>		PHONE <u>304 345-6150</u> TOLL FREE FAX <u>304 345-6151</u>
Company: <u>Paramount Builders</u> Rep: <u>Chris Shaw</u> Email Address: <u>Cshaw@paramountwv.com</u>		PHONE <u>304 727 2770</u> TOLL FREE FAX <u>304 727 0302</u>
Company: <u>PARAMOUNT BUILDERS</u> Rep: <u>SHAWN FOR</u> Email Address: <u>SFOR@PARAMOUNTWV.COM</u>		PHONE <u>304-727-2770</u> TOLL FREE FAX <u>304-727-0302</u>

000012

SIGN IN SHEET

Request for Proposal No. DEPK13015
GRASSWAY **PLEASE PRINT**
SITE VISIT

Page 2 of 2
 Date: 4/10/13

* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>N Powell</u> Rep: <u>Kurt R. Koele</u> Email Address: <u>Krt@Npowell.com</u>		PHONE <u>304-748-3338</u> TOLL FREE FAX
Company: <u>Empire Electric Inc</u> Rep: <u>Adonis H. Smith</u> Email Address: <u>Adonis.EmpireDev@gmail.com</u>		PHONE <u>304 895 3497</u> TOLL FREE FAX
Company: <u>Master Services Mid Atlantic</u> Rep: <u>Patrick Smith</u> Email Address: <u>pat.smith@masterservicespro.com</u>	<u>1945 Harrison Ave</u> <u>Elkins WV 26241</u>	PHONE <u>304-636-8170</u> TOLL FREE FAX <u>304-636-8206</u>
Company: <u>Master Service Mid Atlantic</u> Rep: <u>Miles Park</u> Email Address: <u>miles@master-service.net</u>	<u>1943 Harrison Ave</u> <u>Elkins WV 26241</u>	PHONE <u>304 636 8170</u> TOLL FREE FAX <u>304-636-8206</u>
Company: <u>Master Service Mid Atlantic / Mountain Gen. Service</u> Rep: <u>Kevin Pelt</u> Email Address: <u>Kevin.Pelt@mountainrgs.com</u>	<u>1945 Harrison Ave</u> <u>Elkins WV 26241</u>	PHONE <u>304-636-0011</u> TOLL FREE FAX

000013

SIGN IN SHEET

Page 1 of 2

PLEASE PRINT

Date: 4/10/13

Request for Proposal No. DEFK13015
Glen Jew Rebid Site Visit

* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>N Powell</u>		PHONE <u>304-748-3338</u>
Rep: <u>Kurt Reed</u>		TOLL
Email Address: <u>Kurt@Npowell.com</u>		FREE
		FAX
Company: <u>CITY ELEC. Co.</u>		PHONE <u>304 395-6150</u>
Rep: <u>ALAN W MYRES</u>		TOLL
Email Address: <u>AMYRES@CITYELECTRICWV.COM</u>		FREE
		FAX <u>304 345-6151</u>
Company: <u>The Summit Electric Group</u>		PHONE <u>304-562-7091</u>
Rep: <u>Richard Milam</u>		TOLL
Email Address: <u>rm@tseginc.com</u>		FREE
		FAX. <u>304-562-7137</u>
Company: <u>Paramount Builders</u>		PHONE <u>304-727-2770</u>
Rep: <u>Chris Shaw</u>		TOLL
Email Address: <u>cschaw@paramountwv.com</u>		FREE
		FAX <u>304-727-0302</u>
Company: <u>PARAMOUNT BUILDERS</u>		PHONE <u>304-727-2770</u>
Rep: <u>SHAWN FOX</u>		TOLL
Email Address: <u>SFOX@PARAMOUNTWV.COM</u>		FREE
		FAX <u>304-727-0302</u>

000014

SIGN IN SHEET

Request for Proposal No. DEPK13015 PLEASE PRINT

Page 2 of 2

Date: 4/10/13

GLEN JEAN SITE VISIT

• PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>DAWHILL CONSTRUCTION</u> Rep: <u>MIKE SIEMIACZKO</u> Email Address: <u>rdanhill@hotmail.com</u>	<u>PO Box 685</u> <u>Goulet Bridge, WV</u> <u>25085</u>	PHONE <u>304 632 1600</u> TOLL FREE FAX <u>304 632 1501</u>
Company: <u>Master Service M-d Atlantic</u> Rep: <u>Pat Smith</u> Email Address: <u>pat.smith@masterserviceva.com</u>	<u>1945 Harrison Ave</u> <u>Elkins, WV 26421</u>	PHONE <u>304-636 8170</u> TOLL FREE FAX <u>304-636-8026</u>
Company: <u>Maintenance Generator Service/Master Service M-d Atlantic</u> Rep: <u>Kevin Pell</u> Email Address: <u>Kevin.pell@maintenancegs.com</u>	<u>1945 Harrison Ave</u> <u>Elkins, WV 26421</u>	PHONE <u>304-636 0011</u> TOLL FREE FAX
Company: <u>Master Service Md Atlant</u> Rep: <u>Miles Park</u> Email Address: <u>miles@masterserviceMA.com</u>	<u>1945 HARRISON AVE</u> <u>Elkins, WV 26421</u>	PHONE <u>304 636-8670</u> TOLL FREE FAX <u>304 636 8206</u>
Company: <u>Empire Electric Co.</u> Rep: <u>Adonis Smith</u> Email Address: <u>Adonis.EmpireDev@gmail.com</u>	<u>464 1st St</u> <u>Dunbar, WV 25064</u>	PHONE <u>304 395-3497</u> TOLL FREE FAX

000015

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: DEFK13015

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|---|--|
| <input type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Company

Authorized Signature

Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.