

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Solicitation

NUMBER

PAGE

DEFK13020

1

ADDRESS CORRESPONDENCE TO ATTENTION OF:

TARA LYLE 304-558-2544

DIV ENGINEERING & FACILITIES ARMORY BOARD SECTION

1707 COONSKIN DRIVE CHARLESTON, WV 25311-1099 304-341-6368

ADDRESS CHANGES TO BE NOTED ABOVE

VENDOR

05/29/2013:

RFQ COPY

TYPE NAME/ADDRESS HERE

THE WEST VIRGINIA PAGENCY, WV NATIONAL PROVIDE OIL/WATER SLOCATIONS SPECIFIED ATTACHMENTS INCLUDE 1. INSTRUCTIONS TO 2. GENERAL TERMS A 3. DEFK13020 SPECIFICATION A 5. PURCHASING AFFI 6. RESIDENT VENDOR 6. RESIDENT VENDOR DIL/WATER SEPARATOR DIL/WATER DIL	RTD (OPENING TIME 01:	20DM
AGENCY, WV NATIONAL PROVIDE OIL/WATER S LOCATIONS SPECIFIED ATTACHMENTS INCLUDE 1. INSTRUCTIONS TO 2. GENERAL TERMS A 3. DEFK13020 SPECIFIC ATION A 5. PURCHASING AFFI 6. RESIDENT VENDOR OIL/WATER SEPARATOR OIL/WATER SEPARATOR DIL/WATER	CAT. NO. ITEM NUMBER	UNIT PRICE	AMOUNT
OIL/WATER SEPARATOR DO03	PURCHASING DIVISION F L GUARD, IS SOLICITING SEPARATOR CLEANING AND D IN THE ATTACHED SPE E: O VENDORS SUBMITTING AND CONDITIONS IFICATIONS AND SIGNATURE PAGE IDAVIT R PREFERENCE FORM	FOR THE NG BIDS TO ND DISPOSAL AT ECIFICATIONS.	
	890-52 R KENOVA, WV 890-52 R ELEANOR FACILITY -	RED HOUSE, WV	
GIGNATURE	TELEPHONE	DATE	



VEZDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Solicitation

NUMBER

PAGE

DEFK13020

2

ADDRESS CORRESPONDENCE TO ATTENTION OF:

TARA LYLE

304-558-2544

RFQ COPY TYPE NAME/ADDRESS HERE

DIV ENGINEERING & FACILITIES ARMORY BOARD SECTION

1707 COONSKIN DRIVE CHARLESTON, WV 25311-1099 304-341-6368

DATE PRINTED 05/29/2013 BID OPENING DATE: 06/18/2013 BID OPENING TIME 01:30PM CAT. LINE QUANTITY UOP ITEM NUMBER UNIT PRICE **AMOUNT** 0004 JB 890-52 1 OIL/WATER SEPARATOR SALEM, WV 0005 JB 890-52 OIL/WATER SEPARATOR KINGWOOD, WV (POSSIBLE ALTERNATE) **** THIS IS THE END OF RFQ DEFK13020 ***** TOTAL:

SIGNATURE

TELEPHONE

DATE

TITLE

FEIN

ADDRESS CHANGES TO BE NOTED ABOVE

INSTRUCTIONS TO VENDORS SUBMITTING BIDS

- REVIEW DOCUMENTS THOROUGHLY: The attached documents contain a solicitation for bids.
 Please read these instructions and all documents attached in their entirety. These instructions provide
 critical information about requirements that if overlooked could lead to disqualification of a Vendor's
 bid. All bids must be submitted in accordance with the provisions contained in these instructions and
 the Solicitation. Failure to do so may result in disqualification of Vendor's bid.
- 2. MANDATORY TERMS: The Solicitation may contain mandatory provisions identified by the use of the words "must," "will," and "shall." Failure to comply with a mandatory term in the Solicitation will result in bid disqualification.

3. PREBID MEETING: The item identified below shall apply to this Solicitation.

[√]	A pre-bid meeting will not be held prior to bid opening.				
[]	A NON-MANDATORY PRE-BID meeting will be held at the following place and time:				
[]	A MANDATORY PRE-BID meeting will be held at the following place and time:				

All Vendors submitting a bid must attend the mandatory pre-bid meeting. Failure to attend the mandatory pre-bid meeting shall result in disqualification of the Vendor's bid. No one person attending the pre-bid meeting may represent more than one Vendor.

An attendance sheet provided at the pre-bid meeting shall serve as the official document verifying attendance. The State will not accept any other form of proof or documentation to verify attendance. Any person attending the pre-bid meeting on behalf of a Vendor must list on the attendance sheet his or her name and the name of the Vendor he or she is representing. Additionally, the person attending the pre-bid meeting should include the Vendor's E-Mail address, phone number, and Fax number on the attendance sheet. It is the Vendor's responsibility to locate the attendance sheet and provide the required

information. Failure to complete the attendance sheet as required may result in disqualification of Vendor's bid.

All Vendors should arrive prior to the starting time for the pre-bid. Vendors who arrive after the starting time but prior to the end of the pre-bid will be permitted to sign in, but are charged with knowing all matters discussed at the pre-bid.

Questions submitted at least five business days prior to a scheduled pre-bid will be discussed at the pre-bid meeting if possible. Any discussions or answers to questions at the pre-bid meeting are preliminary in nature and are non-binding. Official and binding answers to questions will be published in a written addendum to the Solicitation prior to bid opening.

4. VENDOR QUESTION DEADLINE: Vendors may submit questions relating to this Solicitation to the Purchasing Division. Questions must be submitted in writing. All questions must be submitted on or before the date listed below and to the address listed below in order to be considered. A written response will be published in a Solicitation addendum if a response is possible and appropriate. Non-written discussions, conversations, or questions and answers regarding this Solicitation are preliminary in nature and are non-binding.

Question Submission Deadline: June 10, 2013 at 1:30 pm

Submit Questions to: Tara Lyle, File 32

2019 Washington Street, East
P.O. Box 50130
Charleston, WV 25305
Fax: 304-558-4115
Email: Tara, L. Lyle@wy.gov

- 5. VERBAL COMMUNICATION: Any verbal communication between the Vendor and any State personnel is not binding, including that made at the mandatory pre-bid conference. Only information issued in writing and added to the Solicitation by an official written addendum by the Purchasing Division is binding.
- 6. BID SUBMISSION: All bids must be signed and delivered by the Vendor to the Purchasing Division at the address listed below on or before the date and time of the bid opening. Any bid received by the Purchasing Division staff is considered to be in the possession of the Purchasing Division and will not be returned for any reason. The bid delivery address is:

Department of Administration, Purchasing Division 2019 Washington Street East P.O. Box 50130, Charleston, WV 25305-0130

The bid should contain the information liste considered:	ed below on the face of the envelope or the bid may not be
SEALED BID	
SOLICITATION	NO.:
BID OPENING I	DATE:
BID OPENING T	TIME:
FAX NUMBER:	TIVIE.
technical and one original cost proposal plu Division at the address shown above. Addi	request for proposal, the Vendor shall submit one original sold in the Purchasing tionally, the Vendor should identify the bid type as either and the bid envelope submitted in response to a request for
BID TYPE: [] Technical] Cost
identified below on the date and time listed	sponse to this Solicitation will be opened at the location below. Delivery of a bid after the bid opening date and time poses of this Solicitation, a bid is considered delivered when vision time clock.
Bid Opening Date and Time:	June 18, 2013 at 1:30 pm
Bid Opening Location:	Department of Administration, Purchasing Division 2019 Washington Street East P.O. Box 50130, Charleston, WV 25305-0130
	: Changes or revisions to this Solicitation will be made by

- 8. ADDENDUM ACKNOWLEDGEMENT: Changes or revisions to this Solicitation will be made by an official written addendum issued by the Purchasing Division. Vendor should acknowledge receipt of all addenda issued with this Solicitation by completing an Addendum Acknowledgment Form, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.
- 9. BID FORMATTING: Vendor should type or electronically enter the information onto its bid to prevent errors in the evaluation. Failure to type or electronically enter the information may result in bid disqualification.

7.

GENERAL TERMS AND CONDITIONS:

- CONTRACTUAL AGREEMENT: Issuance of a Purchase Order signed by the Purchasing Division
 Director, or his designee, and approved as to form by the Attorney General's office constitutes
 acceptance of this Contract made by and between the State of West Virginia and the Vendor. Vendor's
 signature on its bid signifies Vendor's agreement to be bound by and accept the terms and conditions
 contained in this Contract.
- 2. **DEFINITIONS:** As used in this Solicitation / Contract, the following terms shall have the meanings attributed to them below. Additional definitions may be found in the specifications included with this Solicitation / Contract.
 - **2.1 "Agency"** or "**Agencies"** means the agency, board, commission, or other entity of the State of West Virginia that is identified on the first page of the Solicitation or any other public entity seeking to procure goods or services under this Contract.
 - **2.2 "Contract"** means the binding agreement that is entered into between the State and the Vendor to provide the goods and services requested in the Solicitation.
 - **2.3 "Director"** means the Director of the West Virginia Department of Administration, Purchasing Division.
 - **2.4 "Purchasing Division"** means the West Virginia Department of Administration, Purchasing Division.
 - **2.5 "Purchase Order"** means the document signed by the Agency and the Purchasing Division, and approved as to form by the Attorney General, that identifies the Vendor as the successful bidder and Contract holder.
 - **2.6 "Solicitation"** means the official solicitation published by the Purchasing Division and identified by number on the first page thereof.
 - 2.7 "State" means the State of West Virginia and/or any of its agencies, commissions, boards, etc. as context requires.
 - **2.8 "Vendor"** or "**Vendors"** means any entity submitting a bid in response to the Solicitation, the entity that has been selected as the lowest responsible bidder, or the entity that has been awarded the Contract as context requires.

3.			TRACT TERM; RENEWAL; EXTENSION: The term of this Contract shall be determined in lance with the category that has been identified as applicable to this Contract below:
	Į.]	Term Contract
			Initial Contract Term: This Contract becomes effective on
			and extends for a period of
			Renewal Term: This Contract may be renewed upon the mutual written consent of the Agency, and the Vendor, with approval of the Purchasing Division and the Attorney General's office (Attorney General approval is as to form only). Any request for renewal must be submitted to the Purchasing Division Director thirty (30) days prior to the expiration date of the initial contract term or appropriate renewal term. A Contract renewal shall be in accordance with the terms and conditions of the original contract. Renewal of this Contract is limited to successive one (1) year periods. Automatic renewal of this Contract is prohibited. Notwithstanding the foregoing, Purchasing Division approval is not required on agency delegated or exempt purchases. Attorney General approval may be required for vendor terms and conditions.
			Reasonable Time Extension: At the sole discretion of the Purchasing Division Director, and with approval from the Attorney General's office (Attorney General approval is as to form only), this Contract may be extended for a reasonable time after the initial Contract term or after any renewal term as may be necessary to obtain a new contract or renew this Contract. Any reasonable time extension shall not exceed twelve (12) months. Vendor may avoid a reasonable time extension by providing the Purchasing Division Director with written notice of Vendor's desire to terminate this Contract 30 days prior to the expiration of the then current term. During any reasonable time extension period, the Vendor may terminate this Contract for any reason upon giving the Purchasing Division Director 30 days written notice. Automatic extension of this Contract is prohibited. Notwithstanding the foregoing, Purchasing Division approval is not required on agency delegated or exempt purchases, but Attorney General approval may be required.
	[]	Fixed Period Contract: This Contract becomes effective upon Vendor's receipt of the notice to proceed and must be completed within days.
	1]	One Time Purchase: The term of this Contract shall run from the issuance of the Purchase Order until all of the goods contracted for have been delivered, but in no event shall this Contract extend for more than one fiscal year.
	[•	/]	Other: See attached.

4. NOTICE TO PROCEED: Vendor shall begin performance of this Contract immediately upon receiving notice to proceed unless otherwise instructed by the Agency. Unless otherwise specified, the fully executed Purchase Order will be considered notice to proceed 5. QUANTITIES: The quantities required under this Contract shall be determined in accordance with the category that has been identified as applicable to this Contract below. Open End Contract: Quantities listed in this Solicitation are approximations only, based on estimates supplied by the Agency. It is understood and agreed that the Contract shall cover the quantities actually ordered for delivery during the term of the Contract, whether more or less than the quantities shown. Service: The scope of the service to be provided will be more clearly defined in the specifications included herewith. [\(\sqrt{} \)] Combined Service and Goods: The scope of the service and deliverable goods to be provided will be more clearly defined in the specifications included herewith. One Time Purchase: This Contract is for the purchase of a set quantity of goods that are identified in the specifications included herewith. Once those items have been delivered, no additional goods may be procured under this Contract without an appropriate change order approved by the Vendor, Agency, Purchasing Division, and Attorney General's office. 6. PRICING: The pricing set forth herein is firm for the life of the Contract, unless specified elsewhere within this Solicitation/Contract by the State. A Vendor's inclusion of price adjustment provisions in its bid, without an express authorization from the State in the Solicitation to do so, may result in bid disqualification. 7. EMERGENCY PURCHASES: The Purchasing Division Director may authorize the Agency to purchase goods or services in the open market that Vendor would otherwise provide under this Contract if those goods or services are for immediate or expedited delivery in an emergency. Emergencies shall include, but are not limited to, delays in transportation or an unanticipated increase in the volume of work. An emergency purchase in the open market, approved by the Purchasing Division Director, shall not constitute of breach of this Contract and shall not entitle the Vendor to any form of compensation or damages. This provision does not excuse the State from fulfilling its obligations under a One Time Purchase contract. 8. REQUIRED DOCUMENTS: All of the items checked below must be provided to the Purchasing Division by the Vendor as specified below. BID BOND: All Vendors shall furnish a bid bond in the amount of five percent (5%) of the

total amount of the bid protecting the State of West Virginia. The bid bond must be submitted

with the bid.

[]	in the issued	amount and red	NCE BOND: The apparent successful Vendor shall provide a performance bond of The performance bond must be ceived by the Purchasing Division prior to Contract award. On construction performance bond must be 100% of the Contract value.
I]	labor/r	naterial	TERIAL PAYMENT BOND: The apparent successful Vendor shall provide a payment bond in the amount of 100% of the Contract value. The labor/material must be issued and delivered to the Purchasing Division prior to Contract award.
cei or sai lab	tifie irre ne or/r	ed checl vocable schedul naterial	ks, cashi letter of e as the	d, Performance Bond, and Labor/Material Payment Bond, the Vendor may provide ier's checks, or irrevocable letters of credit. Any certified check, cashier's check, for credit provided in lieu of a bond must be of the same amount and delivered on the bond it replaces. A letter of credit submitted in lieu of a performance and not bond will only be allowed for projects under \$100,000. Personal or business lible.
1	1	mainte	nance b	NCE BOND: The apparent successful Vendor shall provide a two (2) year ound covering the roofing system. The maintenance bond must be issued and a Purchasing Division prior to Contract award.
[🗸	/]			COMPENSATION INSURANCE: The apparent successful Vendor shall have orkers' compensation insurance and shall provide proof thereof upon request.
[🗸	']			: The apparent successful Vendor shall furnish proof of the following insurance act award:
		[,	/]	Commercial General Liability Insurance: \$250,000.00 or more.
]]	Builders Risk Insurance: builders risk – all risk insurance in an amount equal to 100% of the amount of the Contract.
]]	
		I	1	
]	
]]	
]]	

The apparent successful Vendor shall also furnish proof of any additional insurance requirements contained in the specifications prior to Contract award regardless of whether or not that insurance requirement is listed above.

[✓] LICENSE(S) / CERTIFICATIONS / PERMITS: In addition to anything required under the Section entitled Licensing, of the General Terms and Conditions, the apparent successful Vendor shall furnish proof of the following licenses, certifications, and/or permits prior to Contract award, in a form acceptable to the Purchasing Division.

WV Contractor's License

The apparent successful Vendor shall also furnish proof of any additional licenses or certifications contained in the specifications prior to Contract award regardless of whether or not that requirement is listed above.

- 9. LITIGATION BOND: The Director reserves the right to require any Vendor that files a protest of an award to submit a litigation bond in the amount equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. The entire amount of the bond shall be forfeited if the hearing officer determines that the protest was filed for frivolous or improper purpose, including but not limited to, the purpose of harassing, causing unnecessary delay, or needless expense for the Agency. All litigation bonds shall be made payable to the Purchasing Division. In lieu of a bond, the protester may submit a cashier's check or certified check payable to the Purchasing Division. Cashier's or certified checks will be deposited with and held by the State Treasurer's office. If it is determined that the protest has not been filed for frivolous or improper purpose, the bond or deposit shall be returned in its entirety.
- 10. ALTERNATES: Any model, brand, or specification listed herein establishes the acceptable level of quality only and is not intended to reflect a preference for, or in any way favor, a particular brand or vendor. Vendors may bid alternates to a listed model or brand provided that the alternate is at least equal to the model or brand and complies with the required specifications. The equality of any alternate being bid shall be determined by the State at its sole discretion. Any Vendor bidding an alternate model or brand should clearly identify the alternate items in its bid and should include manufacturer's specifications, industry literature, and/or any other relevant documentation demonstrating the equality of the alternate items. Failure to provide information for alternate items may be grounds for rejection of a Vendor's bid.
- 11. EXCEPTIONS AND CLARIFICATIONS: The Solicitation contains the specifications that shall form the basis of a contractual agreement. Vendor shall clearly mark any exceptions, clarifications, or

other proposed modifications in its bid. Exceptions to, clarifications of, or modifications of a requirement or term and condition of the Solicitation may result in bid disqualification.

LIQUIDA	ATED DAMA	AGES:	Vendor sl	nall pay lic	uidated da	mages in the	amount	
				for		8 7		
			10 28.7	a	Har w Tab	SEED ON THE		

This clause shall in no way be considered exclusive and shall not limit the State or Agency's right to pursue any other available remedy.

- 13. ACCEPTANCE/REJECTION: The State may accept or reject any bid in whole, or in part. Vendor's signature on its bid signifies acceptance of the terms and conditions contained in the Solicitation and Vendor agrees to be bound by the terms of the Contract, as reflected in the Purchase Order, upon receipt.
- **14. REGISTRATION:** Prior to Contract award, the apparent successful Vendor must be properly registered with the West Virginia Purchasing Division and must have paid the \$125 fee if applicable.
- 15. COMMUNICATION LIMITATIONS: In accordance with West Virginia Code of State Rules §148-1-6.6, communication with the State of West Virginia or any of its employees regarding this Solicitation during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited without prior Purchasing Division approval. Purchasing Division approval for such communication is implied for all agency delegated and exempt purchases.
- 16. FUNDING: This Contract shall continue for the term stated herein, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise made available, this Contract becomes void and of no effect beginning on July 1 of the fiscal year for which funding has not been appropriated or otherwise made available.
- 17. PAYMENT: Payment in advance is prohibited under this Contract. Payment may only be made after the delivery and acceptance of goods or services. The Vendor shall submit invoices, in arrears, to the Agency at the address on the face of the purchase order labeled "Invoice To."
- 18. UNIT PRICE: Unit prices shall prevail in cases of a discrepancy in the Vendor's bid.
- 19. DELIVERY: All quotations are considered freight on board destination ("F.O.B. destination") unless alternate shipping terms are clearly identified in the bid. Vendor's listing of shipping terms that contradict the shipping terms expressly required by this Solicitation may result in bid disqualification.
- **20. INTEREST:** Interest attributable to late payment will only be permitted if authorized by the West Virginia Code. Presently, there is no provision in the law for interest on late payments.
- 21. PREFERENCE: Vendor Preference may only be granted upon written request and only in accordance with the West Virginia Code § 5A-3-37 and the West Virginia Code of State Rules. A Resident Vendor Certification form has been attached hereto to allow Vendor to apply for the preference. Vendor's

- failure to submit the Resident Vendor Certification form with its bid will result in denial of Vendor Preference. Vendor Preference does not apply to construction projects.
- 22. SMALL, WOMEN-OWNED, OR MINORITY-OWNED BUSINESSES: For any solicitations publicly advertised for bid on or after July 1, 2012, in accordance with West Virginia Code §5A-3-37(a)(7) and W. Va. CSR § 148-22-9, any non-resident vendor certified as a small, women-owned, or minority-owned business under W. Va. CSR § 148-22-9 shall be provided the same preference made available to any resident vendor. Any non-resident small, women-owned, or minority-owned business must identify itself as such in writing, must submit that writing to the Purchasing Division with its bid, and must be properly certified under W. Va. CSR § 148-22-9 prior to submission of its bid to receive the preferences made available to resident vendors. Preference for a non-resident small, women-owned, or minority owned business shall be applied in accordance with W. Va. CSR § 148-22-9.
- 23. TAXES: The Vendor shall pay any applicable sales, use, personal property or any other taxes arising out of this Contract and the transactions contemplated thereby. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 24. CANCELLATION: The Purchasing Division Director reserves the right to cancel this Contract immediately upon written notice to the vendor if the materials or workmanship supplied do not conform to the specifications contained in the Contract. The Purchasing Division Director may cancel any purchase or Contract upon 30 days written notice to the Vendor in accordance with West Virginia Code of State Rules § 148-1-7.16.2.
- 25. WAIVER OF MINOR IRREGULARITIES: The Director reserves the right to waive minor irregularities in bids or specifications in accordance with West Virginia Code of State Rules § 148-1-4.6.
- 26. TIME: Time is of the essence with regard to all matters of time and performance in this Contract.
- 27. APPLICABLE LAW: This Contract is governed by and interpreted under West Virginia law without giving effect to its choice of law principles. Any information provided in specification manuals, or any other source, verbal or written, which contradicts or violates the West Virginia Constitution, West Virginia Code or West Virginia Code of State Rules is void and of no effect.
- 28. COMPLIANCE: Vendor shall comply with all applicable federal, state, and local laws, regulations and ordinances. By submitting a bid, Vendors acknowledge that they have reviewed, understand, and will comply with all applicable law.
- 29. PREVAILING WAGE: On any contract for the construction of a public improvement, Vendor and any subcontractors utilized by Vendor shall pay a rate or rates of wages which shall not be less than the fair minimum rate or rates of wages (prevailing wage), as established by the West Virginia Division of 21-5A-1 and available Virginia Code 88 et seq. Labor under West http://www.sos.wv.gov/administrative-law/wagerates/Pages/default.aspx. Vendor shall be responsible for ensuring compliance with prevailing wage requirements and determining when prevailing wage

- requirements are applicable. The required contract provisions contained in West Virginia Code of State Rules § 42-7-3 are specifically incorporated herein by reference.
- **30. ARBITRATION:** Any references made to arbitration contained in this Contract, Vendor's bid, or in any American Institute of Architects documents pertaining to this Contract are hereby deleted, void, and of no effect.
- 31. MODIFICATIONS: This writing is the parties' final expression of intent. Notwithstanding anything contained in this Contract to the contrary, no modification of this Contract shall be binding without mutual written consent of the Agency, and the Vendor, with approval of the Purchasing Division and the Attorney General's office (Attorney General approval is as to form only). No Change shall be implemented by the Vendor until such time as the Vendor receives an approved written change order from the Purchasing Division.
- 32. WAIVER: The failure of either party to insist upon a strict performance of any of the terms or provision of this Contract, or to exercise any option, right, or remedy herein contained, shall not be construed as a waiver or a relinquishment for the future of such term, provision, option, right, or remedy, but the same shall continue in full force and effect. Any waiver must be expressly stated in writing and signed by the waiving party.
- 33. SUBSEQUENT FORMS: The terms and conditions contained in this Contract shall supersede any and all subsequent terms and conditions which may appear on any form documents submitted by Vendor to the Agency or Purchasing Division such as price lists, order forms, invoices, sales agreements, or maintenance agreements, and includes internet websites or other electronic documents. Acceptance or use of Vendor's forms does not constitute acceptance of the terms and conditions contained thereon.
- 34. ASSIGNMENT: Neither this Contract nor any monies due, or to become due hereunder, may be assigned by the Vendor without the express written consent of the Agency, the Purchasing Division, the Attorney General's office (as to form only), and any other government agency or office that may be required to approve such assignments. Notwithstanding the foregoing, Purchasing Division approval may or may not be required on certain agency delegated or exempt purchases.
- 35. WARRANTY: The Vendor expressly warrants that the goods and/or services covered by this Contract will: (a) conform to the specifications, drawings, samples, or other description furnished or specified by the Agency; (b) be merchantable and fit for the purpose intended; and (c) be free from defect in material and workmanship.
- **36. STATE EMPLOYEES:** State employees are not permitted to utilize this Contract for personal use and the Vendor is prohibited from permitting or facilitating the same.
- 37. BANKRUPTCY: In the event the Vendor files for bankruptcy protection, the State of West Virginia may deem this Contract null and void, and terminate this Contract without notice.

- 38. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at http://www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Covered entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the Vendor. Additionally, the HIPAA Privacy, Security, Enforcement & Breach Notification Final Omnibus Rule was published on January 25, 2013. It may be viewed online at http://www.gpo.gov/fdsys/pkg/FR-2013-01-25/pdf/2013-01073.pdf. Any organization, that qualifies as the Agency's Business Associate, is expected to be in compliance with this Final Rule. For those Business Associates entering into contracts with a HIPAA Covered State Agreement, or September 23, 2013 (whichever is earlier), be advised that you will be required to comply with the 2013 WV State Agency Business Associate Agreement. For those Business Associates with contracts with a HIPAA Covered State Agency executed prior to January 25, 2013, be advised that upon renewal or modification, you will be required to comply with the 2013 WV State Agency Business Associate Agreement no later than September 22, 2014.
- 39. CONFIDENTIALITY: The Vendor agrees that it will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the Agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the Agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/default.html.
- **40. DISCLOSURE:** Vendor's response to the Solicitation and the resulting Contract are considered public documents and will be disclosed to the public in accordance with the laws, rules, and policies governing the West Virginia Purchasing Division. Those laws include, but are not limited to, the Freedom of Information Act found in West Virginia Code § 29B-1-1 et seq.

If a Vendor considers any part of its bid to be exempt from public disclosure, Vendor must so indicate by specifically identifying the exempt information, identifying the exemption that applies, providing a detailed justification for the exemption, segregating the exempt information from the general bid information, and submitting the exempt information as part of its bid but in a segregated and clearly identifiable format. Failure to comply with the foregoing requirements will result in public disclosure of the Vendor's bid without further notice. A Vendor's act of marking all or nearly all of its bid as exempt is not sufficient to avoid disclosure and WILL NOT BE HONORED. Vendor's act of marking a bid or any part thereof as "confidential" or "proprietary" is not sufficient to avoid disclosure and WILL NOT BE HONORED. In addition, a legend or other statement indicating that all or substantially all of the bid is exempt from disclosure is not sufficient to avoid disclosure and WILL NOT BE HONORED. Vendor will be required to defend any claimed exemption for nondiclosure in the event of an administrative or judicial challenge to the State's nondisclosure. Vendor must indemnify the State for any costs incurred related to any exemptions claimed by Vendor. Any questions regarding the applicability of the various public records laws should be addressed to your own legal counsel prior to bid submission.

- 41. LICENSING: In accordance with West Virginia Code of State Rules §148-1-6.1.7, Vendor must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agency or political subdivision. Upon request, the Vendor must provide all necessary releases to obtain information to enable the Purchasing Division Director or the Agency to verify that the Vendor is licensed and in good standing with the above entities.
- 42. ANTITRUST: In submitting a bid to, signing a contract with, or accepting a Purchase Order from any agency of the State of West Virginia, the Vendor agrees to convey, sell, assign, or transfer to the State of West Virginia all rights, title, and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to Vendor.
- 43. VENDOR CERTIFICATIONS: By signing its bid or entering into this Contract, Vendor certifies (1) that its bid was made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, person or entity submitting a bid for the same material, supplies, equipment or services; (2) that its bid is in all respects fair and without collusion or fraud; (3) that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; and (4) that it has reviewed this RFQ in its entirety; understands the requirements, terms and conditions, and other information contained herein. Vendor's signature on its bid also affirms that neither it nor its representatives have any interest, nor shall acquire any interest, direct or indirect, which would compromise the performance of its services hereunder. Any such interests shall be promptly presented in detail to the Agency.

The individual signing this bid on behalf of Vendor certifies that he or she is authorized by the Vendor to execute this bid or any documents related thereto on Vendor's behalf; that he or she is authorized to bind the Vendor in a contractual relationship; and that, to the best of his or her knowledge, the Vendor has properly registered with any State agency that may require registration.

- **44. PURCHASING CARD ACCEPTANCE:** The State of West Virginia currently utilizes a Purchasing Card program, administered under contract by a banking institution, to process payment for goods and services. The Vendor must accept the State of West Virginia's Purchasing Card for payment of all orders under this Contract unless the box below is checked.
 - [] Vendor is not required to accept the State of West Virginia's Purchasing Card as payment for all goods and services.
- **45. VENDOR RELATIONSHIP:** The relationship of the Vendor to the State shall be that of an independent contractor and no principal-agent relationship or employer-employee relationship is contemplated or created by this Contract. The Vendor as an independent contractor is solely liable for the acts and omissions of its employees and agents. Vendor shall be responsible for selecting,

supervising, and compensating any and all individuals employed pursuant to the terms of this Solicitation and resulting contract. Neither the Vendor, nor any employees or subcontractors of the Vendor, shall be deemed to be employees of the State for any purpose whatsoever. Vendor shall be exclusively responsible for payment of employees and contractors for all wages and salaries, taxes, withholding payments, penalties, fees, fringe benefits, professional liability insurance premiums, contributions to insurance and pension, or other deferred compensation plans, including but not limited to, Workers' Compensation and Social Security obligations, licensing fees, *etc.* and the filing of all necessary documents, forms and returns pertinent to all of the foregoing. Vendor shall hold harmless the State, and shall provide the State and Agency with a defense against any and all claims including, but not limited to, the foregoing payments, withholdings, contributions, taxes, Social Security taxes, and employer income tax returns.

- 46. INDEMNIFICATION: The Vendor agrees to indemnify, defend, and hold harmless the State and the Agency, their officers, and employees from and against: (1) Any claims or losses for services rendered by any subcontractor, person, or firm performing or supplying services, materials, or supplies in connection with the performance of the Contract; (2) Any claims or losses resulting to any person or entity injured or damaged by the Vendor, its officers, employees, or subcontractors by the publication, translation, reproduction, delivery, performance, use, or disposition of any data used under the Contract in a manner not authorized by the Contract, or by Federal or State statutes or regulations; and (3) Any failure of the Vendor, its officers, employees, or subcontractors to observe State and Federal laws including, but not limited to, labor and wage and hour laws.
- 47. PURCHASING AFFIDAVIT: In accordance with West Virginia Code § 5A-3-10a, all Vendors are required to sign, notarize, and submit the Purchasing Affidavit stating that neither the Vendor nor a related party owe a debt to the State in excess of \$1,000. The affidavit must be submitted prior to award, but should be submitted with the Vendor's bid. A copy of the Purchasing Affidavit is included herewith.
- 48. ADDITIONAL AGENCY AND LOCAL GOVERNMENT USE: This Contract may be utilized by and extends to other agencies, spending units, and political subdivisions of the State of West Virginia; county, municipal, and other local government bodies; and school districts ("Other Government Entities"). This Contract shall be extended to the aforementioned Other Government Entities on the same prices, terms, and conditions as those offered and agreed to in this Contract. If the Vendor does not wish to extend the prices, terms, and conditions of its bid and subsequent contract to the Other Government Entities, the Vendor must clearly indicate such refusal in its bid. A refusal to extend this Contract to the Other Government Entities shall not impact or influence the award of this Contract in any manner.
- **49. CONFLICT OF INTEREST:** Vendor, its officers or members or employees, shall not presently have or acquire any interest, direct or indirect, which would conflict with or compromise the performance of its obligations hereunder. Vendor shall periodically inquire of its officers, members and employees to ensure that a conflict of interest does not arise. Any conflict of interest discovered shall be promptly presented in detail to the Agency.

- **50. REPORTS:** Vendor shall provide the Agency and/or the Purchasing Division with the following reports identified by a checked box below:
 - [] Such reports as the Agency and/or the Purchasing Division may request. Requested reports may include, but are not limited to, quantities purchased, agencies utilizing the contract, total contract expenditures by agency, etc.
 - [] Quarterly reports detailing the total quantity of purchases in units and dollars, along with a listing of purchases by agency. Quarterly reports should be delivered to the Purchasing Division via email at purchasing.requisitions@wv.gov.
- 51. BACKGROUND CHECK: In accordance with W. Va. Code § 15-2D-3, the Director of the Division of Protective Services shall require any service provider whose employees are regularly employed on the grounds or in the buildings of the Capitol complex or who have access to sensitive or critical information to submit to a fingerprint-based state and federal background inquiry through the state repository. The service provider is responsible for any costs associated with the fingerprint-based state and federal background inquiry.

After the contract for such services has been approved, but before any such employees are permitted to be on the grounds or in the buildings of the Capitol complex or have access to sensitive or critical information, the service provider shall submit a list of all persons who will be physically present and working at the Capitol complex to the Director of the Division of Protective Services for purposes of verifying compliance with this provision.

The State reserves the right to prohibit a service provider's employees from accessing sensitive or critical information or to be present at the Capitol complex based upon results addressed from a criminal background check.

Service providers should contact the West Virginia Division of Protective Services by phone at (304) 558-9911 for more information.

- 52. PREFERENCE FOR USE OF DOMESTIC STEEL PRODUCTS: Except when authorized by the Director of the Purchasing Division pursuant to W. Va. Code § 5A-3-56, no contractor may use or supply steel products for a State Contract Project other than those steel products made in the United States. A contractor who uses steel products in violation of this section may be subject to civil penalties pursuant to W. Va. Code § 5A-3-56. As used in this section:
 - a. "State Contract Project" means any erection or construction of, or any addition to, alteration of or other improvement to any building or structure, including, but not limited to, roads or highways, or the installation of any heating or cooling or ventilating plants or other equipment, or the supply of and materials for such projects, pursuant to a contract with the State of West Virginia for which bids were solicited on or after June 6, 2001.
 - b. "Steel Products" means products rolled, formed, shaped, drawn, extruded, forged, cast, fabricated or otherwise similarly processed, or processed by a combination of two or more or

such operations, from steel made by the open heath, basic oxygen, electric furnace, Bessemer or other steel making process.

The Purchasing Division Director may, in writing, authorize the use of foreign steel products if:

- a. The cost for each contract item used does not exceed one tenth of one percent (.1%) of the total contract cost or two thousand five hundred dollars (\$2,500.00), whichever is greater. For the purposes of this section, the cost is the value of the steel product as delivered to the project; or
- b. The Director of the Purchasing Division determines that specified steel materials are not produced in the United States in sufficient quantity or otherwise are not reasonably available to meet contract requirements.
- 53. PREFERENCE FOR USE OF DOMESTIC ALUMINUM, GLASS, AND STEEL: In Accordance with W. Va. Code § 5-19-1 et seq., and W. Va. CSR § 148-10-1 et seq., for every contract or subcontract, subject to the limitations contained herein, for the construction, reconstruction, alteration, repair, improvement or maintenance of public works or for the purchase of any item of machinery or equipment to be used at sites of public works, only domestic aluminum, glass or steel products shall be supplied unless the spending officer determines, in writing, after the receipt of offers or bids, (1) that the cost of domestic aluminum, glass or steel products is unreasonable or inconsistent with the public interest of the State of West Virginia, (2) that domestic aluminum, glass or steel products are not produced in sufficient quantities to meet the contract requirements, or (3) the available domestic aluminum, glass, or steel do not meet the contract specifications. This provision only applies to public works contracts awarded in an amount more than fifty thousand dollars (\$50,000) or public works contracts that require more than ten thousand pounds of steel products.

The cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than twenty percent (20%) of the bid or offered price for foreign made aluminum, glass, or steel products. If the domestic aluminum, glass or steel products to be supplied or produced in a "substantial labor surplus area", as defined by the United States Department of Labor, the cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than thirty percent (30%) of the bid or offered price for foreign made aluminum, glass, or steel products.

This preference shall be applied to an item of machinery or equipment, as indicated above, when the item is a single unit of equipment or machinery manufactured primarily of aluminum, glass or steel, is part of a public works contract and has the sole purpose or of being a permanent part of a single public works project. This provision does not apply to equipment or machinery purchased by a spending unit for use by that spending unit and not as part of a single public works project.

All bids and offers including domestic aluminum, glass or steel products that exceed bid or offer prices including foreign aluminum, glass or steel products after application of the preferences provided in this provision may be reduced to a price equal to or lower than the lowest bid or offer price for foreign aluminum, glass or steel products plus the applicable preference. If the reduced bid or offer prices are made in writing and supersede the prior bid or offer prices, all bids or offers, including the reduced bid or offer prices, will be reevaluated in accordance with this rule.

SPECIFICATIONS

- 1. PURPOSE AND SCOPE: The West Virginia Purchasing Division is soliciting bids on behalf of The West Virginia Army National Guard's Division of Engineering and Facilities Environmental Section to establish a contract for the one time cleaning and disposal of the contents of five (5) oil/water separators (OWS) and associated drop inlets and trench drains at various locations within the state. The contractor is to provide all labor, materials, technical services and support, transportation, loading and unloading of all equipment, regulatory coordination and documentation to properly remove and dispose of the all of the contents as specified herein.
- 2. **DEFINITIONS:** The terms listed below shall have the meanings assigned to them below. Additional definitions can be found in section 2 of the General Terms and Conditions.
 - **2.1 "Contract Services"** means the one time proper removal and disposal of the contents of the oil/water separators as described herein.
 - **2.2 "Pricing Page"** means the pages upon which Vendor should list its proposed price for the Contract Services. The Pricing Page is either included on the last page of this RFQ or attached hereto as Exhibit A.
 - 2.3 "RFQ" means the official request for quotation published by the Purchasing Division and identified as DEFK13020.
- 3. QUALIFICATIONS: Vendor shall have the following minimum qualifications:
 - 3.1. The contractor shall have at least one (1) year of experience in the proper removal/disposal of contents of an oil/water separator. The contractor should provide a list of at least three clients and dates of service for similar type of work with their bid submission.
 - **3.2.** The contractor shall possess a valid WV Contractor's License.

4. MANDATORY REQUIREMENTS:

4.1 Mandatory Contract Services Requirements and Deliverables: Contract Services must meet or exceed the mandatory requirements listed below for the five (5) locations requiring the removal and disposal of oil/water separator contents as identified in Attachment A.

4.1.1 Contract Service Deliverable Location #1- FMS #5 Parkersburg, WV

Oil/Water Separator Information: One (1) Highland Tank HTC EZ-Access 550 gallon, underground oil/water separator.

Amount of oil in OWS: <1"

Amount of sediment in OWS: 14"

Analytical Results: See Attachment labeled "Analytical Result FMS#5"

Drop Inlet #1: (L/I Rack): Size: 18" x 18" - Amount of Sediment: 2"

Drop Inlet #2: (Wash Pad) Size: 18" x 18" - Amount of Sediment: 14"

Drop Inlet #3: (Secondary Containment Pad) Size: 18" x 18"- Amount of sediment: 4"

Two (2) Trench Drains inside Shop: Size each: 16'-0"L x 4" wide – Amount of sediment: 4"

Four (4) Trench Drains inside Shop: Size each: 2'-0" L x 1'-0" wide – Amount of sediment: 2"

- **4.1.1.1** Contractor must remove the oil/water separator access cover. The cover is secured by bolts that may have become corroded and difficult to remove using hand tools. Contractor is responsible for removing the bolts for access.
- 4.1.1.2 Contractor will adhere to 29 CFR 146 (Permit Required Confined Space Program) when entering the oil/water separator to clean the interior of all residues using a pressure washer or other approved method. Contractor will also remove and clean the petro packs. Contractor may hose off petro packs on the military vehicle wash pad.
- 4.1.1.3 Contractor will dispose of wastewater from the oil/water separator. At the contractor's option, and with the written approval of the WVANG Project Manager, the water in the oil/water separator may be pumped to a nearby cleanout or an approved pipe before the oil/water separator is cleaned. This will allow for the majority of the water to be removed leaving the sediment and any petroleum on the top. This is NOT applicable to any petroleum or sediment laden water in the oil/water separator. ALL sediment, sediment laden water, and petroleum must be removed and properly disposed.

4.1.1.4 Contractor is responsible for disposal of waste (solid and liquid) per all federal, state, and local regulations. The contractor is responsible for obtaining regulatory approval for the disposal of the sediment/water in the oil/water separators. Contractor will provide the WVANG Program Manager with a Certificate of Disposal.

4.1.2 Contract Services Deliverable Location #2- FMS #7 Kenova, WV

Oil/Water Separator Information: One (1) Highland Tank HTC EZ-Access 550 gallon underground oil/water separator.

Amount of oil in OWS: <1"

Amount of sediment in OWS: 12"

Analytical Result: See Attachment labeled "Analytical Result FMS#7"

Drop Inlet #1: (L/I Rack): Size: 24" x 24" - Amount of sediment: 11"

Drop Inlet #2: (Wash Pad): Size 24" x 24" - Amount of sediment: 11"

Drop Inlet #3: (Secondary Containment Pad): Size: 24" x 24" - Amount of sediment: <1"

- Five (5) Trench Drains inside Shop: Size each: 14'-0" L x 12"w Amount of sediment: 2"
 - **4.1.2.1** Contractor must remove the oil/water separator access cover. The cover is secured by bolts that may have become corroded and difficult to remove using hand tools. Contractor is responsible for removing the bolts for access.
 - 4.1.2.2 Contractor will adhere to 29 CFR 146 (Permit Required Confined Space Program) when entering the oil/water separator to clean the interior of all residues using a pressure washer or other approved method. Contractor will also remove and clean the petro packs. Contractor may hose off petro packs on the military vehicle wash pad.
 - 4.1.2.3 Contractor will dispose of wastewater from the oil/water separator. At the contractor's option, and with the written approval of the WVANG Project Manager, the water in the oil/water separator may be pumped to a nearby cleanout or an approved pipe before the oil/water separator is cleaned. This will allow for the majority of the water to be removed leaving the sediment and any petroleum on the top. This is NOT applicable to any petroleum or

sediment laden water in the oil/water separator. ALL sediment, sediment laden water, and petroleum must be removed and properly disposed.

4.1.2.4 Contractor is responsible for disposal of waste (solid and liquid) per all federal, state, and local regulations. The contractor is responsible for obtaining regulatory approval for the disposal of the sediment/water in the oil/water separators. Contractor will provide the WVANG Program Manager with a Certificate of Disposal.

4.1.3 Contract Services Deliverable Location #3- OWS#2 Eleanor Maintenance Facility Red House, WV

Oil/Water Separator Information: One (1) Highland Tank HTC EZ-Access 2,000 gallon underground oil/water separator.

Amount of oil in OWS: 2"

Amount of sediment in OWS: 14"

Analytical Result: Contractor is responsible for collecting and analyzing a sample for waste characterization. The liquid level in the oil/water separator is approximately 9'-0" below the top of the access covers

Drop Inlets: None

- 4.1.3.1 Contractor must remove the oil/water separator access cover. The cover is secured by bolts that may have become corroded and difficult to remove using hand tools. Contractor is responsible for removing the bolts for access.
- 4.1.3.2 Contractor will adhere to 29 CFR 146 (Permit Required Confined Space Program) when entering the oil/water separator to clean the interior of all residues using a pressure washer or other approved method. Contractor will also remove and clean the petro packs. Contractor may hose off petro packs on the military vehicle wash pad.
- 4.1.3.3 Contractor will dispose of wastewater from the oil/water separator. At the contractor's option, and with the written approval of the WVANG Project Manager, the water in the oil/water separator may be pumped to a nearby cleanout or an approved pipe before the oil/water separator is cleaned. This will allow for the majority

of the water to be removed leaving the sediment and any petroleum on the top. This is NOT applicable to any petroleum or sediment laden water in the oil/water separator. ALL sediment, sediment laden water, and petroleum must be removed and properly disposed.

4.1.3.4 Contractor is responsible for disposal of waste (solid and liquid) per all federal, state, and local regulations. The contractor is responsible for obtaining regulatory approval for the disposal of the sediment/water in the oil/water separators. Contractor will provide the WVANG Program Manager with a Certificate of Disposal.

4.1.4 Contract Services Deliverable Location #4- Salem Armory- Salem, WV Oil/Water Separator Information: One (1) Highland Tank HTC 550 gallon underground oil/water separator.

Amount of oil in OWS: <1"

Amount of sediment in OWS: 14"

Analytical Result: See Attachment labeled "Analytical Result Salem" Drop Inlet at Wash Pad: Size: 60"L x 24"w x 12" d"— Amount of sediment: 2"

- **4.1.4.1** Contractor must remove the oil/water separator access cover. The cover is secured by bolts that may have become corroded and difficult to remove using hand tools. Contractor is responsible for removing the bolts for access.
- 4.1.4.2 Contractor will adhere to 29 CFR 146 (Permit Required Confined Space Program) when entering the oil/water separator to clean the interior of all residues using a pressure washer or other approved method. Contractor will also remove and clean the petro packs. Contractor may hose off petro packs on the military vehicle wash pad.
- 4.1.4.3 Contractor will dispose of wastewater from the oil/water separator. At the contractor's option, and with the written approval of the WVANG Project Manager, the water in the oil/water separator may be pumped to a nearby cleanout or an approved pipe before the oil/water separator is cleaned. This will allow for the majority

of the water to be removed leaving the sediment and any petroleum on the top. This is NOT applicable to any petroleum or sediment laden water in the oil/water separator. ALL sediment, sediment laden water, and petroleum must be removed and properly disposed.

4.1.4.4 Contractor is responsible for disposal of waste (solid and liquid) per all federal, state, and local regulations. The contractor is responsible for obtaining regulatory approval for the disposal of the sediment/water in the oil/water separators. Contractor will provide the WVANG Program Manager with a Certificate of Disposal.

4.1.5 Contract Services Deliverable Location Bid Alternate #1- Military Vehicle Wash Pad at Camp Dawson - Kingwood, WV

Oil/Water Separator Information: One (1) Highland Tank HTC 1,000 gallon underground oil/water separator.

Amount of oil in OWS: <1"

Amount of sediment in OWS: <1"

Analytical Result: Contractor is responsible for collecting and analyzing a sample for waste characterization.

Drop Inlets: None

- 4.1.5.1 Contractor must remove the oil/water separator access cover. The cover is secured by bolts that may have become corroded and difficult to remove using hand tools. Contractor is responsible for removing the bolts for access.
- 4.1.5.2 Contractor will adhere to 29 CFR 146 (Permit Required Confined Space Program) when entering the oil/water separator to clean the interior of all residues using a pressure washer or other approved method. Contractor will also remove and clean the petro packs. Contractor may hose off petro packs on the military vehicle wash pad.
- 4.1.5.3 Contractor will dispose of wastewater from the oil/water separator. At the contractor's option, and with the written approval of the WVANG Project Manager, the water in the oil/water separator may be pumped to a nearby cleanout or an approved pipe before

the oil/water separator is cleaned. This will allow for the majority of the water to be removed leaving the sediment and any petroleum on the top. This is NOT applicable to any petroleum or sediment laden water in the oil/water separator. ALL sediment, sediment laden water, and petroleum must be removed and properly disposed.

4.1.5.4 Contractor is responsible for disposal of waste (solid and liquid) per all federal, state, and local regulations. The contractor is responsible for obtaining regulatory approval for the disposal of the sediment/water in the oil/water separators. Contractor will provide the WVANG Program Manager with a Certificate of Disposal.

5. CONTRACT AWARD:

- 5.1 Contract Award: The Contract is intended to provide Agency with a purchase price for the Contract Services. The Contract shall be awarded to the Vendor that provides the Contract Services meeting the required specifications for the lowest overall total cost as shown on the Pricing Pages. The agency reserves the right to accept or reject the Bid Alternate No. 1 or Item No. 4.1.5 if the costs exceeds the amount budgeted for this project. If agency accepts the Bid Alternate No. 1, the contract shall be awarded to the Vendor that provides the Contract Services meeting the required specifications for the lowest overall total cost with add alternate as shown on the Pricing Page.
- **5.2 Pricing Page:** Vendor should complete the Pricing Page by entering an all-inclusive price for oil/water separator cleaning and disposal at each location. Vendor should complete the Pricing Page in full as failure to complete the Pricing Page in its entirety may result in Vendor's bid being disqualified.

Notwithstanding the foregoing, the Purchasing Division may correct errors as it deems appropriate. Vendor should type or electronically enter the information into the Pricing Page to prevent errors in the evaluation.

6. PERFORMANCE: Vendor and Agency shall agree upon a schedule for performance of Contract Services and Contract Services Deliverables, unless such a schedule is already included herein by Agency. In the event that this Contract is designated as an open-end contract, Vendor shall perform in accordance with the release orders that may be issued against this Contract.

- 7. PAYMENT: Agency shall pay the line item price for each location, as shown on the Pricing Pages, for all Contract Services performed and accepted under this Contract. Agency will consider, at vendor's request, progress payments in the amount contracted for each location at the time work is completed and Certificate of Disposal is submitted to the Agency. Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia.
- 8. TRAVEL: Vendor shall be responsible for all mileage and travel costs, including travel time, associated with performance of this Contract. Any anticipated mileage or travel costs may be included in the flat fee or hourly rate listed on Vendor's bid, but such costs will not be paid by the Agency separately.
- 9. FACILITIES ACCESS: Performance of Contract Services may require access cards and/or keys to gain entrance to Agency's facilities. In the event that access cards and/or keys are required:
 - **9.1.** Vendor must identify principal service personnel which will be issued access cards and/or keys to perform service.
 - **9.2.** Vendor will be responsible for controlling cards and keys and will pay replacement fee, if the cards or keys become lost or stolen.
 - **9.3.** Vendor shall notify Agency immediately of any lost, stolen, or missing card or key.
 - **9.4.** Anyone performing under this Contract will be subject to Agency's security protocol and procedures.
 - 9.5. Vendor shall inform all staff of Agency's security protocol and procedures.

10. VENDOR DEFAULT:

- **10.1.** The following shall be considered a vendor default under this Contract.
 - **10.1.1.** Failure to perform Contract Services in accordance with the requirements contained herein.
 - **10.1.2.** Failure to comply with other specifications and requirements contained herein.
 - **10.1.3.** Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.
 - **10.1.4.** Failure to remedy deficient performance upon request.
- 10.2. The following remedies shall be available to Agency upon default.
 - 10.2.1. Cancellation of the Contract.
 - 10.2.2. Cancellation of one or more release orders issued under this Contract.
 - 10.2.3. Any other remedies available in law or equity.

11. MISCELLANEOUS:

11.1. Contract Manager: During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

Contract Manager:	
Telephone Number:	
Fax Number:	
Email Address:	

EXHIBIT A

DEFK13020- Oil/Water Separator Cleaning/Disposal							
PRICING PAGE							
ITEM NO.	ITEM NO. DESCRIPTION QTY PRICE						
Item No. 4.1.1 (Bid Item #1)	FMS #5 Parkersburg, WV	\$					
Item No. 4.1.2 (Bid Item #2)	FMS #7 Kenova, WV	1 ea		\$			
Item No. 4.1.3 (Bid Item #3)	OWS #2 Eleanor Maintenance Facility Red House, WV	1 ea		\$			
Item No. 4.1.4 (Bid Item #4)	CARREST CONTRACT CONTRACTOR CONTR			\$			
		TOTAL	COST:	\$			
Item No. 4.1.5 (Bid Alt. #1) ADD ALTERNATE	Military Vehicle Wash Pad Camp Dawson Kingwood, WV ADD	1 ea		\$			
	TOTAL COST with ADD Alternate:			\$			
	Failure to use this form may result in disqualification						
	Bidder / Vendor Information:						
	Name: Address: Phone: Fax:						
	E-mail Address:						
	Authorized Signature:						

DEFK13020 Oil/Water Separator Cleaning/Disposal Service

Contract Service Locations & Points of Contact

Bid Item #1: FMS #5

1500 Blizzard Drive Parkersburg, WV 26101

Jerry Nichols, Shop Chief

(304) 201-6132

Bid Item #2: FMS#7

2194 Booth Drive Kenova, WV 25330

Steve Mooney, Shop Chief

(304) 201-3344

Bid Item #3 Eleanor Maintenance Facility

110 Army/Navy Drive Red House, WV 25168

SGT Brian Boles (304) 201-3051

Bid Item #4 Salem Armory

Route 1, Box 74 Salem, WV 26424

Dave Ferrebee (304) 669-9854

Bid Alt. #1 Camp Dawson

1001 Military Drive Kingwood, WV 26537

Sam Richards (304) 791-4121

ATTACHMENT B

DEFK13020

Attachment: Analytical Result- FMS #5 (3 pages)



Improving the environment, one client at a time...

225 Industrial Park Drive Beaver, WV 25813 TEL: 304.255.2500 FAX: 304.255.2572

> 101 17th Street Ashland, KY 41101 TRL: 606.393,5027

3029-C Peters Creak Road Roanoke, VA 24019 TEL: 540.777.1276 FAX: 540.400.8508

1557 Commerce Road, Suite 201 Verona, VA 24482 TEL: 540.248.0183

November 28, 2012

Mr. Phil Emmerth
WV ARMY NATIONAL GUARD
WHEBLING AASF #2
538 GIRTYS POINT ROAD
WHBBLING WV 26003

TEL: (304) 238-1010 FAX (304) 238-1011

RE:

Dear Mr. Phil Emmerth:

Order No.: 1211C62

REI Consultants, Inc. received 3 sample(s) on 11/13/2012 for the analyses presented in the following report.

Please note two changes you may see on your report.

- Results for "Dissolved" parameters will be shown under a separate sample ID, rather than as a separate analysis under the same sample ID. The sample ID for "Dissolved" parameters will include "Field Filtered" or "Lab Filtered", as appropriate.
- Metals results will no longer be identified as "Total" or "Total Recoverable". The methods have not been changed, only their appearance on the report.

If you have any questions regarding these results, please do not hesitate to call.

Sincerely,

Karry Lough

Kathy Lough

Project Manager





Improving the environment, one client at a time...

225 Industrial Park Driys
Beaver, IVV 25813
TEL: 304.255.2500
FAX: 304.255,2572

3029-C Peters Creek Rand Roanoke, VA 24019 TBL: 540.777.1276 FAX: 540.400.8508

101 17th Street Ashland, KY 41101 TEL: 606,393,5027

1557 Commerce Road, Suite 201 Verona, VA 24482 TEL: 540.248.0183

Report Narrative

Project Manager:: Kathy Lough

Kathy Lough

WO#: 1211C62 Date: 11/28/2012

CLIENT:

WV ARMY NATIONAL GUARD

Project:

The analytical results presented in this report relate only to the samples documented herein. All analyses were performed using documented laboratory SOPs that incorporate appropriate quality control procedures as described in the applicable methods. Any deviation from compliance or method modification is explained below and/or identified within the body of this report by a qualifier footnote which is defined at the bottom of each page.

All sample results are reported on an "as-received" wet weight basis unless otherwise noted.

Results reported for sums of individual parameters, such as Total Tribalomethanes (TTHM) and Total Haloacetic Acids (HAA5), may vary slightly from the sum of the individual parameter results. This apparent anomaly is caused by rounding individual results and summations at reporting, as required by BPA.

The test results in this report meet all NELAP and VELAP requirements for parameters for which accreditations are required or available. Any exceptions are noted in this report. This report may not be reproduced, except in full, without the written approval of REIC.

In compliance with federal guidelines and standard operating procedures, all reports, including raw data and supporting quality control, will be disposed of after five years unless otherwise arranged by the client via written notification or contract requirement.

If you have any questions please contact the project manager whose name is listed above.

NOTE: Sample 1211C62-03A: Prep hold time was exceeded by 2 day(s) for TCLP Metals extraction.

Beaver, WY; WYDHIR 00112CM, WYDEP 060, VADCLS 00281, KYDEP 90039, TNDRQ TN02926, NCDWQ 466, PADRP 68-00839, FLDOH (NELAC) E87958, VADCLS (VELAP) 460148
Blossay (Beaver, WY) WYDEP 060, FLDOH (NELAC) E871055, VADCLS (VELAP) 460149
Roanoke, VA: VACDLS (VELAP) 460150

Verona, VA: VADCLS (VELAP) 460157 Askland, KY: KYD6P 00094 REI Consultants, Inc.

Analytical Results

Date: 28-Nov-12

CLIENT! WV ARMY NATIONAL GUARD WorkOrder 1211C62 Lab ID 1211C62-01A Client Sample ID: FMS #5-OWS SLUDGE DateReceived 11/13/2012 Project: Collection Date: 11/6/2012 9:30:00 AM Site ID: Matrix: SLUDGE Analyses Result Units Qual PQL MCL Prep Date Date Analyzed **TCLP PERCENT SOLIDS** 8W1311 Analyst: KD Percent Solids 80 W/% 11/15/12 12:00 AM 11/15/12 6:00 PM NA NA SEMI-VOLATILE RANGE ORGANICS 8W8015C Analyst: CL TPH (Diesel Range) 4,830 mg/Kg 8,00 NA 11/19/12 9:14 AM 11/20/12 6:34 AM TPH (Oil Range) 6,140 mg/Kg 20.0 NA 11/19/12 9:14 AM 11/20/12 B:34 AM Surr: o-Terphenyl 107 %REC 24.9-167 NA 11/19/12 9:14 AM 11/20/12 8:34 AM **TCLP SEMIVOLATILES** SW1311/8270D Analysi: JD p-cresol ND mg/L 0.024 200 11/21/12 2:27 PM 11/28/12 2:03 PM m,p-cresol ND mg/L 0.024 200 11/21/12 2:27 PM 11/26/12 2:03 PM 1,4-Dichlorobenzene ND mg/L 0.024 7.50 11/21/12 2:27 PM 11/28/12 2:03 PM 2,4-Dinitrotoluena ND mg/L 0.024 0.130 11/21/12 2:27 PM 11/26/12 2:03 PM Hexachlorobenzene ND mg/L 0.024 0.130 11/21/12 2:27 PM 11/26/12 2:03 PM Hexachlorobulediene ND mg/L 0.024 0.500 11/21/12 2:27 PM 11/26/12 2:03 PM Hexachloroethene ND mg/L 0.024 3.00 11/21/12 2:27 PM 11/28/12 2:03 PM Nitrobenzene ND mg/L 0.024 11/21/12 2:27 PM 11/28/12 2:03 PM 2.00 Penlachlorophenol ND mg/L 0.024 100 11/21/12 2:27 PM 11/26/12 2:03 PM Pyridine ND mg/L 0,024 5.00 11/21/12 2:27 PM 11/28/12 2:03 PM 2,4,5-Triahlorophenol ND mg/L 0.024 400 11/21/12 2:27 PM 11/26/12 2:03 PM 2,4,6-Trichlorophenol ND mg/L 0.024 2.00 11/21/12 2:27 PM 11/28/12 2:03 PM Surr: 2,4,6-Tribromophenol 69.5 %REC 61.4-118 NA 11/21/12 2:27 PM 11/26/12 2:03 PM Surr: 2-Fluoroblphenyl 77.1 %REC 58,6-110 NA 11/21/12 2:27 PM 11/28/12 2:03 PM Surr: 2-Fluorophenol 68.9 %REC 25.8-110 NA 11/21/12 2:27 PM 11/28/12 2:03 PM Surr: 4-Terphenyl-d14 63.0 %REC 8 69.4-110 NA 11/21/12 2:27 PM 11/26/12 2:03 PM Surr: Nitrobenzene-d5 68.9 %REC 69.2-110 NA 11/21/12 2:27 PM 11/26/12 2:03 PM Surr: Phanol-d5 58.5 %REC 8.58-108 NA 11/21/12 2:27 PM 11/28/12 2:03 PM SOLIDS, TOTAL SM2540 G Analyst: SF Total Solids

Key!	MCL	Maximum Conteminant	Level

MDL Minimum Detection Limit

NA Not Applicable

ND Not Detected at the PQL or MDL

PQL Preclical Quantitation Limit

TIC Tentatively Identified Compound, Estimated Concentration

Qualifiers: B

42.0 wt%

Analyte detected in the associated Method Blank


0.01

NA

- Estimated Value above quantitation range
- Holding times for proparation or analysis exceeded
- Splke/Surrogate Recovery exceeds RRIC control limits
- Value exceeds MCL or Regulatory Limits

Page 2 of 4

11/17/12 10:40 AM



11-Dec-2012

Phil Emmerth Wheeling AASF 2 538 Girtys Point Road Wheeling, WV 26003

Re: Soil Sampling

Dear Phll,

Work Order: 1211138

ALS Environmental received 2 samples on 26-Nov-2012 01:47 PM for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested.

QC sample results for this data met laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 18.

If you have any questions regarding this report, please feel free to contact me.

Sincerely,

Lebreca Kiser Ekstrisiy appoint by Hibra & Kris

Rebecca Kiser

ADDRESS 1740 Union Cartide Driva South Charleston, Wast Virginia 25:03-| PHONE (304) 356-3100 | FAX (304) 205-6262
ALS CROUP USA, CORP. Provinfully ACCOUNT A Company of Strictlers Limited Company



ALS Grou	ALS Group USA, Corp Date: 11-Dec-1					
Client: Project: Work Order:	Wheeling AASF 2 · Soil Sampling 1211138			Work Order Sample Summary		
	Client Sample 1D DWS Sludge FMS #7	Matrix Sludge	Tag Number	Collection Date Date Received Hold 11/26/2012 09:00 11/26/2012 13:47		
	Vaste Blast Media - RSMS	Solid		11/26/2012 11:30 11/26/2012 13:47		

ALS Group USA, Corp

Date: 11-Dec-12

Client:	Wheeling AASF 2	OILLI TOMODE
Project:	Soil Sampling	QUALIFIERS,
WorkOrder:	1211138	ACRONYMS, UNITS
Qualifier	Description	
	Value exceeds Regulatory Limit	
a	Not accredited	
В	Analyte detected in the associated Method Blank above the Reporting Limit	
E	Value above quantitation mage	
н	Analyzed outside of Holding Time	
J	Analyte detected below quantitation limit	
n	Not offered for accreditation	
ND	Not Detected at the Reporting Limit	
0	Sample amount is > 4 times amount spiked	
P	Dual Column results percent difference > 40%	
R	RPD above laboratory control limit	
S	Spike Recovery outside laboratory control limits	
U	Analyzed but not detected above the MDL	
Aeronym	Description	
DUP	Method Duplicate	
LCS	Laboratory Control Sample	
LCSD	Laboratory Control Sample Duplicate	
MBLK	Method Blank	
MDL	Method Detection Limit	
MQL	Method Quautitation Limit	
MS	Matrix Spike	
MSD	Mutrix Spike Duplicate	
PDS	Post Digestion Spike	
PQL	Practical Quantitation Limit	
SD	Serial Dilution	
Inits Reported	Description	
%	Percent	
μg/L	Micrograms per Liter	
nig/Kg	Milligrants per Kilogram	
mg/L	Milligrams per Liter	

ALS Group USA, Corp

Date: 11-Dec-12

Clients	Wheeling AASF 2
Project:	Soil Sampling
Sample ID:	OWS Sludge FMS #7
Collection Dates	11/26/2012 00:00 43.1

Work Order: 1211138 Lab 1D: 1211138-01 Matrix: SLUDGE

Analyses	Result	Qual	Report Limit	Unlis	Dilution Factor	Date Analyzed
DIESEL RANGE ORGANICS BY GC-FID			SW801	5B	Prep Dale: 11/27/2	012 Analyst: JC
Diesel Renge Organics (DRO)	18,000		3,300	mg/Kg	100	12/9/2012
Surr: O-Tarphenyl	392	S	52-126	%REC	100	12/3/2012
OIL RANGE ORGANICS BY GC-FID			SW801	5B	Prep Dale: 11/27/2	012 Analyst: JC
TPH-ORO	3,200		650	mg/Kg	10	12/3/2012
TCLP SEMI-VOLATILE ORGANICS			SW827	0D	Prep Dale: 11/29/2	012 Analyst; ALSHN
1,4-Dichlorobenzene	ИD		100	μg/L	1	11/30/2012 02:51 AM
2,4,5-Trichlorophenol	ND		100	µg/L	1	11/30/2012 02:51 AM
2,4,6-Trichlorophenol	ND		100	µg/L	1	11/30/2012 02:51 AM
2,4-Dinitrololuene	ND		100	µg/L	1	11/30/2012 02:51 AM
Hexachloro-1,3-buladiana	ND		100	µg/L	1	11/30/2012 02:61 AM
Hexachlorobenzene	ND		100	μg/L	1	11/30/2012 02:51 AM
Hexachloroelhane	ND		100	μg/L	1	11/30/2012 02:51 AM
m-Cresol	ND		100	μg/L	1	11/30/2012 02:51 AM
Nitropeuseue	ND		100	PD/L	1	11/30/2012 02:51 AM
o-Cresol	ND		100	µg/L	1	11/30/2012 02;51 AM
p-Gresol	ND		100	µg/L	1	11/30/2012 02:51 AM
Penlachlorophenol	ND		400	µg/L	1	11/30/2012 02:51 AM
Pyridine	ND		400	µg/L	1	11/30/2012 02:51 AM
Cresols, Total	ND		5.0	µg/L	1	11/30/2012 02:51 AM
Surr: 2,4,6-Tribromophenol	72.2		21-125	%REC	1	11/30/2012 02:51 AM
Surr: 2-Fluoroblphenyl	63.1		39-94	%REC	1	11/30/2012 02:51 AM
Surr: 2-Fluorophenol	36.9		10-75	%REC	1	11/30/2012 02:51 AM
Surr: 4-Terphenyl-d14	72.3		26-119	%REC	1	11/30/2012 02:51 AM
Surr: Nitrobenzene-d5	59.2		41-104	%REC	1	11/30/2012 02:51 AM
Surr: Phenol-d6	20.7		11-50	%REC	1	11/30/2012 02:51 AM
PERCENT SOLIDS			A2540 (3		Analyst: JGS
% Solida	100		10	%	1	11/29/2012 05:00 PM

ALS Group USA, Corp Client: Wheeling AASF 2

Work Order: Project:

1211138

Soil Sampling

Date: 11-Dec-12

Balch ID: 1502 Instr	ument ID GCFID1		Metho	d: SW801	δB						
MBLK Sample ID: MBLK	-1602-1602				U	inits: mg/i	 Кg	Analysis	Date: 12	2/3/2012	
Client ID;	Runl	D: GCFID	1_121203A		Se	gNo:1174	179	Prep Dale: 11/2:	7/2012	DF: 1	
Analyle	Result	PQL	SPK Val	SPK Ref Value		%REC	Control Limit	RPD Rel Value	%RPD	RPD Limit	Qua
Diesel Range Organics (DRO)	35,15	17									
Sum: O-Terphenyl	1,23	0	1.66		0 -	74.1	62-120	0			
LCS Sample ID: LCS-10	502-1502				U	nils: mg/l	⟨g	Analysis	Dale: 12	2/3/2012	
Client ID:	Run I	D: GCFID1	_121203A		Sec	No:1174	180	Prep Dale: 11/27	//2012	DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	ě	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Diesel Renge Organics (DRO)	116.1	17	100		0	118	59-137	0			
Surr: O-Terphenyl	1.658	0	1.66		0	99.9	52-126	0			
LCSD Sample ID: LCSD-	1502-1502				U	nlts: mg/l	√g	Analysis	Dale: 12	13/2012	
Client ID:	Run II	D: GCFID1	_121203A		Sec	No: 1174	82	Prep Dale: 11/27	/2012	DF: 1	•
Analyle	Result	PQL	SPK Val	SPK Rel Value		%REC	Control Limit	RPD Ref Value	%RPD	RPO Limit	Qual
Diesel Range Organics (DRO)	146.7	17	100		0	147	59-137	116.1	23.2	17.2	SR
Surr; O-Terphenyl	1.665	0	1.66		٥	100	52-128	1.858	0.401	30	

Wheeling AASF 2

Work Order: Project: 1211138 Soil Sampling

The following samples were analyzed in this batch:

QC BATCH REPORT

Balch ID: 10	503 Inslument ID	GCFID1		Metho	d: SW80	16B			£			
MBLK	Sample ID: MBLK-1503-150	3				-	Unite: mg/	Kg	Analys	sis Date: 1	12/3/2012	
Client ID:		Run	ID: GCFID	_121203A		SE	eqNo: 117	261	Prep Date: 11/	27/2012	DF: 1	
Analyte		Result	PQL	SPK Val	SPK Ref Value		%REC	Control Limit	RPD Ref Value	%RPD	RPD Limil	Qual
TPH-ORO		ND	33									
LCS	Sample ID: LGS-1503-1603					ι	Jnite: mg/	Kg	Analys	ls Dale: 1	2/3/2012	
Client ID:		Run	ID: GCFID	_121203A		Se	qNo: 117	262	Prep Date: 11/2	27/2012	DF: 1	
Analyte .		Result	PQL	SPK Val	SPK Ref Value	8	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
TPH-ORO		15,85	33	28,67		0	59.4	60-130	0			JS
LCSD	Sample ID: LCSD-1503-1503		Ib. 64=111				Jni(s: mg/l			is Date: 1		
Client ID:		Run	ID: GCFID1	_121203A		58	qNo:1172	264	Prep Dale: 11/2	7/2012	DF; 1	
Analyle		Result	PQL	SPK Val	SPK Ref Value		%REC	Control Limit	RPD Rel Value	%RPD	RPD Limil	Qual
TPH-ORO		16.97	33	28.87		٥	59.9	60-130	15.85	C	30	JS

1211138-01A

Note:

Wheeling AASF 2

Work Order: Projecti

1211138 Soil Sampling QC BATCH REPORT

Balch ID: 1533 Instrumen	I ID HG1		Melho	d: SW747	0A					
MBLK Sample ID: MBLK-1633 Client ID:		n ID: HG1_1	21204A		Units: mg/ SeqNo: 116		Analy Prep Date: 12/	sis Dale: 1 4/2012	2/4/2012 (DF: 1	9:48 Af
Analyle	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limii	Quəl
TGLP Mercury	ND	0.00010						_		
LGS Sample ID: LCS-1633-19 Ciliont ID:		1D: HG1_1	21204A	***************************************	Units: mg/ SeqNo:116		Analys Prep Dale: 12/	sis Dale: 1:	2/4/2012 0 DF: 1	9:48 AN
Analyte	Result	PQL	SPK Vel	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
TCLP Mercury	0,00452	0,00010	0.005		0. 80.4	60-120	0			
MS Sample ID: 1211138-02/	N MS				Unite: mg/	<u> </u>	Analya	is Date: 12	2/4/2012 0	9:51 AM
Cilent ID: Waste Blast Medie - RSMS	Run	ID: HG1_1:	21204A		SeqNo: 116:	113	Prep Dala: 12/4	1/2012	DF: 1	¥
analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Umil	Qual
CLP Mercury	0.00461	0.00010	0.005	0.0000	4 91.4	70-130	0			
M9D Sample ID: 1211138-02A Client ID: Waste Blast Modta - RSM9		ID: HG1_12	21204A		Units: mg/l SeqNo: 1163	60 J.	Analys Prep Dale: 12/4	is Date: 12 1/2012	2/4/2012 0 DF: 1	9:63 AM
nalyle	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
GLP Mercury	0.00459	0.00010	0.005	0.0000	1. 91	70-130	0,00461	0.435	20	
ho following samples were analyzed	In this batch	: [12	11138-02A							

Note:

Wheeling AASF 2

Work Order: Project: 1211138 Soil Sampling

Trojecti	don camping	-									
Balch ID: 1	1509 Instrument II	DICP1		Melh	od: SW60	10B					
MBLK Client ID:	Sample ID; MBLK-1609-16		ID: JCP1_	121129A		Units: m SeqNo: 11		Anal Prep Dale: 11	ysis Dale: 1	11/30/2012 DF: 1	12:14 A
7									112012012		
Analyle		Result	PQL	SPK Val	SPK Ref Value	%RE	Contro C Limit		%RPD	RPD Limit	Qual
Barium		0.0199	0.10								J
Chromium		ND	0.10					*			-
Lead		ND	0.10								
Silver	<u> </u>	0.0042	0.10								J
MBLK	Sample ID: MBLK-1509-15	09				Units: m	g/L	Analy	sis Date: 1	1/30/2012	04:24 PM
Client ID:		Run	ID: ICP1_1	21130A		SeqNo:11	5539	Prep Dale: 11	128/2012	DF; 1	
Analyte		Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Rel Value	%RPD	RPO Limil	Qual
Arsenlo		ND	0.10								
Selenium		ND	0.10								
MBLK	Sample ID: MBLK-1609-15					Unite: mg	o/L	Analy	rsls Date: 1	2/4/2012 1	1:24 AM
Client ID:	,		ID: ICP1_1	21204A		SeqNo:11		Prep Date: 11		DF: 1	112473111
Aqalyle		Resull	PQL	SPK Val	SPK Rel Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
				OF IT VOI	3000000	MILLO	,	3.74.77.77	MAPD	1123570277	Quai
Cadmlum		ND	0.10								
LCS	Sample ID; LC9-1509-1609					Unils: mg	J/L .	Analy	sis Dale: 1	1/30/2012	12:17 AM
Client ID:		Run I	D: ICP1_1:	21129A		SeqNo:11	4958	Prep Dale: 11/	28/2012	DF: 1	
					SPK Ref		Control	RPD Ref		RPD	
Analyte		Result	PQL	SPK Val	Value	%REC	Limit	Value	%RPD	Limil	Qual
Barium		3.921	0.10	4		0 98	80-120	c)		
Chromlum		0.717	0.10	0.8		0 89,6	80-120	C)		
Lead		0.77	0.10	0.8		0 96.2	80-120	()		
Silver		0.0669	0.10	0.1		0 85.9	60-120	()		J
LCS	Sample ID: LCS-1509-1509					Units: mg	IL	Analys	sis Dale: 11	/30/2012 (04:27 PM
Client ID:		Run I	D: ICP1_12	1130A		SeqNo: 116		Prep Dale: 11/		DF: 1	
					SPK Ref		Control	RPD Ref		RPD	
Anelyte		Resulf	PQL	SPK Val	Value	%REC	Limil	Value	%RPD	Limit	Qual
Arsenio		4,371	0.10	4	14	0 100	80-120	O	Ē		
Selenium		4.704	0.10	4_	M	0 120	60-120	0	1		
	0 I Ib I 00 (000)					Unite: mg	/L	Analys	is Date: 12	1412012 11	1;27 AM
LCS	Sample ID: LC9-1609-1609					-				marcoveractions: Ale	
L CS Client ID:	Sample ID: LGS-1609-1609	Run II	D: ICP1_12	1204A		SeqNo: 116	108	Prep Date: 11/2	28/2012	DF: 1	
	Sample ID: LG9-1609-1609		D: ICP1_12	1204A	SPK Rel	SeqNo: 116	Control	Prep Date: 11/2 RPD Ref	28/2012	DF: 1 RPD	
	Sample ID: LG9-1609-1609	Run li Result	D: ICP 1_12 PQL	1204A SPK Val		SeqNo: 116 %REC			28/2012 %RPD		Qual ·

Wheeling AASF 2

Work Order: Project: 1211138 Soil Sampling

									47 T - 12		
Balch ID: 1609	nstrument ID	OICP1 .		Metho	od: SW6010E	19			1		
MS Sample ID: 121	11138-02A N	AS				Units: mg/	nL.	Analys	is Date: 1	1/30/2012	12:25 A
Cilent ID: Waste Blast Media	a - RSMS	Run	ID: ICP1_1	121129A	s	eqNo:114	960	Prep Date: 11/2	20/2012	DF: 1	
Ansiya		Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium		3.957	0.10	4	0,1496	95.2	75-125	0			
Chromlum		0.7835	0.10	0,8	0.047	92.1	75-125	0			
Lead		0.816	0.10	0.8	0,0155	100	76-125	0			
Silver		0.0819	0.10	0.1	-0.0009	82.8	75-125	0			J
MS Sample ID: 121	11138-02A N					Unl(s: mg/	L	Analys	s Dale: 1	1/30/2012	04:34 P
Client IO: Waste Blast Media			ID: ICP1_1	21130A		eqNo:115		Prep Date: 11/2	8/2012	DF: 1	
Analyte		Resull	PQL	SPK Val	SPK Ref Value	%REG	Control Limit	RPD Ref Value	%RPD	RPD Limil	Qual
		4.635	0.10	4	-0.0428	117	75-126	0			
Arsenlo Selenium		4.725	0.10	4	-0.0428	127	75-125	0			S
	North Control	111.40	0.10							Contract States of the	
MS Sample ID: 121	1138-02A M	18				Unila: mg/		SCHOOLSESS SALE	ls Dale: 1:	2/4/2012 1	1:34 AM
Client ID: Waste Blast Media	-RSMS	Run I	D: ICP1_1	21204A	St	eqNo:118	110	Prep Dale: 11/2	8/2012	DF: 1	
					SPK Ref		Control	RPD Ref		RPD	
Analyle		Result	PQL	SPK Val	Value	%REC	Limit	Value	%RPD	Limil	Qual
Cadmium		0.0853	0.10	0.1	-0.0141	99.4	75-125	0			J
MSD Sample ID: 121	1138-02A M	SD				Joite: mg/	L.	Analya	o Dale: 11	/30/2012	12;28 Ah
Cliant ID: Waste Blast Media	- R8MS	Run I	D; [CP1_1	21129A	Se	qNo:1149	961	Prep Date: 11/2	8/2012	DF: 1	
					SPK Ref		Control	RPD Ref		RPD	
Anelyle		Result	PQL	SPK Val	Value	%REC	Limi(Value	%RPD	Limit	Qual
Barium		4.102	0.10	4	0.1498	99,8	75-125	3.957	3,6	25	
Chromium		0.8113	0.10	0,8	0.047	95.5	76-125	0.7835	3.49	25	
Lead		0.8235	0.10	0.8	0.0155	101	75-125	0.816	0,915	25	
Silver		0.0824	0.10	0.1	-0.0009	83.3	76-125	0.0819	0	25	J
MSD Sample ID: 121	1138-02A M	9D	-			Jnl(s:mg/l	 L	Analysi	s Dale; 11	/30/2012	04:38 Ph
Client ID: Waste Blast Media	- RSMS	Run I	D: ICP1_1:	21130A	Se	qNo:1168	143	Prep Dale: 11/2	8/2012	DF: 1	3980
Analyle		Result	PQL	SPK Val	SPK Ref Value	%REG	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Arsenic		4.567	0.10	4	-0.0420	115	75-125	4.635	1,48	25	
Selanium		4.884	0.10	2	-0.38	252	75-125	4.725	0.872	25	S
MSD Sample ID; 1211	1138.026 W	sn				Joits: mg/I		Analvel	s Dale: 12	VAJ2012 1	1:38 AM
Client ID: Waste Blast Media			D: ICP1_1	21204A		qNo:1161		Prep Date: 11/2		DF: 1	
Gieni ID: Waste Blast Media	10.00	7165TA		meresant.V.B	SPK Ref		Control	RPD Ref		RPD	
N. S		Descill	PO!	env v-		NDEC			0/000		Qual
		Resull	PQL	SPK Val	Value	%REC	Limit	Value	%RPD 0	Limit	Qual

Wheeling AASF 2

Work Order: Project: 1211138

Soil Sampling

QC BATCH REPORT

Batch ID: 1609

Instrument ID IGP1

Melhod: SW6010B

The following samples were analyzed in this batch:

1211138-02A

Wheeling AASF 2

Work Order: 1211138 Project: Soil Sampling

Balch ID: R4712	Instrument ID SUB		Melho	d: SW827	70D					
MBLK Sample ID: 8	SBLKW1-45028-45028-R471	2			Units: µg/	L	Analy	sis Date: 1	1/29/2012	04:25 PN
Client ID:	Run II): SUB_1	21130Đ		SeqNo:118	403	Prep Date: 11	/29/2012	DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,4-Dichforobenzene	ND	5.0								
2,4,5-Trichlorophenol	ND	6.0								
2,4,6-Trichlorophenol	ND	5.0								
2,4-Dinitrololuene	ND	5.0								
Hexachloro-1,3-buladiene	ND	5.0								
Hexachlorobenzene	ND	5.0								
Hexachloroethane	ND	5.0								
m-Cresol	ND	5:0								
Nilropausaus .	ND	5.0								
o-Cresol	ND	5,0								
p-Gresol	ND	5.0								
Penlachlorophenol	ND	20								
Pyridine	ND	20								
Cresola, Total	ND	5.0								
Surr: 2,4,8-Tribromopher	01.95	0	60		0 63.9	21-125	()		
Surr: 2-Fluorobiphenyl	30.71	0	50		0 61.4	32-100)		
Surr: 2-Fluorophenol	17.52	0	50		0 35	10-75	()		
Surr: 4-Terphenyl-d14	36,13	0	50	2.6	0 72.3	26-119	()		
Surr: Nitrobenzene-d5	28,02	0	60		0 50	41-104	()		
Surr: Phenoi-d6	9.66	0	50		0 19.3	13-36	()		

Wheeling AASF 2

Work Order: 1211138 Projects

Soll Sampling

Balch ID: R4712	Instrument ID 8UB		Melho	: SW827	00					
LCS Sample ID: S	LGSW1-45028-45028-R4712				ı	Jnlls: µg/L		Analysis Date:	11/29/2012	04:52 PM
Client ID:	Run ID:	SUB_1	21130B		Se	eqNo:118	104	Prep Dale: 11/29/2012	DF: 1	
Апвіуіе	Result	PQL	SPK Vəl	SPK Ref Value		%REC	Control Limit	RPD Ref Value %RPD	RPD Limil	Qual
1,4-Dichlorobenzene	14.09	5.0	20		0	70.4	30-110	0		
2,4,6-Trichlorophenol	14.43	5.0	20		0	72,2	50-110	0		
2,4,6-Trichlorophenol	14.11	5.0	20		0	70.6	50-115	0		
2,4-Dinitrololuene	17,22	5.0	2D		0	86.1	50-120	0		
Hexachloro-1,3-buladlene	14.79	5,0	20		0	74	25-105	0		
Hexachlorobenzene	15.01	5.0	20		0	79.6	50-110	0		
Hexachloroethane	13.39	5.0	20		0	67	30-95	0		
m-Cresol	9.78	5.0	20		0	48.9	30-110	0		
Nitrobenzene	13,75	5.0	20		0	8.93	45-110	0		
o-Cresol	10.84	5.0	20	1	0	54.2	30-110	0		
p-Creaol	9.70	6.0	20		0	48.9	30-110	0		
Penlachlorophenol	14.28	20	20	3	0	71.4	40-115	0		J
Pyridine	9.5	20	20		0	47.6	10-71	0		J
Surr: 2,4,6-Tribromophen	ol 36.22	0	50		0	76.4	21-125	0		
Surr: 2-Fluorobiphenyl	31.27	٥.	50		0	62.5	32-100	0		
Surr: 2-Fluorophenol	17.63	0	60	1	0	35.3	22-59	0		
Surr: 4-Terphonyl-d14	39,82	0	50		0	79.6	23-112	0		
Surr: Nitrobenzene-d5	29.16	0	50		0	68.3	31-93	0		
Syrr: Phehol-d6	10	0	50		D	20	13-36	. 0		

Wheeling AASF 2

Work Order: Project: J211138 Soll Sampling

Balch ID: R4712	Instrument ID SUB		Melho	d: SW827	OD						
MS Sample ID: 1	211788-01B MS					Units: µg/L		Analy	sia Date: 1	1/29/2012	06:55 PM
Client ID:	Runi	D: SUB_1:	21130日		S	eqNo:1184	105	Prep Date: 11/	29/2012	DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value		%REC	Control Limit	RPD Ref Value	%RPD	RPD Limil	Qual
1,4-Dichlorobenzene	137.2	50	200		0	68.6	30-110	C)		
2,4,5-Trichlorophenol	144.5	50	200		0	72.2	50-110	0)		
2,4,6-Trichlorophenol	141.3	50	200		0	70.6	50-115	0)		
2,4-Dinitrololuene	168.7	50	200		0	64.4	50-120		1		•
Hexachloro-1,3-buladlene	143.7	50	200		0	71.8	25-105	0	•		
Hexachlorobenzene	152.7	50	200		0	76.4	50-110	0	1		•
Hexachloroethane	130	50	200		0	65	30-95	0			
m·Cresol	94.9	50	200 ·		0	47.4	30-110	0			
Nitrobenzene	135.2	50	200		0	67.6	45-110	0			
o-Cresol .	109.5	60	200		0	64.8	40-110	0			
p-Cresol .	94.9	50	200		0	47.4	30-110	0			
Penlachlorophenol	138.8	200	200		0	69,3	40-115	0			J
Pyridine	72.8	200	200		0	36.4	10-80	0			J
Surr. 2,4,6-Tribromophene	ol 373.1	0	500		0	74.6	21-125	0			
Surr: 2-Fluorobiphanyl	317.9	0	500		0	63,6	32-100	0			
Surr: 2-Fhorophenol	179.5	0	500		0	35.9	22-59	0			
Surr. 4-Terphenyl-d14	385.7	0	500		۵	77.1	26-119	0			
Surr. Nilrobenzene-d5	297.3	0	500		0	59.5	41-104	a			
Surr; Phenol-d6	93,8	0	500		0	18.8	11-50	0			

Clients

Wheeling AASF 2

Work Order: Project: 1211138 Soil Sampling QC BATCH REPORT

Balch ID: R4712	Instrument ID SUB		Melho	d: SW6270	מס						
MSD Sample ID: 1	211766-01B MSD				U	nita: µg/L		Analysi	s Date: 11	/29/2012	07:23 PM
Client ID:	Run I	D: SUB_1:	21130B	1	Sec	No:118	108	Prep Dale: 11/2	9/2012	DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value		%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,4-Dichlorobenzene	137.6	50	200		0	88.8	30-100	137.2	0.291	30	
2,4,5-Trichlorophenol	144.8	50	200	(0	72.3	50-110	144.5	0.0592	30	
2,4,6-Trichlorophenol	141.3	50	200	(0	70.6	50-115	141.3	0	30	
2,4-Dinitroloivene	172.3	50	200	(0	86.2	50-120	168.7	2,11	3D	•
Hexachloro-1,3-buladiene	141	50	200	(0	70.5	25-105	143.7	1.9	30	
Hexachlorobenzene	159.7	50	200	(0	79.4	50-110	162.7	3.85	30	•
Hexechloroethane	135.8	50	200	(0	67.8	30-95	130	4.22	30	
m-Cresol	95.7	60	200		0	47.8	30-110	84.9	0.839	30	
Nilrobenzana	192.7	50	200	(0	80.4	45-110	135.2	1.87	30	
o-Cresol	108.1	50	200	(0	54	40-110	100,5	1.29	30	
p-Cresol	95.7	50	200	(0	47.8	30-110	84.0	0.839	30	
Pentachlorophenol	145.9	200	200	(0	73	40-116	138.6	0	30	J
Pyridinė	112.7	200	200	C	0	58.4	10-80	72.8	0	30	J
Surr: 2,4,6-Tribromophen	ol 383.8	0	500	(0	78.8	21-125	373.1	2.83	0	
Surr: 2-Fluoroblphenyl	311.6	0	500	0	0	62.3	38-94	317.9	2	0	
Surr: 2-Fluorophonal	173.6	0	500	C	0	34.7	10-75	179.6	3.34	0	
Surr: 4-Terphenyl-d14	397.9	0	500	(0	79.6	23-112	385.7	3.11	40	
Surr: Nitrobenzene-d5	283	0	600		0	56.6	31-93	297.3	4.93	40	
Surr: Phenol-d8	93	0	500	0	0	186	13-36	93.8	0.857	40	

The following samples were analyzed in this batch:

1211138-01A

Wheeling AASF 2

Work Order: Project:

1211138 Soil Sampling

Balch ID: R4640 Instrument II	WETCHEM		Me	lhod: 8M25	400						
DUP Sample ID: 1211138-02A I	DUP				U	nits:%		Analysi	s Dale: 1	1/20/2012	06:00 Ph
Client ID: Waste Blast Media - RSMS	Run II): WETC	HEM_12	1129F	Se	qNo:1151	190	Prep Dale:		DF: 1	•
Analyte	Result	PQL	SPK \	SPK Rei Value	<u></u>	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Molsture	ND	1.0		0	0	0	0-0	0.12	(25	(*))

ALS Group USA, Corp

Sample Receipt Checklist

Client Name: WHEELING AASF 2		Dale∕Time	Received:	26-Nov-1	2 13:47
Work Order: 1211138		Received b	y:	JAS	
Checklist completed by Lanet Smith	26-Nov-12 Date	Reviewed by:	Ala Casa eSignature	πV	28-Nov-12 Data
Matrices: <u>Soil and Sludge</u> Carrier name: <u>Cfienl</u>	_				,
Shipping container/cooler in good condition?	Yes 🗹	No 🗆	Not Prese	nt 🗆	
Custody seals intact on shipping container/cooler?	Yes 🗆	No 🗆	Not Prese	n 🗵	
Custody seals intact on sample bottles?	Yes 🗌	No 🗆	Not Preser	11 🗹	
Chain of custody present?	Yes. 🗹	No □			
Chain of custody signed when relinquished and received?	Yes 🗹	No 🗆			
Chain of custody agrees with sample labels?	Yes 🔽	, No 🗆			
Samples in proper container/bottle?	Yes 🔽	No □			
Sample containers intact?	Yes 🗹	No 🗆			
Sufficient sample volume for indicated test?	Yes 🗹	No □			
All samples received within holding time?	Yes 🗹	No 🗆			
Container/Temp Blank temperature in compliance?	Yes 🔽	No 🗆			
Temperature(s)/Thermometer(s):	23C		IR		
Cooler(s)/Kil(s):					
Waler - VOA vials have zero headspace?	Yes 🗌	No 🗌	No VOA vials a	ubmitted	\mathbf{Z}
Water - pH acceptable upon receipt?	Yes 🗌	No 🗌	N/A 🔀		
pH adjusted? pH adjusted by:	Yes 🗆	No 🗆	NA 🗹		
Login Notes;					
Client Contacted: Date Contacte	d:	Person (Contacted:		
Contacted By: Regarding:					
Comments:					
CorrectiveAction:					
					SRC Page 1 of 1



Cincinnati, OH +1 S13 733 5336 Everett, WA

+1 425 356 2600

Fort Collins, CO +1 970 450 1511

Holland, MI +1 616 399 6070

Chain of Custody Form

Houston, TX +1 281 530 5656

Spring GLy, PA +1 610 948 4903

South Charleston, WV +1 304 356 3168

Middletown, PA +1 717 944 SS41 Salt Lake City, UT +1 801 266 7700

York, PA +1 717 505 5280

	7111611691	ALS	Project Manager:		ALS Work O	rder #sl 77	111:73
Purchase Ordor	Customer Information	Project Information	1	Parai	meter/Method Ro	equest for Ar	nalveis
		Project Name	A	TUP		1	7473.5
Work Order		Project Number	.в				· · · · · · · ·
Company Name	Wy Bun Verhout Gural	Bill To Company . Same on Co	Jan In C	TPH-	Sensi - Ve last	-70	
Send Report To	Ph.1 Emzah	Invoice Attn	57617 10				• H Sec. Section duelles Disservation of these or
** 1 TES	538 G.L., P+ K2		12	- TPM- 0		82	
Address	While , wy Licos	Address	<u>,5</u> .	ي مرد	Eb. 501.	<u>/</u>	
City/State/Zip		City/State/Zip				·	
Phone	2-1-2-25		G				
Fax	30 1-207-3529	Phone	H.				-
		Fax	-1				
e-Mail Address		e-Mail Address	ij.	* * * * 6	at a to see	*****	* * 2 12
·	Sample Description	Date : Time : Matrix	Pros. # Bottles. A	B C	D E F	G H	I i J. Ho
	1024- FMS 107	10/26/12 900 Sludge	Live 2	Хх	x 'v ':		1
2 Wasts	Blost Media - Bsms		None 2 X				
3	1		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		- +	4	· i · i · ·
4				 			<u>i</u>
· 5 _{2:}	- 1	et.	,	1 1			1 .
6							
7	†	25. × ×		<u> </u>			
		ļ					
8 							
9						***	i
10-			and the second	: .			!
Sampler(s) Plaase Pr	rint & Sign	Shipment Method Require	d Turnaround Time: (Check	Soz). Durer	; ,	Results Due	Date:
Reliaguisting Inch	I Date:	מופ 🗇	10 TVK Days 5 WK Days		☐ 24 Hour	** ***	
Relinquistry land	Dato:	Pageived by:	Notre	=			
N. *- I w. Faffas	1/26/12 T	Ime: Roomed by (Laboratory):	~ <u>c</u> o	oler ID Cooler	Tenip GC Packages	(Clicak Ono Oct.	Bolowi
Loggical by (Dispressory):	1/26/12 T	Ime: Chocked by (Laboratory):		- 23	Lovel II St	I DD d OC/Raw Date	☐ TRRP Chuck!☐ TRRP Level N
					- Concint of	- July Dale	I THERE I would be

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.

2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the torms and conditions stated on the reverse.

3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2012 by ALS Environmental.

DEFK13020

Attachment: Analytical Result- Salem (12 pages)



RELIANCE LABORATORIES, INC.

ENVIRONMENTAL ANALYSTS AND CONSULTANTS

www.RelianceLabs.nel

MARTINSBURG, WV

Certifications:

WV Department of Health #: 00364, 00433 | WV Department of Environmental Protection #: 159, 181 MD Department of Environment #: 338, 337 | US Environmental Protection Agency #: WV00042, WV00901

LABORATORY REPORT SUMMARY

Client:

C00284

Monday, February 11, 2013

WV ARMY NATIONAL GUARD 538 GIRTYS POINT ROAD

WHEELING

26003-

Total Number of Pages: 3 (Not including C.O.C.)

Page 1 of 3

Lab ID

Sample ID

Sample ID 2

Sample Date

190930-2013-SL

SALEM ARMORY

1/28/2013

The enclosed results have been analyzed according to the referenced method and SOP. Any deviations to the method have been noted on the report. Unless otherwise noted, all results have been verified to meet quality control requirements of the method. This report may not be reproduced, except in full, without written approval of Reliance Laboratories, Inc.

Report Reviewed By:

Digitally signed by Tenley Miller Ditt conTenley Miller, inc., ou, emal=tmiler@wwdal.net, c=US D=16: 2013.02.22 13.04:35-05'00'



RELIANCE LABORATORIES, INC.

ENVIRONMENTAL ANALYSTS AND CONSULTANTS

BRIDGEPORT, WV

www.RellanceLabs.net

MARTINSBURG, WV

Certifications:

WV Department of Health #: 00354, 00433 | WV Department of Environmental Protection #: 168, 161 MD Department of Environment #: 338, 337 | US Environmental Protection Agency #: WVC0C42, WV00801

WV ARMY NATIONAL GUARD 538 GIRTYS POINT ROAD

Monday, February 11, 2013

MDL

Page 2 of 3

WHEELING,

W

20003-

Lab Number: 190930-2013-SI

Sample ID:

Units

SALEM ARMORY

Parameter

Value

Melhod

Date/Time Analyzed Analyst

MCL

Analyte Group:

Inorganica

Percent Sollds

46.1

SM2540B

1/28/2013

14:15 A.Tonkery

Remarks:

Date Sample Collected: Sample Submitted By: Date Sample Received:

1/28/2013

P.EMMERTH

9:30 10.40

ND = Not Detected at the MOL or MRL

MDL - Minimum Detectable Limit

MCL - Maximum Contaminant Level, USEPA Regulated

MAL - Minimum Reporting Limit

[MCL] = Maximum Contaminant Leval, Non-Regulated

'Method Code: STANDARD METHODS 19TH ED; US EPA METHODS FOR THE CHEMICAL ANALYSIS OF WATER AND WASTES, Rev. 83; US EPA METHODS FOR THE DETERMINATION OF METALS IN ENVIRONMENTAL SAMPLES, May 1994; TEST METHODS FOR EVALUATING SOLID WASTE, SW-846, 3rd ED; USEPA Manual for Certification of Laboratories Analyzing Drinking Water, 6th ED. In accordance with EPA Regulations, all reports, including raw data and quality control dats, are maintained by the laboratory for a minimum of 8 years. NOTE: "mg/kg as received

RLI 001



RELIANCE LABORATORIES, INC.

ENVIRONMENTAL ANALYSTS AND CONSULTANTS

BRIDGEPORT, WV

www.RelianceLabs.nel

MARTINSBURG, WV

Certifications:

WV Department of Health #: 00354, 00433 | WV Department of Environmental Protection #: 158, 181 MD Department of Environment #: 338, 337 | US Environmental Protection Agency #: WV00042, WV00901

WV ARMY NATIONAL GUARD 538 GIRTYS POINT ROAD

Monday, February 11, 2013

Page 3 of 3

WHEELING,

W

26003-

Lab Number: 190930-2013-SI

Sample ID:

Unite

SALEM ARMORY

Parameter

Value

MDL

MCL

Date/Time Analyzed Analyst

Analyte Group: Total Petroleum Hydrocarbons

TPH · DRO	5838	mg/kg	6015B/3550B	2/4/2013		M.Coffman	6.69
TPH - ORO	ND	mg/kg	8015B/3550B	2/4/2013	12:15	M.Coffman	10
o-Terphenyl (Surrogale)	94.5	%	8015B	2/4/2013	12:15	M.Coffman	

Melhod

Remarks:

Dato Sample Collected:

1/28/2013

Sample Submitted By: -Dalo Sample Received; P.EMMERTH

10:40

ND . Not Detected at the MDL or MRL

MDL - Minimum Detectable Limit

MRL - Minimum Reporting Limit

MGL - Maximum Contaminant Level, USEPA Regulated

[MGL] = Maximum Contaminant Level, Non-Regulated

'Method Code: STANDARO METHODS 19TH ED; US EPA METHODS FOR THE CHEMICAL ANALYSIS OF WATER AND WASTES, Rev. 83; US EPA METHODS FOR THE DETERMINATION OF METALS IN ENVIRONMENTAL SAMPLES, May 1994; YEST METHODS FOR EVALUATING SOLID WASTE, SW-848, and ED; USEPA Manual for Certification of Laboratorian Analyzing Drinking Water, 5th ED. In accordance with EPA Regulations, all reports, including raw data and quality control data, are maintained by the laboratory for a minimum of 6 years. NOTE: "mg/kg as received

RLJ.001



Pace Analytical Services, Inc. 1638 Reseylown Read - Sujias 2,3,4 Greensburg, PA 15801 (724)850-5600

February 20, 2013

Ms. Tenley Miller Reliance Laboratories, Inc. 2044 Meadowbrook Road P.O. Box 4657 Bridgeport, WV 26330

RE: Project: 190930

Pace Project No.: 3086929

Dear Ms. Miller:

Enclosed are the analytical results for sample(s) received by the laboratory on February 06, 2013. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jacquelyn Collins

Leon byllettins

jacquelyn.collins@pacelabs.com Project Manager

Enclosures





Pace Analytical Services, Inc. 1838 Roseylown Road - Sulles 2,3,4 Greensburg, PA 15601 (724)850-5600

CERTIFICATIONS

Project:

190930

Pace Project No .:

3088929

Pennsylvania Certification IDs

Pannayivania Cartification IDS
1638 Roseylown Rd Sulles 2,384 Greensburg, PA 15601
ACLASS DOD-ELAP Accreditation #: ADE-1544
Alabama Certification #: 41590
Arizona Certification #: AZ0734
Arkansas Certification
California/TNI Certification #: 04222CA

Colorado Certification

Conneclicul Certification #: PH-0894

Delaware Certification

GuanyADEP Certification
Hayait/PADEP Certification
Idaho Certification

Illinois/PADEP Certification Indiana/PADEP Certification

Intolaria/FADEF Certification #: 391
Kansas/TNI Certification #: E-10358
Kentucky Certification #: 90133
Louislana/TNI Certification #: LA080002
Louislana/TNI Certification #: 4086

Maine Certification #: PA0091

Maryland Certification #: 308

Massachusells Certification #: M-PA1457

Michigan/PADEP Certification Missouri Certification #; 235 Montana Certification #; Cert 0082

Nevada Cerlificallon
New Hampshire/TNI Cerlificallon #: 2978
New Jersey/TNI Cerlificallon #: PA 051
New Mexico Cerlificallon #: 10888

New York/TNI Certification #: 10888
North Carolina Certification #: 42708
Oregon/TNI Certification #: 42708
Oregon/TNI Certification #: PA200002
Pennsylvania/TNI Certification #: 65-00282
Puerto Rico Certification #: PA01467
South Dakota Certification #: TN2867
Texas/TNI Certification #: T104704188
Utah/TNI Certification #: ANTE
Virgin Island/PADEP Certification
Virginia Certification #: 00112
Virginia/VELAP Certification #: 460198
Washington Certification #: 143
Wasconsin/PADEP Certification
Wyoming Certification #: 8TMS-Q

Wyoming Certification #: 8TMS-Q



Pace Analytical Services, Inc. 1638 Roseylown Road - Suites 2,3,4 Greensburg, PA 15601 (724)850-5800

PROJECT NARRATIVE

Project:

190930

Pace Project No .:

3086929

Molhod:

EPA 8270

Description: 8270 MSSV TCLP Client:

Reliance Laboratories, Inc.

Date:

February 20, 2013

General Information:

1 sample was analyzed for EPA 8270. All samples were received in acceptable condition with any exceptions noted below.

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3535 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Balch: QEXT/14213

S0: Surrogate recovery outside laboratory control limits.

- · BLANK (Lab ID: 541583)
 - 2,4,6-Tribromophenol (S)
 - · 2-Fluorophenol (S)

Melhod Blank:

All analytes were below the report limit in the method blank with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc., Page 3 of 8



Pace Analytical Services, Inc. 1838 Roseytown Road - Suites 2,3,4 Greensburg, PA 15801 (724)850-5600

ANALYTICAL RESULTS

Project:

190930

Paca Project No.: 3086929

Sample: 190930-2013-SI	Lab ID; 308	6929001	Collected: 0	1/28/	13 09:30	Received: 0	2/08/13 09:50	Matrix: Solld	
Results reported on a "dry-weigh	t" basis								
Parameters	Resulls	Units	Report L	lmlt	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV TCLP	Analyilcal Mel	hod: EPA 82	270 Preparallo	n Met	nod: EP/	3535			
1,4-Dichlorobenzene	ND ug	٧L		500	1	02/08/13 09:10	02/13/13 15:03	106-48-7	
2,4-Dinitrolojuene	ND ug	/L		100	1	02/08/13 09:10	02/13/13 15:03	121-14-2	
Hexachloro-1,3-buladiene	ND ug	/L		100	1	02/08/13 09:10	02/13/13 15:03	67-6B-3	
Hexachlorobenzene	ND ug	<i>I</i> L		100	1		02/13/13 15:03		
Hexachloroethana	ND ug	/L		500	1	02/08/13 09:10	02/13/13 15:03	67-72-1	
2-Methylphenol(o-Gresol)	ND ug	/L	2	2000	1	02/08/13 09:10	02/13/13 15:03	95-48-7	
3&4-Melhylphenol(m&p Cresol)	ND ug	1 L	2	2000	1		02/13/13 15:03		
Nilrobenzene	ND ug	/L		100	1	02/08/13 09:10	02/13/13 15:03	98-95-3	
Pentachlorophenol	ND ug	/L	٤	000	1	02/08/13 09:10	02/13/13 15:03	87-86-5	
Pyridine	ND ug	<i>I</i> L		500	1	02/08/13 09:10	02/13/13 15:03	110-88-1	
2,4,6-Trichlorophenol	ND ug	<i>I</i> L	6	000	1	02/08/13 09:10	02/13/13 15:03	95-95-4	
2,4,6-Trichlorophenol	ND ug	/L		100	1	02/08/13 09:10	02/13/13 15:03	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	72 %		35	114	1	02/08/13 09:10	02/13/13 15:03	4185-60-0	
2-Fluorobiphenyl (S)	84 %		43-	118	1	02/08/13 09:10	02/13/13 15:03	321-60-B	
Terphenyl-d14 (S)	θ2 %		33-	141	1	02/08/13 09:10	02/13/13 15:03	1718-51-0	
Phenol·d6 (S)	75 %		10-	110	1	02/08/13 09:10	02/13/13 15:03	13127-88-3	
2-Fluorophenol (S)	93 %		21-	110	1	02/08/13 09:10	02/13/13 15:03	367-12-4	
2,4,8-Tribromophenol (S)	113 %		10-	123	1	02/08/13 09:10	02/13/13 15:03	118-79-6	



Paco Analytical Services, Inc. 1638 Roseylown Road - Sullas 2,3,4 Greensburg, PA 15801 (724)850-5800

QUALITY CONTROL DATA

Project:

190930

Pace Project No.:

3086920

QC Batch:

OEXT/14213

Analysis Method:

EPA 8270

QC Balch Melhod: EPA 3535

Analysis Description:

8270 TCLP MSSV

Associated Lab Samples: 3086929001

Malrix: Water

METHOD BLANK: 541583 Associated Lab Samples: 3086929001

Perameler	Unils	Blank Result	Reporting Limit	Analyzed	Qualifiera
1,4-Dichlorobenzene	ug/L	ND	500	02/13/13 09:50	-
2,4,5-Trichlorophenol	ug/L	ND	5000	02/13/13 09:50	
2,4,6-Trichlorophenol	ug/L	ND	100	02/13/13 09:50	
2,4-Dinitrololuene	ug/L	ND	100	02/13/13 09:50	
2-Methylphenol(o-Cresol)	ug/L	ND	2000	02/13/13 09:50	
3&4-Methylphenol(m&p Cresol)	ug/L	ND	2000	02/13/13 09:50	
Hexachloro-1,3-butadiene	ug/L	ND	100	02/13/13 09:50	
Hexachlorobenzene	ug/L	ND	100	02/13/13 09:50	
Hexachloroelhane	ug/L	ND	500	02/13/13 09:50	
Nilrobenzene	ug/L	ND	100	02/13/13 09:50	
Penlachlorophenol	ug/L	ND	5000	02/13/13 09:50	
Pyridine	ug/L	ND	500	02/13/13 09:50	
2,4,6-Tribromophenol (S)	%	125	10-123	02/13/13 09:50	SO
2-Fluorobiphenyl (S)	%	92	43-116	02/13/13 09:50	00
2-Fluorophenol (S)	%	119	21-110	02/13/13 09:50	SO
Nitrobenzene-d5 (S)	%	81	35-114	02/13/13 09:50	-
Phenol-d8 (S)	%	98	10-110	02/13/13 09:50	
Terphenyl-d14 (S)	%	84	33-141	02/13/13 09:50	

LABORATORY CONTROL SAMPL	E: 54158	34
--------------------------	----------	----

id	1	584	
,,,		COT	

Parameter	Units	Spike Conc.	LCS Result	LCS' % Rec	% Rec Limits	Qualiflers
1,4-Dichlorobenzene	ug/L	500	276J	55	25-108	
2,4,5-Trichtorophenol	ug/L	500	384J	77	49-130	
2,4,8-Trichlorophenol	ug/L	500	474	95	49-133	
2,4-Dinitrotoluene	ug/L	500	270	54	31-135	
2-Methylphenol(o-Cresol)	ug/L	500	419J	84	42-132	
3&4-Melhylphenol(m&p Cresol)	ug/L	1000	821J	82	42-132	
Hexachloro-1,3-buladlene	ug/L	500	284	57	19-107	
Hexachlorobenzene	ug/L	500	304	61	21-105	
Hexachloroethane	ug/L	500	262J	52	21-105	
Nitrobenzone	ug/L	500	348	70	38-142	
Penlachlorophenol	ug/L	500	444J	89	32-139	
Pyridine	ug/L	500	147J	29	10-81	
2,4,6-Tribromophenol (S)	%	****	1110	98	10-123	
2-Fluoroblphenyl (S)	%			75	43-116	
2-Fluorophenol (S)	%			66	21-110	
Nilrobenzene-d5 (S)	%			71	35-114	
Phenol-d8 (S)	%			73	10-110	
Terphenyl-d14 (S)	%			74	33-141	

Dale; 02/20/2013 01:51 PM

REPORT OF LABORATORY ANALYSIS

Page 5 of 8

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.



Pace Analytical Services, inc. 1838 Roseylown Road - Sulles 2,3,4 Greensburg, PA 15801 (724)850-5600

QUALITY CONTROL DATA

Project:

190930

Pace Project No.: 3086929

MATRIX SPIKE & MATRIX SI	PIKE DUPLICAT	E: 54159	1		541592						
	31	086804005	MS Spike	MSD Splke	MS	MSD	MS	MSD	% Rec		
Parameter	Unita	Result	Conc.	Cono.	Result	Resull	% Rec	% Rec	Limits	RPD	Qua
1,4-Dichlorobenzene	Ug/L	ND	500	500	290J	273J	58	55	25-108		
2,4,5-Trichlorophenol	ug/L	ND	500	500	425J	397J	65	79	49-130		
2,4,6-Trichlorophenal	ug/L	ND	500	500	515	495	103	99	49-133	4	
2,4-Dinitrotoluene	ug/L	ND	500	500	307	300	81	60	31-135	2	
2-Methylphenol(o-Cresol)	ug/L	ND	500	500	459J	471J	92	94	42-132		
3&4-Melhylphenol(m&p Cresol)	ug/L	ND	1000	1000	872J	911J	87	91	42-132		
loxachloro-1,3-butadiene	ug/L	ND	500	500	294	285	59	57	19-107	3	
lexachlorobenzene	ug/L	ND	500	500	304	311	61	62	21-105	2	
Hexachloroethane	ug/L.	ND	500	600	276J	254J	55	51	21-105	554	
VIIrobenzene	ug/L	ND	500	600	348	388	70	78	38-142	11	
Penlachlorophenol	ug/L	ND	500	500	450J	485J	90	97	32-139		
² yridinė	ug/L	ND	500	500	181J	172J	36	34	10-81		
,4,6-Tribromophenol (S)	%						112	107	10-123		
-Fluorobiphenyl (S)	%						88	84	43-116		
-Fluorophenal (S)	%						94	85	21-110		
lltrobenzene-d5 (S)	%						78	76	35-114		
Phenol-d6 (S)	%						80	80	10-110		
erphenyl-d14 (S)	%						74	71	33-141		



Pace Analytical Services, Inc. 1638 Roseylown Road - Suites 2,3,4 Greensburg, PA 15001 (724)850-5600

QUALIFIERS

Project:

190930

Pace Project No.: 3086929

DEFINITIONS

DF - Difulion Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzena.

Consistent with EPA guidelines, Unrounded data are displayed and have been used to calculate % recovery and RPD values,

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nilrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

SO

Surrogale recovery outside laboratory control limits.



Pace Analytical Services, inc. 1838 Roseytown Road - Sulies 2,3,4 Greensburg, PA 15801 (724)850-5800

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project:

190930

Pace Project No.:

3086929

Lap ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
3086929001	100030-2013-SI	EPA 3535	OEXT/14213	EPA 8270	M9SV/4834

0		5)
d	-		5
į	ø	20	١
		7	
-	•	~	1
	C,	i	1
	'n	0	à

*CLIENT NAME W/ AV *ADDRESS 538 64 CUSTOMER # COORS *SAMPLER (S) Th. L	POST OFFICE BOX 465 BRIDGEPORT, WV 263 TEL. (304) 842-5285 • E-MAIL reliancelabs@w INTERNET www.Reliance The Post of Column Colu	77 30 FAX (304) 842-5351 vdsl.net cel.abs.net	3 2 2 2
LABORATORY# DATE TIME	S S MATRIX TEMP.≤4°C	OF CONTAIN. HND3 H2S04 HCL Nac	ALL CLASS TO THE STATE OF THE S
190930 Mae 113 19930		3	PRES. SAME RELEASE AND RELEASE
1	P.11 Q2.12	3	X X X X X X X X X X X X X X X X X X X
			Saley
	+		
			
			
			
	:		
·			
SAMPLES DO DO NOT			
SAMPLES DO DO NOT SAMPLES DO ARE NO ARE NO	MEET USEPA GUIDELINES	s for Holding Times for Chemical Preservatives s for Sample Containers DMPLIANCE PURPOSES	REMARKS: PWS#
PRINT: I AND THE BY:	-DATETIME DATE 1-26-13 TIME 10:40	*RECEIVED BY: PRINT: SIGN: A PAGE	WEATHER/TEMPERATURE: -
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:	PUSH STATUS (INITIAL ACCEPTANCE)
SIGN:	TIME	PRINT: SIGN:	*** ADDITIONAL LABORATORY FEES MAY APPLY*** EXTENT OF LIABILITY
"RELINQUISHED BY: PRINT: SIGN:	*DATETIME DATE: TIME:	"RECEIVED BY: PRINT:	SHOULD RELIANCE LABORATORIES, ONC. DE AT FAULT AND ANY DISPUTE ARISE REGARDING ANALYTICAL DATA GENERATED BY THE LABORATORY, THE EXTENT OF THE LABOLITY TO RELIANCE WILL BE A DUPLICATE AWAYSIS OF THAT SAMPLE (PROVIDING ADEQUATE SAMPLE REMAINS) OR A PERRAY OF THE AMALYTICAL FEE. IN NO EVENT VILL RELIANCE LABORATORIES BE LIABLE FOR DAMAGES INCLUDING BUT NOT LIMITED TO DIRECT, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING FROM SIGN INSPIRIT.
*COURIER:	*DATE/TIME	SIGN:	NOTE: TYPICAL SAUPLETURN AROUND FOR ROUTINE SAMPLES IS STO 10 WORKING DAYS. THIS IN NOT A GUARANTEE THAT SAMPLES WILL BE COMPLETED IN THIS TIME FRAME, MOVEVER, MON-ROUTINE SAMPLES MAY REGULAR ADDITIONAL TIME.
TRACKING #:	DATE:	PRINT:	* TO BE COMPLETED BY CLIENT
		SIGN:	CFTGINAL CHAIN OF CUSTODY DOCUMENT MUST BE EXECUTED IN INK . WHITE - LABORATORY YELLOW - CLIENT

CERTIFICATION AND SIGNATURE PAGE

By signing below, I certify that I have reviewed this Solicitation in its entirety; understand the requirements, terms and conditions, and other information contained herein; that I am submitting this bid or proposal for review and consideration; that I am authorized by the bidder to execute this bid or any documents related thereto on bidder's behalf; that I am authorized to bind the bidder in a contractual relationship; and that to the best of my knowledge, the bidder has properly registered with any State agency that may require registration.

(Company)	
(Authorized Signature)	
(Representative Name,	Title)
(Phone Number)	(Fax Number)
(Date)	

RFQ No.	

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

MANDATE: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (*W. Va. Code* §61-5-3) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name:	
Authorized Signature:	Date:
State of	
County of, to-wit:	
Taken, subscribed, and sworn to before me this	lay of, 20
My Commission expires	, 20
AFFIX SEAL HERE	NOTARY PUBLIC

Rev. 07/12

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

DIVISION	will make the determination of the Resident Vendor Preference, if applicable.
E	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
E	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years mmediately preceding submission of this bid; or,
E	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. A	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. A	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
E	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for our poses of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
E	Application is made for preference as a non-resident small, women- and minority-owned business, in accordance with West Virginia Code §5A-3-59 and West Virginia Code of State Rules. Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, womenand minority-owned business.
requireme against su	nderstands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the ents for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty uch Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency ed from any unpaid balance on the contract or purchase order.
authorizes the requir	ssion of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and as the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid sed business taxes, provided that such information does not contain the amounts of taxes paid nor any other information by the Tax Commissioner to be confidential.
and accu	enalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true urate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Title: ___

Signed: