



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Solicitation

NUMBER
DEP16121

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
FRANK WHITTAKER 304 558 2316

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

ENVIRONMENTAL PROTECTION
 DEPARTMENT OF
 OFFICE OF AML&R
 601 57TH STREET SE
 CHARLESTON, WV
 25304 304-926-0499

DATE PRINTED

BID OPENING DATE: 03/08/2013

03/19/2013

BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
				ADDENDUM NO. 1		
				1. ADDENDUM ISSUED TO MOVE THE BID OPENING DATE FROM: MARCH 12, 2013 TO: MARCH 19, 2013 BID OPENING TIME @ 1: 30 P.M. REMAINS UNCHANGED.		
				2. TO PROVIDE A COPY OF THE MANDATORY PRE-BID MEETING SIGN-IN SHEET.		
				3. TO PROVIDE DRUG FREE WORKPLACE CONFORMANCE AFFIDAVIT.		
				4. TO PROVIDE ANSWERS TO QUESTIONS REGARDING THE ORIGINAL RFQ SUBMITTED. QUESTIONS AND ANSWERS ARE ATTACHED.		
				5. TO PROVIDE ADDENDUM ACKNOWLEDGEMENT. THIS DOCUMENT SHOULD BE SIGNED AND RETURNED WITH YOUR BID. FAILURE TO SIGN AND RETURN MAY RESULT IN THE DISQUALIFICATION OF YOUR BID.		
				***** END OF ADDENDUM NO. 1 *****		

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Solicitation

NUMBER
DEP16121

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
FRANK WHITTAKER 304-558-2316

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

ENVIRONMENTAL PROTECTION
 DEPARTMENT OF
 OFFICE OF AML&R
 601 57TH STREET SE
 CHARLESTON, WV
 25304 304-926-0499

DATE PRINTED
03/08/2013

BID OPENING DATE:

03/19/2013

BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	JB		962-73		
RECLAMATION: RESTORATION OF LAND & OTHER PROPERTIES						
***** THIS IS THE END OF RFQ DEP16121 ***** TOTAL:						

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

SOLICITATION NUMBER: DEP16121

Addendum Number: 1

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

Description of Modification to Solicitation:

1. To move bid opening date from March 12, 2013 to March 19, 2013.
Bid opening time @ 1: 30 P.M. remains unchanged.
2. To provide a copy of the mandatory pre-bid meeting sign-in sheet.
3. To provide Drug Free Workplace Conformance Affidavit.
4. To provide Answer to Vendors' Questions regarding the original RFQ.
5. To provide Addendum Acknowledgement.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

ATTACHMENT A

1. Mandatory Pre-Bid Meeting Sign-in Sheet
2. Questions & Answers
3. Drug Free Workplace Conformance Affidavit
4. Addendum Acknowledgement

SIGN IN SHEET

Page 1 of 5Request for ^{Quote} Proposal No. DEP16121Date 02-21-13Winona Complex

*PLEASE BE SURE TO PRINT LEGIBLY – IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>Delko Services Inc</u>		PHONE <u>910-617-2918</u>
Rep: <u>Shawn O'Donick</u>		TOLL FREE
Email Address: <u>delko services inc @ hot mail . com</u>		FAX
Company: <u>All-CON, LLC</u>		PHONE <u>304 731 0190</u>
Rep: <u>DAVID TRLE</u>		TOLL FREE
Email Address: <u>TRLE@ACI-WNV.COM</u>		FAX <u>304 255 4232</u>
Company: <u>BAINES EXC. INC</u>		PHONE <u>304-984-1725</u>
Rep: <u>Robert BAINES</u>		TOLL FREE
Email Address: <u>BAINES EXC @ AOL.COM</u>		FAX <u>304-984-0074</u>
Company: <u>MIKE ENYART & SONS INC</u>		PHONE <u>304-545-3929</u>
Rep: <u>ERIC BROGAN</u>		TOLL FREE
Email Address: <u>ERIC.BROGAN@aol.com</u>		FAX
Company: <u>RBS INC</u>		PHONE <u>304-497-3800</u>
Rep: <u>JK ROSE</u>		TOLL FREE
Email Address: <u>UNION CONCRETE @ FRONTIERNET.NET</u>		FAX <u>304-497-3802</u>

SIGN IN SHEET

Page 2 of 5Quote
Request for Proposal No. DEP16121Date 02-21-13Winona Complex

*PLEASE BE SURE TO PRINT LEGIBLY – IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>J.F. Allen Co</u>	<u>PO Box 2049</u>	PHONE <u>304-472-9890</u>
Rep: <u>James Allen</u>	<u>Buckhannon WV 26201</u>	TOLL FREE
Email Address: <u>JAMES.ALLEN@JFAllenCo.com</u>		FAX <u>304-472-9897</u>
Company: <u>BREAKAWAY Inc.</u>	<u>1075 Old Turnpike</u>	PHONE <u>765-5317</u>
Rep: <u>Doug Vincent</u>	<u>Sutton WV 26601</u>	TOLL FREE
Email Address: <u>doug@breakawaywv.com</u>		FAX <u>765-5389</u>
Company: <u>Carpenter Reclamation</u>	<u>PO Box 13015</u>	PHONE <u>304-984-1115</u>
Rep: <u>Randy Carpenter</u>	<u>Sissonville, WV 25360</u>	TOLL FREE <u>984-2770</u>
Email Address: <u>Rcarpent103@aol.com</u>		FAX
Company: <u>Aspen Corporation</u>	<u>2400 Ritter Drive</u>	PHONE <u>304-763-4573</u>
Rep: <u>Ashley Adkins</u>	<u>Daniels WV 25832</u>	TOLL FREE
Email Address: <u>jadkins@aspen-golf.com</u>		FAX <u>304-763-4591</u>
Company: <u>Collins Building & Contracting Inc</u>		PHONE <u>304-745-3521</u>
Rep: <u>Roger L. Collins Jr</u>		TOLL FREE
Email Address: <u>Collins Building & Contracting Inc</u>		FAX <u>304-745-3521</u>

SIGN IN SHEET

Page 3 of 5Request for ^{Quote} Proposal No. DEP16121Date 02-21-13Winona Complex

*PLEASE BE SURE TO PRINT LEGIBLY – IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>Finebilt Paving</u>		PHONE <u>304-732-8323</u>
Rep: <u>Mike Bradford</u>		TOLL FREE
Email Address: <u>brk-mr@foc.com</u>		FAX <u>304-732-7855</u>
Company: <u>TL MARGROFF FMT</u>		PHONE <u>301-616-5000</u>
Rep: <u>TROY MARGROFF</u>		TOLL FREE
Email Address: <u>TL MARGROFF@GMAIL.COM</u>		FAX
Company: <u>Capitol Valley Contracting</u>		PHONE <u>304-437-4505</u>
Rep: <u>Les Putilion</u>		TOLL FREE
Email Address: <u>Mickay@Capitol-Valley.com</u>		FAX <u>304-548-6900</u>
Company: <u>DCI SHARES INC</u>		PHONE <u>304-675-9388</u>
Rep: <u>Bob Canterbury</u>		TOLL FREE
Email Address: <u>Bob.Canterbury@DCIShares.com</u>		FAX <u>304-323-3037</u>
Company: <u>DAVID L RYDER CONT INC PO BOX 477 WHITE SULPHUR SPRING</u>		PHONE <u>304-536-9383</u>
Rep: <u>NOEL C RYDER</u>	<u>WV 249806</u>	TOLL FREE
Email Address: <u>RYDER CONTRACTING @ Sudden Link MAIL.COM</u>		FAX <u>304-536-9381</u>

SIGN IN SHEET

Page 4 of 5Request for ^{Quote} Proposal No. DEP16121Date 02-21-13Winona Complex

*PLEASE BE SURE TO PRINT LEGIBLY – IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>Green Mountain Company</u>	<u>511 50th ST</u>	PHONE <u>304 925 0253</u>
Rep: <u>DAVID H. Bowman</u>	<u>Charleston WV</u>	TOLL FREE
Email Address: <u>DHB722@ghm.com</u>	<u>25304</u>	FAX <u>304-925-9230</u>
Company: <u>Cowgirl UP Inc</u>	<u>PO Box 243</u>	PHONE <u>304-739-4592</u>
Rep: <u>DENNIS C. ELBOW</u>	<u>SIMPSON WV</u>	TOLL FREE
Email Address: <u>DCE-COWGIRLUP@EARTHLINK.NET</u>	<u>26435</u>	FAX <u>304-759-4401</u>
Company: <u>ATC Group</u>		PHONE <u>609-386-8000</u>
Rep: <u>Jay Cavallo</u>		TOLL FREE
Email Address: <u>Jay.Cavallo@cardair.com</u>		FAX <u>609-386-7951</u>
Company: <u>GODHER LAND SVC. PO. Box 194</u>		PHONE <u>304 860 1909</u>
Rep: <u>MIKE ROSE</u>	<u>BEAVER WV 25813</u>	TOLL FREE
Email Address: <u>mrose@suddenlink.net</u>		FAX <u>866 525 6822</u>
Company: <u>Ops Contracting Services, LLC</u>		PHONE <u>615-256-0165</u>
Rep: <u>Robert Wilkinson</u>		TOLL FREE
Email Address: <u>rwillkinson@opscontracting.com</u>		FAX <u>615-256-0169</u>

SIGN IN SHEET

Page 5 of 5Request for ^{Quote} Proposal No. DEP16121Date 02-21-13Winona Complex

*PLEASE BE SURE TO PRINT LEGIBLY – IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>Ryder Contracting Inc</u>	<u>HC #2 Box 199</u> <u>Marlinton WV 24754</u>	PHONE <u>304-792-4489</u>
Rep: <u>Thane Ryder</u>		TOLL FREE
Email Address: <u>rydercontractinginc@citlink.net</u>		FAX
Company: <u>Hi-Tech Construction</u>	<u>Charleston WV</u>	PHONE <u>304-746-0050</u>
Rep: <u>Gus Chrysofos</u>		TOLL FREE <u>1-800-233-6809</u>
Email Address: <u>Janet@hitechconstruction.com</u>	<u>P.O. BOX 218</u>	FAX <u>304-746-4452</u>
Company: <u>EAGLE EXCAVATION INC</u>	<u>KENNA, WV</u>	PHONE <u>(304)372-4378</u>
Rep: <u>GEORGE FRESHOUR</u>	<u>25248</u>	TOLL FREE <u>none</u>
Email Address: <u>none</u>		FAX <u>(304)372-4378</u>
Company: <u>McCourt's Sea Coast</u>	<u>2790 Centralia Rd</u>	PHONE <u>304 765-5288</u>
Rep: <u>Gary Long</u>	<u>Sutton WV 26601</u>	TOLL FREE
Email Address: <u>glong@wirefire.com</u>		FAX <u>304 765-5293</u>
Company: <u>EASTERN ARROW</u>	<u>PO Box 4108</u>	PHONE <u>304 414-0255</u>
Rep: <u>Ann Hancock</u>	<u>Charleston WV 25304</u>	TOLL FREE
Email Address: <u>easternarrow@hotmail.com</u>		FAX <u>0256</u>

DEP16121
Winona Complex
Addendum # 1

Item 1: The contractor will have 180 days from the date of the Notice to Proceed to complete construction activities on the project. The \$250 per day liquidated damage clause will be in effect after the 180 days. However, the total performance period will be 365 days from the date of the Notice to Proceed for invoicing purposes.

Item 2: Q: Is there a pay item for temporary pipes along the proposed construction access road?

A: No. Please refer to Section 20.0 of the Special Provisions and Section 5.0 of the Technical Specifications. The Contractor shall take any necessary steps to prevent erosion or silting problems from occurring and minimize pollution or sedimentation of the stream. If any such problems occur, the Contractor shall be responsible for taking immediate corrective action. Only those erosion and sediment controls which are illustrated on the contract drawings shall be included for measurement. Any additional erosion and sediment controls, installed by the Contractor to meet any applicable State or Federal law or regulations, to protect streams, or for other purposes, shall be the Contractor's sole responsibility and all costs pursuant thereto shall be borne fully by the Contractor.

Item 3: Q: Is the Contractor responsible for obtaining a PLC permit?

A: Please refer to Section 13.0 of the Special Provisions. An NPDES permit has been obtained. Streambank restoration work will be performed under a Nationwide Corps permit. The MM-109 highway encroachments have been obtained. The Contractor will be responsible for obtaining all other applicable permits, including, but not limited to, a PLC permit, and burning permit.

Item 4: Q: Is there a proposed soil borrow area on site?

A: Yes. Proposed soil borrow areas are illustrated on the project plans.

Item 5: On Plan Sheet 6, the conveyance pipes exiting the proposed bat gate portal are shown with an approximate 45-degree angle and tying into a proposed collection ditch. With prior approval from the Engineer, the length of the conveyance pipes and length of the collection ditch may be field adjusted. For example, the collection ditch may be extended to begin closer to the portal, thus eliminating the need for a bend in the conveyance pipes.

Item 6: In reference to the standing timber to be disturbed within the construction limits, the Contractor is reminded to refer to Section 4.0 of the Specifications. All timber eight (8) inches in diameter and larger at stump height shall be saw cut prior to grubbing operations. Timber shall be topped with the branches removed and stacked and stockpiled in an appropriate manner in an accessible location approved by the WVDEP on the property from which it was cut.

Item 7: The project plans reference Detail No. 3/18 (Access Road Detail), which is not included in the project documents. There is not a separate pay item for access road construction, or an Access Road Detail to be included. Access roads will be constructed and maintained with *equal to or better than existing condition* standards. Please refer to Section 4.0 of the Technical Specifications and Section 18.0 of the Special Provisions. Disregard the plan notes that are directed toward the access roads, referring to details 2/18 and 3/18.

Item 8: Upon completion of the project, including adequate stabilization, remove all remaining erosion and sediment controls, and remove temporary stream crossings. Straw wattles may remain in place.

Item 9: There will be no compensation for cut (excavation) beyond the lines and grades shown on the design cross sections in the plans without prior approval from the Engineer.

Item 10: All rock riprap used throughout the project shall consist of locally available, commercially purchased, or on-site durable stone meeting the following requirements. The rock riprap shall have a maximum weighted loss of thirty percent when subjected to five (5) cycles of the Sodium Sulfate Soundness Test, 30% requirement – ASTM C88 (ASTM C88-99a Standard Test Method for Soundness of Aggregates by Use of Sodium Sulfate or Magnesium Sulfate), as modified by the American Association of State Highway and Transportation Officials (AASHTO) T-104. A certification on sodium sulfate soundness test shall be submitted to the WVDEP prior to delivery and/or use.



State of West Virginia
DRUG FREE WORKPLACE CONFORMANCE AFFIDAVIT
West Virginia Code §21-1D-5

STATE OF _____

COUNTY OF _____, TO-WIT:

I, _____, after being first duly sworn, depose and state as follows:

- 1. I am an employee of _____; and,
(Company Name)
2. I do hereby attest that _____
(Company Name)

maintains a valid written drug free workplace policy and that such policy is in compliance with West Virginia Code §21-1D-5.

The above statements are sworn to under the penalty of perjury.

_____,
(Company Name)

By: _____

Title: _____

Date: _____

Taken, subscribed and sworn to before me this ____ day of _____.

By Commission expires _____

(Seal)

_____,
(Notary Public)

THIS AFFIDAVIT MUST BE SUBMITTED WITH THE BID IN ORDER TO COMPLY WITH WV CODE PROVISIONS. FAILURE TO INCLUDE THE AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF THE BID.

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: 1

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|---|--|
| <input type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Company

Authorized Signature

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.
 Revised 6/8/2012