



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Solicitation

NUMBER
DEP16186

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER 804-558-2316

RFQ COPY  
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

ENVIRONMENTAL PROTECTION  
 DEPARTMENT OF  
 OFFICE OF AML&R  
 601 57TH STREET SE  
 CHARLESTON, WV  
 25304 304-926-0499

DATE PRINTED
05/15/2013

BID OPENING DATE: 05/21/2013 BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
				ADDENDUM NO. 2		
				1. ADDENDUM ISSUED TO PROVIDE RESPONSES TO QUESTIONS RAISED FROM THE MANDATORY PRE-BID MEETING.		
				2. TO PROVIDE A COPY OF THE MANDATORY PRE-BID MEETING SIGN-IN SHEET.		
				3. TO PROVIDE A REVISED CONTRACTOR'S BID SHEET. ALL OF THE ABOVE DOCUMENTS ARE ATTACHED.		
				4. TO PROVIDE ADDENDUM ACKNOWLEDGEMENT. THIS DOCUMENT SHOULD BE SIGNED AND RETURNED WITH YOUR BID. FAILURE TO SIGN AND RETURN MAY RESULT IN THE DISQUALIFICATION OF YOUR BID.		
				END OF ADDENDUM NO. 2		

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Solicitation

NUMBER
DEP16186

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER 304-558-2316

RFQ COPY  
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

ENVIRONMENTAL PROTECTION  
 DEPARTMENT OF  
 OFFICE OF AML&R  
 601 57TH STREET SE  
 CHARLESTON, WV  
 25304 304-926-0499

DATE PRINTED
05/15/2013

BID OPENING DATE: 05/21/2013 BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	JB		962-73		
RECLAMATION: RESTORATION OF LAND & OTHER PROPERTIES						
***** THIS IS THE END OF RFQ DEP16186 ***** TOTAL:						

SIGNATURE		TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

SOLICITATION NUMBER: DEP16186

Addendum Number: 2

---

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

**Applicable Addendum Category:**

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

**Description of Modification to Solicitation:**

1. To provide responses to questions asked on the pre-bid meeting
2. To provide the mandatory pre-bid meeting sign-in sheets
3. To provide a revised Contractor's Bid Sheet
4. To provide Addendum Acknowledgement

**Additional Documentation:** Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

**Terms and Conditions:**

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

# ATTACHMENT A

**Addendum #1 - Questions During Pre-Bid Meeting  
For DEP 16186  
Moatsville (Wright) Portals & Drainage Project**

The following is provided in response to issues and concerns that were brought up at the Pre-Bid Conference.

- 1.) The lower section of the grouted riprap channel, wingwall and first drop inlet on Site 1 will need to be moved toward the fence line of the Neeley property due to a septic system drain field that is located in this area. The quantity for Item 7.4 in the Bid Schedule has been increased as a result of this revision.
- 2.) In the event that the septic system drain field is damaged due to the installation of the above listed drainage structures, the contractor shall repair the damage as directed by the West Virginia Department of Environmental Protection (WVDEP) and shall be compensated at the unit price bid for this work, provided that the damage was unavoidable and not due to negligence on the Contractor's part. This work will be paid as per Item 13.0 of the revised Bid Schedule, but only if necessary.
- 3.) There are two mine seals that involve installation of a water collection system, but there is only one residence that utilizes the water from this system. The Contractor shall be responsible for providing potable water to the residence should the water supply be disrupted during the installation of the mine seals as per Section 9.1 of the Specifications. Usable water shall be provided by the Contractor until water is restored from the original existing source or the completion period of the project expires.
- 4.) The Contractor shall be responsible for providing a Traffic Control Plan approved by the WVDOH for the work associated with the open cut of WV Secondary Route 10 and installation of 24" HDPE Pipe. See Item 12.0 on the Revised Bid Schedule.
- 5.) This project shall be bid in accordance with the attached Revised Bid Schedule.

The Contractor shall have 90 days from the date of the Notice to Proceed to complete construction activities on the project. The \$250 per day liquidated damage clause will be in effect after the 90 days. However, the total performance period will be 365 days from the date of the Notice to Proceed for invoicing purposes.

MOATSVILLE (WRIGHT) PORTALS & DRAINAGE

REQUEST FOR QUOTATION NO. DEP16186

**SIGN IN SHEET**

Page 1 of 3

PLEASE PRINT

Date: 5/6/13

\* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>Cowgirl Up Inc</u> Rep: <u>Spencer C Wooddell</u> Email Address: <u>scw-cowgirlup@earthlink.net</u>	<u>P.O. Box 243</u> <u>Simpson, WVa 26435</u>	PHONE <u>304 739 4397</u> TOLL FREE FAX <u>304 739 4401</u>
Company: <u>JL Pretzel Contracting LLC</u> Rep: <u>Charlene Pretzel</u> Email Address: <u>cpretzel@aol.com</u>	<u>P.O. 240</u> <u>Bruceston Mills WV</u>	PHONE <u>304-379-7789</u> TOLL FREE FAX <u>379-7788</u>
Company: <u>EAGLE CONTRACTORS LLC</u> Rep: <u>BARRIE F. FOSTER</u> Email Address: <u>cdent@gefinc.com</u>	<u>1721 WINFIELD ROAD</u> <u>WINFIELD WV 25213</u>	PHONE <u>304-552-7781</u> TOLL FREE FAX <u>304-755-3150</u>
Company: <u>GREEN MOUNTAIN COMPANY</u> Rep: <u>DAVID H. BOWMAN</u> Email Address: <u><del>505</del> DHB722@hko.com</u>	<u>511 50<sup>TH</sup> ST</u> <u>Charleston WV</u> <u>25304</u>	PHONE <u>304 925 0253</u> TOLL FREE FAX <u>304 925 9230</u>
Company: <u>Solid Rock Excavating, Inc</u> Rep: <u>Ty Martin</u> Email Address: <u>Solid-rock@frontier.net.net</u>	<u>3106 Hudson Road</u> <u>Albright WV 26519</u>	PHONE <u>304-379-9502</u> TOLL FREE FAX <u>304-379-4969</u>

REQUEST FOR QUOTATION NO. DCP16186

**SIGN IN SHEET**

Page 2 of 3

PLEASE PRINT

Date: 5/6/13

\* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>JF Allen Co</u> Rep: <u>JAMES ALLEN</u> Email Address: <u>JAMES.ALLEN@JFALLENCO.COM</u>	<u>PO Box 2049</u> <u>Bethannan WV</u> <u>26201</u>	PHONE <u>304 472 8890</u> TOLL FREE FAX <u>304 472 8897</u>
Company: <u>COVERED CONTRACTING</u> Rep: <u>Robert Murphy</u> Email Address: _____	<u>P.O. Box 164</u> <u>Martinsville W. Va</u> <u>26165</u>	PHONE <u>304-622-8550</u> TOLL FREE FAX <u>304-622-7026</u>
Company: <u>McCourt &amp; Son Const.</u> Rep: <u>Gary Long</u> Email Address: <u>glong@wirefire.com</u>	<u>2790 Centralia Rd</u> <u>Sutton WV 26601</u>	PHONE <u>304-765-5288</u> TOLL FREE FAX <u>304 765-5293</u>
Company: <u>EASTERN ARROW</u> Rep: <u>AND KAROWELL</u> Email Address: <u>easternarrow@hotmail.com</u>	<u>PO Box 4108</u> <u>CHARLESTON WV</u> <u>25304</u>	PHONE <u>304-414-0255</u> TOLL FREE FAX <u>0255</u>
Company: <u>Breakaway Inc.</u> Rep: <u>Doug Vincent</u> Email Address: <u>doug@breakawaywv.com</u>	<u>1675 old Turnpike Rd</u> <u>Sutton WV 26601</u>	PHONE <u>765-5317</u> TOLL FREE FAX <u>765-5389</u>

REQUEST FOR QUOTATION NO. DEP16186

**SIGN IN SHEET**

Page 3 of 3

PLEASE PRINT

Date: 5/6/13

\* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>Kelli Corporation</u> Rep: <u>Tom Sanetrik</u> Email Address: <u>TSanetrik@gmail.com</u>	<u>3075 Pt Marion Rd</u> <u>Morgantown WV</u> <u>26505</u>	PHONE <u>304-292-8102</u> TOLL FREE FAX
Company: <u>Forster Supply</u> Rep: <u>Dion Wamsley</u> Email Address: <u>dwamsley@forstersupply.com</u>	<u>Rt 4 Box 464</u> <u>Mt. Clair WV</u>	PHONE <u>304-203-2351</u> TOLL FREE FAX
Company: <u>Green River Group LLC</u> Rep: <u>Jeremy Sidebottom</u> Email Address: <u>jsidebottom@greenrivergroupllc.com</u>	<u>PO Box 18039</u> <u>Morgantown WV</u> <u>26507</u>	PHONE <u>304 594 3991</u> TOLL FREE FAX <u>304 594 3992</u>
Company: <u>SUNNYSIDE CONSTRUCTION CO. INC</u> Rep: <u>THOMAS MOUSER</u> Email Address: <u>TMOUSER@HREA.COOP</u>	<u>RR 1 Box 256</u> <u>MOATSVILLE WV</u> <del>26405</del> <u>26405</u>	PHONE <u>304-457-2109</u> TOLL FREE FAX <u>304 457-2115</u>
Company: _____ Rep: _____ Email Address: _____	_____ _____ _____	PHONE TOLL FREE FAX



**Moatsville (Wright) Portals & Drainage  
Requisition # DEP16186  
REVISED Contractor's Bid Sheet**

Company Name: \_\_\_\_\_

Address: \_\_\_\_\_

The DEP reserves the right to request additional information and supporting documentation regarding unit prices when the unit price appears to be unreasonable.

ITEM NO.	Qty	Unit	DESCRIPTION	UNIT PRICE	AMOUNT
1.0	1	LS	Mobilization and Demobilization (Limited to 10% of Total Bid)	LS	\$
2.0	1	LS	Construction Layout (Limited to 5% of Total Bid)	LS	\$
3.0	1	LS	Quality Control (Limited to 3% of Total Bid)	LS	\$
4.0	1	LS	Site Preparation (Limited to 10% of Total Bid)	LS	\$
4.1	80	TN	Access Road Stone	\$	\$
4.2	40	TN	Gravel Drive Rehabilitation	\$	\$
5.0	985	LF	Silt Fence Sediment Control	\$	\$
5.1	630	LF	12" Straw Wattles Erosion Control	\$	\$
5.2	50	TN	Stone Construction Entrance (70' x 12' Width)	\$	\$
6.0	1	LS	Revegetation	LS	\$
7.0	3	EA	Type "G" Drop Inlet	\$	\$
7.1	1	EA	Concrete Wingwall	\$	\$
7.2	2	EA	Splash Pads	\$	\$
7.3	120	LF	24" HDPE Culvert Pipe	\$	\$
7.4	200	LF	15" HDPE Culvert Pipe	\$	\$
7.5	480	LF	6' Grouted Riprap Channel (Channels "A", "B" & "C")	\$	\$
7.6	130	LF	4' Grouted Riprap Channel (Channel "D")	\$	\$
7.7	50	LF	8' Grass Lined Swale	\$	\$
9.1	2	EA	Wet/Modified Mine Seals	\$	\$
9.2	2	EA	Concrete Wall Mine Seal	\$	\$
9.3	1	EA	Bat Gate Mine Seal	\$	\$
9.4	170	LF	Mine Seal Conveyance Pipe (12" PVC SDR-35)	\$	\$
9.5	20	EA	Soda Ash Briquettes (50 LB Bags)	\$	\$
11.1	150	LF	4' x 6' Underdrain (12" PVC SDR-35)	\$	\$
11.2	20	LF	Underdrain Conveyance Pipe (12" PVC SDR-35)	\$	\$
12.0	1	LS	Traffic Control Plan	LS	\$
13.0	1	LS	Leach Bed Repair	LS	\$
			<b>TOTAL</b>		\$

**ADDENDUM ACKNOWLEDGEMENT FORM**  
**SOLICITATION NO.: DEP16186**

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

**Addendum Numbers Received:**

(Check the box next to each addendum received)

- |   |  |
|---|--|
| <input type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6  |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7  |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8  |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9  |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor’s representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

\_\_\_\_\_  
Company

\_\_\_\_\_  
Authorized Signature

\_\_\_\_\_  
Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.  
Revised 6/8/2012