



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Solicitation

NUMBER
COR61603

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
TARA LYLE 304-558-2544

RFQ COPY

TYPE NAME/ADDRESS HERE

V
E
N
D
O
R

S
H
I
P
T
O

DENMAR CORRECTIONAL CENTER
 HC-64, BOX 125
 DENMAR ROAD
 HILLSBORO, WV
 24946

DATE PRINTED
05/01/2014

BID OPENING DATE: 05/08/2014

BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
				ADDENDUM NO. 1		
				SEE ATTACHED PAGES.		
				END OF ADDENDUM NO. 1		
0001	1	JB		968-42		
				REMOVE AND INSTALL NEW EMERGENCY POWER SYSTEM		
				***** THIS IS THE END OF RFQ COR61603 ***** TOTAL:		

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

SOLICITATION NUMBER: COR61603

000002

Addendum Number: 1

The purpose of this addendum is to modify the solicitation identified as COR61603 ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

Description of Modification to Solicitation:

1. The bid opening date has moved from 05/07/2014 to 05/08/2014. The bid opening time remains at 1:30 pm.
2. Responses to vendor questions attached.
3. Pre-bid sign-in sheets attached.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

ATTACHMENT AQuestions:

- Q1: Section 1.4.2 Substitution Responsibility list Caterpillar as the only Generator it appears the contractor will have the expense of redesign. Is Cummins Power Generation an acceptable supplier or will there be added cost for redesign?
- A1: Cummins Power Generation is an acceptable supplier. The generator components must meet the specifications that are specified in the RFQ.
- Q2: I have attached a small submittal for approval to be an approved alternative for the power generator equipment. Is MTU Onsite Energy an acceptable supplier?
- A2: MTU Onsite Energy is an acceptable supplier. The generator components must meet the specifications that are specified in the RFQ.
- Q3: Section 2.3.1 states to provide a generator mounted 100% UL rated breaker for 1,600 amps. If the manufacturer did provide a 1,600 amp breaker it would not be UL rated. Do you want a 1,600 amp breaker or UL rated manufacturer provided breaker?
- A3: Provide a 1,600 amp breaker that is UL rated as specified.
- Q4: Section 1.02.B.1 states the new generator will have an 1,800 gallon sub base fuel tank. Section 2.6.2 states the sub base fuel tank will be a 72 hour run time. Which specification applies to the sub base fuel tank?
- A4: The Caterpillar generator uses 1,800 gallon of diesel to operate continuously for 72 hours. The generator will have to be sized to have a fuel tank large enough to operate 72 hours as specified in the pre-bid meeting.

Q5: Section 2.9.1.3 states the enclosure should have a platform for inspection of serviceable components. If the sub base fuel tank is a 72 hour run, the technician will be able to walk around close to the unit and complete the inspection or service. If we use a 72 hour run time sub base fuel tank do we have to provide a service platform?

A5: Yes.

Clarifications:

C1: Pre-bid sign-in sheets attached. See Exhibit #1.

C2: All grounding rods driven into the ground must be connected with a 4/0 bar copper wire to create a grounding grid.

C3: Add one (1) grounding rod for the automatic transfer switch.

C4: Add four (4) grounding rods at the inside corners of the fence. The fence must be connected to the grounding grid.

C5: See attached new drawing, E3-7, that shows the new ground grid for the new emergency power system. See Exhibit #2.

Other Information:

1. The bid opening has moved from 05/07/2014 to 05/08/2014. The bid opening time remains at 1:30 pm.

10R61603

SIGN IN SHEET

Page 1 of 3

Request for Proposal No.

PLEASE PRINT

Date: 4/24/2011

* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

TELEPHONE & FAX NUMBERS

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>Danhill Const. Co.</u>	<u>P O Box 685</u>	PHONE <u>304-632-1600</u>
Rep: <u>Dan Hill</u>	<u>Gaulay Bridge, WV</u>	TOLL
Email Address: <u>Rdanhill@hotmail.com</u>	<u>25085</u>	FREE <u>304-63</u>
		FAX <u>304-632-1501</u>
Company: <u>CUMMINS CROSSPOINT</u>		PHONE <u>304-389-3766</u>
Rep: <u>DAVID ROLLINS</u>		TOLL
Email Address: <u>david.m.rollins@cummings.com</u>		FREE <u>304-769-1012</u>
		FAX <u>304-769-1022</u>
Company: <u>Power On Incorporated</u>	<u>37 Whisperwood Lane</u>	PHONE <u>304-345-1316</u>
Rep: <u>Andrew Cunningham</u>	<u>Charleston, WV 25320</u>	TOLL
Email Address: <u>andrewcunningham@frontier.com</u>		FREE
		FAX <u>304-988-3220</u>
Company: <u>The Summit Electric Group</u>	<u>Bx 254</u>	PHONE <u>304-562-7091</u>
Rep: <u>Richard Milam</u>	<u>Hurricane WV 25926</u>	TOLL
Email Address: <u>rm@tseginc.com</u>		FREE
		FAX <u>304-562-7137</u>
Company: <u>Bluestone Electric</u>	<u>Box 575</u>	PHONE <u>304-252-9162</u>
Rep: <u>Brian Turner</u>	<u>Beaver, WV</u>	TOLL
Email Address: <u>bluestoneelectric@suddenlink.net</u>	<u>25813</u>	FREE
		FAX <u>252-6240</u>

EXHIBIT #1 000005

CR61603

SIGN IN SHEET

Page 2 of 3
Date: 4/24/2014

Request for Proposal No.

PLEASE PRINT

* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>City Electric</u> Rep: <u>Chad Noel</u> Email Address: <u>Estimator@cityelectricwv.com</u>	<u>1219 Pennsylvania AVE Charleston 25302</u>	PHONE <u>304 345 6150</u> TOLL FREE FAX <u>304 345 6151</u>
Company: <u>Walker Engine Power</u> Rep: <u>Jody Paulcy</u> Email Address: <u>jpaulcy@walker-cat.com</u>	<u>112 Carbide Dr Belle wv 25015</u>	PHONE <u>304-949-1600</u> TOLL FREE FAX <u>304-949-7380</u>
Company: <u>Cornerstone Electric LLC</u> Rep: <u>MAH McDaniel</u> Email Address: <u>mmdaniel@thestonellc.com</u>	<u>1996 Lens Creek Rd Hernshaw, WV 25107</u> <u>David Peters@thestonellc.com</u>	PHONE <u>304 949 9550</u> TOLL FREE FREE cell <u>304 541 0836</u> FAX <u>304 949 9552</u>
Company: <u>MARK WILLIAMSON, DAVE COX</u> Rep: <u>DCC</u> Email Address: _____	<u>SYLVIA MANEY</u>	PHONE _____ TOLL FREE FAX _____
Company: _____ Rep: _____ Email Address: _____	_____	PHONE _____ TOLL FREE FAX _____

000006
EXHIBIT #1

COR61603

SIGN IN SHEET

Page 3 of 3

Request for Proposal No.


PLEASE PRINT

Date: 4/24/204

* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>Apowell</u> Rep: <u>Jesse Riggle</u> Email Address: _____	<u>1341 Main st Weirton</u> <u>WV</u>	PHONE <u>304-748-3338</u> TOLL FREE FAX
Company: <u>Nitro Electric Co</u> Rep: <u>Scott Walker</u> Email Address: <u>swalker@nitro-electric.com</u>	<u>± 64 x Rt 25</u> <u>nitro WV 25143</u>	PHONE <u>304-204-1500</u> TOLL FREE FAX
Company: <u>LCA Electric</u> Rep: <u>Josh Milam</u> Email Address: <u>AFMYRES@Frontier.COM</u>		PHONE <u>(304) 722-1000</u> TOLL FREE FAX <u>(304) 722-1005</u>
Company: <u>Lynch Const. Co, Inc</u> Rep: <u>John Lynch</u> Email Address: <u>john@lynchconstruction.net</u>	<u>14c to Box 187, W.S.S., WV 24984</u>	PHONE <u>304-534-1890</u> TOLL FREE FAX ³⁰⁴ <u>534-9154</u>
Company: _____ Rep: _____ Email Address: _____		PHONE TOLL FREE FAX

000007
EXHIBIT #1



CONNECT 4/0 GROUND CONDUCTOR TO NEW FENCE (TYPICAL)

NEW GROUND GRID
SCALE: 3/16" = 1'

SEE DRAWING E1-2 FOR KEY NOTES.

General Notes		
No.	Revision/Issue	Date
Firm Name and Address West Virginia Division of Corrections 1409 Creechbrier Street Charleston, WV 25311		
Project Name and Address Emergency Power System Project Denmar Correctional Complex 4319 Denmar Road Hillsboro, WV 24946-8509		
Project	COR61603	Sheet
Date	March 17, 2014	E3-7
Scale	3/16" = 1'	

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: COR61603

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|---|--|
| <input type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Company

Authorized Signature

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.