



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Solicitation

NUMBER
DEP16390

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
FRANK WHITTAKER
304-558-2316

RFQ COPY

TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

ENVIRONMENTAL PROTECTION
 DEPARTMENT OF
 OFFICE OF AML&R
 601 57TH STREET SE
 CHARLESTON, WV
 25304 304-926-0499

DATE PRINTED
11/12/2013

BID OPENING DATE: 11/19/2013

BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 1						
THIS ADDENDUM IS ISSUED TO:						
1) PROVIDE THE ATTACHED TECHNICAL QUESTIONS & ANSWERS.						
2) PROVIDE THE ATTACHED REVISIONS TO THE SPECIFICATIONS						
3) PROVIDE THE ATTACHED REVISED PRICING PAGE.						
4) PROVIDE THE ATTACHED MANDATORY PRE-BID SIGN IN SHEET						
5) PROVIDE THE ATTACHED ADDENDUM ACKNOWLEDGEMENT FORM						
***** END ADDENDUM NO. 1 *****						

SIGNATURE		TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

SOLICITATION NUMBER: DEP16390

Addendum Number: 01

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

Description of Modification to Solicitation:

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

ATTACHMENT A

**Addendum #1 - Questions During Pre-Bid Meeting
COLLIERS SPORTSMAN CLUB HW
DEP16390**

The following comments and questions were identified from the Pre-Bid Conference. The answers provided herein take precedence over verbal answers at the PBC should there be any conflict between the two.

Questions:

- Q. Where there are conflicts regarding the method of operation for seed bed preparation, which specification controls?
- A. Perform seed bed preparation in accordance with the specifications provided in the last paragraph on page 54 under 8.5.2 Material Placement.
- Q. Will the timber specifications as per section 4.3.1 be in effect for this project considering the extensive amount of timber involved?
- A. Yes.
- Q. How is the installation of sediment traps 1, 2 and 3 paid?
- A. Sediment traps 1 and 2 are shown on sheet 62 and sediment trap 3 is shown on sheet 9 of the plan drawings. Pay items are provided on the attached revised bid schedule.
- Q. When can these be removed?
- A. The sediment traps are to stay in place until adequate vegetation, as determined by the WVDEP, has been established. After they are removed, positive drainage shall be re-established in the reclaimed area that was occupied by the sediment traps.
- Q. Do the sediment traps have to remain in place until release of the NPDES storm water permit?
- A. No. See above.
- Q. Does the steel that is utilized to fabricate the bat gates have to be hot-dip galvanized?
- A. No.

Addendum #1 – Colliers Sportsman Club HW
DEP16390
Page Two

COMMENTS:

In addition, the following requirements shall apply to this project.

- 1) No construction activities shall be allowed to take place during the two weeks of rifle deer hunting season.

- 2) At the PBC for this project, it was discovered that the refuse embankment that toes out into the Sportsman Club Lake was burning. Extinguishing this burning refuse will now be included in the work to be performed. The burning refuse shall be excavated from the embankment, transported to a suitable lay down area, and spread in layers approximately 1 foot thick and sprayed with water and/or mixed with non-combustible material until cool to the touch. Once the excavated refuse has been extinguished, it shall be incorporated into the backfill of the re-grading area. Over excavation beyond the lines and grades shown on the plan drawings conducted to remove and extinguish burning refuse shall be paid under “Unclassified Excavation”.

Since the extent of the burning refuse is unknown and cannot be predicted, the final grade of the re-graded embankment will be determined during construction. Material may be required to be deposited back on the embankment in areas where burning refuse was excavated in order to provide cover over exposed refuse as directed by the WVDEP. Upon award of the construction contract, work should be initiated on extinguishing the burning refuse in order to prevent the burning from spreading. The attached specifications shall apply to the work associated with the burning refuse extinguishing.

The project shall be bid in accordance with the attached revised Contractor’s Bid Sheet.

The Contractor shall have 270 days from the date of the Notice to Proceed to complete construction activities on the project. The \$250.00 per day liquidated damages clause will be in effect after the 270 days. However, the total performance period will be 365 days from the date of the Notice to Proceed for invoicing purposes.

Addendum #1 – Attachment
COLLIERS SPORTSMAN CLUB HW
DEP16390

5.2.6 The Contractor's attention is directed to areas of "burning" or "hot" refuse. It is possible this material could ignite and burn when it is exposed to the air. The Contractor shall take necessary precautions in this area as stated in Section 5.4.3.

5.3 **Types of Earthwork:**

5.3.1 **Material Removal:** Material removal (excavation) shall consist of the required removal of material from the areas shown and the sloping and finishing of the areas to the required lines, grades and cross-sections. Payment shall be based on cubic yards of excavation.

5.3.2 **Material Placement:** Material placement shall consist of performing all operations in connection with the placing of all materials in fill areas (to include preparation of surface, spreading and compaction) to the lines and grades shown on the Drawings. No burning refuse (defined as greater than 140° F) shall be placed in fill areas.

5.4 **Conduct of Work:**

5.4.1 **Material Removal:** The reclamation approach described in these Contract Documents is intended to provide a lasting, stable configuration. Although the project incorporates previous proven slope stabilization techniques, the contractor is required to exercise care to avoid intermediate site conditions which may result in unstable situations during the construction process.

The contractor must utilize material removal techniques which are generally considered to be conducive to retaining slope stability, including but not limited to working the slopes from the top to the bottom to preclude undermining and maintaining the work areas in a fashion which will not be inductive to instability. Additionally, slopes—once disturbed—shall be brought to the design template as soon as practicable and shall be protected in accordance with Section 10 of the Technical Specifications, if applicable. The condition set forth in this sub-section shall firmly apply until the WVDEP has accepted the area where material has been removed as being satisfactorily complete. The WVDEP may not accept any area as to being satisfactorily complete if an adjacent work area remains in a condition which may cause damage to the subject area.

5.4.2 **Material Placement:** All areas where material is to be placed shall be constructed to the lines, grades and cross-sections indicated on the drawings, unless otherwise directed by the WVDEP.

Addendum #1 – Attachment
Colliers Sportsman Club HW
Page 2

The contractor shall maintain and protect areas where material is to be placed in a satisfactory condition at all times until final completion and acceptance of all work under the contract. If in the opinion of the WVDEP the hauling equipment causes horizontal shears or slickensides, rutting, quaking, heaving, cracking or excessive deformation where material is placed, the contractor shall limit the type, load or travel speed of the hauling equipment on the areas where material is placed. During material placement the contractor shall remove from the areas of fill any material which the WVDEP considers objectionable and shall also dispose of such material and refill the areas as directed, all at no additional cost to the WVDEP.

5.4.3 Burning Refuse (greater than 140° F):

5.4.3.1 General: Large quantities of burning refuse materials are anticipated to be encountered during the refuse re-grading operations. Any burning refuse material encountered, the contractor shall submit a quenching plan to WVDEP for approval and provide equipment for use in the quenching of burning refuse with water, as directed by the WVDEP. All refuse shall be quenched to a temperature less than 140° F or as directed by the Engineer.

An existing pond located on the subject property may be used as a water source for quenching operations only after the contractor first obtains necessary permission from the landowner.

5.4.3.2 The contractor's attention is directed to areas of "burning" or "hot" refuse. It is possible this material could ignite and burn when it is exposed to the air. The contract shall take necessary precautions in this area as stated in Section 5.4.3.

5.4.3.3 Burning Fill Materials: No burning refuse shall be placed in new fill areas. If the refuse is determined to be burning, the refuse shall be quenched with water to extinguish the burning zones. The quenching shall be performed in a manner as to prevent sediment from reaching the creek. Temporary sediment control will be installed at the toe of the refuse at the direction of the WVDEP during any necessary quenching procedures. There shall be no separate payment for this quenching of the burning refuse. Excavation of burning refuse below template grades for purposes of quenching shall be approved by the engineer, and if approved, shall be paid at the rate bid for unclassified excavation, per cubic yard.

Colliers Sportsman Club Highwall Project

Revised Contractor's Bid Sheet

Company Name: _____

Address: _____

The DEP reserves the right to request additional information and supporting documentation regarding unit prices when the unit price appears to be unreasonable.

ITEM NO.	QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
1.0	1 L.S.	MOBILIZATION AND DEMOBILIZATION (NOT TO EXCEED 10% OF TOTAL AMOUNT BID)		\$
2.0	1 L.S.	CONSTRUCTION LAYOUT STAKES (NOT TO EXCEED 5% OF TOTAL AMOUNT BID)		\$
3.0	1 L.S.	QUALITY CONTROL (NOT TO EXCEED 3% OF TOTAL AMOUNT BID)		\$
4.1	1 L.S.	SITE PREPARATION (NOT TO EXCEED 10% OF TOTAL AMOUNT BID)		\$
4.2	400 TON	ACCESS ROAD REHABILITATION		\$
5.1	1,810 L.F.	SILT FENCE		\$
5.2	80 L.F.	SUPER SILT FENCE		\$
5.3	2 EA.	STONE CONSTRUCTION ENTRANCE		\$
5.4	35,550 L.F.	WATTLES		\$
5.5	750 L.F.	SEDIMENT TUBES		\$
6.0	35 Acre	REVEGETATION		\$
7.0	156 L.F.	GROUTED RIP RAP ($D_{50} = 12"$) LINED COLLECTION CHANNEL		\$
7.1	820 S.Y.	EROSION CONTROL BLANKET S75		\$
7.2	1,320 S.Y.	TURF REINFORCEMENT MAT P300		\$
7.3	2,390 S.Y.	TURF REINFORCEMENT MAT P500		\$
7.4	133 L.F.	18-INCH SLCPP CULVERT		\$
7.5	35 L.F.	24-INCH SLCPP CULVERT		\$
7.6	58 L.F.	36-INCH SLCPP CULVERT		\$
8.0	365,000	UNCLASSIFIED EXCAVATION		\$
9.1	1 EA.	BAT GATE MINE SEAL		\$
9.2	770 L.F.	12-INCH SDR35 PVC MINE WATER CONVEYANCE PIPE		\$
9.3	100 fifty lb bags	SODA ASH BRIQUETTES		\$
11.1	240 L.F.	UNDERDRAIN		\$
11.2	50 L.F.	SEEP COLLECTOR		\$
12.0	2 EA.	4 FOOT DIAMETER MANHOLE		\$
13.1	1 L.S.	SEDIMENT TRAP 1		\$
13.2	1 L.S.	SEDIMENT TRAP 2		\$
13.3	1 L.S.	SEDIMENT TRAP 3		\$
				\$
				\$
				\$
		TOTAL		\$

COLLIERS SPORTSMAN CLUB HIGHWALL

REQUEST FOR QUOTATION NO. DEP16390

SIGN IN SHEET

Page 1 of 2

PLEASE PRINT

Date: 10/23/13

*** PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD**

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>GREEN MOUNTAIN COMPANY</u>	<u>511 50th STREET</u>	PHONE <u>304-925-0257</u>
Rep: <u>DAVID H. BOWMAN</u>	<u>Charleston WV</u>	TOLL FREE
Email Address: <u>DHB 722 @ Yahoo. com</u>	<u>25304</u>	FAX <u>304-925-9230</u>
Company: <u>EASTERN ARROW</u>	<u>Charleston Box 105</u>	PHONE <u>304 414 0255</u>
Rep: <u>John R Wardwell</u>		TOLL FREE
Email Address: _____		FAX _____
Company: <u>Pineville Paving & Excavating Inc.</u>	<u>P.O. Box 1290</u>	PHONE <u>304-732-8303</u>
Rep: <u>Kevin D Bradford</u>	<u>Pineville WV 24874</u>	TOLL FREE
Email Address: <u>Kevin. Bradford @ AOL.COM</u>		FAX <u>304-732-7855</u>
Company: <u>COWGIRL LP INC</u>	<u>PO Box 243</u>	PHONE <u>304-739-4397</u>
Rep: <u>DENNIS C ELBON</u>	<u>SIMPSON WV 26435</u>	TOLL FREE
Email Address: <u>DCE-COWGIRL@EARTHINK.NET</u>		FAX <u>304-626-1051</u> <u>304-739-4401</u>
Company: <u>Breakaway, Inc</u>	<u>1075 Old Turnpike Rd.</u>	PHONE <u>304 765-5317</u>
Rep: <u>Don Vincent</u>	<u>Sutton W.V.</u>	TOLL FREE
Email Address: <u>don@breakaway.wv.com</u>		FAX <u>304 765-5389</u>

REQUEST FOR QUOTATION NO. DEP16390

SIGN IN SHEET

Page 2 of 2

PLEASE PRINT

Date: 10/23/13

* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>J F ALLEN CO</u>	<u>PO Box 2049</u>	PHONE <u>304 472 8890</u>
Rep: <u>JAMIES ALLEN</u>	<u>Bookhann co WV</u>	TOLL FREE
Email Address: <u>JAMIES.ALLEN@JFALLEN.CO.WV</u>	<u>26201</u>	FAX <u>304 472 8897</u>
Company: <u>A.L.L. Construction Inc.</u>	<u>PO Box 232</u>	PHONE <u>304 693 7131</u>
Rep: <u>Jason Kitzmiller</u>	<u>MT. STORM WV</u>	TOLL FREE
Email Address: <u>KitzmillerJason@msn.com</u>	<u>26739</u>	FAX <u>304 693 7199</u>
Company: _____	_____	PHONE
Rep: _____	_____	TOLL FREE
Email Address: _____	_____	FAX
Company: _____	_____	PHONE
Rep: _____	_____	TOLL FREE
Email Address: _____	_____	FAX
Company: _____	_____	PHONE
Rep: _____	_____	TOLL FREE
Email Address: _____	_____	FAX

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: DEP16390

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|---|--|
| <input type="checkbox"/> Addendum No. 1

<input type="checkbox"/> Addendum No. 2

<input type="checkbox"/> Addendum No. 3

<input type="checkbox"/> Addendum No. 4

<input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 6

<input type="checkbox"/> Addendum No. 7

<input type="checkbox"/> Addendum No. 8

<input type="checkbox"/> Addendum No. 9

<input type="checkbox"/> Addendum No. 10 |
|---|--|

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Company

Authorized Signature

Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.
 Revised 6/8/2012