



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Solicitation

NUMBER
DEP16559

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
BETH COLLINS 304-558-2157

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

ENVIRONMENTAL PROTECTION
 DEPARTMENT OF
 OFFICE OF AML&R
 601 57TH STREET SE
 CHARLESTON, WV
 25304 304-926-0499

DATE PRINTED
06/03/2014

BID OPENING DATE: 06/18/2014

BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
				ADDENDUM NO.01		
				THIS ADDENDUM IS ISSUED TO MODIFY THE ORIGINAL SOLICITATION PER THE ATTACHED DOCUMENTATION.		
0001	1	JB		962-73		
				RECLAMATION: RESTORATION OF LAND & OTHER PROPERTIES		
				***** THIS IS THE END OF RFQ DEP16559 ***** TOTAL:		

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

SOLICITATION NUMBER: DEP16559

Addendum Number: 01

The purpose of this addendum is to modify the solicitation identified as (“Solicitation”) to reflect the change(s) identified and described below.

Applicable Addendum Category:

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

Description of Modification to Solicitation:

This addendum is issued to provide answers to vendor submitted questions.

This addendum is issued to provide a copy of the mandatory pre-bid sign in sheet.

This addendum is also issued to provide a revised copy of the contractor's bid sheet (pricing page).

The bid opening date will remain the same June 18, 2014 at 1:30 PM, EST.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

ATTACHMENT A

**Addendum #1 - Questions During Pre-Bid Meeting
WAITMAN-BARBE HIGHWALL #1
DEP16559**

The following comments and questions were identified from the Pre-Bid Conference. The answers provided herein take precedence over verbal answers at the PBC should there be any conflict between the two.

Comments:

The WVDEP-AML has obtained the Construction Storm Water General Permit from WVDEP DWWM for this project. Upon award of the construction contract to the successful bidder, the Contractor shall complete and submit an application titled Co-Applicant #1 Signature Page to WVDEP-AML to modify the existing NPDES registration for this project to make the Contractor the Co-Applicant #1 to the permit prior to scheduling a Pre-Construction Conference.

Upon receipt of the completed form, WVDEP-AML will request WVDEP DWWM to transfer the registration for this project such that the Contractor is Co-Applicant #1 with WVDEP-AML being Co-Applicant #2. As such, the Contractor shall assume responsibility for compliance with the terms and conditions of the permit including modifications and any future correspondence such as registration renewal invoices, inspection reports, and notices of violation shall be forwarded to the Contractor.

The WVDEP DWWM will notify the Contractor and WVDEP-AML when the successful transfer of registration is completed. A Notice to Proceed will not be issued until the successful transfer of registration has been completed. Once the transfer has been completed, the WVDEP will continue to be responsible for any modification fees and annual renewal fees incurred up until the date of the final inspection of the project that occurs after completion of construction activities at the site. The Contractor shall be responsible for any and all costs associated with violations and fines assessed against the project that are a result of the Contractor's negligence, carelessness, or failure to install permanent controls as part of the work as scheduled.

The Contractor shall apply for a Notice of Termination (NOT) from WVDEP DWWM via the Construction Storm Water website <http://www.dep.wv.gov/Programs/stormwater/csw/Documents/Construction> upon completion of construction activities at the site. The NOT shall be issued by WVDEP DWWM upon completion of the project. The Contractor will continue to be bound by the terms and conditions of the permit until the NOT has been approved by WVDEP DWWM. Once the project is complete, the Contractor will still bear responsibility for the NPDES registration until a NOT is received from the WVDEP DWWM.

Addendum #1
Waitman-Barbe Highwall #1 Project
DEP16559

In addition, the following answers are provided from questions asked during the Pre-Bid Conference. The directives provided herein take precedence over verbal directives at the Pre-Bid Conference should there be any conflict between the two.

- 1) Construction of the access road shall begin at the intersection of the private access road with CR 45/11, Lower Booth Road as shown on the insert on Sheet 6 of the Plans. As such, access road construction shall take place prior to and past the location of the stone construction entrance.
- 2) The method of measurement and payment for fabrication and installation of the bat gate shall be included in the per each price bid for "Bat Gate Mine Seal" instead of the linear foot price bid for "36-Inch HDPE Bat Gate Pipe".
- 3) The turf reinforcement lining that is planned to be installed in the toe ditches/channels that are not ripped shall be revised to be North American Green P300 TRM or approved equal in lieu of P500. See attached specification sheet.
- 4) A separate pay item has been provided on the Bid Schedule for "Clearing and Grubbing". As such, payment for Clearing and Grubbing shall not be included in the "Site Preparation" Bid Item as indicated in the Specification 4.5.1, but shall be paid separately.
- 5) Dewatering addressed in Specification 9.1 may be accomplished by gravity discharge with the approval of the WVDEP.
- 6) The requirement for compaction of backfill around and above the mine seal outlet pipe addressed in Specification 9.3.14 shall be in accordance with the requirements for Material Placement in Specification 8.5.2.
- 7) The pipe ring on the 36" HDPE Pipe for installation of the bat gate may be made to be circular to match the pipe shape upon approval of the WVDEP Representative.

This project shall be bid in accordance with the attached Revised Bid Schedule.

The Contractor shall have 210 days from the date of the Notice to Proceed to complete construction activities on the project. The \$250.00 per day liquidated damages clause will be in effect after the 210 days. However, the total performance period will be 365 days from the date of the Notice to Proceed for invoicing purposes.

The permanent erosion control blanket shall be a machine-produced mat of 100% UV stable polypropylene fiber. The matting shall be of consistent thickness with the synthetic fibers evenly distributed over the entire area of the mat. The matting shall be covered on the top side with black heavyweight UV-stabilized polypropylene netting having ultraviolet additives to delay breakdown and an approximate 0.50 x 0.50 inch (1.27 x 1.27 cm) mesh. The bottom net shall also be UV-stabilized polypropylene with a 0.63 x 0.63 inch (1.57 x 1.57 cm) mesh size. The blanket shall be sewn together on 1.5 inch (3.81 cm) centers with non-degradable thread. All mats shall be manufactured with a colored thread stitched along both outer edges as an overlap guide for adjacent mats. The blanket shall meet Type 5A, 5B, specification requirements established by the Erosion Control Technology Council (ECTC) and Federal Highway Administration's (FHWA) FP-03 Section 713.18, such as P300 Erosion Control Mat manufactured by Tensar North American Green, 2500 Northwinds Parkway, Suite 500, Alpharetta, GA., 30009 (800-TENSAR-1) or approved equal. The erosion control blanket shall also meet the following specifications:

Material Content

Matrix	100% UV stable Polypropylene Fiber	0.7 lbs/sq yd (0.38 kg/sm)
Netting	Top: UV-stabilized Polypropylene Bottom: UV-stabilized Polypropylene	5 lbs/1000 sq ft (24.4 g/sm) 3 lbs/1000 sq ft (14.7 g/sm)
Thread	Polypropylene, UV stable	

Index Property	Test Method	Typical
Thickness	ASTM D6525	0.47 in. (11.94 mm)
Resiliency	ASTM D6524	91.5%
Density	ASTM D792	0.916 g/cm ³
Mass/Unit Area	ASTM 6566	13.03 oz/sy (443 g/m ²)
UV Stability	ASTM D4355/1000 hr	90%
Porosity	ECTC Guidelines	95.89%
Stiffness	ASTM D1388	0.94 in- lb(1085378 mg- cm)
Light Penetration	ASTM D6567	17.9%
Tensile Strength - MD	ASTM D6818	438 lbs/ft (6.49 kN/m)
Elongation - MD	ASTM D6818	28.1%
Tensile Strength - TD	ASTM D6818	291.9 lbs/ft (4.32 kN/m)
Elongation - TD	ASTM D6818	26.7%
Biomass Improvement	ASTM D7322	497%

NAITMAN-BARBE HW #1

SIGN IN SHEET

Page ___ of ___

REQUEST FOR QUOTATION NO. DEP16559

PLEASE PRINT

Date: 5/20/14

* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>M^cCoert & Sea Coast.</u> Rep: <u>GARY Long</u> Email Address: <u>glong@wirefire.com</u>	<u>2790 Centralia Rd</u> <u>Setton WV 26601</u>	PHONE <u>304 765-5288</u> TOLL FREE FAX <u>304 765-5293</u>
Company: <u>EASTERN ARROW CORP</u> Rep: <u>Ann WAZOWILL</u> Email Address: <u>easternarrow@hotmail.com</u>	<u>PO Box 4108</u> <u>CHARLESTON WV</u> <u>25366</u>	PHONE <u>304-411-0255</u> TOLL FREE FAX <u>8256</u>
Company: <u>JF ALLEN CO</u> Rep: <u>JAMES ALLEN</u> Email Address: <u>JAMES.ALLEN@JFALLEN.CO.COM</u>	<u>PO Box 2049</u> <u>Buckhannon WV</u> <u>26201</u>	PHONE <u>304 472 8890</u> TOLL FREE FAX <u>304 472 8897</u>
Company: <u>GREEN MOUNTAIN COMPANY</u> Rep: <u>David H. Bowman</u> Email Address: <u>DHB 722@PgWoo.com</u>	<u>511 50th St</u> <u>Charleston WV</u> <u>25304</u>	PHONE <u>304-925-0257</u> TOLL FREE FAX <u>304 925-9230</u>
Company: <u>ALL-CON, LLC</u> Rep: <u>DAVID DIRIE</u> Email Address: <u>DIRIE@ALL-CON.COM</u>	<u>124 PHILPOTT LANE</u> <u>BEAVER WV 25813</u>	PHONE <u>304 731 0190</u> TOLL FREE FAX <u>304 255 4232</u>

800008

REQUEST FOR QUOTATION NO. DSP16559

SIGN IN SHEET

Page of

PLEASE PRINT

Date: 5/20/14

* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>Pineville Paving & Excavating Inc</u> Rep: <u>Tom Seltzer</u> Email Address: <u>Tomypipi@aol.com</u>	<u>P.O. Box 1290</u> <u>Pineville WV 24874</u>	PHONE <u>304-732-8303</u> TOLL FREE FAX <u>304-732-7855</u>
Company: <u>Big East, LLC</u> Rep: <u>Spencer C Wooddell</u> Email Address: <u>BigeastLLC@gmail.com</u>	<u>114 Corbin Branch Rd.</u> <u>Bridgeport, WV</u> <u>26330</u>	PHONE <u>304-8423744</u> TOLL FREE FAX <u>304-8423744</u>
Company: <u>Brea Kaway</u> Rep: <u>Don Vincent</u> Email Address: <u>douge.breakawaywv.com</u>	<u>1539 Old Turnpike Rd.</u> <u>Sutton WV 26601</u>	PHONE <u>304-765-5317</u> TOLL FREE FAX <u>304-765-5389</u>
Company: <u>Joe Lavante & Co. Ironing Co. & Handyman Svcs</u> Rep: <u>Joe Lavante</u> Email Address: <u>JoeLavante@whispercon.com</u>	<u>8 Hunters Grove Rd</u> <u>Hammond WV 26055</u>	PHONE <u>(304)-290-4600</u> TOLL FREE FAX
Company: <u>BARNES EXC. INC</u> Rep: <u>Robert Barnes</u> Email Address: <u>BARNES EXC @ AOL.com</u>	<u>P.O. BOX 13384</u> <u>Sissonville</u> <u>WV 25360</u>	PHONE <u>304-984-1725</u> TOLL FREE FAX <u>304-984-0074</u>

600000

REQUEST FOR QUOTATION NO. DEPI0559

SIGN IN SHEET

Page of

PLEASE PRINT

Date: 5/20/14

* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>Safeco Environmental</u> Rep: <u>Anthony Jordan</u> Email Address: <u>Safeco environmental 1990 @ yahoo.com</u>	<u>3982 South Highway 88</u> <u>Dilliner, PA 15327</u>	PHONE <u>724-725-1122</u> TOLL FREE FAX <u>724-725-1133</u>
Company: <u>Vacellio + Morgan</u> Rep: <u>James B Bryant</u> Email Address: <u>terex 8250 @ frontier.com</u>		PHONE <u>304-252-6575</u> TOLL FREE FAX
Company: <u>Anderson Excavating</u> Rep: <u>JACOB MAPEL</u> Email Address: <u>jmapel @ andersonexcavating.com</u>	<u>343 Williams Rd</u> <u>Morgantown, WV 26501</u>	PHONE <u>304-983-2296</u> TOLL FREE FAX <u>304-983-4755</u>
Company: <u>Zone Environmental</u> Rep: <u>Jon Filer</u> Email Address: <u>JFiler @ zoneenvironmental.com</u>	<u>PO Box 182</u> <u>(Carmichael) PA</u>	PHONE <u>724-877-1554</u> TOLL FREE FAX
Company: <u>SWANK CONSTRUCTION</u> Rep: <u>MIKE NATALOWICZ</u> Email Address: <u>MIKEIT @ SWANKCO.COM</u>		PHONE <u>724/816/7656</u> TOLL FREE FAX

000010

REQUEST FOR QUOTATION NO. DEP16559

SIGN IN SHEET

Page of

PLEASE PRINT

Date: 5/20/14

* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>RBS INC</u>	<u>PO BOX 198</u>	PHONE <u>304-497-3800</u>
Rep: <u>JK ROSE</u>	<u>MAYWELTON, WV</u>	TOLL FREE
Email Address: <u>LNIC@CONCRETE@FRONTIER.NET.NET</u>	<u>24957</u>	FAX <u>304-497-3802</u>
Company: <u>Michael Baker Jr Inc</u>	<u>4301 Dutch Ridge Rd.</u>	PHONE <u>724-495-4223</u>
Rep: <u>Bill Weider</u>	<u>Beaver, PA 15009</u>	TOLL FREE
Email Address: <u>wneider@mbakerintl.com</u>		FAX
Company: <u>CHARLES E BOLYARD & SON INC</u>	<u>125 EAST HIGH ST.</u>	PHONE <u>304-329-1330</u>
Rep: <u>BILL BOLYARD</u>	<u>KENWOOD WV 26537</u>	TOLL FREE
Email Address: <u>cebsinc@frontier.com</u>		FAX <u>329-1571</u>
Company: <u>GREEN RIVER GROUP LLC</u>	<u>PO Box 18039</u>	PHONE <u>304 594 3991</u>
Rep: <u>MARTIN TURNER</u>	<u>MORGANTOWN WV 26537</u>	TOLL FREE
Email Address: <u>MTURNER@GREENRIVERGROUPLLC</u>		FAX <u>304 594 3992</u>
Company: <u>LAURITA INC</u>	<u>302 DENTS Run Rd</u>	PHONE <u>304-296-7531</u>
Rep: <u>JEFF FREEMAN</u>	<u>MORGANTOWN W.V. 26501</u>	TOLL FREE
Email Address: <u>FREEMAN@LAURITA.COM</u>		FAX <u>304 292 4606</u>

000011

REQUEST FOR QUOTATION NO. DEP16559

SIGN IN SHEET

Page of

PLEASE PRINT

Date: 5/20/14

* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>Carpenter Reclamation</u> Rep: <u>Randy Carpenter</u> Email Address: <u>Rcarpen103@aol.com</u>	<u>PO Box 13015</u> <u>Sissonville, WV 25860</u>	PHONE <u>304 984 1115</u> TOLL FREE FAX <u>984-2770</u>
Company: <u>Foster Supply Inc</u> Rep: <u>Dion C. Wamsley</u> Email Address: <u>dwamsley@fostersupply.com</u>	<u>RT 4 Box 444</u> <u>mt. clair WV</u>	PHONE <u>(304) 203-2354</u> TOLL FREE FAX
Company: <u>JL Pretzel Contracting</u> Rep: <u>Charlene Pretzel</u> Email Address: <u>jlp@jlpretzel.com</u>	<u>PO 240</u> <u>Bruceston Mills WV</u> <u>24525</u> <u>jlp@jlpretzel.com</u>	PHONE <u>304-379-7789</u> TOLL FREE FAX <u>304-379-7788</u>
Company: _____ Rep: _____ Email Address: _____	_____ _____ _____	PHONE TOLL FREE FAX
Company: _____ Rep: _____ Email Address: _____	_____ _____ _____	PHONE TOLL FREE FAX

000012

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: DEP16559

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|---|--|
| <input type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Company

Authorized Signature

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.
 Revised 6/8/2012