

VENDOR

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Solicitation

NUMBER DEP16564 PAGE 1

ADDRESS CORRESPONDENCE TO ATTENTION OF:

304-926-0499

FRANK WHITTAKER 304-558-2316

25304

ENVIRONMENTAL PROTECTION DEPARTMENT OF OFFICE OF AML&R 601 57TH STREET SE CHARLESTON, WV

DATE PRINTED 06/09/2014

RFQ COPY

TYPE NAME/ADDRESS HERE

BID OPENING DATE: 06/17/2014 BID OPENING TIME 1:30PM CAT. LINE QUANTITY UOP ITEM NUMBER UNIT PRICE **AMOUNT** ADDENDUM NO. 3 SEE ATTACHED PAGES. END OF ADDENDUM NO. 3 0001 962-73 JB 1 RECLAMATION: RESTORATION OF LAND & OTHER PROPERTIES IS THE END OF REQ THIS DEP16564 ***** TOTAL: SIGNATURE TELEPHONE DATE TITLE ADDRESS CHANGES TO BE NOTED ABOVE

SOLICITATION NUMBER: DEP16564 Addendum Number: 3

The purpose of this addendum is to modify the solicitation identified as DEP16564 ("Solicitation") to reflect the change(s) identified and described below.

TI Consider the consideration of the constant				
[]	Modify bid opening date and time			
[]	Modify specifications of product or service being sought			
[]	Attachment of vendor questions and responses			
[]	Attachment of pre-bid sign-in sheet			
[]	Correction of error			

Description of Modification to Solicitation:

Other

Applicable Addendum Category:

- 1. The bid opening remains 06/17/2014 at 1:30 p.m.
- 2. Clarifications and additional information attached.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

[X]

- 1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
- 2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

ATTACHMENT A

Blackeagle #2 Refuse Pile

Clarifications and additional information

- 1. 12" and 6" diameter SDR35 PVC perforated pipe (for mine seal conveyance pipe, underdrain pipe, and mine water outlet drain pipe)
 - 12" diameter pipe: 1" diameter holes, 6 rows, 12" centers between holes
 - 6" diameter pipe: 1/2" diameter holes, 4 rows, 6" centers between holes

(These are standard dimensions and should be available from local suppliers)

2. Filter Fabric (for mine seals)

Filter fabric shall be Mirafi 140N or approved equivalent. It does not have to meet Section 715.11 "Engineering Fabric" of the WVDOH (Note: Mirafi 140N does not meet Section 715.11).

3. Filter Fabric (for Stabilized Construction Entrance)

The filter fabric/cloth to be used as the underlayment for the Stabilized Construction Entrance shall be Mirafi 500X or approved equivalent.

******The bid opening remains 06/17/2014 at 1:30 pm. ******

ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.: DEP16564

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received: (Check the box next to each addendum received)								
	[]	Addendum No. 1]]	Addendum No. 6		
	[]	Addendum No. 2	[]	Addendum No. 7		
	[]	Addendum No. 3	[]	Addendum No. 8		
	[]	Addendum No. 4	[]	Addendum No. 9		
	[]	Addendum No. 5	[]	Addendum No. 10		
I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.								
-				X	Company			
	Authorized Signature							
_						Date		

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.