



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Solicitation

NUMBER
DEP16575

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER
304-558-2316

RFQ COPY  
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

ENVIRONMENTAL PROTECTION  
 DEPARTMENT OF  
 OFFICE OF AML&R  
 601 57TH STREET SE  
 CHARLESTON, WV  
 25304 304-926-0499

DATE PRINTED
06/12/2014

BID OPENING DATE: 06/19/2014

BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
				ADDENDUM NO.01		
				ADDENDUM ISSUED TO PUBLISH AND DISTRIBUTE THE ATTACHED INFORMATION TO VENDOR COMMUNITY.		
0001	1	JB		962-73		
				RECLAMATION: RESTORATION OF LAND & OTHER PROPERTIES		
				***** THIS IS THE END OF RFQ DEP16575 ***** TOTAL:		

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

SOLICITATION NUMBER: DEP16575  
Addendum Number: No.01

---

The purpose of this addendum is to modify the solicitation identified as (“Solicitation”) to reflect the change(s) identified and described below.

**Applicable Addendum Category:**

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

**Description of Modification to Solicitation:**

Addendum issued to publish and distribute the attached information to the vendor community.

1. Pre-bid meeting questions.
2. Revised Pricing Page.
3. Pre-bid meeting sign in sheet.
4. No other questions.

**Additional Documentation:** Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

**Terms and Conditions:**

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

# ATTACHMENT A

## ADDENDUM

The WVDEP-AML has obtained the Construction Storm Water General Permit from WVDEP DWWM for this project. Upon award of the construction contract to the successful bidder, the Contractor shall complete and submit an application titled Co-Applicant #1 Signature Page to WVDEP-AML to modify the existing NPDES registration for this project to make the Contractor the Co-Applicant #1 to the permit prior to scheduling a Pre-Construction Conference.

Upon receipt of the completed form, WVDEP-AML will request WVDEP DWWM to transfer the registration for this project such that the Contractor is Co-Applicant #1 with WVDEP-AML being Co-Applicant #2. As such, the Contractor shall assume responsibility for compliance with the terms and conditions of the permit including modifications and any future correspondence such as registration renewal invoices, inspection reports, and notices of violation shall be forwarded to the Contractor.

The WVDEP DWWM will notify the Contractor and WVDEP-AML when the successful transfer of registration is completed. A Notice to Proceed will not be issued until the successful transfer of registration has been completed. Once the transfer has been completed, the WVDEP will continue to be responsible for any modification fees and annual renewal fees incurred up until the date of the final inspection of the project that occurs after completion of construction activities at the site. The Contractor shall be responsible for any and all costs associated with violations and fines assessed against the project that are a result of the Contractor's negligence, carelessness, or failure to install permanent controls as part of the work as scheduled.

The Contractor shall apply for a Notice of Termination(NOT) from WVDEP DWWM via the Construction Storm Water website <http://www.dep.wv.gov/Programs/stormwater/csw/Documents/Construction> upon completion of construction activities at the site. The NOT shall be issued by WVDEP DWWM upon completion of the project. The Contractor will continue to be bound by the terms and conditions of the permit until the NOT has been approved by WVDEP DWWM. Once the project is complete, the Contractor will still bear responsibility for the NPDES registration until a NOT is received from the WVDEP DWWM.

Addendum #1 - Questions During Pre-Bid Meeting

For DEP 16575

Jeep Trail Portals

The following comments and questions were identified from the Pre-Bid Conference. The answers provided herein take precedence over verbal answers at the PBC should there be any conflict between the two.

**Item 1** Section 9 shall now read:

**9.1 Description**

This work shall consist of dewatering the existing mine pool, excavating the mine opening, installing the Bat Gate Pipe Seal, Bat Gate with Drainage System, Wet/Modified Seal and backfilling the collapsed portals to plan grade. There will be six Bat Gate Pipe Seals, four Bat Gate with Drainage System and one modified/wet mine seal on sites #1 and # 2. The Bate Gate pipe shall be 36" HDPE culvert pipe.

**9.2 Materials**

**9.2.1 Stone**

The stone shall consist of sound, durable 3" to 6" non-calcareous sandstone. The stone shall consist of particles of clean, hard, tough, durable rock, free from adherent coating and meeting the requirements of **Section 703.1** of the **WVDOH Standard Specifications**, Adopted 2000. Stone shall have a maximum weighted loss of twelve percent when subjected to five (5) cycles of the Sodium Sulfate Soundness Test – **ASTM C88** (ASTM C88-99a Standard Test Method for Soundness of Aggregates by Use of Sodium Sulfate or Magnesium Sulfate), as modified by the American Association of State Highway and Transportation Officials (**AASHTO**) **T-104**. Non-calcareous stone shall exhibit a fizz of 0 when subjected to dilute hydrochloric acid. A laboratory certification of soundness and fizz shall be submitted to the WVDEP prior to delivery.

**9.2.2 Filter Fabric**

Filter Fabric shall be meet the standards in the following table or equal as specified in Section 715.11.4 of the WVDOT **Standard Specifications for Roads and Bridges**, Adopted 2000.

PROPERTY	TEST METHOD	ENGLISH	METRIC
Weight - Typical	ASTM D-5261	NA	NA
Tensile Strength	ASTM D-4632	120 lbs	500 N
Elongation @ Break	ASTM D-4632	50%	50%

CBR Puncture	ASTM D-6241	310 lbs	1,380 N
Trapezoidal Tear	ASTM D-4533	50 lbs	200 N
Apparent Opening Size	ASTM D-4751	70 US Sieve	.212 mm
Permittivity	ASTM D-4491	1.7 Sec-1	1.7 Sec-1
Water Flow Rate	ASTM D-4491	135 g/min/sf	5,550 l/min/sm
UV Resistance @ 500 Hours	ASTM D-4355	70%	70%

### 9.2.3 Pipe

Bat Gate with Drainage System Seal outlet pipes shall consist of custom perforated 12 inch diameter PVC SDR 35 grade extending for a length of two (2) pipe joints from where the SDR 35 pipe that lies within the mine seal connects to the 90 degree elbow and extends through the gravel bulkhead. The conveyance pipe will extend from the gravel bulkhead to the designed channel for that site. The Bat Gate pipe shall be 36" HDPE.

### 9.2.4 Bat Gate.

A bat gate shall be constructed and installed on the downstream end of the 36" HDPE culvert bat gate pipe.

9.2.4.1 All steel used for bat gate components shall be Grade 50 with Grade 46 steel for all structural tubing. All welds shall be ¼" fillet welds, minimum.

9.2.4.2 The Bat Gate shall be construction as shown on the plan detail section. The only modification shall be the bat gate shall be recessed 3' into the HDPE Pipe.

## 9.3 Construction Methods

9.3.1 Excavation of the mine opening for Wet/Modified Seal, Bat Gate Pipe Seals and Bat Gate with Drainage System Seals shall proceed in a manner which will control the release of the mine pool. The openings shall be cleaned of debris to the satisfaction of the Engineer. Once the opening has been cleaned filter fabric shall be placed on the mine floor and a layer of stone shall be placed to the elevation as shown on the plans. The pipes shall be attached with 90 degree elbows and placed in the openings as shown on the attached Plans. The Gravel Bulkhead will be constructed and covered with one layer of Filter Fabric and compacted clay and soil cover as shown on the Plans. Solid pipe shall extend from the mine seal to the splash pads. All mine seal pipes shall have a

minimum grade of 2 percent. In the Bate Gate/Mine Seals the 36" HDPE culvert pipe shall be installed on top of the perforated mine pipes as shown on the plans.

The Contractor shall be solely responsible for any damages caused by dewatering activities.

- 9.3.2 A Dewatering Plan shall be submitted and approved by the Engineer prior to any work taking place. The Contractor shall install and operate a water treatment system utilizing soda ash briquettes in a manner approved by the engineer to maintain a pH between 6.0 and 9.0 in all water above base flow while dewatering mine.
- 9.3.3 The contractor is also advised that abandoned mine workings could contain dangerous gases such as methane and blackdamp. The contractor shall be responsible for worker safety when working around mine openings.
- 9.3.4 Construction of Wet/Modified and Bat Gate/Mine Seal shall be in accordance with the plan details. Filter fabric shall separate all aggregate and soil interfaces. The Contractor shall adhere to OSHA Regulation 29 CFR Part 1926 during all excavation and trenching activities.
- 9.3.5 Any monitoring wells or piezometers which have been left on this project for whosoever's use must be removed and abandoned by a person who has been certified by the State of West Virginia in accordance with 47CSR59, "Monitoring Well Regulations". This certification is necessary for any person to operate in the State of West Virginia and includes construction, installation, alteration and/or abandonment of any monitoring wells and select boreholes. The costs for removal and abandonment shall be considered as incidental to mine seal installation.

#### 9.4 Method of Measurement

- 9.4.1 Wet/Modified, Bat Gate Pipe Seals and Bat Gate with Drainage System Seals shall be measured per each seal installed and approved at the unit price bid per each and shall include all excavation, stone, filter fabric, Bat Gate and 12" SDR 35 PVC piping where necessary to complete the seal as shown on the Plans and detailed in these Specifications. The end of the wet/modified mine seal and bat gate with drainage system seal shall be considered to be at a point 1.0 foot inside the downstream edge of the stone bulkhead as shown on the Plans. Excavation, furnishing and placement of the pipe, backfilling, and minor grading, including all ancillary materials and operations required to construct the Wet/Modified, Bat Gate with Drainage System Seal and Bat Gate Pipe Seal as planned and specified, will not be measured, but shall be considered incidental to this construction.
- 9.4.2 The method of measurement for the construction of the SDR 35 "12-Inch PVC mine seal conveyance pipe" shall be on a linear foot basis of the un-perforated pipe as measured from the limits of the Wet/Modified Mine Seal and Bat Gate/Mine Seal pipe to the outlet at the drainage channel. Conveyance pipe shall

be measured in place per single run of pipe. Trench excavation, furnishing and placement of the pipe and fittings, any necessary cleanouts, compacted on-site backfill, and minor grading, including all ancillary materials and operations required to construct the drainage conveyance pipes, will not be measured, but shall be considered incidental to this construction.

**9.4.3** Soda Ash Briquettes shall be measured per 50# bag used.

## **9.5 Pay Items**

Item 9.1, "Wet/Modified Mine Seal", per each.

Item 9.2, "Bat Gate Pipe Seal", per each.

Item 9.3, "Bat Gate with Drainage System Seal", per each

Item 9.4, "Mine Seal Conveyance Pipe (12" PVC SDR-35)", per linear foot.

Item 9.5, "Soda Ash Briquettes (50 lb bag)", per each.

**Item 2** The steel Bat Gate shall be recessed 3' inside of the 36" HDPE Pipe. This will apply to all Bat Gates on the project.

**Item 3** On-site sandstone can be used to construct the splash pad shown on the plans but the stone must meet the following standards:

Rock for the Splash Pads shall consist of hard durable sandstone and shall have a d50 of 12 inches. The rock shall range in size from 6 inches minimum to 18 inches maximum diameter with no more than 15% by weight less than 6 inches. The stone shall consist of particles of clean, hard, tough, durable rock, free from adherent coating and meeting the requirements of **Section 703.1** of the **WVDOH Standard Specifications**, Adopted 2000. Stone shall have a maximum weighted loss of twelve percent when subjected to five (5) cycles of the Sodium Sulfate Soundness Test – **ASTM C88** (ASTM C88-99a Standard Test Method for Soundness of Aggregates by Use of Sodium Sulfate or Magnesium Sulfate), as modified by the American Association of State Highway and Transportation Officials (**AASHTO**) **T-104**. Non-calcareous stone shall exhibit a fizz of 0 when subjected to dilute hydrochloric acid. A laboratory certification of soundness and fizz shall be submitted to the WVDEP

**Item 4** Trees and brush shall be windrowed on site to help with wildlife.

**Item 5** Revised Bid Sheet attached to add a 12' steel farm gate on site # 2.

### **Section 12 Farm Gate**

A 12'x 52" round bar steel farm gate shall be placed on the access road of Site 2.. The gate shall be hung on 6" x 8' pressure treated wood posts. On each end of the gate posts there will be two sections of 5 strand barbed wire that will tie back into the existing fence.

**Item 6** Attached is information sheet on Contractor's NPDES Co-Applicant requirements.



**Item 7** No question were asked beyond the items addressed above.

The Contractor shall have 90 days from the date of the Notice to Proceed to complete construction activities on the project. The \$250.00 per day liquidated damages clause will be in effect after the 90 days. However, the total performance period will be 365 days from the date of the Notice to Proceed for invoicing purposes.

**Jeep Trail Portals Revised Bid Sheet**  
**Requisition # DEP/6575**  
 Contractor's Bid Sheet

Company Name: \_\_\_\_\_

Address: \_\_\_\_\_

**The DEP reserves the right to request additional information and supporting documentation regarding unit prices when the unit price appears to be unreasonable.**

ITEM NO.	Qty	Unit	DESCRIPTION	UNIT PRICE	AMOUNT
1.0	1	LS	Mobilization and Demobilization (Limited to 10% of Total Bid)	LS	\$
2.0	1	LS	Construction Layout (Limited to 5% of Total Bid)	LS	\$
3.0	1	LS	Quality Control (Limited to 3% of Total Bid)	LS	\$
4.0	1	LS	Site Preparation (Limited to 10% of Total Bid)	LS	\$
4.1	145	TN	Gravel Drive Rehabilitation	\$	\$
4.2	280	TN	Access Road Stone	\$	\$
5.0	570	LF	Silt Fence Sediment Control	\$	\$
5.1	1,015	LF	12" Straw Wattles Erosion Control	\$	\$
5.2	50	TN	Stone Construction Entrance (70' x 12' Width)	\$	\$
5.3	4	EA	Stone Check Dam	\$	\$
6.0	2.1	AC	Revegetation	\$	\$
7.0	5	EA	Splash Pad	\$	\$
7.1	300	LF	6' Grass Lined Channel	\$	\$
7.2	1	EA	Low Water Crossing	\$	\$
8.0	1	LS	Unclassified Excavation	LS	\$
9.1	1	EA	Wet/Modified Mine Seals	\$	\$
9.2	6	EA	Bat Gate Pipe Seal	\$	\$
9.3	4	EA	Bat Gate with Drainage System Seal	\$	\$
9.4	190	LF	Mine Seal Conveyance Pipe (12" PVC SDR-35)	\$	\$
9.5	50	EA	Soda Ash Briquettes (50 LB Bags)	\$	\$
11.1	100	LF	3' x 3' Underdrain	\$	\$
11.2	20	LF	Underdrain Conveyance Pipe	\$	\$
12.0	1	EA	12 Foot Galvanized Farm Gate	\$	\$
<b>TOTAL</b>					\$

# SIGN IN SHEET

**Request for Proposal No.** DEP 16575  
Jeep Trail Portals

PLEASE PRINT

Date: June 5, 2014

**\* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD**

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>GREEN MOUNTAIN COMPANY</u>	<u>511 50th STREET</u>	PHONE <u>304-925-0253</u>
Rep: <u>DAVID H. BOWMAN</u>	<u>CHARLESTON WV</u>	TOLL FREE
Email Address: <u>DHB722@yahoo.com</u>	<u>25304</u>	FAX <u>304-925-9230</u>
Company: <u>BARNES EXC. INC.</u>	<u>P.O. BOX 13384</u>	PHONE <u>304-984-1725</u>
Rep: <u>ROBERT L. BARNES</u>	<u>Sissonville</u>	TOLL FREE
Email Address: <u>BARNES EXC@AOL.COM</u>	<u>WV 25360</u>	FAX <u>304-984-0074</u>
Company: <u>EAGLE EXCAVATION INC.</u>	<u>P.O. BOX 218</u>	PHONE <u>(304) 372-4378</u>
Rep: <u>GEORGE FRESHOUR</u>	<u>KENNA, WV</u>	TOLL FREE
Email Address: <u>NONE</u>	<u>25248</u>	FAX <u>(304) 372-4378</u>
Company: <u>ALL-CON, LLC</u>	<u>124 PHILPOTT LANE</u>	PHONE <u>304-731-0190</u>
Rep: <u>DAVID IRLE</u>	<u>BEAVER WV 25815</u>	TOLL FREE
Email Address: <u>DIRLECACI-WV.COM</u>		FAX <u>304 255 4252</u>
Company: <u>Boyd's Walk to Excavating</u>	<u>P.O. Box 258</u>	PHONE <u>606-473-3735</u>
Rep: <u>Boyd's Walk to</u>	<u>Greene, Ky 41104</u>	TOLL FREE
Email Address: <u>boydswalk@windstream.net</u>		FAX <u>606 473 3735</u>

# SIGN IN SHEET

**Request for Proposal No.** DEP 16575  
Jeep Trail Portals

PLEASE PRINT

Date: June 5, 2014

**\* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD**

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>Putnam Gardens</u>	<u>4342 Teays Valley</u>	PHONE <u>304 752-7001</u>
Rep: <u>MARK SOUVINE</u>	<u>Rd Scott Depot</u>	TOLL FREE
Email Address: <u>pggardens@yahoo.com</u>	<u>WV 25560</u>	FAX <u>304 757-3552</u>
Company: <u>BPI INC</u>	<u>P.O. Box 315, Teays, WV 25569</u>	PHONE <u>304-760-8909</u>
Rep: <u>Terry Wells</u>		TOLL FREE
Email Address: <u>twells@bpi-gc.com</u> <u>twells@bpi-gc.com</u>		FAX
Company: <u>Upton Construction Co. Inc.</u>	<u>P.O. Box 39</u>	PHONE <u>304-244-4627</u>
Rep: <u>JOE TUCKER</u>	<u>DUNBAR WV 25064</u>	TOLL FREE
Email Address: <u>UCCI0119@hotmail.com</u>		FAX <u>304-244-4626</u>
Company: <u>WV-PNR</u>		PHONE <u>304-675-0871</u>
Rep: <u>Kem Shaw</u>		TOLL FREE
Email Address: <u>Kem.D.Shaw@wv.gov</u>		FAX <u>304-675-0872</u>
Company: <u>DD&amp;S Contracting &amp; Excavating</u>	<u>7374 Hamlin Road</u>	PHONE <u>304 824 5917</u>
Rep: <u>Marvin Reynolds</u>	<u>Hamlin WV 25523</u>	TOLL FREE
Email Address: <u>diricksonkesselle@aol.com</u>		FAX <u>304 824 5919</u>

# SIGN IN SHEET

**Request for Proposal No. DEP 16575**  
**Jeep Trail Portals**

PLEASE PRINT

Date: June 5, 2014

**\* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD**

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>Breakaway Inc</u>	<u>1539 Old Turnpike Rd</u>	PHONE <u>765-5317</u>
Rep: <u>Doug Vincent</u>	<u>Sutton WV 26601</u>	TOLL FREE
Email Address: <u>doug@breakawaywv.com</u>		FAX <u>765-5389</u>
Company: <u>McCourt &amp; Son Const.</u>	<u>2790 Centralia Rd</u>	PHONE <u>765-5288</u>
Rep: <u>GARY LONG</u>	<u>Sutton WV 26601</u>	TOLL FREE
Email Address: <u>glong@wirefire.com</u>		FAX <u>765-5293</u>
Company: <u>EASTERN ARIZON</u>	<u>PO BOX 4108</u>	PHONE <u>304-414-0255</u>
Rep: <u>Ann WARDWELL</u>	<u>CHARLESTON, WV 25304</u>	TOLL FREE
Email Address: <u>easternarrow@hotmail.com</u>		FAX <u>0256</u>
Company: <u>WISEMAN EXCAVATING</u>	<u>RT 1 BOX 190 LIBERTY</u>	PHONE <u>304 586 3736</u>
Rep: <u>BRAD WISEMAN</u>	<u>25124</u>	TOLL FREE
Email Address: _____		FAX <u>304 586 3780</u>
Company: <u>EAGLE CONTRACTORS LLC</u>	<u>6497 WINFIELD ROAD</u>	PHONE <u>304-552-7781</u>
Rep: <u>BARRE F. FOSTER</u>	<u>WINFIELD WV 25213</u>	TOLL FREE
Email Address: <u>edento@efinc.com</u>		FAX <u>304-755-3180</u>

# SIGN IN SHEET

**Request for Proposal No.** DEP 16575  
Jeep Trail Portals

PLEASE PRINT

Date: June 5, 2014

**\* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD**

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>GOPHER LAND SRV</u>	<u>PO BOX 194</u>	PHONE <u>304 860 1909</u>
Rep: <u>MIKE ROSE</u>	<u>BEAVER WV 25813</u>	TOLL FREE <del>86</del>
Email Address: <u>mdayrose@yahoo.com</u>		FAX <u>866 525 6822</u>
Company: <u>Carpenter Reclamation</u>	<u>PO Bx 13015</u>	PHONE <u>304-984-1115</u>
Rep: <u>Randy Carpenter</u>	<u>Sissonville, WV</u>	TOLL FREE
Email Address: <u>Rcarpen103@aol.com</u>	<u>25360</u>	FAX <u>984-2776</u>
Company: <u>OSM</u>	<u>CHFO</u>	PHONE <u>304-347-7162</u>
Rep: <u>Mark Snyder</u>		TOLL FREE
Email Address: <u>msnyder@osmrc.gov</u>		FAX
Company: _____	_____	PHONE
Rep: _____	_____	TOLL FREE
Email Address: _____	_____	FAX
Company: _____	_____	PHONE
Rep: _____	_____	TOLL FREE
Email Address: _____	_____	FAX

**ADDENDUM ACKNOWLEDGEMENT FORM**  
**SOLICITATION NO.: DEP16575**

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

**Addendum Numbers Received:**

(Check the box next to each addendum received)

- |   |  |
|---|--|
| <input type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6  |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7  |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8  |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9  |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

\_\_\_\_\_  
Company

\_\_\_\_\_  
Authorized Signature

\_\_\_\_\_  
Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.  
Revised 6/8/2012