



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Purchase Order

**PURCHASE ORDER NO.**  
 DIGCOP04F

**PAGE**  
 1

**BLANKET RELEASE**  
 00

CORRECT PURCHASE ORDER NUMBER  
 MUST APPEAR ON ALL PACKAGES,  
 INVOICES, AND SHIPPING PAPERS.  
 QUESTIONS CONCERNING THIS PUR-  
 CHASE ORDER SHOULD BE DIRECTED  
 TO THE BUYER AS NOTED BELOW.

**CHANGE ORDER**  
 6

**SEE REVERSE SIDE FOR  
 TERMS AND CONDITIONS**

**I N V O I C E  
 T O**  
 ALL STATE AGENCIES  
 AND POLITICAL SUBDIVISIONS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

## AGENCY COPY

**V E N D O R**  
 \*202143256 703-469-2321  
 KYOCERA MITA AMERICA INC  
 225 SAND ROAD  
 FAIRFIELD NJ 07004

**S H I P  
 T O**  
 ALL STATE AGENCIES  
 AND POLITICAL SUBDIVISIONS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

DATE PRINTED		TERMS OF SALE		FEIN/SSN		FUND	
01/23/2007		NET 30		952819506			
SHIP VIA		F.O.B		FREIGHT TERMS		ACCOUNT NUMBER	
BEST WAY		DESTINATION		PREPAID		MUL-MUL	
LINE	QUANTITY	UOP	VENDOR ITEM NO.	UNIT PRICE		AMOUNT	
	DELIVERY DATE	CAT. NO.	ITEM NUMBER				
			CHANGE ORDER #06				
			REPLACE BAND 4 MONOCHROME PRINTER MODEL #FS-9520DN WITH MODEL #FS-9530DN.				
			REPLACE BAND 1 COLOR PRINTER MODEL #FS-C8008N WITH MODEL #FS-C5015N.				
			REPLACE BAND 2 COLOR PRINTER MODEL #FS-C5020N WITH MODEL #FS-C5030N.				
			SEE ACCESSORY LISTS ATTACHED.				
			REPLACE BAND 3 MODEL #KM-3035 MONOCHROME COPIER WITH MODEL #KM-3050.				
			REPLACE BAND 5 MODEL #KM-5035 MONOCHROME COPIER WITH MODEL #KM=5050.				
			SEE ATTACHED ACCESSORY PRICING.				
***** NO ADDITIONAL CHANGES *****							
				PREVIOUS PO TOTAL==>		OPEN END	
				PO NET CHANGE (+)==>			

WV STATE PURCHASING DIVISION  
 ADMINISTRATION UNIT  
 CERTIFIED ENCUMBERED

JAN 25 2007

*Beverly Toler*

IF APPROVAL AS TO FORM IS REQUIRED BY ATTORNEY GENERAL, CHECK HERE:  *157 1-2307*

OPEN END  
**TOTAL**

*Deane Wayfield*  
 APPROVED AS TO FORM BY  
 ASSISTANT ATTORNEY GENERAL

BY *Krista Ferrell* 304-558-2596  
 PURCHASING DIVISION AUTHORIZED SIGNATURE

**GENERAL TERMS & CONDITIONS  
PURCHASE ORDER/CONTRACT**

1. **ACCEPTANCE:** Seller shall be bound by this order and its terms and conditions upon receipt of acceptance of this order.
2. **APPLICABLE LAW:** The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
3. **NON-FUNDING:** All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the terms of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
4. **COMPLIANCE:** Seller shall comply with all Federal, State and local laws, regulations and ordinances including, but not limited to, the prevailing wage rates of the WV Division of Labor.
5. **MODIFICATIONS:** This writing is the parties final expression of intent. No modification of this order shall be binding unless agreed to in writing by the Buyer.
6. **ASSIGNMENT:** Neither this Order nor any monies due, or to become due hereunder may be assigned by the Seller without the Buyer's consent.
7. **WARRANTY:** The Seller expressly warrants that the goods and/or services covered by this Order will: [a] conform to the specifications, drawings, samples or other description furnished or specified by the Buyer; [b] be merchantable and fit for the purpose intended; and/or [c] be free from defect in material and workmanship.
8. **CANCELLATION:** The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the Seller.
9. **SHIPPING, BILLING & PRICES:** Prices are those stated in this order. No price increase will be accepted without written authority from the Buyer. All goods or services shall be shipped on or before the date specified in this Order.
10. **LATE PAYMENTS:** Payments may only be made after the delivery of goods or services. Interest may be paid on late payments in accordance with the *West Virginia Code*.
11. **TAXES:** The State of West Virginia is exempt from Federal and State taxes and will not pay or reimburse such taxes.
12. **RENEWAL:** Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this Contract is automatically null and void, and is terminated without further order.
14. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

**COST SHEET  
MONOCHROME PRINTERS  
BAND 4**

**BRAND NAME:** Kyocera  
**MODEL#:** FS-9530DN

**MINIMUM SPECIFICATIONS:**

Mfg duty cycle 100,000 month  
copy speed 40 ppm  
600 x 600 dpi resolution  
32 mb  
1,000 sheet paper capacity

**SPECIFICATIONS OF MACHINE BID**

300,000 pages per month  
51 ppm  
600 X 600 dpi  
128 mb  
1,200 sheet paper capacity

(Include item/model #'s for any accessory included in the base machine if needed for ordering.)

**PRICING:**

Purchase price \$ 3,675.00

Maintenance/month for purchased machine \$ \$ 35.00

Warranty 1yr (duration) Maintenance for purchased machines shall be at no cost during the warranty period.

Supplies- Vendors must list and price all needed consumable supplies for purchase during the life of the contract. All costs quoted shall be inclusive of any mailing or delivery costs.

<u>Supply</u>	<u>Item #</u>	<u>Qty/Pkg/Size</u>	<u>Cost/Each</u>
Toner	TK-712	4 toners/case yld 40,000 prints/cartridge	\$102/cartridge \$406/case
Maintenance Kit	MK-710	yld 500,000prints/kit	\$471
Staples	SH-10	3 ctgs/case; 5000st./ctg.	\$21/cartridge; \$63/case
Staples for PF-730		3 ctgs/case; 3000st./ctg.	\$14/cartridge; \$42/case

Accessories - Vendors may attach a list in the format indicated for any available accessories they wish to include in the contract.

<u>Accessory</u>	<u>Model #</u>	<u>Purchase</u>	<u>Maint/Mo.</u>	<u>Rental/Mo</u>
Dual 500 sheet paper drawer	PF-700	\$ 1,286.00	\$ 5.00	\$
3,000 sheet paper tray	PF-750	\$ 1,470.00	\$ 5.00	
3,000 sheet finisher	DF-710	\$ 2,617.00	\$ 9.00	

<u>Accessory</u>	<u>Model #</u>	<u>Purchase</u>	<u>Maint/Mo.</u>	<u>Rental/Mo</u>
Punch Unit	PH-5A	\$ 670.00	\$ 5.00	
Booklet Folder	BF-710	\$ 1,500.00	\$ 5.00	
Multi-Tray	MT-710	\$ 1,000.00	\$ 5.00	
1,000 sheet finisher	DF-730	\$ 1,400.00	\$ 9.00	
Finisher Attachment Kit (Must be used for DF-710 and DF-730 attachment)	AK-705	\$ 50.00		
Data Security Kit C		\$ 580.00		
Stand		\$ 170.00		
Printer Memory Upgrades:				
64 MB Upgrade	SD-100-64B	\$ 356.00		
128MB Upgrade	SD-100-128B	\$ 640.00		
256MB Upgrade	SD-100-256B	\$ 833.00		
512MB Upgrade	SD-100-512B	\$ 999.00		
Hard Disk Drive	HD-ME5	\$ 479.00	\$ 3.00	
Serial RS-232C	IB-11	\$ 29.00		
Enhanced Network Interface	IB-23	\$ 369.00		

**COST SHEET  
COLOR PRINTERS  
BAND 1**

**BRAND NAME:** \_\_\_\_\_ Kyocera  
**MODEL#:** \_FS-C5015N

**MINIMUM SPECIFICATIONS:**

Mfg duty cycle 20,000 month  
copy speed 8 ppm color  
600 x 600 dpi resolution  
8 mb  
350 sheet paper capacity

**SPECIFICATIONS OF MACHINE BID**

50,000 pages per month  
17 ppm  
600X600 dpi  
128 MB  
600 sheet capacity

(Include item/model #'s for any accessory included in the base machine if needed for ordering.)

**PRICING:**

Purchase price \$ \_\_\_\_\_ 1,270.00

Maintenance/month \$ \_\_\_\_\_ 70

Warranty \_ 1 year  
warranty period.

Supplies- Vendors must list and price all needed consumable supplies for purchase during the life of the contract. All costs quoted shall be inclusive of any mailing or delivery costs.

<u>Supply</u>	<u>Item #</u>	<u>Qty/Pkg/Size</u>	<u>Cost/Each</u>
Maintenance Kit		200,000 yield	\$449.00
Black Toner	TK-522K	15 cartridges/case	\$73/cartridge
			\$1092/case
Yellow Toner	TK-522Y		\$66/cartridge
Magenta Toner	TK-522M		\$988/case
Cyan Toner	TK-522C		

Accessories - Vendors may attach a list in the format indicated for any available accessories they wish to include in the contract.

<u>Accessory</u>	<u>Model #</u>	<u>Purchase</u>	<u>Maint/Mo.</u>	<u>Rental/Mo</u>
Duplexing Unit	DU-301	\$ 299.00	\$ 5.00	\$
500 Sheet Paper Drawer	PF-60	\$ 299.00	\$ 5.00	
Face-Up Drawer	PT-300	\$ 40.00	\$ 3.00	
40 GB Hard Drive	HD-ME5	\$ 479.00		
Security& Compliance Interface	IB-23	\$ 369.00		
64 MB Memory	SD-100-64B	\$ 356.00		
128 MB Memory	SD-100-128B	\$ 640.00		
256 MB Memory	SD-100-256B	\$ 833.00		
512 MB Memory	SD-100-512B	\$ 999.00		

# FS-C5015N SPECIFICATIONS

## BASIC SPECIFICATIONS:

Configuration:	Color Tandem Network Printer with Standard 500 Sheet Drawer, 100 Sheet Multipurpose Tray, Optional Duplex, Additional Paper Drawers and Hard Disk Drive
Resolution:	600 x 600 DPI (Multi-bit)
Printer Memory:	Standard 128MB, Upgradeable to 640MB via 100 Pin DDR DIMMs, Standard CF Card Slot (Type 1) Optional Hard Disk Drive
Electrical Requirements:	120V, 60Hz, 9.5A
Dimensions:	13.6"W x 18.5"D x 15.2"H
Weight:	52.9 lbs
Max Duty Cycle:	50,000 Pages per Month

## CONTROLLER SPECIFICATIONS:

CPU/MHz:	Embedded PowerPC750CXR/400MHz
Supported PDL / Emulations:	PRESCRIBE, KPDL3 (PS3), PCL 6 (PCL 5c, PCL XL)
Fonts:	80 Outline Fonts for KPDL3 and PCL 5c/XL, 1 Bitmap Font
Windows® OS Compatibility:	Windows® 95/98/Me/NT4.x/2000/XP
Novell® OS Compatibility:	Novell NetWare® 3.x/4.x/5.x/6.x
Mac OS Compatibility:	OS 8.x/9.x/10.x
UNIX OS Compatibility:	Sun OS 4.1.x; Solaris 2.x; AIX, HP-UX (LPR)
Connectivity / Interface:	Standard 10/100 BaseTX, Hi-Speed USB 2.0
KUIO LV Expansion Slot (1):	Optional IB-23 Secure Network Interface; Optional Printer Hard Disk Drive
Supported Protocols:	TCP/IP, IPX/SPX, AppleTalk, NetBEUI
Driver:	KX Driver for Windows®, PPD for Mac, PPD for Linux/Unix, Certified Uni Driver, Windows® 64-bit Drivers
Web Interface:	Kyocera Command Center
Utilities:	KM-NET Admin, KM-NET Viewer, KM-NET for Clients, PDF Direct Print, KM-NET for Accounting, PRESCRIBE Utilities

## OPTIONAL NETWORK INTERFACE: IB-23

Optional Network Interface	supports IPv6, Security and Compliance
Security Protocols:	SSL/TLS(HTTPS); SNMPv3

## PAPER SUPPLY:

Standard Paper Sources:	500 Sheet Drawer, 100 Sheet MPT
Drawer Paper Size:	8.5" x 11", 8.5" x 14", A4, A5, B5
MPT Paper Size:	8.5" x 11", 8.5" x 14", A4, A5, B5 Custom: 2.8" x 5.4" - 8.5" x 14"
Std/Max Paper Capacity:	600/1,100 Sheets
Maximum Paper Sources:	Three
Paper Weight:	16 - 28 lb Bond via Paper Drawers, 16 lb Bond - 110 lb Index via MPT
Input Materials:	Bond Paper, Recycled Paper, Transparencies, Labels, Cardstock, Postcards, Envelopes

## OUTPUT SPEEDS:

Warm-Up Time:	Within 80 Seconds
First Print Out Color:	16.0 Seconds
First Print Out Monochrome:	16.0 Seconds
Pages Per Minute (Color/Mono):	17/17 Letter, 16/16 A4, 14/14 Legal

## PAPER HANDLING OPTIONS:

### DUPLEX UNIT: DU-301

Paper Size:	8.5" x 11", 8.5" x 14", A4, A5, B5
Paper Weight:	16 - 28 lb Bond
Dimensions / Weight:	13.6"W x 22"D x 9.7"H / 12.3 lbs

### PAPER DRAWER: PF-60

Paper Capacity:	500 Sheets
Paper Weight:	16 - 28 lb Bond
Paper Size:	8.5" x 11", 8.5" x 14", A4, A5, B5
Dimensions/Weight:	13.6"W x 17.8"D x 4.1"H / 8.4 lbs

### FACE-UP TRAY: PT-300

Paper Capacity:	250 Sheets for Printer, 100 Sheets for Duplexer (DU-301)
-----------------	---

## OPTIONS:

### HARD DISK DRIVE:

Enables Document Printing and e-MPS Functions:  
Private Print, Job Storage, Quick Copy Proof and Hold, Virtual MailBoxes

## CONSUMABLES:

TK-522K:	Black Toner* 6,000 Pages @ 5% Coverage*
TK-522Y:	Yellow Toner* 4,000 Pages @ 5% Coverage**
TK-522M:	Magenta Toner* 4,000 Pages @ 5% Coverage**
TK-522C:	Cyan Toner* 4,000 Pages @ 5% Coverage**

\*ships with 3,000 Pages @ 5% Coverage

\*\*ships with 2,000 Pages @ 5% Coverage

Kyocera's objective is to manufacture superior products with the lowest Total Cost of Ownership (TCO), and have little or no impact on the environment. Kyocera's ECOSYS® Technology provides customers with a printing solution that incorporates life-long consumables and the lowest cost per print.

The operating costs of traditional cartridge-based page printers can easily exceed more than three times the original purchase price during the life of the product. By utilizing Kyocera's proprietary ECOSYS® Technology, a user can typically recoup a printer's purchase price in one year or less.



Document Solutions

Specifications and design are subject to change without notice.  
For the latest on connectivity visit [www.kyoceramita.com](http://www.kyoceramita.com).  
All trademarks and trade names are the property of their respective owners.

Kyocera Mita America, Inc. Headquarters: 225 Sand Road, PO Box 40008,  
Fairfield, NJ 07004-0008, USA  
© 2006 Kyocera Mita America, Inc.  
Item Code # 855D400058



[www.kyoceramita.com](http://www.kyoceramita.com)

**COST SHEET  
COLOR PRINTERS  
BAND 2**

**BRAND NAME:** \_\_\_\_\_ Kyocera  
**MODEL#:** \_\_\_\_\_ FS-C5030N

**MINIMUM SPECIFICATIONS:**

Mfg duty cycle 50,000 month  
copy speed 15 ppm color  
600 x 600 dpi resolution  
8 mb  
350 sheet paper capacity

**SPECIFICATIONS OF MACHINE BID**

100,000 pages per month  
\_\_\_\_\_  
26 ppm  
\_\_\_\_\_  
600X600dpi  
\_\_\_\_\_  
128MB  
\_\_\_\_\_  
600 sheet paper capacity  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(Include item/model #'s for any accessory included in the base machine if needed for ordering.)

**PRICING:**

Purchase price \$\_\_\_ 2,725.00

Maintenance/month \$\_\_\_\_\_ 35

Warranty \_ 1 yr  
warranty period.

Supplies- Vendors must list and price all needed consumable supplies for purchase during the life of the contract. All costs quoted shall be inclusive of any mailing or delivery costs.

<u>Supply</u>	<u>Item #</u>	<u>Qty/Pkg/Size</u>	<u>Cost/Each</u>
Maintenance Kit	MK-522	200,000 yield	\$ 473.55
Black Toner	TK-512K	15 cartridges/case	\$51/cartridge
			\$772/case
Cyan Toner	TK-512C		\$78/cartridge
Magenta Toner	TK-512M		\$1169/case
Yellow Toner	TK-512Y		

Accessories - Vendors may attach a list in the format indicated for any available accessories they wish to include in the contract.

<u>Accessory</u>	<u>Model #</u>	<u>Purchase</u>	<u>Maint/Mo.</u>	<u>Rental/Mo</u>
Duplexing Unit	DU-301	\$ 299.00	\$ 5.00	\$
500 Sheet Paper	PF-60	\$ 299.00	\$ 5.00	
Drawer				
Face-Up Drawer	PT-301	\$ 40.00	\$ 3.00	
40 GB Hard Drive	HD-ME5	\$ 479.00		
Security& Compliance	IB-23	\$ 369.00		
Interface				
Serial Interface	IB-11	\$ 29.00		
64 MB Memory	SD-100-64B	\$ 356.00		
128 MB Memory	SD-100-128B	\$ 640.00		
256 MB Memory	SD-100-256B	\$ 833.00		
512 MB Memory	SD-100-512B	\$ 999.00		

# FS-C5030N

## FULL COLOR PRINTER



### SPECIFICATIONS

#### TECHNOLOGY

Configuration	Color Tandem Network Printer with Standard 500 Sheet Drawer, 100 Sheet MPT. Optional Duplexing, Additional Paper Drawers and HDD.
Resolution	600 x 600 DPI (Multi-bit)
Printer Memory	Standard 128MB, Upgradeable to 1024MB via 100 Pin DDR DIMMs, Standard CF Card Slot. (Type 1) Optional HDD
Electrical Requirements	120V, 60Hz, 9.4A
Dimensions	13.6"W x 18.5"D x 15.2"H
Weight	50.8 lbs
Max Duty Cycle	100,000 pages per month

#### CONTROLLER

CPU/MHz	Embedded PowerPC750FX 600 MHz Controller
Supported PDL / Emulations	PRESCRIBE, KPDL3 (PS3), PCL 6 (PCL 5c, PCL XL)
Fonts	136 Outline Fonts for KPDL3, 80 Outline Fonts for PCL 5c/XL, 1 Bitmap Font
Windows® OS Compatibility	Windows® 95/98/Me/2000/XP
Novell™ OS Compatibility	Novell NetWare™ 3.x/4.x/5.x/6.x
Mac OS Compatibility	OS 8.x/9.x/10.x
UNIX OS Compatibility	Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)
Connectivity / Interface	Standard 10/100 BaseTX, Hi-Speed USB 2.0, Bi-Directional Parallel IEEE1284 (Nibble/ECP)
KUIO LV Expansion Slot (1)	Optional IB-11: Serial RS-232C; IB-20: 10/100 BaseTX, 10Base2; IB-22: Enhanced Wireless NIC; or Hard Disk Drive
Supported Protocols	TCP/IP, IPX/SPX, AppleTalk, NetBEUI
Driver	KX Driver for Windows®, PPD for Mac, PPD for Linux/Unix, Certified Uni Driver
Utilities	KM-NET Viewer, KM-NET Client, PDF Direct Print, KM-NET Printer Disk Manager, Network Advanced Setup Utilities, PRESCRIBE Utilities

#### OUTPUT SPEEDS

Warm-Up Time	Within 80 Seconds
First Print Out Color	12.0 Seconds
First Print Out Monochrome	12.0 Seconds
Pages Per Minute (Color / Mono)	26 / 26 Letter, 24 / 24 A4, 21 / 21 Legal

#### PAPER SUPPLY

Standard Paper Sources	500 Sheet Drawer, 100 Sheet MP
Drawer Paper Size	8.5" x 11", 8.5" x 14", A4, A5, B5
MPT Paper Size	8.5" x 11", 8.5" x 14", A4, A5, B5, Custom (2.8" x 5.8" - 8.5" x 14")
Min / Max Paper Capacity	600 / 2,100 Sheets
Paper Weight	16 - 28 lb Bond via Paper Drawers, 16 lb Bond - 110 lb Index via MPT
Input Materials	Bond Paper, Recycled Paper, Transparencies, Labels, Cardstock, Postcards, Envelopes

#### PAPER HANDLING OPTIONS

DUPLEX UNIT	DU-301
Paper Size	8.5" x 11", 8.5" x 14", A4, A5, B5
Paper Weight	16 - 28 lb Bond
Dimensions / Weight	13.6"W x 22"D x 9.7"H / 12.3 lbs

PAPER DRAWER	PF-60
Paper Capacity	500 Sheets
Max. Drawers	3 Drawers
Paper Weight	16 - 28 lb Bond
Paper Size	8.5" x 11", 8.5" x 14", A4, A5, B5
Dimensions / Weight	13.6"W x 17.8"D x 4.1"H / 8.4 lbs

ENVELOPE FEEDER	EF-60
Envelope Capacity	1.5" or 40mm Height Capacity
FACE-UP TRAY	PT-300
Paper Capacity	250 sheets for printer, 100 sheets for Duplexer (DU-301)

#### OPTIONS

HARD DISK DRIVE	Enables Document Printing and e-MPS Functions: Private Print, Job Storage, Quick Copy, Proof and Hold, Virtual MailBoxes
-----------------	---

MEMORY	Additional memory is available in 64, 128, 256 and 512MB 100-Pin DDR DIMMs
--------	---

CONSUMABLES	
TK-512K	Black Toner* 8,000 Pages @ 5% Coverage*
TK-512Y	Yellow Toner* 8,000 Pages @ 5% Coverage*
TK-512M	Magenta Toner* 8,000 Pages @ 5% Coverage*
TK-512C	Cyan Toner* 8,000 Pages @ 5% Coverage*
	* Ships with 4,000 pages @ 5% Coverage.

The FS-C5030N possesses all you can want in a reliable workgroup printer - speed, productivity, versatility, enhanced features, and quality output at an ultra low cost. The Kyocera FS-C5030N, your ultimate full-color network printing solution, provides increased standard memory and a PowerPC750 Controller with time-saving features, and low operating costs. The FS-C5030N is the perfect addition to your corporate network.

You can depend on the Kyocera FS-C5030N workgroup printer. It's the ideal printing solution for you and your company's success.



Spend Less. Waste Less.

Kyocera's objective is to manufacture superior products with the lowest Total Cost of Ownership (TCO), and have little or no impact on the environment. Kyocera's ECOSYS® Technology provides customers with a printing solution that incorporates life-long consumables and the lowest cost per print.

The operating costs of traditional cartridge-based page printers can easily exceed more than three times the original purchase price during the life of the product. By utilizing Kyocera's proprietary ECOSYS® technology, a user can typically recoup a printer's purchase price in one year or less.



Specifications and design are subject to change without notice.  
All trademarks are the property of their respective manufacturers.

Kyocera Mita America, Inc. Headquarters: 225 Sand Road, PO Box 40008, Fairfield, NJ 07004-0008, USA  
© 2005 Kyocera Mita America, Inc.  
Item Code# 87166659



www.kyoceramita.com





State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Purchase Order

**PURCHASE ORDER NO.**  
 DIGCOP04F

**PAGE**  
 \_\_\_\_\_

**BLANKET RELEASE**  
 00

CORRECT PURCHASE ORDER NUMBER MUST APPEAR ON ALL PACKAGES, INVOICES, AND SHIPPING PAPERS. QUESTIONS CONCERNING THIS PURCHASE ORDER SHOULD BE DIRECTED TO THE BUYER AS NOTED BELOW.

**CHANGE ORDER**  
 6

**SEE REVERSE SIDE FOR TERMS AND CONDITIONS**

**INVOICE TO**

ALL STATE AGENCIES  
 AND POLITICAL SUBDIVISIONS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

**VENDOR**

\*202143256      703-469-2321  
 KYOCERA MITA AMERICA INC  
 225 SAND ROAD  
 FAIRFIELD NJ 07004

**SHIP TO**

ALL STATE AGENCIES  
 AND POLITICAL SUBDIVISIONS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

DATE PRINTED		TERMS OF SALE		FEIN/SSN		FUND	
01/10/2007		NET 30		952819506			
SHIP VIA		F.O.B.		FREIGHT TERMS		ACCOUNT NUMBER	
BEST WAY		DESTINATION		PREPAID		MUL-MUL	
LINE	QUANTITY	UOP	VENDOR ITEM NO.	UNIT PRICE		AMOUNT	
	DELIVERY DATE	CAT. NO.	ITEM NUMBER				
			RECEIPT TICKET	FOR PURCHASE ORDER:		DIGCOP04F	
				DESCRIPTION		QTY	DATE
0001	985-64		PER ATTACHED	COST SHEETS		_____	_____
			SIGNATURE _____	DATE _____			

IF APPROVAL AS TO FORM IS REQUIRED BY ATTORNEY GENERAL, CHECK HERE

**TOTAL**

APPROVED AS TO FORM BY  
 ASSISTANT ATTORNEY GENERAL

BY \_\_\_\_\_  
 PURCHASING DIVISION AUTHORIZED SIGNATURE

**COST SHEET  
MONOCHROME COPIERS  
BAND 3**

**BRAND NAME:** Kyocera  
**MODEL#:** KM-3050

**MINIMUM SPECIFICATIONS:**

mfg. copy volume 30,000/month  
copy speed 30cpm  
Features:  
1,000 sheet capacity  
2 pager sources  
auto document feeder  
auto duplexing  
electronic sorting or  
finisher/sorter

**SPECIFICATIONS OF MACHINE BID:**

100,000 pages/month  
30 cpm  
1,200 sheet paper capacity  
3 paper sources  
standard duplexing  
dual scan doc. processor (must order below)  
optional 1,000-sheet and 3,000-sheet finishers

(Include item/model #s for any accessory included  
in the base machine if needed for ordering.) Must include the  
DP-700 when ordering

**PRICING:**

Purchase price \$ 5,114.00  
(Amount to be deducted if ordering as a non-connected machine \$ connectivity is standard)

Maintenance/month for purchased machines \$ 77.00

24 month Rental \$ 275.42 /month  
(Amount to be deducted if ordering as a non-connected machine \$ \_\_\_\_\_)

36 month Rental \$ 224.28 /month  
(Amount to be deducted if ordering as a non-connected machine \$ \_\_\_\_\_)

48 month Rental \$ 197.18 /month  
(Amount to be deducted if ordering as a non-connected machine \$ \_\_\_\_\_)

**Warranty** 90 days (duration) **Reduction to monthly maintenance and rental price during warranty:**  
24 month \$ \_\_\_\_\_ /mn    36 month \$ \_\_\_\_\_ /mn    48 month \$ \_\_\_\_\_ /mn  
maintenance for purchased machines \_\_\_\_\_ /mn

Monthly rental and monthly maintenance for purchased machines is inclusive of all supplies  
excepting paper for 15,000 copies/month.

Per copy overage charge for copies in excess of 15,000 copies/month \$ .0155 /ea

Accessories - Vendors may attach a list in the format indicated for any available accessories they  
wish to include in the contract.

Accessory	Model#	Purchase	Maintenance/month	Rental/month
SEE ATTACHED FOR RENTAL		\$	\$	\$
SCHEDULE		\$	\$	\$

## Accessory Page for the Kyocera KM-3050

Contact Packard Business Systems with any questions. 304-744-8241

DIGCOP04F

Accessory	Model #	Purchase Price	Maintenance Cost	24 month	36 month	48 month	Rental Price
3,000 sheet finisher	DF-710	\$ 2,617.00	\$ 9.00	\$ 110.54	\$ 84.37	\$ 70.50	
7-bin Multi Tray	MT-710	\$ 1,048.00	\$ 9.00	\$ 49.66	\$ 39.18	\$ 33.63	
Punch Unit	PH-5	\$ 670.00	\$ 3.00	\$ 29.00	\$ 22.30	\$ 18.75	
1,000 sheet finisher	DF-730	\$ 1,400.00	\$ 9.00	\$ 63.32	\$ 49.32	\$ 41.90	
Internal finisher	DF-720	\$ 1,095.00	\$ 9.00	\$ 51.49	\$ 40.54	\$ 34.73	
3,000 sheet paper tray	PF-750	\$ 765.20	\$ 5.00	\$ 34.69	\$ 27.04	\$ 22.98	
Dual 500 sheet paper trays	PF-700	\$ 669.50	\$ 5.00	\$ 30.98	\$ 24.28	\$ 20.73	
Serial Interface	IB-11	\$ 29.00		\$ 1.13	\$ 0.84	\$ 0.68	
Enhanced Network Interface	IB-23	\$ 399.00		\$ 15.48	\$ 11.49	\$ 9.38	
256 MB Memory	SD-100-256B	\$ 833.00		\$ 32.32	\$ 23.99	\$ 19.58	
Attachment Kit for DF-710/730	AK-700	\$ 50.00		\$ 1.94	\$ 1.44	\$ 1.18	
Job separator	JS-700	\$ 208.00	\$ 3.00	\$ 11.07	\$ 8.99	\$ 7.89	
Fax System (M)	Fax System (M)	\$ 1,155.00	\$ 9.00	\$ 53.81	\$ 42.26	\$ 36.14	
Copier Stand	Copier Stand	\$ 165.00		\$ 6.40	\$ 4.75	\$ 3.88	

# KM-3050 SPECIFICATIONS

## BASIC SPECIFICATIONS:

Configuration:	Workgroup Multifunctional with Standard Network Print/Color Scan System and optional Fax/Network Fax. Standard 500 x 2 Paper Drawers Plus 200 Sheet Multipurpose Tray. Standard Duplex. Optional Dual Scan Document Processor. Optional Finishing and Paper Handling.
Resolution:	600 x 600 DPI Resolution / 256 Levels, Fast 1200 Print Mode
System Memory:	Standard 512MB RAM, upgradeable to 1GB; Standard 40GB HDD
Magnification:	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, Plus 25-400% Zoom
Electrical Requirements:	120V, 60Hz, 11.5A
Dimensions:	23.6"W x 25.4"D x 29.3"H
Weight:	188 lbs
Max Monthly Volume:	100,000 Pages Per Month

## OUTPUT SPEEDS:

Warm-Up Time:	Within 30 Seconds, Program During Warm-up
First Copy Out:	3.9 Seconds
Pages Per Minute:	30 Letter, 20 Legal, 20 Ledger

## PAPER SUPPLY:

Standard Paper Sources:	Dual 500 Sheet Drawers, 200 Sheet MPT; Auto Tray Selection / Switching
Drawer Paper Size:	5.5" x 8.5" - 11" x 17"
MPT Paper Size:	5.5" x 8.5" - 11" x 17"
Std / Max Paper Capacity:	1,200 / 4,200
Paper Weight:	13-28 lb Bond via Paper Drawers, 13 lb Bond - 110 lb Index via MPT
Input Materials:	Bond Paper, Recycled Paper, Transparencies, Labels, Envelopes

## DUPLEX UNIT:

Duplex Type:	Standard Embedded Stackless
Paper Size:	5.5" x 8.5" - 11" x 17"
Paper Weight:	17 - 21 lb Bond
Duplex Modes:	Standard 1:2, 2:2, Book: 2, 2:1

## COPY FUNCTIONS:

Control Panel:	Color Wide Touch Screen Interface
Imaging Modes:	Text, Photo, Text / Photo, Auto, Manual, ECO
Continuous Copy:	Up to 999, Auto Reset to 1
Document Box:	Custom Box, Job Box, Media Box, Fax Box (with optional Fax System)
Additional Features:	Network/Local Authentication, Auto Magnification and Paper Select, Job Build, Job Finish Notice, Status Queue, Continuous Scan, Combine Image, Covers, Erase Mode, Image Rotate, Image Reverse, Priority Print, 50 Job Programs, Margin Shift, Mirror Image, Page Numbering, Memo Mode, 1,000 Management Codes, XY Zoom, Auto Centering, Help Guidance

## PAPER HANDLING OPTIONS:

### DOCUMENT PROCESSOR: DP-700

Type:	Dual Scan Document Processor (DSDP)
Acceptable Originals:	5.5" x 8.5" - 11" x 17", Mixed Size Processing
Capacity:	100 Sheet DSDP / 50 Letter Size Originals Per Minute (Monochrome)
Paper Weight:	13 - 42 lb Bond
Dimensions / Weight:	22.4"W x 20.7"D x 5.9"H / 29 lbs

### FINISHER: DF-710

Stack Capacity:	Main Tray (A): 3,000 Sheets; Sub Tray (B): 200 Sheets, Sub Tray (C): 50 Sheets
Paper Size:	Main Tray (A): 8.5" x 11" - 11" x 17"; Sub Tray (B) : 5.5" x 8.5" - 11" x 17"; Sub Tray (C) : 8.5" x 11", 5.5" x 8.5" 12 lb Bond - 110 lb Index
Paper Weight:	50 Sheets: 8.5" x 11"; 30 Sheets: 8.5" x 14", 11" x 17"
Staple Capacity:	50 Sheets: 8.5" x 11"; 30 Sheets: 8.5" x 14", 11" x 17"
Edge Staple Position:	3 Positions: Top Left, Bottom Left, Center Bind
Saddle Stitch / Fold:	Optional Booklet Folder
Punch:	Optional 2 and 3 Hole
Dimensions / Weight:	26.9"W x 22.2"D x 42.8"H / 121 lbs

### MULTI-TRAY: MT-710

Number of Trays:	7
Tray Capacity:	100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"
Paper Weight:	17 - 21 lb Bond
Dimensions / Weight:	20.1"W x 15.7"D x 18.5"H / 22 lbs

### PUNCH UNIT: PH-5A

Paper Size:	8.5" x 11" - 11" x 17"
Paper Weight:	17 lb Bond - 110 lb Index
Number of Holes:	2 and 3
Weight:	6.6 lbs

### BOOKLET FOLDER: BF-710

Folding Capacity:	1 - 16 Sheets
Stack Capacity:	1-3 Sheets - 30 Booklets; 4-6 Sheets - 20 Booklets; 7-16 Sheets - 10 Booklets
Paper Size:	8.5" x 11", 8.5" x 14", 11" x 17"
Paper Weight:	16 lb Bond - 110 lb Index, Over 20 lb is one sheet only
Dimensions / Weight:	25.7"W x 17.9"D x 10.5"H / 46.3 lbs

## SIMPLE FINISHER: DF-730

Stack Capacity:	8.5" x 11" - 1,000 Sheets; 8.5" x 14", 11" x 17" - 500 Sheets
Paper Size:	8.5" x 11" - 11" x 17"
Paper Weight:	17 - 34 lb Bond
Staple Capacity:	30 Sheets: 8.5" x 11"; 20 Sheets: 8.5" x 14", 11" x 17"
Edge Staple Position:	1 Position: Top Left
Dimensions / Weight:	22.0"W x 20.7"D x 36.0"H / 55 lbs

## INTERNAL FINISHER: DF-720

Stack Capacity:	8.5" x 11" - 500 Sheets; 8.5" x 14", 11" x 17" - 250 Sheets
Paper Size:	8.5" x 11" - 11" x 17"
Paper Weight:	16 lb - 28 lb Bond
Staple Capacity:	30 Sheets: 8.5" x 11"; 20 Sheets: 8.5" x 14", 11" x 17"
Edge Staple Position:	1 Position
Dimensions / Weight:	12.2"W x 16.1"D x 6.3"H / 19.8 lbs

## LARGE CAPACITY TRAY: PF-750

Paper Capacity:	3,000 Sheets
Paper Weight:	16 - 28 lb Bond
Paper Size:	8.5" x 11"
Dimensions / Weight:	23.0"W x 23.6"D x 12.4"H / 50.7 lbs

## DUAL PAPER DRAWERS: PF-700

Paper Capacity:	500 x 2 Sheets
Paper Weight:	16 - 28 lb Bond
Paper Size:	5.5" x 8.5" - 11" x 17"
Dimensions / Weight:	23.0"W x 23.2"D x 12.4"H / 57.3 lbs

## CONNECTIVITY:

### STANDARD NETWORK PRINT:

Controller:	Embedded PowerPC750FL/ 600 MHz Controller
Printer Memory:	Shared System Memory
Supported PDL/Emulations:	PRESCRIBE, PCL6 (PCL XL, PCL 5e), KPDL3 (P53), KGL (HP-GL/2), Diablo 630, IBM ProPrinter X24, Epson LQ850, Line Printer
Fonts:	80 Outline Fonts for PCL XL/5e, 136 Outline Fonts for KPDL3, 1 Bitmap Font
Windows® OS Compatibility:	Windows® 95/98/Me/NT4.x/2000/XP/2003
Novell® OS Compatibility:	Novell NetWare® 3.x/4.x/5.x/6.x
Mac OS Compatibility:	OS 8.x/9.x/10.x
UNIX OS Compatibility:	Sun OS 4.1.x; Solaris 2.x; AIX, HP-UX (LPR)
Connectivity / Interface:	Standard 10/100BaseTX, Parallel IEEE1284, High Speed USB 2.0
Host Interface (3):	Full Speed USB 2.0
Expansion Slots (2):	Optional Fax System; Optional IB-23 Secure NIC
Supported Protocols:	TCP/IP, IPX/SPX, AppleTalk, NetBEUI
Drivers:	KX Driver for Windows®, PPD for Mac, PPD for Linux/UNIX, Certified Uni Driver, Windows® 64-bit Drivers

Utilities:	KM-NET Viewer, KX SpoolCenter, KM-NET for Clients, PDF Direct Print, Kyocera Command Center
Additional Print Features:	Private Printing, Print Job Storage

### STANDARD COLOR NETWORK SCAN:

Scan Mode:	Color and Monochrome Scanning
Resolution:	200, 300, 400, 600 DPI
Scan Speed:	50 Originals per Minute (Monochrome); 25 Originals per Minute (Color)
File Formats:	Monochrome: PDF, TIFF; Color: PDF, JPG, TIFF
Connectivity:	10/100BaseTX
Supported Protocols:	TCP/IP
Scanning Functions:	Scan to Folder (SMB), Scan to e-Mail, Scan to FTP, TWAIN
Driver:	TWAIN Driver
Utilities:	Kyocera Command Center
Additional Scan Features:	Consolidated Address Book, Multi-Send, LDAP, Job Finish Notice, Long Scan Mode, File Separation, File Name Entry, e-Mail Subject/Body Entry

### FAX/NETWORK FAX: FAX SYSTEM (M)

Compatibility:	Super G3
Quick Scan Speed:	1.2 SPP
Transmission Speed:	Approximately 3 Seconds per page
Modem Speed:	33.6 Kbps with Auto Fallback
Data Compression:	JBIG, MMR, MR, MH
Fax Image Modes:	Normal, Fine, Super Fine, Ultra Fine
Fax Memory:	Shared System Memory
Driver:	KM Network Fax Driver
Utilities:	Kyocera Command Center
Additional Fax Features:	Multi-Send, Consolidated Address Book, Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box

### ADDITIONAL OPTIONS:

iTag, KYOCapture, Data Security Kit (C), Job Separator (JS-700), Fax Backup Kit (BU-10), PDF Enhancement Kit (UG-30), Finisher Attachment Kit (AK-700), 512MB Memory Board, Copy Stand
--



Specifications and design are subject to change without notice. All trademarks are the property of their respective owners.  
 Kyocera Mita America, Inc. Headquarters: 225 Sand Road, PO Box 40008, Fairfield, NJ 07004-0008, USA  
 © 2006 Kyocera Mita America, Inc. Item Code # 855D400023



PACKARD  
 BUSINESS  
 SYSTEMS  
 A Solutions-Oriented Company

3619 7th Avenue  
 Charleston, WV 25312  
 PH: (304)744-8241  
 Fax: (304)744-4114

**COST SHEET  
MONOCHROME COPIERS  
BAND 5**

**BRAND NAME:** Kyocera  
**MODEL#:** KM-5050

**MINIMUM SPECIFICATIONS:**

mfg. copy volume 65,000/month  
copy speed 50cpm

**Features:**

1,500 sheet capacity  
3 paper sources  
auto document feeder  
auto duplexing  
electronic sorting or  
finisher/sorter (indicate sheets)

**SPECIFICATIONS OF MACHINE BID:**

200,000 pages/month  
50 cpm  
2,200 sheet capacity (see below)  
6 sources standard  
dual scan document processor (see below)  
standard duplexing  
1,000-sheet and 3,000-sheet finisher avail.

(Include item/model #s for any accessory included  
in the base machine if needed for ordering.) Must include DP-700  
PF-700 on order

**PRICING:**

Purchase price \$ 7,013.20  
(Amount to be deducted if ordering as a non-connected machine \$ connectivity) is standard

Maintenance/month for purchased machines \$ 200.00

24 month Rental \$ 472.11 /month  
(Amount to be deducted if ordering as a non-connected machine \$ \_\_\_\_\_)

36 month Rental \$ 401.98 /month  
(Amount to be deducted if ordering as a non-connected machine \$ \_\_\_\_\_)

48 month Rental \$ 364.81 /month  
(Amount to be deducted if ordering as a non-connected machine \$ \_\_\_\_\_)

**Warranty** 90 days (duration) **Reduction to monthly rental price during warranty** \$ \_\_\_\_\_ /mn

Monthly rental and monthly maintenance for purchased machines is inclusive of all supplies  
excepting paper for 32,500 copies/month.

Per copy overage charge for copies in excess of 32,500 copies/month \$ .0155 /ea

Accessories - Vendors may attach a list in the format indicated for any available accessories they  
wish to include in the contract.

Accessory	Model#	Purchase \$	Maintenance/month \$	Rental/month \$
-----------	--------	----------------	-------------------------	--------------------

SEE ATTACHED FOR RENTAL SCHEDULE

## Accessory Page for the Kyocera KM-5050

Contact Packard Business Systems with any questions. 304-744-8241

### DIGCOP04F

Accessory	Model #	Purchase Price	Maintenance Cost	Rental Price		
				24 month	36 month	48 month
3,000 sheet finisher	DF-710	\$ 2,617.00	\$ 9.00	\$ 110.54	\$ 84.37	\$ 70.50
7-bin Multi Tray	MT-710	\$ 1,048.00	\$ 9.00	\$ 49.66	\$ 39.18	\$ 33.63
Punch Unit	PH-5	\$ 670.00	\$ 3.00	\$ 29.00	\$ 22.30	\$ 18.75
1,000 sheet finisher	DF-730	\$ 1,400.00	\$ 9.00	\$ 63.32	\$ 49.32	\$ 41.90
Internal finisher	DF-720	\$ 1,095.00	\$ 9.00	\$ 51.49	\$ 40.54	\$ 34.73
3,000 sheet paper tray	PF-750	\$ 765.20	\$ 5.00	\$ 34.69	\$ 27.04	\$ 22.98
Dual 500 sheet paper trays	PF-700	\$ 669.50	\$ 5.00	\$ 30.98	\$ 24.28	\$ 20.73
Serial Interface	IB-11	\$ 29.00		\$ 1.13	\$ 0.84	\$ 0.68
Enhanced Network Interface	IB-23	\$ 399.00		\$ 15.48	\$ 11.49	\$ 9.38
256 MB Memory	SD-100-256B	\$ 833.00		\$ 32.32	\$ 23.99	\$ 19.58
Attachment Kit for DF-710/730	AK-700	\$ 50.00		\$ 1.94	\$ 1.44	\$ 1.18
Job separator	JS-700	\$ 208.00	\$ 3.00	\$ 11.07	\$ 8.99	\$ 7.89
Fax System (M)	Fax System (M)	\$ 1,155.00	\$ 9.00	\$ 53.81	\$ 42.26	\$ 36.14
Copier Stand	Copier Stand	\$ 165.00		\$ 6.40	\$ 4.75	\$ 3.88

# KM-5050 SPECIFICATIONS

## BASIC SPECIFICATIONS:

Configuration:	Workgroup Multifunctional with Standard Network Print/Color Scan System and optional Fax/Network Fax. Standard 500 x 2 Paper Drawers Plus 200 Sheet Multipurpose Tray. Standard Duplex. Optional Dual Scan Document Processor. Optional Finishing and Paper Handling.
Resolution:	600 x 600 DPI Resolution / 256 Levels, Fast 1200 Print Mode
System Memory:	Standard 512MB RAM, Upgradeable to 1GB; Standard 40GB HDD
Magnification:	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, Plus 25-400% Zoom
Electrical Requirements:	120V, 60Hz, 11.5A
Dimensions:	23.6"W x 25.4"D x 29.3"H
Weight:	188 lbs
Max Monthly Volume:	200,000 Pages Per Month

## OUTPUT SPEEDS:

Warm-Up Time:	Within 30 Seconds, Program During Warm-up
First Copy Out:	3.5 Seconds
Pages Per Minute:	50 Letter, 26 Legal, 26 Ledger

## PAPER SUPPLY:

Standard Paper Sources:	Dual 500 Sheet Drawers, 200 Sheet MPT; Auto Tray Selection / Switching
Drawer Paper Size:	5.5" x 8.5" - 11" x 17"
MPT Paper Size:	5.5" x 8.5" - 11" x 17"
Std / Max Paper Capacity:	1,200 / 4,200
Paper Weight:	13-28 lb Bond via Paper Drawers, 13 lb Bond - 110 lb Index via MPT
Input Materials:	Bond Paper, Recycled Paper, Transparencies, Labels, Envelopes

## DUPLEX UNIT:

Duplex Type:	Standard Embedded Stackless
Paper Size:	5.5" x 8.5" - 11" x 17"
Paper Weight:	17 - 21 lb Bond
Duplex Modes:	Standard 1:2, 2:2, Book: 2, 2:1

## COPY FUNCTIONS:

Control Panel:	Color Wide Touch Screen Interface
Imaging Modes:	Text, Photo, Text / Photo, Auto, Manual, ECO
Continuous Copy:	Up to 999, Auto Reset to 1
Document Box:	Custom Box, Job Box, Media Box, Fax Box (with optional Fax System)
Additional Features:	Network/Local Authentication, Auto Magnification and Paper Select, Job Build, Job Finish Notice, Status Queue, Continuous Scan, Combine Image, Covers, Erase Mode, Image Rotate, Image Reverse, Priority Print, 50 Job Programs, Margin Shift, Mirror Image, Page Numbering, Memo Mode, 1,000 Management Codes, XY Zoom, Auto Centering, Help Guidance

## PAPER HANDLING OPTIONS:

### DOCUMENT PROCESSOR: DP-700

Type:	Dual Scan Document Processor (DSDP)
Acceptable Originals:	5.5" x 8.5" - 11" x 17", Mixed Size Processing
Capacity:	100 Sheet DSDP / 50 Letter Size Originals Per Minute (Monochrome)
Paper Weight:	13 - 42 lb Bond
Dimensions / Weight:	22.4"W x 20.7"D x 5.9"H / 29 lbs

### FINISHER: DF-710

Stack Capacity:	Main Tray (A): 3,000 Sheets; Sub Tray (B): 200 Sheets, Sub Tray (C): 50 Sheets
Paper Size:	Main Tray (A): 8.5" x 11" - 11" x 17"; Sub Tray (B) : 5.5" x 8.5" - 11" x 17"; Sub Tray (C) : 8.5" x 11", 5.5" x 8.5"
Paper Weight:	12 lb Bond - 110 lb Index
Staple Capacity:	50 Sheets: 8.5" x 11"; 30 Sheets: 8.5" x 14", 11" x 17"
Edge Staple Position:	3 Positions: Top Left, Bottom Left, Center Bind
Saddle Stitch / Fold:	Optional Booklet Folder
Punch:	Optional 2 and 3 Hole
Dimensions / Weight:	26.9"W x 22.2"D x 42.8"H / 121 lbs

### MULTI-TRAY: MT-710

Number of Trays:	7
Tray Capacity:	100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"
Paper Weight:	17 - 21 lb Bond
Dimensions / Weight:	20.1"W x 15.7"D x 18.5"H / 22 lbs

### PUNCH UNIT: PH-5A

Paper Size:	8.5" x 11" - 11" x 17"
Paper Weight:	17 lb Bond - 110 lb Index
Number of Holes:	2 and 3
Weight:	6.6 lbs

### BOOKLET FOLDER: BF-710

Folding Capacity:	1 - 16 Sheets
Stack Capacity:	1-3 Sheets - 30 Booklets; 4-6 Sheets - 20 Booklets; 7-16 Sheets - 10 Booklets
Paper Size:	8.5" x 11", 8.5" x 14", 11" x 17"
Paper Weight:	16 lb Bond - 110 lb Index, Over 20 lb is one sheet only
Dimensions / Weight:	25.7"W x 17.9"D x 10.5"H / 46.3 lbs

## SIMPLE FINISHER: DF-730

Stack Capacity:	8.5" x 11" - 1,000 Sheets; 8.5" x 14", 11" x 17" - 500 Sheets
Paper Size:	8.5" x 11" - 11" x 17"
Paper Weight:	17 - 34 lb Bond
Staple Capacity:	30 Sheets: 8.5" x 11"; 20 Sheets: 8.5" x 14", 11" x 17"
Edge Staple Position:	1 Position: Top Left
Dimensions / Weight:	22.0"W x 20.7"D x 36.0"H / 55 lbs

## INTERNAL FINISHER: DF-720

Stack Capacity:	8.5" x 11" - 500 Sheets; 8.5" x 14", 11" x 17" - 250 Sheets
Paper Size:	8.5" x 11" - 11" x 17"
Paper Weight:	16 lb - 28 lb Bond
Staple Capacity:	30 Sheets: 8.5" x 11"; 20 Sheets: 8.5" x 14", 11" x 17"
Edge Staple Position:	1 Position
Dimensions / Weight:	12.2"W x 16.1"D x 6.3"H / 19.8 lbs

## LARGE CAPACITY TRAY: PF-750

Paper Capacity:	3,000 Sheets
Paper Weight:	16 - 28 lb Bond
Paper Size:	8.5" x 11"
Dimensions / Weight:	23.0"W x 23.6"D x 12.4"H / 50.7 lbs

## DUAL PAPER DRAWERS: PF-700

Paper Capacity:	500 x 2 Sheets
Paper Weight:	16 - 28 lb Bond
Paper Size:	5.5" x 8.5" - 11" x 17"
Dimensions / Weight:	23.0"W x 23.2"D x 12.4"H / 57.3 lbs

## CONNECTIVITY:

### STANDARD NETWORK PRINT:

Controller:	Embedded PowerPC750FLJ 600 MHz Controller
Printer Memory:	Shared System Memory
Supported PDL/Emulations:	PRESCRIBE, PCL6 (PCL XL, PCL 5e), KPDL3 (PS3), KCGL (HP-GL/2), Diablo 630, IBM ProPrinter X24, Epson LQ850, Line Printer
Fonts:	80 Outline Fonts for PCL XL/5e, 136 Outline Fonts for KPDL3, 1 Bitmap Font
Windows® OS Compatibility:	Windows® 95/98/Me/NT4.x/2000/XP/2003
Novell® OS Compatibility:	Novell NetWare® 3.x/4.x/5.x/6.x
Mac OS Compatibility:	OS 8.x/9.x/10.x
UNIX OS Compatibility:	Sun OS 4.1.x; Solaris 2.x; AIX, HP-UX (LPR)
Connectivity / Interface:	Standard 10/100BaseTX, Parallel IEEE1284, High Speed USB 2.0
Host Interface (3):	Full Speed USB 2.0
Expansion Slots (2):	Optional Fax System; Optional IB-23 Secure NIC
Supported Protocols:	TCP/IP, IPX/SPX, AppleTalk, NetBEUI
Drivers:	KX Driver for Windows®, PPD for Mac, PPD for Linux/UNIX, Certified Uni Driver, Windows® 64-bit Drivers

Utilities:	KM-NET Viewer, KX SpoolCenter, KM-NET for Clients, PDF Direct Print, Kyocera Command Center
Additional Print Features:	Private Printing, Print Job Storage

### STANDARD COLOR NETWORK SCAN:

Scan Mode:	Color and Monochrome Scanning
Resolution:	200, 300, 400, 600 DPI
Scan Speed:	50 Originals per Minute (Monochrome); 25 Originals per Minute (Color)
File Formats:	Monochrome: PDF, TIFF; Color: PDF, JPG, TIFF
Connectivity:	10/100BaseTX
Supported Protocols:	TCP/IP
Scanning Functions:	Scan to Folder (SMB), Scan to e-Mail, Scan to FTP, TWAIN
Driver:	TWAIN Driver
Utilities:	Kyocera Command Center
Additional Scan Features:	Consolidated Address Book, Multi-Send, LDAP, Job Finish Notice, Long Scan Mode, File Separation, File Name Entry, e-Mail Subject/Body Entry

### FAX/NETWORK FAX: FAX SYSTEM (M)

Compatibility:	Super G3
Quick Scan Speed:	1.2 SPP
Transmission Speed:	Approximately 3 Seconds per page
Modem Speed:	33.6 Kbps with Auto Fallback
Data Compression:	JBIG, MMR, MR, MH
Fax Image Modes:	Normal, Fine, Super Fine, Ultra Fine
Fax Memory:	Shared System Memory
Driver:	KM Network Fax Driver
Utilities:	Kyocera Command Center
Additional Fax Features:	Multi-Send, Consolidated Address Book, Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box

### ADDITIONAL OPTIONS:

Options:	iTag, KYOCapture, Data Security Kit (C), Job Separator (JS-700), Fax Backup Kit (BU-10), PDF Enhancement Kit (UG-30), Finisher Attachment Kit (AK-700), 512MB Memory Board, Copy Stand
----------	--



Specifications and design are subject to change without notice. All trademarks are the property of their respective owners.

Kyocera Mita America, Inc. Headquarters: 225 Sand Road, PO Box 4 Fairfield, NJ 07004-0008, USA  
© 2006 Kyocera Mita America, Inc.  
Item Code # 855D400025



**PACKARD  
BUSINESS  
SYSTEMS**  
A Solutions-Oriented Company

3619 7th Avenue  
Charleston, WV 25312  
PH: (304)744-8241  
Fax: (304)744-4114



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Purchase Order

**PURCHASE ORDER NO.**  
 DIGCOP04F

**PAGE**  
 \_\_\_\_\_

**BLANKET RELEASE**  
 00

CORRECT PURCHASE ORDER NUMBER MUST APPEAR ON ALL PACKAGES, INVOICES, AND SHIPPING PAPERS. QUESTIONS CONCERNING THIS PURCHASE ORDER SHOULD BE DIRECTED TO THE BUYER AS NOTED BELOW.

**CHANGE ORDER**  
 6

**SEE REVERSE SIDE FOR TERMS AND CONDITIONS**

INVOICE TO

ALL STATE AGENCIES  
 AND POLITICAL SUBDIVISIONS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

VENDOR

\*202143256      703-469-2321  
 KYOCERA MITA AMERICA INC  
 225 SAND ROAD  
  
 FAIRFIELD NJ 07004

SHIP TO

ALL STATE AGENCIES  
 AND POLITICAL SUBDIVISIONS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

DATE PRINTED		TERMS OF SALE		FEIN/SSN		FUND	
01/23/2007		NET 30		952819506			
SHIP VIA		F.O.B		FREIGHT TERMS		ACCOUNT NUMBER	
BEST WAY		DESTINATION		PREPAID		MUL-MUL	
LINE	QUANTITY	UOP	VENDOR ITEM NO.		UNIT PRICE		AMOUNT
	DELIVERY DATE	CAT. NO.	ITEM NUMBER				
			RECEIPT TICKET FOR PURCHASE ORDER:		DIGCOP04F		
LINE	CATNO	ITEM	NUMBER	DESCRIPTION		QTY	DATE
0001		985-64		PER ATTACHED COST SHEETS		_____	_____
			SIGNATURE _____		DATE _____		

IF APPROVAL AS TO FORM IS REQUIRED BY ATTORNEY GENERAL, CHECK HERE

**TOTAL**

APPROVED AS TO FORM BY  
 ASSISTANT ATTORNEY GENERAL

BY \_\_\_\_\_  
 PURCHASING DIVISION AUTHORIZED SIGNATURE