



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Purchase Order

PURCHASE ORDER NO.  
MV12E

PAGE  
1

BLANKET RELEASE  
00

CORRECT PURCHASE ORDER NUMBER  
MUST APPEAR ON ALL PACKAGES,  
INVOICES, AND SHIPPING PAPERS.  
QUESTIONS CONCERNING THIS PUR-  
CHASE ORDER SHOULD BE DIRECTED  
TO THE BUYER AS NOTED BELOW.

CHANGE ORDER

SEE REVERSE SIDE FOR  
TERMS AND CONDITIONS

INVOICE TO

ALL STATE AGENCIES  
AND POLITICAL SUBDIVISIONS  
VARIOUS LOCALES AS INDICATED  
BY ORDER

## AGENCY COPY

VENDOR

\*709035325      304-645-1010  
 GREENBRIER MOTOR CO INC  
 111 SENECA TRAIL  
 LEWISBURG WV 24901

SHIP TO

ALL STATE AGENCIES  
AND POLITICAL SUBDIVISIONS  
VARIOUS LOCALES AS INDICATED  
BY ORDER

DATE PRINTED		TERMS OF SALE		FEIN/SSN	FUND
01/27/2012		NET 30		550323196	
SHIP VIA		F.O.B		FREIGHT TERMS	ACCOUNT NUMBER
BEST WAY		DESTINATION		PREPAID	MUL-MUL
LINE	QUANTITY	UOP	VENDOR ITEM NO.	UNIT PRICE	AMOUNT
	DELIVERY DATE	CAT.NO.	ITEM NUMBER		
BLANKET OPEN-END STATEWIDE CONTRACT					
THIS CONTRACT IS TO SUPPLY 2012 MOTOR VEHICLES (OR CURRENT MODEL YEAR) TO ALL WEST VIRGINIA STATE AGENCIES AND POLITICAL SUBDIVISIONS, PER THE ATTACHED LIST OF VEHICLE CLASSES AWARDED THROUGH THIS CONTRACT.					
THIS AWARD IS PER THE FOLLOWING:					
1. REQUEST FOR QUOTATION DATED 11/07/2011 AND ALL ADDENDA THERETO.					
2. ADDENDUM NO.1, DATED 11/22/2011.					
3. VENDOR S BID DATED 12/12/2011.					
ALL RELEASE ORDERS FOR STATE AGENCIES MUST BE DONE THROUGH THE PURCHASING DIVISION. AGENCY REQUESTS MUST BE SUBMITTED WITH A WV-35 AND ATTACH THE COMPLETED VEHICLE ORDER FORM FOR EACH DIFFERENT TYPE OF VEHICLE ORDERED.					
***** AGENCIES MUST OBTAIN APPROPRIATE APPROVAL PRIOR TO SENDING TO THE PURCHASING DIVISION.*****					
POLITICAL SUBDIVISIONS SHOULD CONTACT THE VENDOR					

PURCHASING DIVISION  
CERTIFIED ENCUMBERED

FEB 13 2012

*Beverly Toler*

IF APPROVAL AS TO FORM IS REQUIRED BY ATTORNEY GENERAL, CHECK HERE

OPEN END

TOTAL

*Dawn Workfield*  
 APPROVED AS TO FORM BY  
 ASSISTANT ATTORNEY GENERAL

APPROVED FOR  
ONE FISCAL YEAR

*Guy Nisbet*  
 1/30/12  
 GUY NISBET 304-558-8802  
*Krista S. Turner* 02/06/12  
 PURCHASING DIVISION AUTHORIZED SIGNATURE

**GENERAL TERMS & CONDITIONS**  
**REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
5. Payment may only be made after the delivery and acceptance of goods or services.
6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at [www.state.wv.us/admin/purchase/vrc/hipaa.html](http://www.state.wv.us/admin/purchase/vrc/hipaa.html) and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

---

**INSTRUCTIONS TO BIDDERS**

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Purchase Order

PURCHASE ORDER NO.  
 MV12E

PAGE  
 2

BLANKET RELEASE  
 00

CORRECT PURCHASE ORDER NUMBER  
 MUST APPEAR ON ALL PACKAGES,  
 INVOICES, AND SHIPPING PAPERS.  
 QUESTIONS CONCERNING THIS PUR-  
 CHASE ORDER SHOULD BE DIRECTED  
 TO THE BUYER AS NOTED BELOW.

CHANGE ORDER

SEE REVERSE SIDE FOR  
 TERMS AND CONDITIONS

INVOICE TO

ALL STATE AGENCIES  
 AND POLITICAL SUBDIVISIONS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

VENDOR

\*709035325      304-645-1010  
 GREENBRIER MOTOR CO INC  
 111 SENECA TRAIL  
 LEWISBURG WV 24901

SHIPTO

ALL STATE AGENCIES  
 AND POLITICAL SUBDIVISIONS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

DATE PRINTED		TERMS OF SALE		FEIN/SSN		FUND	
01/27/2012		NET 30		550323196			
SHIP VIA		F.O.B		FREIGHT TERMS		ACCOUNT NUMBER	
BEST WAY		DESTINATION		PREPAID		MUL-MUL	
LINE	QUANTITY	UOP	VENDOR ITEM NO.		UNIT PRICE	AMOUNT	
	DELIVERY DATE	CAT. NO.	ITEM NUMBER				
0001		EA			.00000		
DIRECTLY TO MAKE A PURCHASE THROUGH THIS CONTRACT.  02/15/2012      070-06-01-000 2012 (OR CURRENT MODEL YEAR) MOTOR VEHICLES  EXHIBIT 3  LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON 02/15/2012 AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS WRITTEN NOTICE.  UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.  CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN							

IF APPROVAL AS TO FORM IS REQUIRED BY ATTORNEY GENERAL, CHECK HERE

TOTAL

APPROVED AS TO FORM BY  
 ASSISTANT ATTORNEY GENERAL

BY \_\_\_\_\_  
 PURCHASING DIVISION AUTHORIZED SIGNATURE



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Purchase Order

PURCHASE ORDER NO.
MV12E

PAGE
3

BLANKET RELEASE
00

CORRECT PURCHASE ORDER NUMBER MUST APPEAR ON ALL PACKAGES, INVOICES, AND SHIPPING PAPERS. QUESTIONS CONCERNING THIS PURCHASE ORDER SHOULD BE DIRECTED TO THE BUYER AS NOTED BELOW.

CHANGE ORDER

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

INVOICE TO

ALL STATE AGENCIES  
 AND POLITICAL SUBDIVISIONS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

VENDOR

\*709035325      304-645-1010  
 GREENBRIER MOTOR CO INC  
 111 SENECA TRAIL  
 LEWISBURG WV 24901

SHIP TO

ALL STATE AGENCIES  
 AND POLITICAL SUBDIVISIONS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

DATE PRINTED		TERMS OF SALE		FEIN/SSN	FUND
01/27/2012		NET 30		550323196	
SHIP VIA		F.O.B		FREIGHT TERMS	ACCOUNT NUMBER
BEST WAY		DESTINATION		PREPAID	MUL-MUL
LINE	QUANTITY	UOP	VENDOR ITEM NO.	UNIT PRICE	AMOUNT
	DELIVERY DATE	CAT. NO.	ITEM NUMBER		
<p>NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK.)</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIED BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF THE CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN EQUIPMENT CONTRACT ORDER (FORM NUMBER WV-35) FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL WV-35 MUST BE SENT TO THE PURCHASING DIVISION. AFTER APPROVAL AND ENCUMBRANCE, ONE COPY OF THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND ONE COPY FORWARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED</p>					
IF APPROVAL AS TO FORM IS REQUIRED BY ATTORNEY GENERAL, CHECK HERE <input type="checkbox"/>					TOTAL

APPROVED AS TO FORM BY  
 ASSISTANT ATTORNEY GENERAL

BY \_\_\_\_\_  
 PURCHASING DIVISION AUTHORIZED SIGNATURE



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Purchase Order

PURCHASE ORDER NO.  
 MV12E

PAGE  
 4

BLANKET RELEASE  
 00

CORRECT PURCHASE ORDER NUMBER  
 MUST APPEAR ON ALL PACKAGES,  
 INVOICES, AND SHIPPING PAPERS.  
 QUESTIONS CONCERNING THIS PUR-  
 CHASE ORDER SHOULD BE DIRECTED  
 TO THE BUYER AS NOTED BELOW.

CHANGE ORDER

SEE REVERSE SIDE FOR  
 TERMS AND CONDITIONS

INVOICE TO

ALL STATE AGENCIES  
 AND POLITICAL SUBDIVISIONS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

VENDOR

\*709035325                      304-645-1010  
 GREENBRIER MOTOR CO INC  
 111 SENECA TRAIL  
 LEWISBURG WV 24901

SHIP TO

ALL STATE AGENCIES  
 AND POLITICAL SUBDIVISIONS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

DATE PRINTED		TERMS OF SALE		FEIN/SSN		FUND	
01/27/2012		NET 30		550323196			
SHIP VIA		F.O.B		FREIGHT TERMS		ACCOUNT NUMBER	
BEST WAY		DESTINATION		PREPAID		MUL-MUL	
LINE	QUANTITY	UOP	VENDOR ITEM NO.		UNIT PRICE	AMOUNT	
	DELIVERY DATE	CAT.NO.	ITEM NUMBER				
	BY THE PURCHASING DIVISION.						
	BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.						
	THE TERMS AND CONDITIONS CONTAINED IN THIS CONTRACT SHALL SUPERSEDE ANY AND ALL SUBSEQUENT TERMS AND CONDITIONS WHICH MAY APPEAR ON ANY ATTACHED PRINTED DOCUMENTS SUCH AS PRICE LISTS, ORDER FORMS, SALES AGREEMENTS OR MAINTENANCE AGREEMENTS, INCLUDING ANY ELECTRONIC MEDIUM SUCH AS CD-ROM.						
IF APPROVAL AS TO FORM IS REQUIRED BY ATTORNEY GENERAL, CHECK HERE <input type="checkbox"/>							
TOTAL							

APPROVED AS TO FORM BY  
 ASSISTANT ATTORNEY GENERAL

BY \_\_\_\_\_  
 PURCHASING DIVISION AUTHORIZED SIGNATURE

MV12	Greenbrier Motor Company	
CLASS	MODEL	PRICE
2A	GAS - Jeep Patriot Sport FWD (MKTE74)	\$15,193.00
20A	Diesel - Dodge RAM 3500 (DD8L63)	\$22,550.00
34	GAS - Jeep Liberty	\$16,966.00

**CLASS 2A - Automobile**  
**SMALL STATION WAGON, FRONT**  
**WHEEL DRIVE, 4 DOOR 2700 GVWR**

070-06-02-010

Includes but is not limited to: Toyota Matrix, VW-Jetta Sportswagon or equal.

Vendor Name: Greenbrier Motor Company

Manufacturer / Brand	<u>Jeep Patriot</u>
Delivery	<u>90 days</u>
Model Name	<u>Patriot Sport FWD</u>
Model Number:	<u>MKTE74</u>

**Standard Equipment Requirements:**









Engine	<u>MIN: 127 HP 128 TORQUE</u>
Transmission	<u>Automatic</u>
Steering	<u>Power</u>
Brakes	<u>Power/ABS</u>
Radio	<u>AM/FM</u>
Glass	<u>All Tinted</u>
Mirrors	<u>Left &amp; Right Outside</u>
License Plate Mounts	<u>Front &amp; Rear</u>
Tires	<u>All Season</u>
Spare Tire	<u>Standard tire w/ Jack</u>
Rear Window/Defogger	<u>Installed</u>
Front Seat	<u>Standard</u>
Air Conditioning	<u>Installed</u>
Floor Mats	<u>Installed</u>
Front Air Bags	<u>Installed</u>

HP	TORQUE
158	141

Price Each	\$15,193.00
Price Each Flex-Fuel	<u>N/A</u>

EPA HGWAY	EPA CITY
27	23

**Options:**

- |   |  |  |      |                             |
|---|--|--|------|-----------------------------|
| 1 | AM/FM with CD Player                       |  | \$   | standard                    |
| 2 | Tilt Wheel & Cruise control                |  | \$   | N/A                         |
| 3 | Keyless Entry                              |  | \$   | standard                    |
| 4 | Power Windows - Power Doors                |  | \$   | include w<br>power<br>locks |
| 5 | Side Air Bags                              |  | \$   | 1,279.00                    |
| 6 | Delete Floor Mats (Deduct)                 |  | \$ - | N/A                         |
| 7 | FOB Dealership: (Deduct)                   |  | \$ - | N/A                         |
| 8 | FOB Other than Metro Charleston - Per Mile |  | \$   | 1.25                        |

Additional Information:

Daytime runing lights	add \$ 36.00
Supplement Side air bags	add \$228.00
Uconnect Bluetooth	add \$432.00
Anti-Lock Brakes	Standard

Colors: black, silver, white, copper pearl, deep cherry red, gray onyx green and true blue.

**CLASS 20A - TRUCK**  
 Chassis Cab, 4 Wheel Drive,  
 12,000 GVWR, Dual Rear Wheels  
 Includes but is not limited to: Dodge Ram 3500, Ford F350 or equal.

070-48-20-002

Vendor Name: Greenbrier Motors Company

Manufacturer / Brand	Dodge Ram Truck
Delivery	90 days
Model Name & Number	RAM 3500 DD8L63

**Standard Equipment Requirements:**

Engine	MIN: 300 HP 360 TORQUE
Transmission	Automatic
Steering	Power
Brakes	Power/ABS
Radio	AM/FM
Glass	All Tinted
Mirrors	Left & Right Outside
License Plate Mounts	Front & Rear
Dual Rear Wheels	Installed
Tires	All Season Load Range D
Fuel Tank	20 Gallons Minimum
Air Conditioning	Installed
Front Seat	Bench
Standard Floor Covering	Installed
Front Air Bags	Installed

HP	TORQUE
383	400

Price Each 137" WB 60" Cab to Axle  
 Price Each 161" WB 84" Cab to Axle

N/A  
 N/A

22,550.00  
 22,723.00

**Options:**

1 Full Size Spare tire		298
2 Off Road Package Including Limited Slip Rear, Includes: Axle-trac-lok differential Engine Cooling - heavy duty Skid plate Group Suspension - Heavy Duty w/Gas Shocks All Terrain Tires Engine Cooling Heavy Duty	standard standard standard standard standard standard	213
3 AM/FM w/ CD Player		standard
4 Tilt Wheel & Cruise Control		213
5 Keyless Entry		inc. w/powerloc
6 Power Windows / Power Locks		638
7 Back-Up Alarm		65
8 Tow Package	List items included in this group	w/ bed
9 Snow Plow Package	List items included in this group	170.00 prep on
10 Side Air Bags		
11 Exterior colors		
12 Slide Rear Window		119
13 Slush/All Weather Mats (Driver & Passenger)		N/A
14 Slush/All Weather Mats (Second Row)		N/A
15 Slush/All Weather Mats (Cargo)		N/A
16 Dual Gas Tanks		N/A
17 Flatbed 9' long f/ 60" CA (see attached specifications)		2825
18 Flatbed 12' long f/ 84" CA (see attached specifications)		2925
19 Dump Bed f/ 60" CA, 8.5' Long (see attached specifications)		
20 Dump Bed f/ 84" CA, 10.5' long (see attached specifications)		
21 Utility Bed f/ 60" CA, 9' long (see attached specifications)		
22 Utility Bed f/ 84" CA, 11' long (see attached specifications)		
23 Crane (see attached specifications)		
24 Crane (see attached specifications)		
25 Extended Cab w/ Third and Fourth Door		N/A
26 Crew Cab - Front Hinged Doors		2037
27 Gasoline Engine: 8 Cyl, 7.0 (Deduct)		standard
28 2 Wheel Drive (Deduct)		N/A
29 Manual Transmission w/Overdrive (Deduct)		N/A
30 FOB Dealership: (Deduct)		N/A
31 Delete Floor Mats (Deduct)		N/A
32 Delete Cloth Seats (Deduct)		N/A
33 FOB Other than Metro Charleston - Per Mile		1.25
34 Available Axle Ratios	1. 2. 3.	N/A

↑  
 Enter Total Off Rd Pkg Above



CLASS 34 - AUTOMOBILE  
UTILITY, 4 WHEEL DRIVE, 4 DOOR  
4100 GVWR (min),with OFF ROAD PACKAGE, Wheelbase 103"  
Includes but is not limited to:

070-06-34-010

Vendor Name: Greenbrier Motors Company  
Manufacturer / Brand Jeep  
Delivery 90 days  
Model Name & Number Jeep Liberty

Standard Equipment Requirements:

Engine	MIN: 150 HP 165 TORQUE
Transmission	Automatic
Steering	Power
Brakes	Power/ABS
Radio	AM/FM
Glass	All Tinted
Mirrors	Left & Right Outside
License Plate Mounts	Front & Rear
Fuel Tank	Standard
Tires	All Season
Spare Tire	Standard tire w/Jack
Air Conditioning	Installed
Front Seat	Bucket
Floor Mats	Installed
Rear Window Defogger	Installed
Front Air Bags	Installed
Off Road Package Including Limited Slip Rear, Includes:	Installed
Axle-Trac-Lok Differential	Installed
Engine Cooling - Heavy Duty	Installed
Skid plate Group	Installed
Suspension - Heavy Duty W/Gas Shocks	Installed
All Terrain Tires	Installed
Tow Hooks	Installed

HP	HGWY
210	235

EPA HGWY	EPA CITY
21	15

Price Each Gasoline 16,966.00  
Price Each Flex Fuel N/A

Options:

2	AM/FM w/ CD Player	\$	standard
3	Tilt Wheel & Cruise Control	\$	N/A
4	Side Air Bag	\$	N/A
5	Tow Package	\$	496
6	2 Passenger Seating	\$	N/A
7	Slush/All Weather Mats (Driver & Passenger)	\$	N/A
8	Slush/All Weather Mats (Second Row)	\$	N/A
9	Slush/All Weather Mats (Cargo)	\$	N/A
10	Exterior colors	\$	
11	Manual Transmission w/Overdrive (Deduct)	\$	-
12	Delete Off Road Package Including: (DEDUCT)		
	Axle-Trac-Lok Differential		
	Engine Cooling - Heavy Duty		
	Skid plate Group	\$	-
	Suspension - Heavy Duty W/Gas Shocks		
	All Terrain Tires		
	Tow Hooks		
13	Delete Floor Mats (Deduct)	\$	-
14	FOB Dealership: (Deduct)	\$	-
15	FOB Other than Metro Charleston - Per Mile	\$	1.25

Additional Information:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

SPECIFICATION FOR FLAT BED AND DUMP BED AND UTILITY BODY ARE LISTED BELOW:

SPECS CLASS 20, 20A, 33

FLAT BED MODEL PVMX838 OR APPROVED EQUAL CLASS 20

- 56" CA CAB AND CHASSIS SINGLE REAR WHEEL
- \*8" LONG X 78" WIDE STEEL PLATFORM BODY WITH 2 X 6 TREATED PINE WOOD FLOOR
- \*36" TALL TAPERED BULKHEAD WITH SCREEN WINDOW
- \*ICC BUMPER, MARKER LIGHTS, REAR MUDDFLAPS MEET FMVSS STDS.
- \*MOUNTING TO PROPERLY FIT CHASSIS
- \*PAINTED BLACK

FLAT BED MODEL PVMX93 OR APPROVED EQUAL CLASS 20A & 33

- 60" CA CAB AND CHASSIS DUAL REAR WHEEL
- \*9" LONG X 95" WIDE STEEL PLATFORM BODY WITH 2 X 6 TREATED PINE WOOD FLOOR
- \*36" TALL TAPERED BULKHEAD WITH SCREEN WINDOW
- \*ICC BUMPER, MARKER LIGHTS, REAR MUDDFLAPS MEET FMVSS STDS.
- \*MOUNTING TO PROPERLY FIT CHASSIS
- \*PAINTED BLACK

FLAT BED MODEL PVMX123 OR APPROVED EQUAL CLASS 20A & 33

- 84" CA CAB AND CHASSIS DUAL REAR WHEEL
- \*12" LONG X 95" WIDE STEEL PLATFORM BODY WITH 2 X 6 TREATED PINE WOOD FLOOR
- \*36" TALL TAPERED BULKHEAD WITH SCREEN WINDOW
- \*ICC BUMPER, MARKER LIGHTS, REAR MUDDFLAPS MEET FMVSS STDS
- \*MOUNTING TO PROPERLY FIT CHASSIS
- \*PAINTED BLACK

DUMP BODY MODEL 100U GALION OR APPROVED EQUAL CLASS 20A & 33

- 60" CA CAB AND CHASSIS DUAL REAR WHEEL
- \*8.5" LONG X 13" TALL SIDES X 22" TALL TAILGATE (ALL 10 GA. STEEL)
- \*1/2 X 84 CAB SHIELD (23" LONG X 84" WIDE)
- \*MARKER LIGHTS, ICC BUMPER, REAR MUDD FLAPS MEET FMVSS STDS.
- \*STEEL MUD GUARDS IN FRONT OF REAR WHEELS
- \*PAINTED BLACK
- \*PFS24DAE HOIST APPROX. 8 TON CAPACITY
- \*12 DC VOLT ELECTRIC HYDRAULIC POWER UNIT WITH PUSH BUTTON CONTROLLER ON AUTOMATIC TRANSMISSION CAB AND CHASSIS

NOTE: PTO, DIRECT MOUNT HYDRAULIC PUMP, DUMP VALVE(ELECTRIC OR CABLE SHIFT),AND RESERVOIR IF PTO APPLICATION IS AVAILABLE ON MANUAL TRANSMISSION

DUMP BODY MODEL 100U GALION OR APPROVED EQUAL CLASS 20A & 33

- \*84" CA CAB AND CHASSIS DUAL REAR WHEEL
- \*10.5" LONG X 13" TALL SIDES X 22" TALL TAILGATE (ALL 10 GA. STEEL)
- \*1/2 X 84 CAB SHIELD (23" LONG X 84" WIDE)
- \*MARKER LIGHTS, ICC BUMPER, REAR MUDFLAPS MEET FMVSS STDS.
- \*STEEL MUD GUARDS IN FRONT OF REAR WHEELS
- \*PAINTED BLACK
- \*PF624DAE HOIST APPROX. 11 TON CAPACITY
- \*12 VOLT DC ELECTRIC HYDRAULIC POWER UNIT WITH PUSH BUTTON CONTROLLER ON AUTOMATIC TRANSMISSION CAB AND CHASSIS

NOTE: PTO, DIRECT MOUNT HYDRAULIC PUMP, DUMP VALVE (ELECTRIC OR CAB SHIFT), AND RESERVOIR IF PTO APPLICATION IS AVAILABLE ON MANUAL TRANSMISSION

FAN BELT DRIVEN UNDERHOOD HYDRAULIC PUMP WITH ELECTRIC CLUTCH IF PTO IS NOT AVAILABLE

UTILITY BODY 98ASW READING UTILITY BODY OR APPROVED EQUAL CLASS 20

- \*56" CA CAB AND CHASSIS SINGLE REAR WHEEL
- \*97" LONG X 76.5" WIDE X 40" VERTICAL COMPARTMENT HEIGHT X 48.5" WIDE FLOOR X 14" DEEP COMPARTMENTS
- \*RECESSED TAIL LIGHTS, RUBBER GROMETS, OEM STYLE PLUG IN WIRING HARNESS
- \*STD. BODY SHELVING PACKAGE WITH ADJUSTABLE SHELVES AND DIVIDERS
- \*MARKER LIGHTS, REFLECTORS MEET FMVSS STDS.
- \*8" REAR STEP BUMPER
- \*PAINTED WHITE

UTILITY BODY 108ADW READING UTILITY BODY OR APPROVED EQUAL CLASS 20A & 33

- \*60" CA CAB AND CHASSIS DUAL REAR WHEEL
- \*107" LONG X 93" WIDE X 40" VERTICAL COMPARTMENT HEIGHT X 48.5" WIDE FLOOR X 20" DEEP COMPARTMENTS
- \*RECESSED TAIL LIGHTS, RUBBER GROMETS, OEM STYLE PLUG IN WIRING HARNESS
- \*STD. BODY SHELVING PACKAGE WITH ADJUSTABLE SHELVES AND DIVIDERS
- \*MARKER LIGHTS, REFLECTORS, REAR MUD FLAPS MEET FMVSS STDS.
- \*8" REAR STEP BUMPER
- \*PAINTED WHITE

UTILITY BODY 132ADW READING UTILITY BODY OR APPROVED EQUAL CLASS 20A & 33

- \*84" CA CAB AND CHASSIS DUAL REAR WHEEL
- \*132" LONG X 93" WIDE X 40" VERTICAL COMPARTMENT HEIGHT X 48.5" WIDE FLOOR X 20" DEEP COMPARTMENTS
- \*RECESSED TAIL LIGHTS, RUBBER GROMETS, OEM PLUG IN WIRING HARNESS
- \*STD. BODY SHELVING PACKAGE WITH ADJUSTABLE SHELVES AND DIVIDERS
- \*MARKER LIGHTS, REFLECTORS, REAR MUD FLAPS MEET FMVSS STDS.
- \*8" REAR STEP BUMPER
- \*PAINTED WHITE

**OPTIONS:**

- CRANE 56" CA SINGLE REAR WHEEL 8800 GYWR CAB AND CHASSIS
- CLASS 20 OPTION TELESCOPIC CRANE TO BE USED WITH UTILITY BODY
- \*LIFTING CAPACITY OF 2000 LBS. @ 3' (6500 FT. LB. RATING), MANUAL BOOM EXTEND FROM 5'5" TO 9'.
- \*12 VOLT DC ELECTRIC HYDRAULIC POWER ROTATION, POWER BOOM ELEVATION
- \*12 VOLT DC ELECTRIC POWER HOIST WITH 35' X 1/4" CABLE
- \*SWIVEL BLOCK, HOOK, LATCH
- \*PENDANT CONTROLLER WITH 18' CORD
- \*OVERLOAD PROTECTION
- \*INSTALL IN RIGHT REAR OF UTILITY BODY LOAD SPACE FLOOR
- \*BODY TO BE REINFORCED FOR CRANE
- \*CRANE BOOM SUPPORT
- \*REMOVABLE JACKLEG TYPE OUTTRIGGER WITH SCREWBASE ON CRANE SIDE
- \*BUILD UP RIGHT REAR CHASSIS SUSPENSION SPRINGS LEVEL TO ACCOMMODATE ADDITIONAL CRANE WEIGHT

CRANE 60" CA & 84" CA 3203PR15 AUTOCRANE OR APPROVED EQUAL CLASS 20A & 33 UTILITY BODY OPTION

\*3200 LB. @ 3' LIFTING CAPACITY, 15' MANUAL BOOM EXTEND, 12 VOLT ELECTRIC HYDRAULIC POWER ROTATION & BOOM ELEVATION, 12VOLT POWER HOIST, OVERLOAD PROTECTION, PLUG IN PENDANT CONTROL, INSTALLED ON RIGHT REAR COMPARTMENT TOP, UTILITY BODY MANUFACTURES APPROVED COMPARTMENT REINFORCEMENT FOR 16,000 FT. LBS (4000 LB CRANE), CRANE BOOM SUPPORT, REMOVAL MEDIUM DUTY JACKLEG TYPE OUTRIGGER WITH SCREW BASE ON CRANE SIDE, BUILD UP RIGHT REAR CHASSIS SUSPENSION SPRINGS LEVEL TO ACCOMMODATE ADDITIONAL CRANE WEIGHT

PAINT ALL BODIES COLORS OTHER THAN WHITE

LIGHT BAR HALOGEN CLASS 20, 20A, 33, 33A

PART # 776A PETERSON OR EQUAL

\*4 HALOGEN ROTATORS & DIAMOND MIRRORS

\*DRIP RAIL OR DOOR JAM TYPE MOUNTING (NO CENTER CAB ROOF MOUNTING)

\*\*WIRING AND SWITCH SUFFICANT FOR LIGHT BAR MODEL

## DOH PACKAGE REQUIRED FOR CLASSES 13, 14, 15 & 19 TO INCLUDE THE FOLLOWING ITEMS

BED LINERS SHALL BE NON-SKID TYPE, OVER THE RAIL ALL STAR BRAND (OR EQUAL). BAR LIGHTS SHALL BE PSE CODE 3 EXCALIBER BRAND (OR EQUAL) DUAL LEVEL STROBE LIGHT, FULL SIZE LIGHT BAR WITH TWO (2) STROBE BULBS PER SIDE, VISIBLE FROM 360 DEGREES. BAR LIGHT MOUNTING SHALL BE GUTTER TYPE MOUNT ONLY, PSE MODEL NO. X47A (OR EQUAL). DRILLING OF TOP OF CAB IS UNACCEPTABLE. WORK LIGHT SHALL BE PSE NUMBER NO130H CODE 3 NIGHT PROBE (OR EQUAL) 300,000 CANDLE WATT MOUNTED TO CENTER OF LIGHT BAR. CONTROLS SHALL ALL BE MOUNTED PERMANENTLY IN CAB WITH EASY ACCESS FOR OPERATOR. RUNNING BOARDS SHALL BE TWO (2) PIECE ALUMINUM, PART #8093027 MFG. DZ (OR EQUAL). CREW CAB PART #8035012 MFG. DZ (OR EQUAL), CLASS II TRAILER HITCH 3" PINTLE AND 2" BALL COMBINATION RECEIVER.

### PAINTINGS:

DETAIL / DECORATIVE STRIPES WITH LOGO:

WIDTH: SHALL BE 1" WITH TAPER AT FRONT OF HOOD

WVDOH LOGO (TO BE SUPPLIED BY WVDOH); (BLACK AND WHITE COPY) AND IS APPROXIMATELY 7" TALL BY 7" WIDE AREA BEHIND LOGO AND WITHIN 1/2" OF LOGO IS NOT TO BE STRIPED.

STRIPED SHOULD BE CUT TO FOLLOW CONTOUR OF LOGO, IN LIEU OF STRAIGHT CUT.

STRIPING MATERIAL SHALL MEET THE REQUIREMENTS OF ASTM D4956-91 TYPE V SHEETING, A SUPER HIGH-INTENSITY RETROFLECTIVE SHEETING CONSISTING OF MICRO PRISMATIC RETROFLECTIVE ELEMENTS. THE CONSPICUITY SHEETING MUST MEET THE REQUIREMENT OF NHSTA, DOT, 49CFR, PART, 571 FEDERAL MOTOR VEHICLE SAFETY STANDARDS FOR CONSPICUITY SHEETING AND BE "**DOT APPROVED.**"

THE SHEETING FOR BOTH APPLICATIONS ABOVE SHALL NOT BE MORE THAN 0.008 INCH THICK HAVING APPROXIMATELY 47,000 MICRO PRISMS PER SQUARE INCH AND SHALL COME WITH AN AGGRESSIVE HIGH TACK PRESSURE SENSITIVE ADHESIVE, REFLECTIVE **OR EQUIVALENT.**

UPPER STRIPE COLOR: DARK BLUE

LOWER STRIPE COLOR: LIGHT GOLD

SUCCESSFUL VENDOR SHOULD CONSULT WITH AGENCY PERSONNEL ON PROPOSED STRIPPING BEFORE PLACING ORDER WITH MANUFACTURER.

IN ORDER TO TEST THE ADHESIVE QUALITY OF THE PAINT, THE DOH MAY AT ITS OPTION, REQUIRE THAT THE VENDOR MEASURE ADHESION BY THE CRITERIA SET FORTH I ASTM D3359-74 METHOD B. A RATING OF LESS THAN 4 ON THIS TEST WOULD BE DEEMED UNACCEPTABLE.

MANUFACTURER'S STANDARD PLANT PAINTING PROCEDURES FOR CLEANING, DE-GREASING, PREPARING, PRIMING AND PAINTING ARE SUFFICIENT TO MEET THE REQUIREMENTS FOR PAINTING OF CAB (WHITE) AND CHASSIS (BLACK). CAB WILL NOT BE PAINTED WHITE OVER TOP OF ANOTHER FINISH COLOR.

SPECIFICATIONS FOR A  
304SS MULTI-PURPOSE ALL SEASON BODY

This specification shall describe a HENDERSON MUNIbody III - 30455™ REAR DISCHARGE ONLY combination dump/spreader body or equal. Bidders must submit with their bid complete specifications on the unit they propose to furnish.

YES      EXCEPTIONS

**DIMENSIONS:**

86.5" inside width for maximum capacity

\_\_\_\_\_

Capacity struck (9'), 2.3 cu. Yd.

\_\_\_\_\_

Inside length of 108" for 60" CA. (9')

\_\_\_\_\_

Side height of 25 inches

\_\_\_\_\_

Head height of 53 inches

\_\_\_\_\_

Tailgate height of 29 inches

\_\_\_\_\_

**SIDES & FRONT:**

One piece sides and floor of 10 gauge, 304SS steel incorporates a side to floor radius. Floor slopes 22 degrees to conveyor to facilitate self cleaning of body without raising. **A body with any portion of the floor that is flat is NOT acceptable due to poor cleanout.**

\_\_\_\_\_

10 ga. 304SS boxed top rail seamless

\_\_\_\_\_

2" side board pockets

\_\_\_\_\_

10 gauge 304SS rear corner posts are tied to rear apron. This joint is further reinforced with a 7 gauge plate which helps prevent flexing in this critical area and strengthens the latch assembly

\_\_\_\_\_

12" Asphalt lip is an integral part of the rear apron and provides protection for the extended conveyor.

\_\_\_\_\_

Integral fenders installed over wheels

\_\_\_\_\_

Front trunnion mounted hoist cylinder - 10 5/8" x 11" doghouse

\_\_\_\_\_

SPECIFICATIONS FOR A  
304SS MULTI-PURPOSE ALL SEASON BODY

	<u>YES</u>	<u>EXCEPTIONS</u>
<b><u>CONVEYOR:</u></b>		
10 gauge 304SS formed inner sills, 12 gauge 304SS formed outer sills	_____	_____
3/16" AR400 conveyor floor	_____	_____
1 - 1/2" diameter drive and 1 - 1/2" idler shafts with 6 tooth cast iron sprockets	_____	_____
High-torque, direct drive motor. Drive at rear for RDO	_____	_____
24" wide main conveyor	_____	_____
<b>Double conveyor cross bars (welded to every link)</b>		
1/4" x 1 1/2" conveyor crossbars	_____	_____
Body integrated 12" beyond tailgate for complete discharge of material from conveyor before returning over truck chassis.	_____	_____
D667X pintle chain (21,000 lb. tensile/strand).	_____	_____
<b><u>SPINNER CHUTE ASSEMBLY:</u></b>		
Spinner assebly, must be adjustable left to right, front to back, and up and down to assure accurate placement of material on spinner disc to facilitate control of spread pattern.		
Front spinner baffle is adjustable for protection of chassis under carriage 10 Ga. 20" Diameter spinner disc to have replaceable machined hubs six (6) 10 Ga. 409 Stainless Steel bolt on replaceable spinner valves for counter clockwise rotation. Spinner has a bolt on removeable deflector assembly with 3 overlapping deflectors.	_____	_____

SPECIFICATIONS FOR A  
304SS MULTI-PURPOSE ALL SEASON BODY

	<u>YES</u>	<u>EXCEPTIONS</u>
<b><u>TAILGATE:</u></b>		
10 GAUGE, 304SS tailgate sheet, with 12 gauge channels	_____	_____
Full perimeter boxing with all horizontal edges sloped outward	_____	_____
Tailgate must be double acting (NO EXCEPTIONS)	_____	_____
Shall have two (2) 12 ga sloped horizontal braces that are flush with perimeter boxing	_____	_____
Flush mount, 3/4" flame cut tailgate pivots	_____	_____
Heavy duty offset hinge plates, 3/8" flame cut	_____	_____
1/2" latch hooks with 3/8" latch plates	_____	_____
1" hot rolled upper and lower pins	_____	_____
7 gauge 9" x 18" rear feedgate operates perpendicular to floor	_____	_____
Lever operated feedgates are quickly adjustable in 1" increments	_____	_____
Double acting, manual release, tailgate	_____	_____
<b><u>Hydraulic System Requirements</u></b>		
PUMP MOUNTING - Underhood Belt Down Drien Clutch Pump		
PUMP TYPE - Gear Type	_____	_____
PUMP SIZE - MINIMUM - 15 GPM AT OPERATING RPM RECOMMENDED - 20 GPM AT OPERATING RPM	_____	_____
PUMP PRESSURE - 2000 PSI		
MINIMUM FLOW REQUIREMENTS		
	CONVEYOR -	7 GPM
	SPINNER -	2 GPM
	HOIST -	4 GPM
<b>CONTROL FUNCTIONS</b>		
	CONVEYOR -	ON/OFF
	CONVEYOR -	SPEED CONTROL, 0 TO 20 GPM VALVE
	SPINNER -	ON/OFF
	SPINNER -	SPEED CONTROL, 0 TO 5 GPM VALVE



**SPECIFICATIONS FOR A  
304SS MULTI-PURPOSE ALL SEASON BODY**

CONTROL TYPE	MANUAL VALVE
FILTRATION	RETURN LINE FILTER, 10 MICRON RATING
RESERVOIR	20 GAL. WITH SITE GAGE
RELIEF VALVE	2000 PSI RELIEF IN SYSTEM AT PUMP OR CONTROL VALVE
HOSE	PRESSURE LINE 0.75 DIA. SAE 100R2 RETURN LINE 1.00 DIA. SAE 100R2 SUCTION LINE 1.50 DIA. SAE 100R4

A dual flow control valve shall be installed in the cab for control of the conveyor and spinner. The valve shall be rated at 15 gallons per minute flow for the conveyor and 7 gallons per minute for the spinner. A knob for each the conveyor and spinner with settings of 1 thru 11 shall be provided for operator control of the speed of the conveyor and spinner.

	<u>YES</u>	<u>EXCEPTIONS</u>
<b><u>HOIST:</u></b>		
Single cylinder, trunnion mount	_____	_____
N.T.E.A. class 20.	_____	_____
3 stage cylinder	_____	_____
Wear and corrosion resistant Nitrated cylinder tubes	_____	_____
Minimum 2 year cylinder warranty	_____	_____
5 degree oscillating cylinder collar	_____	_____
<b><u>BEAR HINGE ASSEMBLY:</u></b>		
6" x 4" x 3/8" structural angle rear hinge assembly with 1 1/2" 304SS. Connected through 1 1/2" greaseless composite bushings.	_____	_____
<b><u>LIGHT PACKAGE:</u></b>		
Rubber mounted, shock resistant stop/turn/tail light in each rear corner post. Highly visible, yet recessed for protection. Two red marker lights in the rear and two side mounted amber front reflectors. Includes a one piece sealed wiring harness.	_____	_____
Rubber mounted, shock resistant I.C.C. 3-light cluster, for mounting in a fabricated light bar.	_____	_____

SPECIFICATIONS FOR A  
304SS MULTI-PURPOSE ALL SEASON BODY

304 Stainless Steel Cabshield 16" x 78" or 84"

\_\_\_\_\_

**SPECIFICATIONS FOR A 304SS**

**MULTI-PURPOSE ALL SEASON BODY (cont'd)**

3/16" AR400 conveyor cover (shipped loose)

\_\_\_\_\_

Top Grate Screens (Installed at factory).

\_\_\_\_\_

**OPTIONAL EQUIPMENT:**

Sloped steel side boards

\_\_\_\_\_

Polyurethane spinner disc

\_\_\_\_\_

Full length fender with tool box

\_\_\_\_\_

Pre-wet tanks

Rubber belt-over chain conveyor (rear discharge Only)

\_\_\_\_\_

Air operated tailgate latch

\_\_\_\_\_

Rear spinner assembly with chute and mount  
(front/rear discharge only)

\_\_\_\_\_

Cab shield

\_\_\_\_\_

Conveyor chain oiling system

\_\_\_\_\_

Rear mount asphalt patching pan

\_\_\_\_\_

Rear 304 Stainless Steel Ladder

\_\_\_\_\_

Extra light hole in each rear bolt

\_\_\_\_\_

**SPECIFICATIONS FOR A 304SS  
MULTI-PURPOSE ALL SEASON BODY (cont'd)**

**PAINTINGS:**

DETAIL / DECORATIVE STRIPES WITH LOGO:

WIDTH: SHALL BE 1" WITH TAPER AT FRONT OF HOOD

WVDOH LOGO (TO BE SUPPLIED BY WVDOH); (BLACK AND WHITE COPY) AND IS APPROXIMATELY 7" TALL BY 7" WIDE AREA BEHIND LOGO AND WITHIN 1/2" OF LOGO IS NOT TO BE STRIPED.

STRIPED SHOULD BE CUT TO FOLLOW CONTOUR OF LOGO, IN LIEU OF STRAIGHT CUT.

STRIPING MATERIAL SHALL MEET THE REQUIREMENTS OF ASTM D4956-91 TYPE V SHEETING, A SUPER HIGH-INTENSITY RETROFLECTIVE SHEETING CONSISTING OF MICRO PRISMATIC RETROFLECTIVE ELEMENTS. THE CONSPICUITY SHEETING MUST MEET THE REQUIREMENT OF NHSTA, DOT, 49CFR, PART, 571 FEDERAL MOTOR VEHICLE SAFETY STANDARDS FOR CONSPICUITY SHEETING AND BE "DOT APPROVED."

THE SHEETING FOR BOTH APPLICATIONS ABOVE SHALL NOT BE MORE THAN 0.008 INCH THICK HAVING APPROXIMATELY 47,000 MICRO PRISMS PER SQUARE INCH AND SHALL COME WITH AN AGGRESSIVE HIGH TACK PRESSURE SENSITIVE ADHESIVE, REFLECTIVE **OR EQUIVALENT**.

UPPER STRIPE COLOR: DARK BLUE

LOWER STRIPE COLOR: LIGHT GOLD

SUCCESSFUL VENDOR SHOULD CONSULT WITH AGENCY PERSONNEL ON PROPOSED STRIPPING BEFORE PLACING ORDER WITH MANUFACTURER.

IN ORDER TO TEST THE ADHESIVE QUALITY OF THE PAINT, THE DOH MAY AT ITS OPTION, REQUIRE THAT THE VENDOR MEASURE ADHESION BY THE CRITERIA SET FORTH I ASTM D3359-74 METHOD B. A RATING OF LESS THAN 4 ON THIS TEST WOULD BE DEEMED UNACCEPTABLE.

MANUFACTURER'S STANDARD PLANT PAINTING PROCEDURES FOR CLEANING, DE-GREASING, PREPARING, PRIMING AND PAINTING ARE SUFFICIENT TO MEET THE REQUIREMENTS FOR PAINTING OF CAB (WHITE) AND CHASSIS (BLACK). CAB WILL NOT BE PAINTED WHITE OVER TOP OF ANOTHER FINISH COLOR.

**THIS IS REQUIRED FOR CLASSES 20, 20A, 33, & 33A**