SHIP

T O



EXDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

ALL STATE AGENCIES AND POLITICAL SUBDIVISIONS VARIOUS LOCALES AS INDICATED BY ORDER

*709063326 859-744-5444 APOLLO OIL 1175 EARLY DRIVE WINCHESTER KY 40391 PURCHASE ORDER NO: OIL10 PAGE

BLANKET RELEASE 00

CORRECT PURCHASE ORDER NUMBER MUST APPEAR ON ALL PACKAGES, INVOICES, AND SHIPPING PAPERS. QUESTIONS CONCERNING THIS PURCHASE ORDER SHOULD BE DIRECTED TO THE BUYER AS NOTED BELOW.

CHANGE ORDER

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

AGENCY COPY

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

Protection	•		
DATERRINTED	TERMS OF SALE	FEIN/SSN	FUND
10/13/2010		511009071	
SHIP VIA	F;0.B	FREIGHT TERMS	ACCOUNT NUMBER
BEST WAY	DESTINATION UOP VENDORITEMNO	PREPAID M	DL-MUL
	CATINO: ITEM NUMBER	UNIT PRICE	AMQUNT
	· ·		
DIANTEE	T OPEN-END STATEWI	DE COMPACT	·
BLANKE	1 OPEN-END STATEWI	DE CONTRACT	
THIS BLANKER	OPEN-END STATEWIDE	CONTRACT IS TO	
	ANTS, OIL AND GREA		
VIRGINIA STAT	E AGENCIES AND POL	ITICAL SUBDIVISIONS.	·
	OWING IS INCORPORA		· .
	MADE A PART HEREO		
	FOR QUOTATION DATE		
	IFICATIONS AND ADD		
VENDOR'S	BID DATED 9/14/20	10.	
NOME DELIVE	DEPOSIT AND CREDIT	POD DETTIONANT P	
1	LLON DRUMS - \$0/EA		·
) J GA	HON PROPES \$67 EA		DUDOLLA DINO DINICIONI
PACKING SLIP	MUST ACCOMPANY ALL	SHIPMENTS. ALL	PURCHASING DIVISION CERTIFIED ENCUMBERED
	EALED AND SHIPPED		OEKTIFIED ENCOMBERED
NON-RETURNABL		• 1	OCT 1 9 2010
			Beverly Toler
	AT TOTAL \$250.00 O		Royale Tale
	. DESTINATION. OR		Description of the second
	ED BY THE AGENCY U		
ALTERNATIVE P	ROCUREMENT METHODS	. IF THE	
	rob	4	
L APPROVEL	JTUN	lolist.	
IF APPROVAL AS TO FORMIS REQU	UIREDEY AFRORNEY GENERAL.	CHECK HERE DE A 1/19/10	OPEN END
IF APPROVAL AS TO FORM HE MED	La I Lati	= / /	TOTAL
2 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	174		

BY JO ANN ADKINS W 304-558-8802

GENERAL TERMS & CONDITIONS PURCHASE ORDER/CONTRACT

- 1. ACCEPTANCE: Seller shall be bound by this order and its terms and conditions upon receipt of this order.
- 2. APPLICABLE LAW: The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 3. NON-FUNDING: All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the terms of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 4. COMPLIANCE: Seller shall comply with all federal, state and local laws, regulations and ordinances including, but not limited to, the prevailing wage rates of the WV Division of Labor.
- 5. MODIFICATIONS: This writing is the parties' final expression of intent. No modification of this order shall be binding unless agreed to in writing by the Buyer.
- 6. ASSIGNMENT: Neither this Order nor any monies due, or to become due hereunder may be assigned by the Seller without the Buyer's consent.
- 7. WARRANTY: The Seller expressly warrants that the goods and/or services covered by this order will: {a} conform to the specifications, drawings, samples or other description furnished or specified by the Buyer; {b} be merchantable and fit for the purpose intended; and/or {c} be free from defect in material and workmanship.
- 8. CANCELLATION: The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 9. SHIPPING, BILLING & PRICES: Prices are those stated in this order. No price increase will be accepted without written authority from the Buyer. All goods or services shall be shipped on or before the date specified in this Order.
- 10. LATE PAYMENTS: Payments may only be made after the delivery of goods or services. Interest may be paid on late payments in accordance with the West Virginia Code.
- 11. TAXES: The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 12. RENEWAL: Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 16. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agency or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 17. ANTITRUST: In accepting this purchase order or signing this contract with any agency for the State of West Virginia, the vendor agrees to convey, sell, assign, or transfer to the State of West Virginia all rights, title, and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to vendor. Vendor certifies that this purchase order or contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law. Vendor further certifies that this purchase order or contract is in all respects fair and without collusion or fraud.

O



NY0-0E

Ţ

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

PURCHASE ORDER NO. OIL10

PAGE 2

ALL STATE AGENCIES AND POLITICAL SUBDIVISIONS VARIOUS LOCALES AS INDICATED BY ORDER

BLANKET RELEASE 00

CORRECT PURCHASE ORDER NUMBER MUST APPEAR ON ALL PACKAGES, INVOICES, AND SHIPPING PAPERS. QUESTIONS CONCENNING THIS PURCHASE ORDER SHOULD BE DIRECTED TO THE BUYER AS NOTED BELOW.

CHANGE ORDER

SEE REVERSE SIDE FOR **TERMS AND CONDITIONS**

*709063326 APOLLO OIL 1175 EARLY DRIVE

859-744-5444

WINCHESTER KY 40391

200000				- Constant			• • •		
DATE PRI	NTED		TERMS OF SALE		FEIN/SSN			FUND	
10/13/		NET		51100907					
SHIPV	Α		FOB		EIGHTTERMS		***************************************	COUNT NUMBE	1
BEST WAY	NTUDY	L_DEST	CINATION VENDORITEMNO	PREP			UL-MUL		*************
TIME		AT,NO.	ITEM NUMBER		UNIT PRICE	<u> </u>		TRUOMA	
TRANS SEPAR	PORTATION ATE CHAR	N COS GE WI	RDER LESS THA IS WILL BE IN IH THE ORIGIN HE INVOICE.	voiced A	S A				
\$250.	00) FROM	A LO	SMALL PURCHAS CAL SOURCE IF AND A SAVINGS	PRICING	ļ				
			E NOT PERMITT NT PURCHASING						
CONTR	ACT COPRI	DINAT	OR						
304.7 866.7 304.7	HARDWICK 22.6900 22.6900(' 22.6972 WICK@APO	(PHON TOLL (FAX)	FREE#)						
LUBRI	`	LS IL AN	405-39 D GREASES		÷	.00000			
EXHIB	IT 3				·				
F APPROVAL AS TO	FORM IS REQ	VIRED BY	ATTORNEY GENERAL,	CHECK HERE					
				•		•		TOTAL	

T O



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

FURCHASE ORDER NO.

PAGE 3

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

BLANKET RELEASE

CORRECT PURCHASE ORDER NUMBER MUST APPEAR ON ALL PACKAGES, INVOICES, AND SHIPPING PAPERS. QUESTIONS CONCERNING THIS PURCHASE ORDER SHOULD BE DIRECTED TO THE BUYER AS NOTED BELOW.

CHANGE ORDER

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

*709063326 APOLLO OIL 859-744-5444

1175 EARLY DRIVE

WINCHESTER KY 40391

DATE PRINTED	TERMS OF SALE	FEIN/SSN	FUND
10/13/2010		511009071	
SHIP VIA	EO.B	FREIGHTTERMS	ACCOUNT NUMBER
BEST WAY	DESTINATION		JL-MUL
LINE QUANTITY DELIVERY DATE G	UOP VENDOR ITEM NO. CAT.NO. ITEM NUMBER	UNITPRICE	AMOUNT
		CT BECOMES EFFECTIVE	ON
		R A PERIOD OF ONE (1)	
		TIME" THEREAFTER AS I	5
	OBTAIN A NEW CONTR	ACT OR RENEW THE ABLE TIME" PERIOD SHA	·
		DURING THIS "REASONA	
		THIS CONTRACT FOR ANY	
		OF PURCHASING 30 DAY	
WRITTEN NOTIC	I.		
UNLESS SPECIF	IC PROVISIONS ARE	STIPULATED ELSEWHERE	
		TERMS, CONDITIONS AND	
PRICING SET H	EREIN ARE FIRM FOR	THE LIFE OF THE	
CONTRACT.	• .		
		ENEWED UPON THE MUTUA	-
	NT OF THE SPENDING		· ·
		RCHASIŅG THIRTY (30) TE. SUCH RENEWAL SHA	 * T
		AND CONDITIONS OF TH	
		LIMITED TO TWO (2) ON	
(1) YEAR PERIO	1		Γ
CANCELLATION:	THE DIRECTOR OF P	URCHASING RESERVES TH	E
		MMEDIATELY UPON WRITT	
		MODITIES AND/OR SERVI	
		LITY OR DO NOT CONFOR	
TO THE SPECIF	ICATIONS OF THE BI	D AND CONTRACT HEREIN	-
SE ADDDOVAL AS TO SORM IS DECO	HIDEN BY ATTODNEY CENEDAL :	CHECK HEDE []	
IF APPROVAL AS TO FORM IS REQ	GINED BY ALTONNET GENERAL,	ORECK RENE LI	
•	·		TOTAL



NVO-CE

ō

VENDOR

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

PURCHASE ORDER NO. OIL10

PAGE 4

BLANKET RELEASE 0.0

CORRECT PURCHASE ORDER NUMBER MUST APPEAR ON ALL PACKAGES, INVOICES, AND SHIPPING PAPERS. QUESTIONS CONCENNING THIS PURCHASE ORDER SHOULD BE DIRECTED TO THE BUYER AS NOTED BELOW.

CHANGE ORDER

SEE REVERSE SIDE FOR **TERMS AND CONDITIONS**

ALL STATE AGENCIES AND POLITICAL SUBDIVISIONS VARIOUS LOCALES AS INDICATED BY ORDER

*709063326 APOLLO OIL 859-744-5444

1175 EARLY DRIVE

WINCHESTER KY 40391

DATE PRINTED	TERMS OF SALE	FEIN/SSN	FUND
10/13/2010	NET 30	511009071	
SHIP VIA	F.O.B	FREIGHT: TERMS	ACCOUNT NUMBER
BEST WAY OUANTITY	DESTINATION UOP VENDORITEMNO	l PREPAID M	UL-MUL
Produkti pro	CATINO ITEM NUMBER	UNIT PRICE	AMOUNT
AUTHORIZE A SIMARKET, WITHOUT ESTIMATE, ITELEMENT IN CAUSES (INCLUIT PORTATION OR LOW OF WORK.) QUANTITIES: QUANT	PENDING UNIT TO PU UT THE FILING OF A MS SPECIFIED ON TH IVERY IN EMERGENCI DING BUT NOT LIMIT AN UNANTICIPATED IN UANTITIES LISTED IN SONLY, BASED ON E NDING UNIT. IT IS	R OF PURCHASING MAY RCHASE ON THE OPEN REQUISITION OR COST IS CONTRACT FOR ES DUE TO UNFORESEEN ED TO DELAYS IN TRANS NCREASE IN THE VOLUME N THE REQUISITION ARE STIMATES SUPPLIED BY UNDERSTOOD AND AGREE HE QUANTITIES ACTUALL	D
ORDERED FOR DEWITTER MORE OF ORDERING PROCESSING PROCESSING PROCESSING FOR THE ORIGINAL OF ORDERING PROCESSING	ELIVERY DURING THE OR LESS THAN THE QUEDURE: SPENDING UN CONTRACT ORDER (FOR COMMODITIES COVEROPY OF THE WV-39 HORIZATION FOR SHIPURCHASING DIVISION FOR SHIPURCHASING UNIT. IN THE EVENT THE VERY PROTECTION, THIS DOWN THE EVENT THE VERY PROTECTION, THE SPENDING UNIT.	TERM OF THE CONTRACT UANTITIES SHOWN. IT(S) SHALL ISSUE A ORM NUMBER WV-39) TO RED BY THIS CONTRACT. SHALL BE MAILED TO THE PMENT, A SECOND COPY ON, AND A THIRD COPY ENDOR/CONTRACTOR FILE CONTRACT IS AUTOMATIMINATED WITHOUT FURTH	T- 70 -

S H I P

ŏ



CE

T

VENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

PURCHASE ORDER NO. OIL10 PAGE 5

BLANKET RELEASE 00

CORRECT PURCHASE ORDER NUMBER MUST APPEAR ON ALL PACKAGES, INVOICES, AND SHIPPING PAPERS. QUESTIONS CONCERNING THIS PURCHASE ORDER SHOULD BE DIRECTED TO THE BUYER AS NOTED BELOW.

CHANGE ORDER

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

*709063326 APOLLO OIL

859-744-5444

1175 EARLY DRIVE

WINCHESTER KY 40391

DATE PRINTED	TERMS OF SALE	FEIN/SSN	FUND
10/13/2010	NET 30	611009071	
SHIP VIA	E.O.B	FREIGHTTERMS	ACCOUNT NUMBER
BEST WAY OUANTITY	DESTINATION UOP VENDOR ITEM NO.		UL-MUL
LINE DELIVERY DATE C	ZAT.NO. ITEM NUMBER	UNIT PRICE	AMOUNT
ORDER.			
,			
		NED IN THIS CONTRACT	
	DE ANY AND ALL SUB	ANY ATTACHED PRINTED	
		ORDER FORMS, SALES	
		MENTS, INCLUDING ANY	
ELECTRONIC ME	DIUM SUCH AS CD-RO	M.	·
		·	
EXHIBIT 6			
	ENT PROVISION:	COLGIDED DIDG BUMB	
		CONSIDER BIDS THAT JUSTMENTS PRIOR TO TH	re:
		RACT, PROVIDED THAT	
		TH UPWARD AND DOWNWAR	Þ
		, AND THAT ADJUSTMENT	
1	1	INCREASE OR DECREASE	OF
		CH MAKE UP ALL OR A ADJUSTMENTS ARE TO B	F.
		URE, NOT A PERCENTAGE	
ALL PRICE ADJ	USTMENT REQUESTS M	UST BE SUBSTANTIATED	IN
		CTOR PURCHASING, E.G.	
		AL MARKET INCREASE, QUESTS FOR AND INCREA	gr
L LORTISHED LKI	CE LIDIS. SUCH RE	COEDIS FOR MUD INCREA	DE .
IF APPROVAL AS TO FORM IS REQU	UIRED BY ATTORNEY GENERAL,	CHECK HERE 🗌	
	-		TOTAL

SHIP



State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

PURCHASE ORDER NO. OIL10

6

ALL STATE AGENCIES AND POLITICAL SUBDIVISIONS VARIOUS LOCALES AS INDICATED BY ORDER Ţ

BLANKET RELEASE 00

CORRECT PURCHASE ORDER NUMBER MUST APPEAR ON ALL PACKAGES, INVOICES, AND SHIPPING PAPERS. QUESTIONS CONCERNING THIS PURCHASE ORDER SHOULD BE DIRECTED TO THE BUYER AS NOTED BELOW.

CHANGE ORDER

SEE REVERSE SIDE FOR **TERMS AND CONDITIONS**

1175 EARLY DRIVE

*709063326 859-744-5444

APOLLO OIL

WINCHESTER KY 40391

DATE:PRINTED	TERMS OF SALE	FEIN/SSN	FUND
10/13/2010 SHIP VIA	NET 30	611009071 FREIGHT TERMS	ACCOUNT NUMBER
BEST WAY	DESTINATION		UL-MUL
LINE QUANTITY	UOP VENDOR ITEM NO. CAT.NO. ITEM NUMBER	LINITERICE	AMOUNT
PURCHASING AT DATE OF THE IS PRICE ADJUSTM ACCEPT THE PR	LEAST 30 DAYS IN NCREASE. ANY TIME PURCHASIN ICE ADJUSTMENT ANIOR REJECT THE ADJUSTMENT AND THE ADJUSTMENT ADJUSTMENT AND THE ADJUSTMENT ADJUSTMENT AND THE ADJUSTMENT ADJUST	BY THE DIRECTOR OF ADVANCE OF THE EFFECT THE VENDOR REQUESTS NG DIVISION MAY EITHER DIAMEND THE CONTRACT STMENT IN ITS ENTIRETY	A
FIRM FOR LIFE	ED THAT THE PRICES OF THE CONTRACT,	ON THIS CONTRACT ARE AS INDICATED IN THE LEREIN, NOT TO EXCEED O	LEE
LIFE OF CONTR PARAGRAPHS LI PREFERRED TER	ACT, HE MUST INDIC	A FIRM PRICE FOR THE CATE ONE OF THE JRE TO QUALIFY THE VENDOR TO A FIRM PRICE	
ALTERNATE TER	MS:		
90 DAYS CONTRACT	AFTER THE EFFECTIV	AIN FIRM AFTER EACH PR	
IF APPROVAL AS TO FORM IS REQ	UIRED BY ATTORNEY GENERAL,	CHECK HERE	TOTAL

SHIP

T



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

OIL10

PAGE 7

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

0 0

CORRECT PURCHASE ORDER NUMBER MUST APPEAR ON ALL PACKAGES, INVOICES, AND SHIPPING PAPERS, QUESTIONS CONCERNING THIS PURCHASE ORDER SHOULD BE DIRECTED TO THE BUYER AS NOTED BELOW.

CHANGE ORDER

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

*70906 APOLL 1175

T O

*709063326

859-744-5444

APOLLO OIL

1175 EARLY DRIVE

WINCHESTER KY 40391

	DATE PRINTED	TE	RMS OF SALE	FEIN/SSN	FUND
	10/13/2010	NET 3		511009071	
	SHIP VIA		F.O.B	FREIGHT TERMS	ACCOUNT NUMBER
BES	T WAY QUANTITY	UOP DESTI	INATION VENDORITEMNO		MUL-MUL
LINE		CATINO.	ITEM NUMBER	UNIT PRIGE	AMOUNT
		and the second second second second	100 to		-
1	PURCHASING CA	ARD ACCE	EPTANCE: THE	E STATE OF WEST VIRG	AINIA
ŀ				ASING CARD PROGRAM W	
	IS ISSUED THE			SUCCESSFUL VENDOR	ł
				IRGINIA VISA PURCHAS	IING
				PLACED BY ANY STATE	
	AGENCY AS A	CONDITEC	ON OF AWARD.		
		,			
	· •		. 1		· ·
					·
				1	
1 .					
	.				
-					
				1 .	
	1				
IF APPR	OVAL AS TO FORM IS REC	DUIRED BY AT	TTORNEY GENERAL. C	HECK HERE	
II MEPA	OTALAGIO I OTUM IGITL	CONTENDED IN	I I WITH I WEITH CHEN	re com were a constitue Land	TOTAL
					TOTAL

PRICING PAGE- OIL 10

APOLLO OIL

UNIT PRICE	LESS THAN TRUCK	LOAD	\$1.50 / pt.	\$2.69 / qt.	\$2.47 / qt.	\$2.30 / qt.	\$6.65 / gal.	\$6.20 / gal.	\$6.60 / gal.	\$6.50 / gal.	\$7.72 / gal.	\$1.93 / qt.	\$7.25 / gal.	\$1.90 / qt.
UNIT	-	LOAD	\$1.50 / pt.	\$2.69 / qt.	\$2.47 / qt.	\$2.30 / qt.	\$6.65 / gal.	\$6.20 / gal.	\$6.60 / gal.	\$6.50 / gal.	\$7.72 / gal.	\$1.93 / qt.	\$7.25 / gal.	\$1.90 / qt.
		EST.			GAL		GAL	GAL	GAL	gAI,			GAL	
		BRAND BID	STA-MIX	NATIONAL TC- W3	AF30	AF15/40	AF15/40	AF15/40	AF10	AF10	AC5/20	AC5/30	ACS/30	AC10/30
		MFGR	SPECTRUM	PINNACLE OIL	VALVOLINE	VALVOLINE	VALVOLINE	VALVOLINE	VALVOLINE	VALVOLINE	VALVOLINE	VALVOLINE	VALVOLINE	VALVOLINE
	CONTAINERS	PACKAGING	24/8 oz. pts./cs.	12/1 qt. plastic containers	12/1 qt. plastic containers	12/1 qt. plastic containers	55 gal. drum	BULK 6,000 gal. drum	5 gal containers	55 gal, drum	12/1 qt. plastic containers	12/1 qt. plastic containers	55 gal, drum	12/1 qt. plastic containers
		DESCRIPTION	Motor oll for lubricating 2 cycle engines one pint containers (chain saw motor oil) APITC	Motor oll for lubricating 2 cycle engines (out board motor oll). API TC-W3	Motor oil for all diesel and gasoline engine service SAE30 CF-2 CF/SJ	Motor oil for all diesel and gasoline engine service SAE15W40 CI-4 CI-4 PLUS, CH-4, CG-4	Motor oil for all diesel and gasoline engine service SAE15W40 GJ-4, Cl-4 PLUS, CH-4, CG-4, CF-4/SL, SM	Motor oil for all diesel and gasoline engine service SAE15W40 BULK ICJ-4, CI-4PLUS, CH-4, CG4, CF-4/SL, SM	Motor oil for all diesel and gasoline engine service SAE10 CF/SL CAT TO-2, ALLISON C-4	Motor oil for all dieset and gasotine engine service CF/SL CAT TO-2, ALLISON C-4	gasoline engine V20 CF/SL	and gasoline engine 5W30 CF/SL	Motor oil for all diesel and gasoline engine service SW30 CF/SL SM, SJ, ILSAC GF-4	Motor oll for all clesel and gasoline engine service 10W30 CF/SL 12/1 qt. plastic SM, SJ, ILSAC GF-4
		ITEM	-	2	ო	4	တ	9	7	8	6	10	7	12

	\$1.90 / qt.	\$2.50 / qt.	\$1.40 / lb.	\$1.40 / lb.	\$1.40 / lb	\$1.66 / Ib.	83.19 / Ib.	\$1.90 / tube		\$2.00 / 1b.	\$2.50 / tube	\$2.50 / lb.	\$2.50 / lb.	\$11.67 / qal,	\$7.22 / gal.
PRICING PAGE- OIL 10	\$1.90 / qt.	\$2.50 / qt.	\$1.40 / Ib.	\$1.40 / lb	81.40 / lb	\$1.66 / Ib.	\$3.19 / lb.	\$1.90 / tube	\$1.96 / Ib.	\$2,00 / lb.	\$2.50 / tube	\$2.50 / lb.	\$2,50 / lb.	\$11.67 / gal.	\$7.22 / gal.
PA(9	9	9	9	2		9	9		9	9	gAL GAL	- GAL
PRICING	AC10/40	FORMULA 20/50	HPG080/90	HPG080/90	HPG085/140	DENTAX	SYN 50	CERULEAN #2	RCTINAX LX	CERULEAU #2	PALLADIUM	PALLADIUM	PALLADIUM	TELLUST22	AW52
	VALVOLINE	SHELL	VALVOLINE	VALVOLINE	VALVOLINE	SHELL	CITGO	VALVOLINE	SHELL	VALVOLINE	VALVOLINE	VALVOLINE	VALVOLINE	SHELL	PINNACLE RES
	12/1 qt. plastic containers	12/1 qt. plastic containers	35 lb. containers	120 lb. containers	120 lb. containers	35 lb. containers	35 lb. containers	14 to 14-1/2oz tubes 10 tube/case	35 lb. containers	120 lb. containers	14 to 14-1/2oz tubes 10 tube/case	35 lb. containers	120 lb. containers	5 gal, container	5 gal. container PININACLE RES
	Motor oil for all diesel and gasoline engine service CF/SL	Motor oil for all diesel and gasoline engine service 20W50 CF/SL	Extreme pressure gear lubricant 800/990 GL-5, MT-1, MACK GO-J		Extreme pressure gear tubricant 85W140 GL-5, MT-1, MACK GO-J		-164, R7 7 TMS 6816				All purpose grease (3% molly) water and heat resistant grease NGLI #2			Hydraulic oil-light weight RO22 Turbine/Circulating Oil	Hydraulic oll-light weight
	13	14	15	16	17	18	19	20	21	22	23	24	25	28	27

	\$5.82 / gal.	\$7.22 / gal.	\$5.82 / gal.	\$7.22 / gal.	\$5.82 / gal,	\$1.91 / qt.	\$7.78 / gal.	\$11.00 / gal.	\$10.00 / gal.	\$2.95 / qt.	\$7.30 / gal.	\$6.10 / gal.	\$9.60 / gal.	5.15 / qt.	3.19 / lb.
														မ	↔
PRICING PAGE- OIL 10	\$5.82 / gal.	\$7.22 / gal.	\$5.82 / gal.	\$7.22 <i>I</i> gal.	\$5.82 / gal.	\$1.91 / qt.	\$7.78 / gal.	\$11.00 / gal.	\$10.00 / gal.	\$2.95 / qt.	\$7,30 / qal.	\$6.10 / gal.	\$9.60 / gal.	\$ 5.15 / qt.	\$ 3.19 / lb.
ΡĄ	GAL	J. B	GAL	GAL	gAL GAL		GAL	GAL	GAL		 	GAL GAL	GAL		GAL
PRICING	AW32	AW46	, AW46	AW68	AW68	MER/DEX	FORMULA ATF	DRIVE TRAIN	DRIVE TRAIN	MAXLIFE ATF	PREM UTH	PREM UTH	CAPRINUS XR 40	PREM BLUE	SYNDVRANCE 75/90
	PINNACLE RES	PINNACLE RES	PINNACLE RES	PINNACLE RES	PINNACLE RES	VALVOLINE	SHELL	VALVOLINE	VALVOLINE	VALVOLINE	<u>a</u>		SHELL	VALVOLINE	ство
	55 gal, drum	5 gal. container	55 gal, drum	5 gal. container	55 gal. drum	12/1 qt. plastic containers	55 gat. drum	5 gal, container	55 gal. drum		ainer		55 gal. drum (LOMA) generation 4 SAE40	12/1 qt. plastic containers	35 lb. container
	Hydraulic oil-light weight	Hydraulic oil-medium weight	Hydraulic oll-medium weight	Hydraulic oil-heavy weight	Hydraulic oil-heavy weight	Transmission fluid - Mutti Vehicle ATF	Transmission fluid - Multi Vehicle ATF	Transmission fluid - TO - 4 fluid	Transmission fluid - TO - 4 fluid	Automatic Transmission Fluid Multi-Vehicle ATF API DEXRON III, MERCON, MERCON V, ATF+3 ATF+4	Combination fluid, combination hydraulic	Combination fluid, combination hydraulic	Railroad diesel engine oil must be a generation 4 oil as designated by (LOMA) EMD approved	oline and diesel	Synthesized multipurpose gear lubricant 75W90 DANA SHADES 256, REV. C, EATON E500, MACK GO J PLUS
	28	29	30	35	32	33	34	35	8	37	8	ę	64	14	42

				PRICING PAGE- OIL10	PA	Ġ	₹	19			
5	Synthesized multipurpose gear lubricant 80W140 DANA SHADES 256, ARVIN MERITOR 0-76, MACK GO -J	35 lb. container	CITGO	SYNDVRANCE 80/140	9	69 69	3.19 / lb.	ē	€9	3,19 / lb.	e e
2	Synthesized multipurpose geer lubricant 75W90 DANA SHADES 256, REV C, EATON E500, MACK GO-J PLUS	120 lb. container	CITGO	SYNDVRANCE 75/90	9	. 49	3.15 / lb	٩	65	3 15 7 lb	Ę
45	Limited slip gear lubricant 80W90 GL-5	35 lb. container	SHELL	SPIRAX LS	9	1	1.80 / lb.	ف	69	1.80 / lb.	<u>a</u>
46	Limited slip gear lubricant 80W90 GL-5	120 lb. container	SHELL	SPIRAX LS	9	69	1.75	<u>a</u>	49	1.75 / lb.	٩
47	Motor oil for all diesel and gasoline engine service 5W20 CF/SL , SM, ILSAC GF-4	55 gal. drum	VALVOLINE	AC 5/20	9	1	7.50 / 081	, g	•	7.50	98
48	Transmission fluid - Dexron -VI-ATF	6/1 qt. Plastic Contaîners	VALVOLINE	ATFDEXVI		& &	\$ 19.52 / oal	. 8	6	19.52 / gal.	leo/
49	TES - 295 Alison TES Fluid	6/1 qt. Plastic Containers	ď	AUTRAN 295		\$ 29	\$ 29.00 / gal.	1	€	29.00 / gal.	/gal.

OIL10

General Speciifications

Each bid should be accompanied by nationally published certifiable literature and/or Certification from an independent laboratory that the oil has passed the ASTM requirements described herein. The bidder shall be responsible for the cost of the independent laboratory testing. Failure to provide information may be grounds for rejection of the bid.

Additionally, the West Virginia Department of Transportation will randomly test samples of the delivered product through its Material Division laboratory or an independent laboratory throughout the term of the contract to ensure continuous conformity with the specifications. Upon failure of a random test sample, the supplier shall be required to replace all containers of the product of the same batch number as the failed sample.

Each container of the oil furnished under this specification shall be labeled as follows: corresponding brand name, product name, SAE viscosity grade, API Seal of Approval, API categories, and batch number of its contents, date, and manufacture's name and address.

Successful bidder may be required to furnish a sample of any or all oil bid for test purposes prior to award.

NOTE: All drums shall be labeled as required by OSHA for hazardous material and Material Safety Data Sheets (MSDS) must be submitted with bid and shipped with product.

Packing slip must accompany all shipments. All drums to be sealed and shipped on two-way, non-returnable pallets.

Description: SAE viscosity grades and API service (where applicable) are specified under the detailed requirements for each product.

The successful bidder shall not substitute any other brand from that awarded, nor sell any additional items under their contract not specifically covered herein, without prior permission of the Purchasing Division.

The item(s) as specified is (are) shown only as an example of the quality level and operational characteristics requested by the agency and not intended to mean the only acceptable brand.

Applicable standards: The following documents of current issue and in effect on the bid opening date shall form a part of this specification to the extent specified:

ASTM D 217

ASTM D 811

ASTM D 874

ASTM D 1263

ASTM D 1264

ASTM D 2265

ASTM D 2619

ASTM D 4048

ASTM D 4049

American Society for Testing and Materials (ASTM)

100 Barr Harbor Drive

PO Box C700

West Conshohocken, PA 19428-2959

API Engine Service Classification System

American Petroleum Institute (API)

Division of Marketing

1220 L Street, NW

Washington, DC 20005-4070

SAE J183 – Engine oil performance and engine service classification.

Society of Automotive Engineers (SAE)

400 Commonwealth Drive

Warrendale, PA 15096

MIL-L-46152E

MIL-L-2104E

MIL-L-2105D

US Government Printing Office

Superintendent of Documents

Washington, DC

National Marine Manufactures Association (NMMA)

401 North Michigan Avenue

Chicago, IL 60611

National Lubricating Grease Institute (NLGI)

4635 Wyandotte Street

Kansas City, MO 63113

Warranty:

The contractor warrants under penalty for fraud that any products furnished shall be of the grade and quality required in this specification.

Service and Manuals:

The contractor shall provide technical information and service concerning the use of Products furnished under these specifications when requested by using agencies.

Acceptance, inspection and quality assurance:

Normally, sampling and testing will not be required. The State reserves the right, however, to conduct tests, require samples or require test results to insure compliance with the requirements of this specification.

Using agencies shall inspect for proper identification of products, damaged or leaking containers and other apparent irregularities.

Delivery:

Product shall be furnished as specified and shall be packaged in accordance with the best commercial practice. All shipping container shall be marked to show the brand name and description of the products. All products should be palletized and shrink wrapped except 55 gallon containers.

Drum Deposits:

Where a deposit is required for shipping product in returnable drums the amount shall be shown as a separate item on the invoice and the full amount shall be refundable or credited to the agency's account upon return. The state reserves the right to consider the amount of the deposit as a factor in determining the award of this contract. Returnable drums may be returned by the contractor picking up the drums with his own truck or by the state shipping them to the contractor, transportation charges collect.

Deposit and credit for returnable 55 gal. drums	\$	each
---	----	------

Material Safety Data Sheets:

In addition to meeting current federal and state laws and requirements concerning hazardous chemicals, the contractor shall forward a proper and current material safety data sheet (MSDS). Furthermore, the contractor shall furnish the State and/or its agencies additional MSDS as required. By offering and signing a bid response the bidder agrees to these conditions:

Item Specifications:

<u>Items 1&2</u>

Chain Saw Motor Oil: (also Power Mowers, Pumps, and Snowmobiles). This
oil shall be of high quality and specifically compounded and marketed for
mixing with gasoline to lubricate two-cycle, air and water cooled engines. It
shall meet the warranty requirements as an engine lubricant for the major
manufactures of two-cycle engines used on chain saws, power mowers, pumps,
and snowmobiles.

The motor oil shall be satisfactory for use in any fuel to oil ratio as specified by the engine manufacturer up to an including 50:1. The product offered shall be available in the SAE viscosity grade(s) specified for use in Homelite, McCulloch, Poulan and other two-cycle chain saws.

2. Out Board Motor Oil: This motor oil shall be high quality, ashless and specifically compound and marketed for mixing with gasoline to lubricate two cycle, water cooled engines. It shall have been tested and certified by the National Marine Manufacturers Association (NMMA) for TC-W III and each container shall state same.

The motor oil shall be satisfactory for use is any fuel to oil ratio as specified by the engine manufacturer, up to and including 50:1. The product offered shall be available in the SAE viscosity grade(s) specified by the engine manufacturers for use in all Evinrude, Johnson, Mercury and other two cycle outboard motors.

Items 3 -14, 47

Motor oil and hydraulic oil shipped in black 55 gallon drums or bulk tractor trailer load (6,000 gallons) shall be produced from virgin materials, suitable for use in passenger cars and trucks, diesel and gasoline engines, viscosity grade, SAE 15W40 must be API certified and have the API seal of approval on the product.

This is an engine oil suitable for use in passenger cars and heavy duty engines used in trucks and heavy construction equipment. The oil furnished under this specifications shall be viscosity grade SAE 15W-40 and shall meet all requirements for diesel and

gasoline engines.

The oil furnished shall meet the performance requirements ("Primary Performance Criteria") described in ASTM designated D4485 for performance categories API, CJ-4, CI-4 Plus, CH-4, CG-4, CF-4/SL, SM. Conformance of the oil furnished with the performance requirements shall be Determined with the test methods identified in ASTM D 4485 for all categories.

Motor oil for all diesel and gasoline engine service:

API Service Categories:

SAE 30 API, CF-4, CF-2 CF/SJ

SAE15W40 API, CJ-4, CI-4 PLUS, CH-4 CG-4, CF-4SL, SM

SAE 10 API CF-4 CAT T0-2, ALLISON C-4

SAE 40 API CF-4, CF-2, CF/SJ

SAE 5W20 API SM, SL, SJ, ISLAC GF-4

SAE 5W30 API SM, SL, SJ, ISLAC GF-4

SAE 10W30 API SM, SL, SJ, ISLAC GF-4

SAE 20W50 API SL, SJ SH, SG

SAE 10W40 API SL, SJ SH, SG

Crankcase oil suitable for use in late model diesel and gasoline engines where this service category oil requirement is specified by the engine manufacturer.

Must meet the performance level of MIL-L-2104E and MIL-L-45152D

Sulfated ash (ASTM D-874) shall be a maximum of 1% by weight.

Minimum viscosity index for all motor oils shall be 95.

Items 15-17

Extreme Pressure Gear Lubricant:

API Service Category - GL-5, PG-1, PG-2

These lubricants are intended for use in passenger car, truck, and tractor differentials (particularly hypoid type), steering gears, and other points requiring a lubricant of exceptional load carrying ability.

SAE Viscosity Grades - 80W90 and 85W140

<u>Item 18</u>

Gear lubricants are designed for use in automotive and heavy duty equipment transmission and differentials where an EP (extreme pressure) lubricant is not required and where an API Service Designation GL-1 gear oil is specifically called for by the equipment manufacturer.

<u>Item 19</u>

Is a fully synthetic, SAE 50 lubricant for use in heavy-duty truck manual transmissions that meet EATON PS-164, R7, MACK TO-A PLUS, NAVISTAR TMS 6816.

Items 20 - 22

Wheel Bearing and Chassis Grease:

This grease shall be designated by the manufacturers as suitable for a multipurpose use in cars, light and heavy duty trucks, and industrial equipment. Made from a lithium complex soap.

Salient Characteristics: (High Dropping Point)

- 1. NLGI Consistency #1 and #2
- 2. Rust protection and resistance to oxidation
- 3. Resistance to water without washout (ASTM D 1264)
- 4. Leakage resistance (ASTM D 1263)
- 5. Extreme pressure properties
- 6. Anti-wear properties
- 7. Load carrying properties
- 8. Dropping point (ASTM D2265) of Min. 450 degree F.
- 9. Worked penetration (ASTM D217)

NLGI #1 310-340 NLGI #2 265-295

10 NLGI - GC/LB

Items 23 - 25

All Purpose Grease (Moly):

This grease shall be designated by the manufacturer as suitable for use in industrial, automotive and construction equipment applications including heavy stock loading conditions.

Salient Characteristics:

1. NLGI Consistency #2

- 2. Rust protection and resistance to oxidation
- 3. Resistance to water washout
- 4. Extreme pressure properties
- 5. Anti-wear properties
- 6. Good mechanical stability
- 7. Low pressure properties
- 8. Dropping point (ASTM D 2265) of Min. 500 Degree F.
- 9. 3% Moly (Cat. Reg.)

Items 26 - 32

Hydraulic Oil (Hydraulic Hoist Oil):

This product shall be specially blended for service in hydraulic systems employing either vane or gear type pumps on snow removal and road construction equipment and hydraulic-operated equipment.

Note: This oil is not intended for use in hydraulic brakes and automobile-type power Steering units.

Grades:

<u>Light Weight</u> – for use when outside temperature is generally below 32 degrees F

<u>Medium Weight</u> – for use when outside temperature is generally between 32 Degrees and 100 Degrees F.

<u>Heavy Weight</u> – for use in some systems where ambient temperatures are generally higher and heavier weight products are recommended..

This hydraulic oil shall satisfy the requirements of hydraulic systems used in the application above. Oil shall have good demulsibility characteristics and shall not produce deleterious effects on neoprene, leather or other type seals used in such

hydraulic systems. Product shall contain corrosion, oxidation, antiwear and foam inhibitors in sufficient quantities and quality to adequately protect the hydraulic system including pumps, motor and valves. This oil shall have been tested per ASTM D2619 and approved for use as a quality product in this application.

Abex Denison HF-0, HF-1 HF-2 Sperry Vickers M-2950-S, 1-286-S Sunstrand Hydrostatics Minimum viscosity index for all Hydraulic Oils shall be 95

Light Weight - Cincinnati Milacron Specifications p-68

Medium Weight - Cincinnati Milacron Specifications p-70

Heavy Weight - Cincinnati Milacron Specifications p-69

<u>Items 33 - 34</u>

Transmission Fluid:

This automatic transmission fluid shall be suitable for use in any application where conventional ATF fluid is specified (Dexron III-Mercon).

Items 35-36

TO-4 Fluids

Transmission fluids to meet rigid demands of Caterpillar equipment and Allison C-4. Must provide outstanding rust corrosion control and oxidation stability, foam resistance and elastomer compatibility. The product offered shall meet CAT TO-4 requirements.

Item 37

Transmission Fluid:

This automatic transmission fluid shall be suitable for use in any application where multivehicle ATF fluid is specified meeting specification DEXRON III, MERCON, MERCON V, ATF +3, ATF +4.

Items 38 -39

Combination Fluid:

Formulated for late model farm equipment, off highway machinery, and industrial tractors where transmissions, final drives, wet brakes and hydraulics are supplied from a common fluid reservoir.

Combination fluid, combination hydraulic, transmission, differential fluid for use in tractors requiring combination fluid. This fluid shall have all the varying characteristics

of the following specifications John Deere J20A, Allis Chalmers 257541, Massey Ferguson Permatran III, White Equipment Q-1722, and Ford M2C134A.

Items 40

Railroad diesel engine oil must be a generation 4 oil as designated by (LOMA) EMD approved.

Items 41

Synthetic Motor Oil for Diesel and Gasoline Engines:

API Service Categories

SAE 5W30 – CF/SL SAE 10W30 – CF/SL SAE 5W40 – CJ-4

All should meet the following: Passenger cars and light truck – GM 6094M , GM 4718M and Ford ESE-MC153-E

Must meet the performance level of MIL-L-46152E and MIL-L-2104D

Items 42 - 44

Synthetic Mulitpurpose Gear Lubricant:

API Service Category - GL-5

These lubricants are intended for use in passenger car, truck, and tractor differentials, steering gears and other points requiring a lubricant of exceptional load carrying ability.

SAE Viscosity grades, 75W90 and 80W140

The gear lubricant shall be manufactured from synthesized hydrocarbon base oils and a sulfur phosphorus gear lubricant additive package.

<u>Items 45 - 46</u>

Formulated Gear Oil:

API Service Category - GL-5

These lubricants are intended for use in limited slip and conventional differentials of passenger cars and trucks. Product shall contain: rust, corrosion, antiwear and foam inhibitors for transmissions and differentials.

SAE Viscosity grade: 80W90

ITEM 48

Automatic Transmission Fluid meeting GM specification DEXRON-VI.

ITEM 49

A premium quality heavy-duty universal power shift and automatic transmission fluid which is suitable for use in transmissions requiring Allison TES-295 fluids.

These specifications cover the motor oils, lubricants and greases that are usually purchased by the State of West Virginia for use in automobiles, trucks and other motorized equipment.

P

T



State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

OIL10

PURCHASE ORDER NO.

PAGE

ALL STATE AGENCIES N>0-0E AND POLITICAL SUBDIVISIONS VARIOUS LOCALES AS INDICATED BY ORDER T

BLANKET RELEASE CORRECT PURCHASE ORDER NUMBER MUST APPEAR ON ALL PACKAGES, INVOICES, AND SHIPPING PAPERS. QUESTIONS CONCERNING THIS PURCHASE ORDER SHOULD BE DIRECTED TO THE BUYER AS NOTED BELOW. 00

CHANGE ORDER

SEE REVERSE SIDE FOR **TERMS AND CONDITIONS**

*709063326 APOLLO OIL

VENDOR

859-744-5444

1175 EARLY DRIVE

40391 WINCHESTER KY

DATE:PRINTED	TERMS OF SALE	FEIN/SSN	FUND
10/13/2010 SHIP VIA	NET 30	611009071	
	F.O.B	FREIGHT TERMS	ACCOUNT NUMBER
BEST WAY GUANTITY	DESTINATION UOP VENDORITEMINO.	PREPAID M UNIT PRICE	UL-MUL AMQUNT
DELIVERY DATE C	CATINO: ITEM NUMBER	DNITFRICE	AMOUNT
	RECEIPT TICKE	T FOR PURCHASE ORDER:	OIL10
LINE CATNO ITEM	NUMBER	DESCRIPTION	QTY DATE
0001 405-39	LUBRICANTS	, OIL AND GREASES	
	SIGNATURE	DATE	<u> </u>
	•		
·			
IF APPROVAL AS TO FORM IS REQUIRED BY ATTORNEY GENERAL, CHECK HERE			
			TOTAL