From: Sheets (Purchasing), Mike < william.m.sheets@wv.gov>

Date: Wed, Aug 3, 2022 at 11:46 AM

Subject: Re: Request for approval of emergency purchases.

To: Dale Malcomb dmalcomb@wvpublic.org

Cc: Welch, Toby L < toby.l.welch@wv.gov >, Totten, Mark L < mark.l.totten@wv.gov >

Dale,

Your emergency is approved. Please follow emergency purchasing procedures as found in the Handbook and follow up with documentation for award within 30 days.

Regards, Mike

W. Michael Sheets
Director
WV Purchasing Division
2019 Washington Street, East
Charleston, WV 25305

Phone: (304) 558-0492 Fax: (304) 558-4115

On Wed, Aug 3, 2022 at 11:33 AM Dale Malcomb < dmalcomb@wvpublic.org> wrote: Mike:

My apologies. Yes, our FM broadcast is off the air in the Charleston area. The lack of grounding also leaves all other equipment at the site at risk.

Thanks.

Dale Malcomb
Purchasing Coordinator
Information Technology Manager
Fleet Coordinator

Phone: (304) 254-7858 Cell: (304) 222-9252 dmalcomb@wvpublic.org

From: Sheets (Purchasing), Mike < william.m.sheets@wv.gov>

Sent: Wednesday, August 3, 2022 11:31 AM **To:** Dale Malcomb dmalcomb@wvpublic.org

Cc: Welch, Toby L <toby.l.welch@wv.gov>

Subject: Re: Request for approval of emergency purchases.

Dale,

Obviously, this is a horrible thing to have happen. What's not clear is what the emergency is. You said that it's a microwave site, but you also mentioned an FM transmitter. Are you off the air because of this?

Thanks, Mike

W. Michael Sheets Director WV Purchasing Division 2019 Washington Street, East Charleston, WV 25305

Phone: (304) 558-0492 Fax: (304) 558-4115

On Wed, Aug 3, 2022 at 11:19 AM Dale Malcomb < dmalcomb@wvpublic.org> wrote: Mike:

Please see the attached emergency purchase request. If you would respond at your earliest convenience, we would appreciate it.

Thank you.

Dale Malcomb
Purchasing Coordinator
Information Technology Manager
Fleet Coordinator

Phone: (304) 254-7858 Cell: (304) 222-9252 dmalcomb@wvpublic.org

West Virginia Public Broadcasting

"Telling West Virginia's Story"

www.wvpublic.org

This email and any files transmitted with it are intended solely for the individuals or entities originally addressed, and may contain confidential and privileged information protected by law. If you are not the intended recipient, any dissemination, distribution, copying, or action taken in relation to the contents of this email is prohibited and may be unlawful. If you have received this email in error, please notify the sender immediately and permanently delete the original and any copy or printout.

West Virginia Public Broadcasting "Telling West Virginia's Story" www.wvpublic.org

This email and any files transmitted with it are intended solely for the individuals or entities originally addressed, and may contain confidential and privileged information protected by law. If you are not the intended recipient, any dissemination, distribution, copying, or action taken in relation to the contents of this email is prohibited and may be unlawful. If you have received this email in error, please notify the sender immediately and permanently delete the original and any copy or printout.

1

August 3rd, 2022

Mike Sheets Purchasing Director West Virginia Purchasing Division

Phone: (304) 558-0492

Email: William.M.Sheets@wv.gov

Dale Malcomb Purchasing Coordinator Phone: (304) 254-7858 Cell: (304) 222-9252

Email: <u>DMalcomb@WVPublic.Org</u>

Re: Emergency purchase of FM transmitter for our Garfield microwave site.

Mr. Sheets:

Our Garfield Street microwave site was recently vandalized and our copper grounding system stolen. As a result, the site was struck by lightning and our FM transmitter was fried. This sequence of events has created two emergencies:

- 1. Replacement of the grounding system. The estimated cost is \$80,000.00.
- 2. Replacement of the FM transmitter. A replacement will cost approximately \$55,000.00. We have two quotes for the transmitter (attached). The low quote is \$52,840.91 and there may be some electrical work involved. If electrical work is required, we believe the \$55,000.00 estimate should cover everything.

We would like approval for emergency purchases to replace the grounding system and to purchase the transmitter and electrical work, if needed, to replace our failing unit.

Thank you for your time and consideration.

Sincerely,

C. Dale Malcomb





To:

West Virginia Educ Bcst Auth 600 Capitol Street Charleston, WV 25301 USA From:

GatesAir, Inc. 5300 Kings Island Drive, Suite 101 Mason, OH 45040 USA

Brian Szewczyk Global Sales <u>brian.szewczyk@gatesair.com</u> 518-226-0918

Summary – All Prices are in USD	
Summary Group1	Amount \$59,365.00
Total Quote Price (Optional Items Not Included)	\$59,365.00
Is the purchase of this equipment or services exempt from sales tax? YES or NO If NO - sales tax will be added to your invoices at the rate assigned to the ship to address.	
If YES - Sales Tax Exemption Number COPY OF CE	ERTIFICATE MUST BE ATTACHED
Who can we contact regarding sales tax questions on behalf of your company?	
Name:	
Phone Number:	





Bill To: West Virginia Educ Bost Auth 600 Capitol Street Charleston WV, 25301 USA Ship To: WVPB-FM 600 Capitol Street Charleston WV, 25301 USA

Quote #: Q-98525

Payment Terms: 1/3 Down with Order, 1/3 Prior to Ship, Balance

Net 30

Effective Date: July 18, 2022 Valid Through: August 17, 2022

Send Orders to orders@gatesair.com

Freight Terms: Not Included

Group1				
No.	Model Number	Qty	Net Unit Price	Ext. Price
1	HARFAX10KFAX50	1	\$48,425.00	\$48,425.00

Flexiva 10kW (analog power) solid-state transmitter with Flexiva 50W Exciter.

Features Include:

- One (1) Direct to Channel Digital 50W FM modulator: includes Stereo Encoder Auto-switching analog L/R (2), AES-EBU audio (2) and composite (2) inputs, Two (2) SCA baseband inputs, Ext. 10MHZ and 1 PPS inputs
- Seven (7) "Hot-Pluggable" linear RF amplifier modules (two amplifiers per module)
- One (1) "Hot-Pluggable" linear RF amplifier IPA module (two amplifiers per module)
- Seven (7) "Hot-Pluggable" auto-ranging power supplies
- Dual Exciter inputs (Main/Alt) with automatic switching (Does not include backup exciter, second exciter quoted separately)
- Internal harmonic filter with high energy DC return for lightning protection.
- Type 1-5/8 inch output connector.
- Front panel control and metering.
- RF directional couplers for system protection and RF sample probe for customer use.
- Built-in parallel interface for remote control, status and metering; RFI and transient protected.
- Proportional VSWR foldback for safe operation at reduced power into marginal loads (icy antenna, etc.).
- Automatic restart after AC mains interruption; returns to previous operational mode.
- Built-in MOV transient voltage suppression on incoming AC mains lines.
- Web Remote for use in remote diagnostics using customer's PC.
- All system technical manuals and final test data provided at no additional cost.
- Meets or exceeds all applicable FCC, Industry Canada, CCIR and IEC-215 standards, RoHS compliant.
- Mounting requirement, transmitter: 16RU (EIA spacing).

- ·	
Specify With Order: Carrier Frequency:	_ MHz (87.5-108MHz; 10 kHz steps)
Power Supply Configuration: [] 190 to 265 VAC, single pha [] 190 to 265 VAC, 3 phase D [] 330 to 460 VAC, 3 phase W	elta
Operating Mode: MAX POWER FM Only 11000W Main Total Output Power:	W
OPTIONAL SPARES AND OF Rack Options: [1] Stand alone 16 RU Transmi	PTIONS TO BE ADDED AS SEPARATE LINE ITEMS ON THE QUOTE IF PURCHASED: itter and Exciter (20 RU)





No. Model Number Qty Net Unit Price Ext. Price

[] Optional Basic Rack configuration: Installed in 37 RU basic rack, vented top, rear door, Equipment side support bracket/slides. HPN HARFAX10KBSCRK

[] Optional Basic Rack configuration with rear door and RF Hardline: Installed in 37 RU basic rack, Side Panels, vented top, rear door, 10 RU Exciter air baffle, Equipment side support bracket/slides, RF transmission line to the top of the rack, 1-5/8 inch Male Flanged with flanged to un-flanged adapter. HPN HARFAX10KBSCRKRF

[] Optional Deluxe Rack Configuration: Installed in 37 RU deluxe rack, side panels, vented top, rear door, 10 RU Exciter air baffle, Equipment side support bracket/slides, AC distribution panel, RF transmission line to the top of the rack, 1-5/8 inch Male Flanged with flanged to un-flanged adapter. HPN HARFAX10KDLXRK

Spares Options:

HARFAXHPSMK

FAX High Power Module Spares Kit

Includes:

PA Module Qty 1

PS Module Qty 1

HARFAX10KSBK

FAX10K Board Spares Kit

Includes:

System Interface Board Qty 1

Control & Display Board Qty 1

Power Supply Interface Board Qty 1

Power Amplifier Interface Board Qty 1

Micro Module Qty 1

Fan Control Board Qty 1

RF Switch Board Qty 1

HARFAX10KSPK

FAX10K Basic Spares Kit

Includes:

Fuses Qty 8

Fan Qty 1

Service Options:

HARFAXINSCKSVC

Includes:

On Site Install and Commissioning

HARFAXCOMSVC

Includes:

One Day on site checkout and commissioning

2	HARFAX10KDLXRK	1	\$5,100.00	\$5,100.00	

RACK, FAX 10K, 37RU, DELUXE

Rack Includes:

- Side Panels
- Rear Door (Solid or Vented)
- Vented Top
- RF Plumbing w/ 1-5/8 inch Female Flange, Top Output

Male Bullet Included

- AC Distribution
- AC Outlet strip for customer installed auxiliary equipment installed in transmitter rack
- Ground Bar
- Front Blank Close-out Panels

Specify with Order:

Auxiliary AC Outlet Strip Configuration:

220VAC (Default) [] 120VAC []

Rear Door:





No.	Model Number	Qty	Net Unit Price	Ext. Price
Solid (De	fault) [] Vented []			
3	HARFAX50	1	\$5,840.00	\$5,840.00

Flexiva 50W (analog power) solid-state FM Transmitter/Exciter.

Features Include:

- Integrated Direct to Channel Digital FM modulator includes Stereo Encoder Auto-switching analog L/R (2), AES-EBU audio (2) and composite (2) inputs, Two (2) SCA baseband inputs, Ext. 10MHZ and 1 PPS inputs
- One (1) 65W linear RF amplifier modules
- One (1) linear RF IPA
- One (1) auto-ranging power supply (90 to 277VAC single phase)
- Internal harmonic filter
- Internal/External Exciter Auto-switching
- RF Power Output (Average): FM Power 5W 55W
- N Type female RF output connector
- Built-in MOV transient voltage suppression on incoming AC mains lines
- Proportional VSWR fold-back for safe operation at reduced power into marginal loads (icy antenna, etc.)
- RF ramp-up to minimize turn-on transients
- Air filter serviceable while transmitter is in operation
- Meets or exceeds all applicable FCC, Industry Canada, CCIR and IEC215 standards, RoHS compliant
- Front panel control and metering.
- Built-in parallel interface for remote control, status and metering; RFI and transient protected.
- RF directional couplers for system protection and RF sample probe for customer use.
- Automatic restart after AC mains interruption; returns to previous operational mode.
- Web Remote for use in remote diagnostics using customer's PC.
- SNMP for basic network control and monitoring
- All system technical manuals and final test data provided at no additional cost.
- Dimensions: 3.5"(2RU)H x 19"W x 13"D EIA Rack mountable

Specify With Order: Carrier Frequency: MHz (87.5-108MHz; 10 kHz steps)	
MAX POWER FM Only 55W Main Total Output Power:W	
Power Supply Configuration:	

SINGLE PHASE AC LINE VOLTAGES BETWEEN 90-277VAC 47-63HZ

OPTIONAL SPARES AND OPTIONS TO BE ADDED AS SEPARATE LINE ITEMS ON THE QUOTE IF PURCHASED: FAX 50/150 SPARES

Spare Modules Kit Part #: HARFAXEXSMK Includes: PA Module Qty 1 PS Module Qty 1

Spare Modulator and Control Boards Kit Part #: HARFAXLPSMODCTRLK Includes: Modulator Board Qty 1 Control and Display Board Qty 1 Micro Module Qty 1 BNC I/O Board Qty 1

Spare Parts Kit Part #: HARFAXEXSPK Includes: Fan Assembly Qty 1 AC Inlet Filter QTY 1 Air Filter Qty 1

FAX Low Power Options GPS Option Part #: HARFAXLPGPSOPT Includes: GPS Receiver Board Qty 1 GPS Antenna Qty 1





No.	Model Number	Qty	Net Unit Price	Ext. Price	
Cable Qt	<i>t</i> 1				
Part #: H	Orban Processor Option Part #: HARFAXLPORBANOPT Includes: Orban Option Board Qty 1				
morados	Orban Option Board Rty 1		Group1 TOTAL:	\$59,365.00	

TOTAL: \$59,365.00





This Quote, and any Order resulting from this Quote, is subject to the Standard Terms and Conditions of Sale for GATESAIR which can be located at http://www.gatesair.com/company/legal-compliance/terms-conditions, which are incorporated herein by reference. The Standard Terms and Conditions for GATESAIR shall apply to the exclusion of any other terms and conditions except where expressly agreed in writing and signed by GATESAIR. For a hard copy of the terms and conditions, please call U.S. (513) 459-3502 or fax your request to (513) 459-3796, Attn.: Legal Dept., or email your request to GAContracts@gatesair.com.

request to (513) 459-3796, At	tn.: Legal Dept., or email your request to GAContracts@gatesair.	com.
	rts, GatesAir may publish general information about this order inc h the solutions are intended, and deal value. GatesAir will not pub	
I do not authorize GatesA	Air to publicize this order.	
Total Quote Price (Optional	Items Not Included)	\$59,365.00
GatesAir Approval:	Brian Szewczyk , Global Sales	
Customer Approval:		
Title:		
Date:		
Purchase Order #:		
Return signed quote to orders	s@gatesair.com or brian.szewczyk@gatesair.com	



Rep: Mike T Moreno

mmoreno@scmsinc.com (800) 438-6040

Quote

Date	Quote #
7/18/2022	QT35580

Bill T	o O				Ship To			Cor	porate Offic	ce	
AP NEEDS 3 COPI WV PUBLIC BROA 124 INDUSTRIAL BEAVER WV 2581 United States			DCASTING PARK ROAD		PURCHASING ADMINISTRATOR WV PUBLIC BROADCASTING 600 CAPITOL ST Charleston WV 25301-1223 United States		Remit to: SCMS, Inc. SCMS Inc 10201 Rodney St Pineville NC 28134-7540 Phone 800-438-6040 fax sales@scmsinc.com		ı		
Sa	ales F	Rер	PO#		Ship Via	Terr	ns				
Mil	ке Т Мо	oreno	TBD		Bestway - Ground	Net :	30				
Line	Qty		Item		D	escription			MSRP	Unit	Ext.
1	1	GatesAi	r HARFAX10kFAX50	Flex	iva10kW Solid-state Transm	itter with Flexiva 50)W Exciter		74,500.00	42,340.9	1 42,340.91
2	1	GatesAi	r HARFAX50	Flex	iva 50W (analog power) soli	d-state FM Transmi	tter/Exciter		8,000.00	5,460.0	0 5,460.00
3	1	GatesAi	r HARFAX10KDLXRK	inch Inch Plun AC	iva 10K Transmitter Rack, E Female Flange. udes: - Side Panels - Rear Do nbing w/ 1-5/8 inch Female I Distribution - AC Outlet strip illed in transmitter rack - Gro	RF uded - iipment	6,000.00	5,040.0	5,040.00		
This printer		does NO	T include a freight estimate	. Fre	ight will be billed as actu	al with the final	Subtotal Shipping Co Total	st (Bes	tway - Grou	nd)	52,840.91 0.00 \$52,840.91

****ANY SHIPPING AMOUNT SHOWN IS AN ESTIMATE OF ACTUAL FREIGHT COST TO BE BILLED****

All delivered Shipments are the responsibility of the purchaser. If a signature for proof of delivery is required, please specify.

TERMS & CONDITIONS: Quote is valid for 30 days with the exception of price increases from the manufacturer. All prices are FOB Origin. Taxes, e-procurement fees, and freight are not included. Package Sale Price is for payment within terms only, otherwise list price shown will be due. Net 30 Days terms are subject to credit approval. Required deposits and progress payment percentages are shown above. Partial invoicing for partial shipments will be allowed. All items remain the property of SCMS until paid for in full with all legal expenses required for collection paid by purchaser. Any stated deliveries are subject to SCMS stock availability and/or manufacturer's stock and production schedules at time of order. All used equipment is on a "first come, first served" basis. All returned products and cancellations require prior written approval and are subject to a restocking fee. All credit card and Paypal purchases are subject to a surcharge. Only manufacturer warranties are applicable.

Accepted by		
Signature		
Date	 	